Austin Independent School
District and the City of
Austin
to the
City of Austin
(Wastewater Easement)

Field Notes for Parcel 5111.23WE

BEING 0.271 OF ONE ACRE (11,823 S.F.) OF LAND, MORE OR LESS, OUT OF AND A PART OF OUTLOT 56, DIVISION B, IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, SAME BEING A PORTION OF LOT 8, BLOCK D OF THE KEALING SUBDIVISION, RECORDED IN BOOK 29, PAGE 13, OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, CONVEYED TO THE AUSTIN INDEPENDENT SCHOOL DISTRICT AND THE CITY OF AUSTIN BY WARRANTY DEED EXECUTED ON MARCH 31, 1967 AND FILED FOR RECORD ON APRIL 4, 1967 RECORDED IN VOLUME 3265, PAGE 1201 OF THE DEED RECORDS OF TRAVIS COUNTY, TEXAS, SAID 0.271 OF ONE ACRE (11,823 S.F.) OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND AS SHOWN ON THE ATTACHED SKETCH:

BEGINNING at a 60d nail set in the northerly right-of-way line of Rosewood Avenue (70' R.O.W.) and the southerly line of said Lot 8, same being North 78°18'07" East, a distance of 395.95 feet from a 5/8 inch iron rod with MWM cap set at the southwesterly corner of said Lot 8 and the intersection of the northerly right-of-way line of Rosewood Avenue and the easterly right-of-way line of Angelina Street (80' R.O.W.), for the Point of Beginning and the southwesterly corner of the herein described tract of land, having Texas State Plane Coordinate (Texas Central Zone, NAD83 (93)HARN, US Feet, Combined Scale Factor 0.99990001) values of N=10071309.55 and E=3120566.56;

- 1) THENCE, North 11° 44'26" West, a distance of 404.27 feet, leaving the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, crossing said Lot 8, to a 60d nail set for a corner;
- 2) THENCE, North $56^{\circ}44'23''$ West, a distance of 50.80 feet, to a 60d nail set for a corner;
- 3) THENCE, North $11^{\circ}39'39''$ West, a distance of 337.79 feet, to a 60d nail set in the curving southerly right-of-way line of Pennsylvania Avenue (60' R.O.W.) and the curving northerly line of said Lot 8, for the northwesterly corner of the herein described tract of land, and from which a 1/2 inch iron rod found at the point of curvature, bears along said curve, to the left, having a radius of 100.00 feet, an angle of intersection of $80^{\circ}36'02''$, and a chord bearing South $65^{\circ}59'18''$ West, a distance of 129.36 feet;
- 4) THENCE, along said curve, to the right, having a radius of 100.00 feet, a delta of $09^{\circ}23'57''$, an arc length of 16.40 feet, and a chord bearing South $69^{\circ}00'42''$ East, a distance of 16.39 feet, to a 60d nail set for a corner;
- 5) THENCE, South $64^{\circ}18'29''$ East, a distance of 1.51 feet, with the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 8, to a 60d nail set for the northeasterly corner of the herein described tract of land;
- 6) THENCE, South 11°39'39" East, a distance of 321.80 feet, leaving the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 8, crossing said Lot 8, to a 60d nail set for a corner;
- 7) THENCE, South $56^{\circ}44'23''$ East, a distance of 50.79 feet, to a 60d nail set for a corner;

Austin Independent School
District and the City of
Austin
to the
City of Austin
(Wastewater Easement)

- 8) THENCE, South 11°44'26" East, a distance of 410.50 feet, to a 60d nail set in the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, for the southeasterly corner of the herein described tract of land, from which the southeast corner of said Lot 8, and the intersection of the northerly right-of-way line of Rosewood Avenue and the westerly right-of-way line of Salina Street (53.33' R.O.W.), bears North 78°18'07" East, a distance of 890.38 feet (from said intersection, a 1/2 iron rod found bears North 52°47'36" West, a distance of 0.43 feet);
- 9) THENCE, South $78^{\circ}18'07''$ West, a distance of 15.00 feet, with the northerly right-of-way line of Rosewood Avenue and the southerly line said Lot 8 to the Point of Beginning and containing an area of 0.271 of one acre (11,823 s.f.) of land, more or less.

Eduardo O. Mendez

Registered Professional Land Surveyor 5010

Martinez, Wright & Mendez, Inc. 7700 Chevy Chase Dr., Suite 100 Austin, Texas 78752 (512) 453-0767


The coordinates and bearings shown are based on the Texas State Plane Coordinate System, Central Zone, NAD 83 (HARN) Grid Datum, having a Combined Scale Factor of 0.99990001. The coordinates were established from GPS static observation, referenced to the local CORS station TXAU


TCAD No.: 02-0708-1302-0000


Austin Grid: K22-1

FIELD NOTES REVIEWED

Austin Clean Water Program Survey Coordinator







Field Notes for Parcel 5111.23TWSE

BEING 0.341 OF ONE ACRE (14,872 S.F.) OF LAND, MORE OR LESS, OUT OF AND A PART OF OUTLOT 56, DIVISION B, IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, SAME BEING A PORTION OF LOT 8, BLOCK D OF THE KEALING SUBDIVISION, RECORDED IN BOOK 29, PAGE 13, OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, CONVEYED TO THE AUSTIN INDEPENDENT SCHOOL DISTRICT AND THE CITY OF AUSTIN BY WARRANTY DEED EXECUTED ON MARCH 31, 1967 AND FILED FOR RECORD ON APRIL 4, 1967 RECORDED IN VOLUME 3265, PAGE 1201 OF THE DEED RECORDS OF TRAVIS COUNTY, TEXAS, SAID 0.341 OF ONE ACRE (14,872 S.F.) OF LAND, HEREINAFTER REFERRED TO AS PART 1 AND PART 2 AND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND AS SHOWN ON THE ATTACHED SKETCH:

PART 1

Beginning at a calculated point in the northerly right-of-way line of Rosewood Avenue (70' R.O.W.) and the southerly line of said Lot 8, same being North 78°18'07" East, a distance of 385.95 feet from a 5/8 inch iron rod with MWM cap set at the intersection of the northerly right-of-way line of Rosewood Avenue and the easterly right-of-way line of Angelina Street (80' R.O.W.), for Point of Beginning and the southwesterly corner of the herein described tract of land, having Texas State Plane Coordinate (Texas Central Zone, NAD83 (93)HARN, US Feet, Combined Scale Factor 0.99990001) values of N=10071307.52 and E=3120556.77;

- 1) THENCE, North 11°44′26″ West, a distance of 201.89 feet, leaving the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, crossing said Lot 8, to a calculated point for a corner;
- 2) THENCE, South 78°15'31" West, a distance of 12.00 feet, to a calculated point for a corner;
- 3) THENCE, North $11^{\circ}44'25''$ West, a distance of 24.00 feet, to a calculated point for a corner;
- 4) THENCE, North $78^{\circ}15'31''$ East, a distance of 12.00 feet, to a calculated point for a corner;
- 5) THENCE, North $11^{\circ}44'26''$ West, a distance of 174.24 feet, to a calculated point for a corner;
- 6) THENCE, North 56°44'23" West, a distance of 50.81 feet, to a calculated point for a corner;

- 7) THENCE, North 11°39'39" West, a distance of 346.56 feet, to a calculated point for a corner in the curving southerly right-of-way line of Pennsylvania Avenue (60' R.O.W.) and the curving northerly line of said Lot 8, for the northwesterly corner of the herein described tract of land, and from which a 1/2 inch iron rod found at the point of curvature, bears along said curve, to the left, having a radius of 100.00 feet, an angle of intersection of 74°17'03", an arc length of 129.65 feet and a chord bearing South 62°49'49" West, a distance of 120.76 feet;
- 8) THENCE, along said curve, to the right, having a radius of 100.00 feet, an angle of intersection of $06^{\circ}18'52''$, an arc length of 11.02 feet and a chord bearing South $76^{\circ}52'09''$ East, a distance of 11.02 feet, to a 60d nail set for the northeasterly corner of the herein described tract of land, and from which a 5/8 inch iron rod with MWM cap set and the endpoint of said curve, bears along said curve, to the right, having a radius of 100.00 feet, an angle of intersection of $09^{\circ}24'04''$, an arc length of 16.41 feet and a chord bearing South $69^{\circ}00'46''$ East, a distance of 16.39 feet;
- 9) THENCE, South 11°39'39" East, a distance of 337.79 feet, leaving the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 8, crossing said Lot 8 to a 60d nail set for a corner;
- 10) THENCE, South $56^{\circ}44'23''$ East, a distance of 50.80 feet to a 60d nail set for a corner;
- 11) THENCE, South 11°44′26″ East, a distance of 404.27 feet, to a 60d nail set for the southeasterly corner of the herein described tract of land, and from which the southeast corner of said Lot 8, and the intersection of the northerly right-of-way line of Rosewood Avenue and the westerly right-of-way line of Salina Street, bears North 78°18′07″ East, a distance of 905.38 feet (from said intersection, a 1/2 iron rod found bears North 52°47′36″ West, a distance of 0.43 feet);
- 12) THENCE, South 78°18'07" West, a distance of 10.00 feet, with the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8 to the Point of Beginning, and containing an area of 0.189 of one acre of land (8241 S.F.), more or less.

PART 2

BEGINNING at a 5/8 inch iron rod with MWM cap set in the southerly right-of-way line of Pennsylvania Avenue (60' R.O.W.) and at the most northerly common corner of said Lot 8 and Lot 1 of the Kealing Junior High School Subdivision, recorded in Book 84, Page 6A of the Plat Records of Travis County, Texas, conveyed to Public Free Schools of the City of Austin (now known as the Austin Independent School District, recorded in Volume 253, Page 446 pf the Deed Records of Travis County, Texas, same being North 64°18'29" West a distance of 20.55 feet from a 1/2 inch iron rod found at a point of curvature in the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 1, for the Point of Beginning and the northeasterly corner of the herein described tract of land, having Texas State Plane Coordinate (Texas Central Zone, NAD83 (93)HARN, US Feet, Combined Scale Factor 0.99990001) values of N=10072054.48 and E=3120396.38;

- 1) THENCE, South $11^{\circ}43'53''$ East, a distance of 296.70 feet, leaving the southerly right-of-way line of Pennsylvania Avenue, with an easterly line of said Lot 8 and a westerly line of said Lot 1, to a calculated point for a corner, at an inside corner of said Lot 8, same being the southwesterly corner of said Lot 1;
- 2) THENCE, North $78^{\circ}21'39''$ East, a distance of 10.83 feet, with a northerly line of said Lot 8 and a southerly line of said Lot 1, to a calculated point for a corner;
- 3) THENCE, South 11°49'25" East, a distance of 23.47 feet, leaving a northerly line of said Lot 8 and a southerly line of said Lot 1, crossing said Lot 8 to a calculated point for a corner;
- 4) THENCE, South 56°44'23" East, a distance of 41.34 feet, to a calculated point for a corner;
- 5) THENCE, South 11°44'26" East, a distance of 414.65 feet, to a calculated point for a corner in the northerly right-of-way line of Rosewood Avenue (70' R.O.W.) and the southerly line of said Lot 8, from which the southeast corner of said Lot 8, and the intersection of the northerly right-of-way line of Rosewood Avenue and the westerly right-of-way line of Salina Street (53.33' R.O.W.), bears North 78°18'07" East, a distance of 880.38 feet (from said intersection, a 1/2 iron rod found bears North 52°47'36" West, a distance of 0.43 feet);
- 6) THENCE, South 78°18'07" West, a distance of 10.00 feet, with the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, to a 60d nail set for the southwesterly corner of the herein described tract of land, same being North 78°18'07" East, a distance of 410.95 feet from a 5/8 inch iron rod with MWM cap set at the intersection of the northerly right-of-way line of Rosewood Avenue and the easterly right-of-way line of Angelina Street (80' R.O.W.);
- 7) THENCE, North $11^{\circ}44'26''$ West, a distance of 410.50 feet, leaving the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, crossing said Lot 8, to a 60d nail set for a corner;
- 8) THENCE, North $56^{\circ}44'23''$ West, a distance of 50.79 feet, to a 60d nail set for a corner;
- 9) THENCE, North 11°39′39″ West, a distance of 321.80 feet to a 60d nail set in the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 8, for the northwesterly corner of the herein described tract of land, same being South 64°18′29″ East, a distance of 1.51 feet from a 5/8 inch iron rod with MWM cap set at the endpoint point of a curve in the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 8;

Austin Independent School
District and the City of Austin
to the City of Austin
(Temporary Working Space Easement)

10) THENCE, South 64°18'29" East, a distance of 6.82 feet, with the southerly right-of-way line of Pennsylvania Avenue and the northerly line of said Lot 8, to the Point of Beginning, and containing an area of 0.152 of one acre of land (6631 S.F.), more or less.

Part 1 0.189 acre 8241 s.f. Part 2 0.152 acre 6631 s.f. Total 0.341 acre 14,872 s.f

Eduardo O Mendez

Registered Professional Land Surveyor 5010

Martinez, Wright & Mendez, Inc. 7700 Chevy Chase Dr., Suite 100 Austin, Texas 78752 (512) 453-0767

The coordinates and bearings shown are based on the Texas State Plane Coordinate System, Central Zone, NAD 83 (HARN) Grid Datum, having a Combined Scale Factor of 0.99990001. The coordinates were established from GPS static observation, referenced to the local CORS station TXAU


TCAD No.: 02-0708-1302-0000


Austin Grid: K22-1


FIELD NOTES REVIEWED

1:12 Date: 12-7-05

Austin Clean Water Program Survey Coordinator







Austin Independent School District and the City of Austin to the City of Austin (Temporary Staging Area and Material Storage Site)

Field Notes for Parcel 5111.23TSAAMSS

BEING 0.285 OF ONE ACRE (12,396 S.F.) OF LAND, MORE OR LESS, OUT OF AND A PART OF OUTLOT 56, DIVISION B, IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, SAME BEING A PORTION OF LOT 5, BLOCK D OF THE KEALING SUBDIVISION, RECORDED IN BOOK 29, PAGE 13, OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, CONVEYED TO AUSTIN INDEPENDENT SCHOOL DISTRICT AND THE CITY OF AUSTIN BY WARRANTY DEED EXECUTED ON MARCH 31, 1967 AND FILED FOR RECORD ON APRIL 4, 1967 RECORDED IN VOLUME 3265, PAGE 1201 OF THE DEED RECORDS OF TRAVIS COUNTY, TEXAS, SAID 0.285 OF ONE ACRE (12,396 S.F.) OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND AS SHOWN ON THE ATTACHED SKETCH:

BEGINNING at a calculated point in the northerly right-of-way line of Rosewood Avenue (70' R.O.W.) and the southerly line of said Lot S, same being North 78°18'07" East, a distance of 420.95 feet from a 5/8 inch iron rod with MWM cap set at the southwesterly corner of said Lot 8 and the intersection of the northerly right-of-way line of Rosewood Avenue and the easterly right-of-way line of Angelina Street (80' R.O.W.), for the Point of Beginning and the southwesterly corner of the herein described tract of land, having Texas State Plane Coordinate (Texas Central Zone, NAD83 (93) HARN, US Feet, Combined Scale Factor 0.99990001) values of N=10071314.61 and E=3120591.04;

- THENCE, North 11" 44'28" West, a distance of 100.00 feet, leaving the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, crossing said Lot 3, to a calculated point for the morthwesterly corner of the herein described tract of land;
- THENCE, North 78°18'97" East, a distance of 124.00 feet, to a calculated point for the northeasterly corner of the herein described tract of land;
- THENCE, South 11°41'53" East, a distance of 100.00 feet, to a calculated point in the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, for the southeasterly corner of the herein described tract of land;
- THENCE, South 78°18'07" West, a distance of 123.93 feet, with the northerly right-of-way line of Rosewood Avenue and the southerly line of said Lot 8, to the Point of Beginning and containing an area of 0.285 of one acre (12,396 s.f.) of land, more or less.

Registered Professional Land Surveyor 5010

Martinez, Wright & Mendez, Inc. 7700 Chevy Chase Dr., Suite 100 Austin, Texas 78752 (512) 453-0767

The coordinates and bearings shown are based on the Texas State Plane Coordinate System, Central Zone, NAD 83 (HARN) Grid Datum, having a Combined Scale Factor of 0.99990001. The coordinates were established from GPS static observation, referenced to the local CORS station TXAU

TCAD No.: 02-0708-1302-0000 Austin Grid: K22-1

