

**Public Works Department
Evaluation of Consultant Qualifications**

COMPOSITE

Received:

June 25, 2008

Project:

Forest Ridge/Northwest A Transmission Main**EVALUATION MATRIX**Project Managers: Tina Van Wie and Stacie Long

Firm (or Joint Venture)	Y=Yes N=No Affidavit	Item 1 Y=Yes N=No M/WBE Compliance Plan Completed	Item 2 Y=Yes N=No Prime Firm's EEO Program	Item 3 [24] Experience of Project Manager (10) Engineer(8) Principal (6)	Item 4 [15] Experience and Availability of Proposed Staff	Item 5 [15 w/subs] [15 w/o subs] Prime Firm's Comparable Project Experience	Item 6 [15 w/subs] [0 w/o subs] Subconsultant Firms' Comparable Project Experience	Item 7 [8] Team's Experience with Austin Issues	Item 8 [12] Team's Structure and Project Approach	Item 9 [11] COA Experience with Prime	[100] SUB TOTAL	Item 10 [25] Optional Interview	[125] TOTAL POINTS
Lockwood, Andrews, & Newman, Inc.	Y	Y	Y	19.44	10.64	13.40	11.80	6.60	11.15	10.8	83.83	19.30	103.13
Freese and Nichols, Inc.	Y	Y	Y	18.27	11.56	13.10	12.50	7.20	10.75	11	84.38	17.60	101.98
URS Corporation	Y	Y	Y	18.30	11.56	13.00	12.00	6.80	10.75	10.8	83.21	15.30	98.51
Chiang, Patel & Yerby, Inc.	Y	Y	Y	18.78	11.92	10.50	12.80	7.20	10.75	11	82.95	12.34	95.29
Brierley Associates, LLC	Y	Y	Y	16.34	9.18	12.50	11.00	6.20	8.35	11	74.57		74.57
Kellogg Brown & Root Services, Inc. (KBR)	Y	Y	Y	14.52	9.56	11.50	11.50	6.50	9.95	11	74.53		74.53
Brown & Gay Engineers, Inc.	Y	Y	Y	15.86	10.70	9.80	11.90	6.30	8.95	11	74.51		74.51
Binkley & Barfield, Inc.	Y	Y	Y	15.22	10.26	11.50	11.00	6.60	8.25	11	73.83		73.83
Weston Solutions, Inc.	Y	Y	Y	12.40	10.19	11.40	11.90	6.70	10.20	11	73.79		73.79
Vickrey & Associates, Inc. (WBE/FR)	Y	Y	Y	16.50	9.72	9.70	10.60	6.70	8.15	11	72.37		72.37
Dannenbaum Engineering Company - Austin, LLC	Y	Y	Y	15.40	10.33	9.30	11.50	6.40	7.75	11	71.68		71.68
Huitt-Zollars, Inc.	Y	Y	Y	14.25	9.35	8.70	10.40	5.70	8.45	11	67.85		67.85
Black & Veatch Corporation	Recommended for Jollyville TM			0.00	0.00	0.00	0.00	0.00	0.00	0	0.00		0.00
Jacobs Engineering Group, Inc. K Friese & Associates, Inc. (WBE/FW)	Non-responsive			0.00	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00
	Non-responsive			0.00	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00