### ZONING CHANGE REVIEW SHEET

**CASE:** C814-2008-0087 – South Shore PUD

P.C. DATE: February 10, 2009 E.V. BOARD DATE: January 10, 2009

February 24, 2009
May 12, 2009
June 9, 2009
June 23, 2009
February 4, 2009
March 4, 2009
June 23, 2009

ADDRESS: 1701 S. Lakeshore, 1801 S. Lakeshore, 1414 Arena Drive, 1333 Arena Drive, 1200

Tinnin Ford and 1201 Town Creek

**OWNER/APPLICANT:** Grayco Town Lake Investments 2007, LP

AGENT: Drenner & Golden Stuart Wolff, LLP (Michele Rogerson)

**ZONING FROM:** MF-3, MF-3-NP, and GR-NP **ZONING TO**: PUD and PUD-NP

**AREA:** 20.17 acres (87,843 sq.ft.)

<u>SUMMARY STAFF RECOMMENDATION</u>: Staff recommends Planned Unit Development District Zoning (PUD) and Planned Unit Development – Neighborhood Plan (PUD-NP) with the conditions outlined in the staff recommendation.

**ENVIRONMENTAL BOARD RECOMMENDATION:** (3/4/2009) – The EV Board recommended the environmental variance for a regional water detention pond to be built in the critical water quality zone and all conditions of the Traffic Impact Analysis (5-2; May, Neely).

<u>PLANNING COMMISSION RECOMMENDATION</u>: (6/24/2009) – The Planning Commission recommended the approval of staff recommendation with the following conditions:

Motion: To Approve Staff recommendation which includes the conditions of the Traffic Impact Analysis, and the recommendations of the Environmental Board, with the following additional conditions: (J. Reddy; C. Small - 2nd)

- 3 star Green Building;
- \$1,500,000 (or appropriate amount) affordability contribution to the Austin Housing Finance Corporation (or another designated entity) to provide affordable housing for senior citizens in another location

The following amendments were added to the original motion and approved:

Amendment: (Ewen)

• Before City Council hearing, the Applicant will meet with the Director of the City of Austin Transportation Department regarding transit potential.

- Staff and Applicant will work together to define and apply amenity features to on-site
  water quality pond, using the Central Market pond as a model, to guarantee superiority in
  terms of both aesthetics and functionality
- Staff and Applicant will work together to provide street cross-sections detailing bicycle and pedestrian plans, which will meet the intent of the Riverside Corridor Master Plan
- Parkland dedication fees shall be applied to a local project as agreed to by EROC and PARD
- The project's trails and paths will be congruent with others called for in the East Riverside Corridor Master Plan

Amendment: (Anderson)

Affordable housing funds will be targeted at helping families at 30 – 50% MFI.

Amendment: (Dealey)

- Drive-through services are a prohibited use within the PUD.
- A pervious path will be located across tracts 1, 2 and 3 and will include one drinking fountain
- The ground floor uses for buildings adjacent to Lakeshore Boulevard will be limited to pedestrian uses per compliance with the Waterfront Overlay requirements

(6-3; D. Sullivan, M. Dealey, S. Kirk – Nay)

**DEPARTMENT COMMENTS**: The Planned Unit Development (PUD) district is the designation for a large or complex single or multi-use development that is planned as a single contiguous project and that is under unified control. The purpose of a PUD district designation is to preserve the natural environment, encourage high quality development and innovative design, and ensure adequate public facilities and services for development within a PUD. A PUD district designation provides greater design flexibility by permitting modifications of site development regulations. Development under the site development regulations applicable to a PUD must be superior to the development that would occur under conventional zoning and subdivision regulations. A PUD district must include at least 10 acres of land, unless the property is characterized by special circumstances, including unique topographic constraints.

The South Shore PUD is comprised of approximately twenty acres and the applicant is proposing a high-density mixed-use project that includes land uses permitted in the MF-6 (Multifamily High Density zoning district). This development was analyzed as 1,380 dwelling units of multifamily and 97,000 square feet of commercial use for the purpose of the Traffic Impact Analysis. The number of MF units will be limited to 1,200 through a PUD note on the land use plan. The surrounding land uses and zoning are a mix of commercial and multifamily residential. The MF-6 base zoning and site development regulations are appropriate for this location, which is located along a core transit corridor (East Riverside Drive) and intersects with South Lakeshore Drive, designated as a 2-lane minor arterial.

The PUD proposal is a mixed-use development, including residential and commercial/retail components that will serve existing neighborhoods and future development in the area. The applicant proposes the MF-6 base district land uses and site development regulations. The applicant also seeks the inclusion of additional permitted commercial uses to be permitted within the PUD (Exhibit B). The PUD will also comply with all Compatibility Standards established by the LDC and the South Lakeshore Subdistrict of the Waterfront Overlay.

### **ISSUES:**

The applicant has not provided for the following staff recommendation in the PUD plan notes:


• For tracts 2 and 3 the building coverage shall not exceed 60% from the 50 feet primary Waterfront Overlay boundary to 180 feet from the Lakeshore Boulevard property line.

Staff is also continuing negotiations with the applicant regarding this recommendations as well as aspects of the Traffic Impact Analysis, including the location and fiscal percentage of bicycle lanes within the project.

### **STAFF RECOMMENDATION**

Staff recommends granting PUD and PUD-NP zoning (Planned Unit Development, Planned Unit Development-Neighborhood Plan district zoning) as requested by the applicant with the following conditions:

- On tracts 2, 3 and 4, for the structures adjacent to Lakeshore Boulevard, a building basewall is required that may not exceed a height of 40 feet. That portion of a structure built above the basewall and oriented toward Arena Drive must fit within an envelope delineated by a 70 degree angle starting at a line along the top of the basewall with the base of the angle being a horizontal plane extending from the line parallel to and away from the surface of Lakeshore Boulevard to a maximum height of 90 feet on tracts 2, 3 and 4.
- Staff recommends a maximum building height of 120 feet on tract 6, located outside of the Waterfront Overlay district and not included in the adopted East Riverside/Oltorf Neighborhood Plan Future Land Use Map. Staff agrees to a maximum building height of 60 feet on tract 1 and tract 7.
- For the buildings located on tracts 2, 3 and 4, at least 60 percent of the net frontage length of the property within the PUD along Lakeshore Boulevard shall not consist of continuous building façade.
- For tracts 2 and 3 the building coverage shall not exceed 60% from the 50 feet primary Waterfront Overlay boundary to 180 feet from the Lakeshore Boulevard property line.
- The setback for tract 4 shall extend 100 feet from the Lakeshore Boulevard property line and the building coverage shall not exceed 60% from the 50 feet primary Waterfront Overlay boundary to 300 feet from the Lakeshore Boulevard line.
- The restrictive covenant includes all recommendations listed in the Traffic Impact Analysis memorandum and additional comments for transportation review.



### **EXISTING ZONING AND LAND USES:**

	ZONING	LAND USES
Site	GR-NP, MF-3, MF-3-NP	Multi-family
North	MF-3-NP	Condominiums
South	GR-NP, GR-MU-CO-NP	Restaurant, Retail, Service Station
West	CS-1-NP	Retail, Cocktail Lounge
East	MF-3-NP, PUD-NP	Condominiums, Multifamily

NEIGBORHOOD PLANNING STUDY: East Riverside/Oltorf Combined

TIA: Yes

**WATERSHED:** Town Lake

**<u>DESIRED DEVELOPMENT ZONE</u>**: Yes

**CAPITOL VIEW CORRIDOR:** No

**HILL COUNTRY ROADWAY: No** 

### **NEIGHBORHOOD ORGANIZATIONS:**

Southeast Austin Neighborhood Alliance
East Riverside/Oltorf Neighborhood Plan Contact Team
South River City Citizens Association
The Crossing Gardenhome Owners Association
Save Town Lake.Org
Homeless Neighborhood Association
Barton Springs/Edwards Aquifer Conservation District
Austin Neighborhoods Council
Waterfront Condominium HOA
El Concilio, Coalition of Mexican American Neighborhoods Association

### **SCHOOLS:**

Sanchez Elementary School Martin Middle School Austin High School

### BASIS FOR RECOMMENDATION

### 1. The proposed zoning should be consistent with the purpose statement of the district sought.

The Planned Unit Development (PUD) zoning district is intended for large or complex developments under unified control, planned as a single contiguous project. The PUD is intended to allow single or multi-use projects within its boundaries and provides greater design flexibility for development proposed within the PUD. Use of the PUD district should result in development superior to that which would occur using conventional zoning and subdivision regulations. PUD zoning is appropriate if the development enhances preservation of the natural environment; encourages high quality development and innovative design; and ensures adequate public facilities and services for development within the PUD. Staff finds that the South Shore PUD meets the purpose statement.

### 2. Zoning changes should result in a balance of land uses, provide an orderly and compatible relationship among land uses and incorporates environmental protection measures.

Staff recommends PUD zoning based on the following factors that make this project superior:

- o The upgrading of Arena Drive from an urban roadway designation to a core transit corridor standards.
- o The extension of Arena Drive to Tinnin Ford for improved neighborhood connectivity.
- o A regional wet pond capturing 100 acres of storm water runoff from the existing neighborhood, removing Total Suspended Solids at a rate of 22,000 pounds/year, which exceeds the standard requirement of 9,500 pounds/year;
- o 3 star level Green Building with 25% above energy code for the entire PUD;
- o Tree mitigation at 10% above standard requirement;
- o Providing an Integrated Pest Management Plan;
- o Providing Grow Green/Preferred Native/20% Non-Invasive Plant List practices;
- Landscaping at 10% above standard requirement.

The proposed PUD clusters residential and commercial services, provides additional environmental benefits, incorporates open space, and is located at the intersection of two arterial roadways.

### 3. Granting of the request should result in an equal treatment of similarly situated properties.

Zoning changes should promote compatibility with adjacent and nearby uses. In 2007, the City Council approved ordinance 20070503-050 for the Lakeshore PUD, a 50 acre adjacent property to the east that mirrors the South Shore PUD in height and mix of uses.

### Intensive multi-family zoning should be located on major arterials and highways.

The request for MF-6 (Multifamily High Density base district zoning) is appropriate given the location is in close proximity to a major core transit corridor and major arterial (Riverside Drive) and possible location of future light rail expansion and Transit Oriented Development.

### East Riverside/Oltorf Combined Neighborhood Plan Goals Related to the South Shore PUD Proposal

### **Future Land Use**

The neighborhood plan notes (pg. 28) that increases in allowable height, setbacks and/or FAR shall be considered if significant community benefits regarding affordability and open space are met. The current PUD intends to increase open space, provide environmental benefits and the applicant is offering various options related to incorporating a significant affordability component.

### **Planning Principles**

The neighborhood plan (pg. 27) seeks to protect the Lady Bird Lake shoreline and to prohibit the 'walling off' of the area by limiting height, density and massing of buildings along the shore. Staff recommends the utilization of design elements that will address the stepping back of building envelopes from shoreline and primary Waterfront Overlay setbacks.

### **Multifamily Residential Guidelines**

The neighborhood plan (pg. 131) specifies urban design goals for multifamily structures that relate well to the surrounding environment, utilize a variety of building forms, have a thoughtful parking scheme, provide public open space and include a variety of appropriate landscaping features. The PUD building design will seek to capitalize on open space areas and the protection of existing trees.

### Goal 2, Obj. 2.1

Goal 2 seeks to increase home ownership opportunities that are compatible with surrounding properties. The area within the PUD boundaries is developed with apartments and currently does not offer any ownership opportunities. The Neighborhood Plan encourages redevelopment in the form of condos, townhouses, and single-family residences, which are traditionally owner-occupied. Tract 4 of the PUD plan is potentially slated for condominium residential development. The current plan shows a vertical integration of multifamily and retail, which is unlike standard multifamily development construction in the area.

### Goal 3, Obj. 3.1 R27

Goal 3 calls for focus study of the East Riverside Corridor. The proposed study is underway and anticipates goals that are comparable with the proposed PUD (see below).

### Goal 4, Obj. 4.21

Goal 4 encourages a balanced mix of uses. The PUD incorporates open space and residential uses along with approximately 97,000 square feet of commercial and retail uses to provide a diversity of land uses to the area.

### Goal 5, Obj. 5.6 R61

Goal 5 seeks to improve connectivity across high traffic roadways to facilitate pedestrian traffic. The adopted PUD land use plan specifically speaks to the intersections of Lakeshore Boulevard, Town Creek Drive and Tinnin Ford Road, which are included within the PUD boundaries. The plan currently envisions increased connectivity between Riverside Drive, Arena Drive, Lakeshore Boulevard and Tinnin Ford Road, which is currently planned for in the PUD. The applicant plans to extend Arena Drive and connect it with Tinnin Ford Road, and shall be responsible for paying the proportionate share of cost to install a traffic signal with pedestrian crossing at Lakeshore Boulevard and Tinnin Ford Road.

### Goal 6, Obj. 6.4

Goal 6 encourages the preservation and promotion of public access to the waterfront. The PUD plan will create several additional pedestrian paths through the interior of the PUD boundaries as well as pedestrian crossings of Lakeshore Boulevard to the waterfront. Public access shall be provided via sidewalks connecting Arena Drive and Lakeshore Boulevard. In addition, the primary public front entrance to buildings in Areas 2, 3 and 4 shall be oriented toward Arena Drive.

### Goal 6, Obj. 6.4 R77

The neighborhood plan seeks to support the existing Waterfront Overlay primary setback of 50 feet. The PUD plan meets the 50 foot setback requirement for tracts 1, 2 and 3 and increases the setback to 100 feet for tract 4.

### Goal 6, Obj. 6.4 R80

The plan also calls for the stepping up of building height as they move away from the waterfront. Staff recommends the utilization of design elements that will address the stepping back of building envelopes from shoreline and primary Waterfront Overlay setbacks (see below).

### Goal 6, Obj. 6.4 R80, R81

This objective recommends the limiting of building heights on properties adjacent to Lakeshore Boulevard to 3 stories or 40 feet. For the PUD structures on tracts 2, 3 and 4, the structures adjacent to Lakeshore Boulevard, a building basewall is required with a minimum height of 40 feet. That portion of a structure built above the basewall and oriented toward Arena Drive must fit within an envelope delineated by a 70 degree angle starting at a line along the top of the basewall with the base of the angle being a horizontal plane extending from the line parallel to and away from the surface of Lakeshore Boulevard to a maximum height of 90 feet on tracts 2, 3 and 4.

### Goal 6, Obj. 6.4 R86

Goal 6 also speaks to the sight lines of parking structures. The plan requests that parking structures be screened from view or to be placed underground. The PUD proposes both underground parking and structures that are screened from view. All parking for such buildings in the PUD boundaries shall be located either: (i) sub-grade or partially sub-grade; or (ii) wrapped by usable square footage within the project, such as retail or office space, a sales office, management office, leasing office, recreational facilities or other amenities within the building or any other pedestrian oriented use as defined by City Code as long as such garage is architecturally integrated with the associated building.

### Goal 6, Obj. 6.4 R87

The neighborhood plan recommends that permitted uses include all uses allowed in MF-6 and below, and any uses permitted in GO (with the exceptions of communications services and communication service facilities, local utility services, hospital service, and off-site accessory parking). The applicant has requested a base zoning of MF-6 and permitted commercial uses allowed in GR. The staff recommends this request to encourage owner-occupied housing and commercial/retail redevelopment.

### Goal 6, Obj. 6.4 R89

The plan also calls for the protection of mature trees along the north and south sides of Lakeshore Boulevard. These trees were given to the City of Austin Parks Department in 1990 by LRCA and now provide street canopy for Lakeshore Boulevard within the PUD boundaries. The applicant has agreed to the protection of mature trees and to commit to 10% above the required amount of tree mitigation for smaller trees.

### Draft East Riverside Corridor Master Plan Goals Related to South Shore PUD Proposal

### Mixed Use

- The adopted East Riverside/Oltorf Combined Neighborhood Plan Future Land Use Map identifies the tracts adjoining Lakeshore Drive as mixed-use.
- The draft version of the East Riverside Corridor Master Plan currently envisions mixed use and multifamily for the PUD tracts

### **Street Network:**

- A connected street network is an important goal of the East Riverside Corridor Plan because it creates a balance between all modes of transportation, including by foot, bicycle, transit, as well as vehicle.
- The plan currently envisions increased connectivity between Riverside, Arena, Lakeshore and Tinnin Ford, which is currently planned for in the PUD. The applicant plans to extend Arena Drive and connect it with Tinnin Ford Road, and shall be responsible for paying the proportionate share of cost to install a traffic signal at Lakeshore Boulevard and Tinnin Ford Road.

### **Pedestrian Improvements:**

- Streetscape improvements such as following Core Transit Corridor standards are consistent
  with the E. Riverside Corridor master plan goal of improving pedestrian amenities. The
  applicant will provide additional pedestrian connection between Arena Drive and Lakeshore
  Boulevard and bicycle lanes along each side of Lakeshore Boulevard between Riverside
  Drive and Tinnin Ford Road.
- Recommendation that sidewalk standards for internal drives follow Urban Roadway standards

### Height:

Participants in the planning process do seem to be somewhat comfortable with higher heights near potential future transit hubs. As part of a survey that was conducted at public meetings and online, 77% of participants highly support or support the idea that higher concentrated infill/redevelopment should occur in a series of "development nodes" around transit stops focusing new retail, office and residential uses.

### Reactions to Existing Conditions in E. Riverside Corridor area:

As part of the East Riverside Corridor master planning process, which is not yet complete, participants in the process were asked to rank images with descriptions from -10 to +10, depending on how appropriate the images are for the East Riverside Corridor area in the future.

A number of images of existing conditions were shown, with these results:

Existing Riverside Drive with Views to Austin -3

Existing Multi-family Rehabbed Housing -1

Existing Garden Apartments -3

There were also images showing conditions that do not exist today in the E. Riverside Corridor area.

There are the results for some of those images:

Multi-story buildings at Transit Stop with Views to Downtown (not existing) +6

Sidewalk with Green Buffer (not existing) +7

3-4 Story Residential/Retail (not existing) +5

Traditional Multi-Story Housing (not existing) +5

### Summary:

To be consistent with the adopted East Riverside/Oltorf Neighborhood Plan and the initial goals that have been identified as part of the East Riverside Corridor plan, the South Shore PUD should result in development superior to that which would occur using conventional zoning and subdivision regulations. PUD zoning is appropriate if the development enhances preservation of the natural environment; encourages high quality development and innovative design; and ensures adequate public facilities and services for development within the PUD. Staff recommends granting PUD and PUD-NP zoning (Planned Unit Development, Planned Unit Development-Neighborhood Plan district zoning) as requested by the applicant with the following conditions:

For the structures on tracts 2, 3 and 4, the structures adjacent to Lakeshore Boulevard, a building basewall is required that may not exceed a height of 40 feet. That portion of a structure built above the basewall and oriented toward Arena Drive must fit within an envelope delineated by a 70 degree angle starting at a line along the top of the basewall with the base of the angle being a horizontal plane extending from the line parallel to and away from the surface of Lakeshore Boulevard to a maximum height of 90 feet on tracts 2, 3 and 4.

Staff would not object to a maximum building height of 120 feet on tract 6, located outside of the Waterfront Overlay district and not included in the adopted East Riverside/Oltorf Neighborhood Plan Future Land Use Map. Staff agrees to a maximum building height of 60 feet on tract 1 and tract 7.

Staff further recommends that for the buildings located on tracts 2, 3 and 4, at least 60 percent of the net frontage length of the property within the PUD along Lakeshore Boulevard shall not consist of continuous building façade.

For tracts 2 and 3 the building coverage shall not exceed 60% from the 50 feet primary Waterfront Overlay boundary to 180 feet from the Lakeshore Boulevard property line.

The setback for tract 4 shall extend 100 feet from the Lakeshore Boulevard property line and the building coverage shall not exceed 60% from the 50 feet primary Waterfront Overlay boundary to 300 feet from the Lakeshore Boulevard line.

The restrictive covenant includes all recommendations listed in the Traffic Impact Analysis memorandum.

CITY COUNCIL DATE: August 27, 2009 ACTION:

ORDINANCE READINGS: 1st 2<sup>nd</sup> 3<sup>rd</sup>

ORDINANCE NUMBER:

CASE MANAGER: Stephen Rye PHONE: 974-7604

stephen.rye@ci.austin.tx.us

### **PUD Superior Items**

### Connectivity/Commercial Design Standards

- Upgrading of Arena Drive from an urban roadway designation to a core transit corridor standards
- Extension of Arena Drive to Tinnin Ford Road for improved neighborhood connectivity for pedestrians, bicycles and vehicles
- o Extension of driveways connecting Arena Drive to Lakeshore Boulevard for improved neighborhood connectivity for pedestrians, bicycles and vehicles
- o Extension of Elmont Drive to Lakeshore Boulevard as a driveway for improved neighborhood connectivity for pedestrians, bicycles and vehicles
- o Extension of bicycle lanes along both sides of Arena Drive and along both sides of Lakeshore Boulevard beyond the boundaries of the PUD
- o Providing for a bicycle and pedestrian trail as a feature of the proposed regional wet pond
- o Promotion of access to the waterfront by prohibiting gates within the PUD
- o Providing for a pedestrian crosswalk on Lakeshore Drive (subject to City of Austin approval)

### Water Quality

- o A regional wet pond capturing 100 acres of storm water runoff from the existing neighborhood, removing Total Suspended Solids at a rate of 22,000 pounds/year, which exceeds the standard requirement of 9,500 pounds/year
- o Regional wet pond designed as an amenity with required landscaping
- o Providing for partial onsite treatment via wet pond and water quality controls such as vegetative filter strips, rain gardens and berms

### Trees/Landscaping

- o Tree mitigation at 10% above standard requirement;
- o Preservation of 21 of 26 LCRA trees along Lakeshore Boulevard with remaining to be transplanted
- o Landscaping at 10% above standard requirement
- o Providing Grow Green/Preferred Native/20% Non-Invasive Plant List practices
- o Providing an Integrated Pest Management Plan

### Open Space/Parkland

- o Increasing Waterfront Overlay primary setback from 50 feet to 100 feet for Area 4
- o Providing 20% open space
- o Parkland Dedication (\$897,000 based upon 1,380 units)
- o Providing for a \$200,000 donation to either fund a study of a bridge across Lady Bird Lake or fund the proposed boardwalk
- o Capping impervious cover to the existing level of 74%
- o Expanding urban open space with pedestrian and bicycle connections and plazas throughout the PUD

### **Green Building**

o 3 star level Green Building with 25% above energy code for the entire PUD

### **Affordability**

- o Three options proposed by applicant to be determined by Council:
  - 1. 10% of units at 80% MFI
  - 2. \$1,500,000 contribution to the Austin Housing Finance Corporation (or another designated entity) to provide affordable housing for senior citizens in another location
  - 3. An equivalent value of options 1 and 2

### Community Amenities/Public Facilities/Art

- o Providing for a minimum of 1,000 square feet of rent free space for either fire protection, emergency services or police facilities
- o Providing for a minimum of 1,000 square feet of rent free space for either community meetings, day care facilities or non-profit organizations
- o Providing for three public plazas with public art approved by the Art in Public Spaces Program

### **Local Small Business**

o Providing for 10% of the total retail square footage at below market value to a locally-owned or small business

### **Historic Preservation**

o A contribution of \$25,000 to the Austin Parks Foundation is proposed for the preservation of the Norwood House on Riverside Drive

### Building Design/Parking/Accessibility

- o A building basewall of 40 feet with a 70 degree angle step-back is required for Areas 2, 3 & 4
- o Building coverage is limited to 60% for portions of Areas 2, 3 & 4
- The minimum building design points required by the Commercial Design Standards will be exceeded
- o Pedestrian oriented uses will be provided on the ground floor of mixed uses buildings
- Surface parking lots are prohibited
- o Parking structures will be either subgrade, partially subgrade, surrounded by usable space or architecturally integrated
- o 75% of the ground floor of the building frontages of the parking structure facing the principal street will contain a pedestrian oriented use
- o Exceeding accessibility requirements by providing for 2.5% of the total units to be available for persons with disabilities (25% increase above requirement)

### **Transportation**

o Providing for 3 dedicated parking spaces for use by the Austin CarShare Program

### Waterfront Overlay Regulations Related to the South Shore PUD Proposal

### § 25-2-741 Waterfront Overlay South Lakeshore Subdistrict Setback Regulations

o The PUD meets the required 50 foot setback south of Lakeshore Boulevard for Areas 1, 2 3 and 5 and increases the setback to 100 feet for Area 4

### § 25-2-741 Waterfront Overlay South Lakeshore Subdistrict Height Regulations

O The existing PUD area within the Waterfront Overlay includes a base zoning district of MF-3 (40 feet height). The PUD proposes a base district of MF-6, which allows for 90 feet in height. The areas of the PUD within the Waterfront Overlay are proposed as 60 feet in height for Area 1 and 90 feet in height with a 40 foot basewall and 70 degree angle stepback for Areas 2, 3 and 4. PUD zoning is not superseded by the height limitations of the Waterfront Overlay. The PUD proposes several items of superiority as a basis for increased height.

### § 25-2-721 Waterfront Overlay Combining District Regulations on Parking Structures and Park Facilities

- o The PUD proposes to conform to the primary setback with no parking areas or structures proposed. The PUD does not propose any park facilities within the primary setback.
- o The PUD proposes to prohibit surface parking.
- o The PUD proposes to provide all parking structures either subgrade, partially subgrade, surrounded by usable space of architecturally integrated. The PUD is not adjacent to Town Lake, the Colorado River, parkland, or a creek named in this part.

### § 25-2-721 Waterfront Overlay Combining District Regulations on Design Standards

o The PUD intends to comply with design standards for buildings per this section. The PUD is across the street from public parkland and proposes to exceed the basewall requirement by requiring a 40 foot basewall with the portion of a structure built above the basewall oriented toward Arena Drive within an envelop delineated by starting at a line along the top of the basewall with the base of the angle being a horizontal plane extending from the line parallel to an away from the surface of Lakeshore Boulevard to a maximum height of 90 feet for Areas 2, 3 and 4.

# SOUTH SHORE PUD - C814-2008-0087 Basis for Superiority and Recommendation

Item	Code Requirement	PUD Promosal	
Connectivity (Vehicular)	Commercial Design Standards	1. Extension of Arena Drive to Tinnin Ford 2. Extension of Elmont Drive (via driveway) to Lakeshore Blvd. 3. Additional driveways connecting Arena Drive to Lakeshore Blvd. 4. Orientation of the Arena Drive extension to coordinate with the major	<ul> <li>Superiority</li> <li>Extending vehicular connections         <ul> <li>when not required (beyond standard</li> <li>CDS compliance)</li> <li>Orienting extension of Arena Drive to</li> <li>major driveway within 50-acre project</li> <li>to the east, greatly assisting</li> <li>connectivity between the two</li> </ul> </li> </ul>
Connectivity (Bike)	2009 Bike Master	driveway on the 50 acre PUD to the east  1. Extension of bike lanes (dual) along	Extending bike connections when not
TIA PUD Note 29	<ul><li>In Note Required</li><li>Note: 2008 PUD Tier</li></ul>		required (beyond property boundaries and along both sides of Lakeshore Blvd. from Riverside Drive to Tinnin Ford)
		<ol> <li>Extension of bike lanes (dual) along         Town Creek from Arena Drive to         Lakeshore Blvd.     </li> <li>Creation of bike and pedestrian trail         from Arena Drive along eastern edge of             wet pond to Lakeshore Blvd.     </li> </ol>	<ul> <li>Extending bike connections along both sides of Arena Drive and northem portion of Town Creek to Lakeshore Blvd.</li> </ul>
Connectivity (Pedestrian)	Note: 2008 PUD Tier	Gated community prohibited     Extension of sidewalks along Arena Drive from Riverside to Town Creek	<ul> <li>Extending pedestrian connections when not required (beyond Commercial Design Standards for</li> </ul>
PUD Notes 17, 20 & 27		<ul> <li>(dual)</li> <li>3. Dedication of ROW and extension of sidewalks along Arena Drive from Town Creek to Tinnin Ford</li> <li>4. Extension of sidewalks from Arena Drive to Lakeshore Blvd. along two</li> </ul>	Urban Roadways)

		5. Extension of bike and pedestrian trail	
		from Arena Drive along eastern edge of	
		wet pond to Lakeshore Blvd.	
		6. Pedestrian crossing on Lakeshore Blvd.	
		to be provided (if allowed by COA)	
Water Quality	Sed/Fill Pond (on-	1. Regional wet pond capturing 100 acres	Providing for a regional wet pond
So so so some	site capture only)	of offsite drainage removing TSS of	when not required (and not seeking
12. 6 20 10 12, 21, 23,	,	approximately 22,000 lbs/yr (exceeds	cost recovery funds from the City)
67 % 54	■ Environmental	on-site standard of 9,500 lbs/yr)	Exceeds TSS removal by more than
Need one for onsite	Preservation Not	2. Partial on-site capture with wet pond	250%
	Required	and Innovative Water Quality Methods	<ul> <li>Providing for partial on-site treatment</li> </ul>
	Note: 2008 PUD Tier		via wet pond, vegetative filter strins
	<b>4</b> 1	3. Wet pond designed as an "amenity"	raingardens and berms
		with required landscaping	Wet pond required to be landscaped as
¥			an "amenity" with fencing by Code
			only
Trees	■ 1,097 inches	1. Exceed mitigation/replacement	<ul> <li>Increasing inches to be mitigated</li> </ul>
	required to be	requirement by 10%	beyond standard requirement by 10%
PUD Notes 22 & 28	mitigated	2. Preservation of LCRA trees along	= 21 of 26 I CB & trees to be amounted
+		Lakeshore Blvd	in along Other F I can be preserved
	Environmental	A A 11 trace un'11 como in in 110.00	In place. Office 3 LCKA trees to be
	Preservation Not	for 110 inches	transplanted if recommended by City
	Remired	D 110 inches to be transmitted as	Arbonst
	Note: 2008 PUTD		Existing impervious cover removed
	Tier 1F & K	commission of City Aroonst	from primary setback to allow for
			better tree growth
Austin Green Builder	■ Not Required	2-Star Green Builder	Meeting Green Building remilations
Program	Note: 2008 PUD Tier		that are only required by new PUD
	a		ordinance
PUD Note 13			
		- 1	
Grow Green	■ Not Required	1. 80% of the site will be native species	<ul> <li>Applying Grow Green regulations</li> </ul>
Smilwanner		With a prohibition of invasive plants on	when not required

	Brood Landennia	1	
PUD Note 12	Code Not Required Note: 2008 PUD Tier 1H	ute remaining 20%  2. Providing for 10% above minimum landscaping requirements	Exceeding landscaping code when not required
Integrated Pest Management Plan	Not Required	<ul> <li>IPM Plan to be provided</li> </ul>	<ul> <li>Applying an IPM Plan when not required</li> </ul>
PUD Note 26			
Impervious Cover	• 80% Gross for MF-	■74% Gross	<ul> <li>Limiting impervious cover to existing</li> </ul>
PUD Note 4		50	level when not required
Open Space	■ Waterfront Overlay	1. Wet pond area (landscaped as an	<ul> <li>Providing for increased waterfront</li> </ul>
PUD Notes 19 & 24	■ 2% Open Space	amennty) snam serve as open space 2. Increased setback (100 feet instead of	overlay setback  Providing for increased
	Required by	50 feet) from Lakeshore Blvd. on Area	with pedestrian, bike and road
	Standards	<ol> <li>4 shall serve as open space</li> <li>3. Additional useful urban open space is</li> </ol>	connections  Providing for 20% onen snace for
	• Pre and Post 2008	provided by the following:  A. New driveways, sidewalks and bike	mixed use despite loss of open space for access and connections to I adv
	PUD (Tier 1C and Tier 2) requires:	routes (Arena Drive to Tinnin Ford; 2 driveways connections from	Bird Lake
	10% Becidential	Arena Drive and Lakeshore Blvd.)	
	15% Industrial	D. Expanded activity nodes at the intersections of Arena Drive and (i)	
	20% Commercial	the 2 driveways to Lakeshore Blvd. and (ii) Town Creek	
Affordability	Not Required	1. At the City's option either	Description Co. 111 1
DITE Note 20	Note: 2008 PUD Tier	A. Provide 10% of the MF units (above	when not required
or your or	7	existing MF-3 density) at 80% of MFI;	

		B Provide @1 500 000 in 6 - 1 - 1 - 1	
		Austin Housing Eineach	
		Company of the state of the sta	
		Corporation or another designated	
		entity to provide affordable housing	
		for senior citizens at another	
		location; or	
		C. A value equivalent combination of	
		either of the options listed above.	
Public Facilities	■ Not Required	Provide, on a rent-free basis, a	Providing for miblic facilities when
	Note: 2008 PUD Tier	minimum of 1,000 square feet of usable	not required
PUD Note 31	16	space for either fire protection.	por inharia.
	K.	emergency service or police facilities	
Community Amenities	<ul> <li>Not Required</li> </ul>	<ul> <li>Provide, on a rent-free basis, a</li> </ul>	Providing space for community
	Note: 2008 PUD Tier	minimum of 1,000 square feet of usable	amenities when not required on a cont
PUD Note 32	2	space for either community meetings	free basis
		day care facilities or non-profit	C15212
		organizations	
Local Small Business	■ Not Required	Provide a minimum of 10% of the total	Boneralism Con man +1.
PUD Note 33	Note: 2008 PUID Tier	retail cross for a locally assessed and 11	
	2	history of a reatal act of the boltom	rent for a local small business when
	1	value	not required
Historic Preservation	Not Required	1 Decree of CDA from 1	- 1
	Note: 2000 and a	1. Freserve Luka nees, as described	<ul> <li>Commitment to preserve LCRA trees</li> </ul>
	Note: 2000 FUD Her		when not required
TOTAL SECTION CLICA	7	2. Contribute \$25,000 to the Austin Parks	<ul> <li>Financial commitment to the</li> </ul>
es pire es sanor do i		Foundation for the preservation of the	renovation of a nearby historic
		Norwood House	structure located on parkland when
:			not required
Building Design	<ul> <li>Waterfront Overlay</li> </ul>	1. Proposed 40 foot basewall with 70	Exceeding Commercial Design
		degree angle stepback for Areas 2, 3	Standards and Waterfront Overlav
	<ul> <li>Commercial Design</li> </ul>	8.4	Design Standards when not required
PUD Notes 18, 19, 36 &	Standards Basic	2. Building Coverage shall not exceed	
37	Points	60% from the 50 foot setback to 180	
	;	feet from Lakeshore Blvd for Areas 2	
	<ul> <li>Exceeding Design</li> </ul>	& 3	

	Deine Mach	-	
	Note: 2008 PITC Tier	5. Building Coverage shall not exceed	
	2	from Lakeshore Blvd.	
		4. Exceed the minimum points for	
	<ul> <li>Ped Oriented Uses</li> </ul>	building design by:	
	on Ground Floor of	A. 2 Star Green Building (2 points)	
	Mixed Use Buildings	B. Providing for liner stores in	
	-Not Required	ints)	
	Note: 2008 PUD	C. Providing primary entrance design	
	Additional Tier 1C)	(1 point)	
		D. Providing for roof design (1	
		E. Providing for building materials	
		meeting the standards outlined (1	
		point)	
	=	5. Providing for pedestrian oriented uses	
		on the ground floor of mixed use	
		buildings	
Frontage Structure	■ Waterfront Overlay	1. No surface parking lots shall be	<ul> <li>Committing to increased design and</li> </ul>
9			use of parking structures when not
DITTO No. 10 6, 10	Not Kequired	2. Other than on-street parking, all	required
FUD Notes 18 of 19	Note: 2008 PUD Tier	parking shall either be sub-grade,	
	7	partially sub-grade, surrounded by	
		usable space or architecturally	
		3. 75% of the ground floor of the building	5
		frontage of the parking structure	
		facing the principal street must	
	_	contain a pedestrian oriented use	
Accessionity	Standard TAS	Providing for 2.5% of the units to be	<ul> <li>Providing for additional accessible</li> </ul>
	Kequired	available for persons with disabilities (a	units beyond standard requirement
FUD Note 38		25% increase above the requirements)	

C:\Documents and Settings\ryes\Local Settings\Temporary Internet Files\OLK683\South Shore PUD Superiority Chart 6-17-09 - TO CITY.doc

	Exceeding – Not Required Note: 2008 PUD Tier 2		
Art PUD Note 39	Note: 2008 PUD Tier 2	Providing for 3 public plazas along Arena Drive where public art will be provided as approved by Art in Public Places Program	<ul> <li>Providing for multiple locations for public art to enhance community space</li> </ul>
Transportation TIA	Additional Transportation Features – Not Required Note: 2008 PUD Tier 2	<ol> <li>Shall participate in transportation improvements on 6 intersections including 1 traffic signal and striping on 3 roads;</li> <li>The frontage along Riverside Drive was removed from the PUD to allow future planning of such area following further City planning on a possible future rail corridor along Riverside Drive</li> <li>Providing for a dedicated parking space for use by the Austin CarShare program</li> </ol>	<ul> <li>Providing for transportation improvements required by traffic generated</li> <li>Providing for a dedicated CarShare space when not required</li> </ul>
Commercial Design Standards PUD Note 25	Urban Roadway	<ul> <li>Arena Drive to be Core Transit Corridor (15-feet vs. 12-feet in width)</li> </ul>	<ul> <li>Upgrading an Urban Roadway to a Core Transit Corridor when not required</li> </ul>
Parkland PUD Note 35	<ul> <li>Land or Fees</li> <li>Required based upon</li> <li>Residential Units</li> <li>Exceeding - Not</li> <li>Required</li> </ul>	In addition to all required parkland dedication fees (approximately \$897,000 based upon 1,380 units) generated by this project, a \$200,000 donation will be made to either:  1. Fund a study to determine the	<ul> <li>Providing for additional funding for PARD initiatives beyond commitment to required parkland fees</li> </ul>

C:\Documents and Settings\ryes\Local Settings\Temporary Internet Files\OLK683\South Shore PUD Superiority Chart 6-17-09 - TO CITY.doc

New PUD Ordinance  Summary  2 Open Space  - Exempt  - Meets 12 of 12 applicable Tier 1 items  - Meets 12 of 13 Tier 2 sections
--

Although exempt from new PUD regulations, the PUD is meeting and/or achieving the following items from the new

**Tier 1** (2.3.1) – Meeting 12 of 13 items

- a) Meet the objectives of the City Code
- within several major corridors, preserving large trees along Lakeshore Blvd. and providing for both onsite and The PUD meets the objectives of the City Code by providing for enhanced connectivity, a mixed use project offsite water quality measures while exceeding the landscaping and tree mitigation requirements;
- b) Provide for development standards that achieve equal or greater consistency with the goals in Section 1.1 than development under the regulations in the Land Development Code:
  - the PUD intends to preserve the natural environment with increased landscaping and open access, encourage high quality development and innovative design by exceeding code standards and ensure adequate public services by providing increased transportation mobility per Section 1.1;
- space may be reduced for urban property with characteristics that make open space infeasible if other community benefits excluded from the calculation unless it is designed and maintained as an amenity, and 2) the required percentage of open industrial tracts and 20 percent of the nonresidential tracts within the PUD, except that a detention or filtration area is Provide for a total amount of open space that equals or exceeds 10 percent of the residential tracts, 15 percent of the are provided: ত
- the PUD provides for 20% open space overall, which includes detention and filtration areas that are considered amenities such as the regional wet pond;
- d) Comply with the City's PUD Green Building Program:
- the PUD will comply with the City's Green Building Program at a 2 Star level;
- Be consistent with applicable neighborhood plans, neighborhood conservation combining district regulations, historic area and landmark regulations, and compatible with adjacent property and land uses: T
  - the PUD meets the EROC Neighborhood Plan FLUM and the majority of the goals, and is compatible with adjacent property and land uses including existing and proposed condo and multifamily projects and commercial development;
- greenbelt areas, critical environmental features, soils, waterways, topography, and the natural and traditional character of f) Provide for environmental preservation and protection relating to air quality, water quality, trees, buffer zones and

- measures list in addition to preservation of 21 of 26 large LCRA trees along Lakeshore Blvd. and tree mitigation the PUD provides for environmental preservation and protection relating to water quality, trees and waterways with the development of the regional wet pond and onsite water quality controls from the City's innovative of 10% above Code; 0
- Provide for public facilities and services that are adequate to support the proposed development including school, fire protection, emergency service and police facilities: **a** 
  - o the PUD is planned to provide for a public facility to support the development that would include up to a maximum of 1,000 square feet of rent free space for either fire, emergency services or park police;
- h) Exceed the minimum landscaping requirements by the City Code:
- the PUD is planned to exceed the minimum landscaping requirements of the Code by 10% above requirements with 80% of the plants being native and non-invasive per the Green Grow Program;
- Provide for appropriate transportation and mass transit connections to areas adjacent to the PUD and mitigation of adverse cumulative transportation impacts with sidewalks, trails and roadways;
  - ROADWAY ACCESS -- Extension of Arena Drive to Tinnin Ford and 2 driveways from Arena to Lakeshore Blvd. to open access within the block;
- PEDESTRIAN LINKAGE Providing for increased pedestrian linkages from Riverside Drive to Arena Drive, through the regional pond and to Lakeshore Bivd. including a pedestrian crossing for Lakeshore Bivd; o
  - BICYCLE LINKAGE Increased bicycle access with striping along Lakeshore Blvd. beyond project 0
- TRANSIT ORIENTED DEVELOPMENT Providing for a cohesive development for the potential future TOD development on the Riverside Drive parcel outside the PUD boundaries 0
- j) Prohibit gated roadways:
- o Gates along roadways will be prohibited in the PUD;
- k) Protect, enhance and preserve areas that include structures or sites that are of architectural, historical, archaeological, or cultural significance:
- that are of cultural significance and existing impervious cover removed from the Waterfront Overlay setback to the PUD intends to protect and preserve 21 of 26 large oak trees donated by the LCRA along Lakeshore Blvd. allow for better tree growth. The remaining 5 trees will be transplanted;

- Include at least 10 acres of land, unless the property is characterized by special circumstances, including unique topographic constraints:
- the PUD land area is more than 20 acres.

# Additional Tier 1 (2.3.2) - Meeting 3 of 3 items

- a) Comply with Chapter 25-3, Subchapter E (Design Standards and Mixed Use):
- the PUD complies with Commercial Design Standards and exceeds in some areas as noted below and in Ther 2;
- b) Inside the urban roadway boundary depicted in Figure 2, Subchapter E, Chapter 25-2 (Design Standards and Mixed Use), comply with the sidewalk standards in Section 2.2.2, Subchapter E, Chapter 25-2 (Core Transit Corridors, Sidewalks and **Building Placement)** 
  - Arena Drive will be upgraded from Urban Roadway to Core Transit Corridor standards within the PUD;
- Contain pedestrian-oriented uses as defined in Section 25-2-691(C) (Waterfront Overlay District Uses) on the first floor of a multi-story commercial or mixed use building: ত
  - Pedestrian oriented uses will be located on the first floor of multi-story commercial or mixed use buildings within the PUD.

# Tler 2 (2.4) - Meeting 12 of 13 applicable items

### Open Space

provide for proportional enhancements to existing or planned trails, parks, or other recreational common open space in Provides open space at least 10% above the requirements of Section 2.3.1. A (Minimum Requirements) Alternatively, within the urban roadway boundary established in Figure 2 of Subchapter E of Subchapter 25-2 (Design Standards and Mixed Use), consultation with the Director of the Parks and Recreation Department.

o Planned to provide for proportional enhancements to existing or planned trails, parks and open space with PARD via a \$200,000 contribution for either a feasibility study of a pedestrian bridge across Lady Bird Lake or for the proposed boardwalk.

### nvironment

Does not request exceptions to or modifications of environmental regulations. Provides water quality controls superior to those otherwise required by code. Uses innovative water quality controls that treat at least 25 percent additional water quality volume and provide 20 percent greater pollutant removal, in addition to the minimum water quality volume required by code.

within the same watershed by five percent below that allowed by code. Provides minimum 50-foot setback for unclassified preserves the most environmentally sensitive areas of the site that are not otherwise protected. Provides pervious paving for at least 50 percent or more of all paved areas in non-aquifer recharge areas. Prohibits uses that may contribute to air or water Provides water quality treatment for currently untreated, undeveloped off-site measures that lower overall impervious cover waterways with a drainage area of five acres or greater. Provides at least a 50 percent increase in the minimum waterway and critical environment feature setbacks required by code. Clusters impervious cover and disturbed areas in a manner that quality pollutants.

currently untreated off-site areas with drainage and treatment of at least 25% additional water quality (100 acres) that accounts for a 250% increase in pollutant removal. In addition uses that may contribute to air or Providing for water quality controls superior to those otherwise required by Code. Water quality treatment for water quality pollutants are prohibited.

### AH

Provides art approved by the Art in Public Places Program in open spaces, either by providing art directly or by making a contribution to the City's Art in Public Places Program or a successor program.

The PUD is planned to have 3 plaza locations where public art will be provided.

### Great Streets

Complies with City's Great Streets Program, or a successor program. Applicable only to commercial, retail, or mixed-use development that is not subject to the requirements of Chapter 25-2, Subchapter E (Design Standards and Mixed Use).

N/A - the PUD is subject to Design Standards.

# Community Amenities

Provides community or public amenities, which may include spaces for community meetings, day care facilities, non-profit organizations, or other uses that fulfill an indentified community need.

 Planned to provide up to a maximum of 1,000 square feet of rent free space for either community metetings, day care facilities or non -profit organizations.

### Transportation

Provide bicycle facilities that connect to existing or planned bicycle routes or provides other multi-modal transportation features not required by code.

- to Tinnin Ford and along Arena making the connection to Lakeshore from Town Creek when not required by Providing for additional bicycle lanes beyond the PUD boundaries along both sides of Lakeshore from Riverside 0
- Providing for a dedicated space for the Austin CarShare Program;

### **Building Design**

Exceeds the minimum points required by the Building Design Options of Section 3.3.2 of Chapter 25-2, Subchapter E (Design Standards and Mixed Use).

- Providing for a 40 foot basewall with 70 degree angle stepback for Areas 2, 3 & 4, which exceeds Waterfront Overlay regulations
- Providing for limitations on building coverage when not required by Code
- The PUD intends to exceed the minimum points for building design related to the following points: 0
  - 2 Star Green Building (2 points)
- Providing for liner stores in building façade (1+ points)
  - O Providing primary entrance design (1 point)
    - o Providing for roof design (1 point);
- Providing for building materials meeting the standards outlined (1 point)

# Parking Structure Frontage

In a commercial or mixed-use development, at least 75 percent of the building frontage of all parking structures is designed for pedestrian-oriented uses as defined in Section 25-2-691(C)(Waterfront Overlay District Uses) in ground floor spaces. Within mixed-use buildings, at least 75% of the ground floor of the building frontage of the parking structure facing the principal street is designed for pedestrian oriented uses in ground floor spaces; 0

## Affordable Housing

Provides for affordable housing or participation in programs to achieve affordable housing.

The PUD will be providing for an affordable component at the City's option, either:

Provide 10% of the MF units (above existing MF-3 density) at 80% of MFI;

0

- Provide \$1,500,000 in funds to the Austin Housing Finance Corporation or another designated entity to provide affordable housing for senior citizens at another location; or 0
  - A value equivalent combination of either of the options listed above.

# Historic Preservation

Preserves historic structures, landmarks, or other features to a degree exceeding applicable legal requirements.

- Preservation of historic trees along Lakeshore Blvd. donated by the LCRA is proposed with a restriction of removal of no more than 5 trees totaling 110 caliper inches for construction of two driveways; 0
  - Existing impervious cover to be removed from Waterfront Overlay setback to allow for better tree growth

### Accessibility

Provides for accessibility for persons with disabilities to a degree exceeding applicable legal requirements.

The PUD is planned to provide for 2.5% of accessible units to be available for persons with disabilities beyond the legal requirements (equates to 25% above standard requirements); 0

# Local Small Business

Provides space at affordable rates to one or more independent retail or restaurant small businesses whose principal place of business is within the Austin metropolitan statistical area.

Provide a minimum of 10% of the total retail space for a locally-owned small business at a rental rate below market value 0

### Waterfront Overlay Regulations Related to the South Shore PUD Proposal

### § 25-2-741 Waterfront Overlay South Lakeshore Subdistrict Setback Regulations

o The PUD meets the required 50 foot setback south of Lakeshore Boulevard for Areas 1, 2 3 and 5 and increases the setback to 100 feet for Area 4

### § 25-2-741 Waterfront Overlay South Lakeshore Subdistrict Height Regulations

The existing PUD area within the Waterfront Overlay includes a base zoning district of MF-3 (40 feet height). The PUD proposes a base district of MF-6, which allows for 90 feet in height. The areas of the PUD within the Waterfront Overlay are proposed as 60 feet in height for Area 1 and 90 feet in height with a 40 foot basewall and 70 degree angle stepback for Areas 2, 3 and 4. PUD zoning is not superseded by the height limitations of the Waterfront Overlay. The PUD proposes several items of superiority as a basis for increased height.

### § 25-2-721 Waterfront Overlay Combining District Regulations on Parking Structures and Park Facilities

- o The PUD proposes to conform to the primary setback with no parking areas or structures proposed. The PUD does not propose any park facilities within the primary setback.
- The PUD proposes to prohibit surface parking.
- o The PUD proposes to provide all parking structures either subgrade, partially subgrade, surrounded by usable space of architecturally integrated. The PUD is not adjacent to Town Lake, the Colorado River, parkland, or a creek named in this part.

### § 25-2-721 Waterfront Overlay Combining District Regulations on Design Standards

o The PUD intends to comply with design standards for buildings per this section. The PUD is across the street from public parkland and proposes to exceed the basewall requirement by requiring a 40 foot basewall with the portion of a structure built above the basewall oriented toward Arena Drive within an envelop delineated by starting at a line along the top of the basewall with the base of the angle being a horizontal plane extending from the line parallel to an away from the surface of Lakeshore Boulevard to a maximum height of 90 feet for Areas 2, 3 and 4.



### **ENVIRONMENTAL BOARD MOTION 030106 B-2**

Date:

March 04, 2009

Subject:

South Shore District PUD C814-2008-0087

Motioned By:

Phil Moncada

Seconded By: Rodney Ahart

**Recommendation:** The Environmental Board recommends approval with conditions for South Shore District PUD C814-2008-0087 includes exceptions:

1. LDC 25-8-261 (Critical Water Quality Zone) to construct a regional water quality pond within the critical water quality zone;

2. LDC 25-1-21 (Definition of "site") to allow site development to comply with development standards on an overall basis, rather than tract by tract;

3. LDC 25-2-243 (Proposed District Boundaries Must be Contiguous) to allow the PUD area to be considered contiguous;

4. LDC 25-2-491 (Permitted, Conditional, and Prohibited Uses) to allow certain GR uses to be permitted (per Exhibit B);

5. LDC 25-2-492 (Site Development Regulations) to be allowed 120 feet height.

### Watershed Protections and Development Review and Neighborhood Planning and Zoning Staff Recommendations:

- 1. Impervious cover will be restricted to no more than 75% gross site area (15.12 acres);
- 2. Water quality pond shall be a wet pond or alternative equivalent as approved by Environmental Resource Management;
- Area around water quality pond will have trees and other appropriate landscaping to enhance aesthetics (at a minimum, overall site will have landscaping provided at 10% above what is required by ECM Section 2);
- 4. A publicly accessible walking trail will be constructed along water quality pond where feasible;
- 5. A fence bordering the water quality pond will only be constructed only as required by COA design criteria;
- 6. At least 80% of landscaping will be from COA GrowGreen Guide, and no invasive plants will be used;
- 2-star Austin Energy Green Building Standards will be provided for all buildings, with 25% above energy code requirements;

- 8. Arena Drive will be required to follow the Core Transit Corridor criteria of the Commercial Design Standards;
- 9. Integrated Management Plan will be provided for entire PUD area; and
- 10. Tree mitigation at least 10% above standard requirement will be provided.

### **Board Conditions:**

- 1. Applicant agrees to revise PUD note number 9. This site will participate in the Regional Stormwater Management Program or receive a Detention waiver with no costs participation from the City of Austin.
- 2. Applicant agrees to reduce impervious cover from 75% down to 74%.
- 3. Applicant will not remove more than 5 (five) trees totaling 110 caliper inches in order to construct two driveway approaches on South Lakeshore Blvd.

### Rationale:

The project has staff support and a reduction in impervious cover. In addition, the regional wet pond will treat over 100 acres of offsite stormwater runoff that was not treated before. This will remove approximately 22,000 lbs. of total suspended solids from runoff that was previously untreated.

Vote:

5-0-0-2

For:

Ahart, Beall, Bezanson, Dupnik and Moncada

Against:

Maxwell and Neely

Abstain:

None

Absent:

None.

Mary Gay Maxwell, Chair

### South Shore District PUD Meeting with City Staff and Applicant to Discuss Regional Wet Pond as Amenity August 12, 2009

### Attendees:

Ingrid McDonald, Watershed Protection and Development Review Tom Franke, Environmental Resource Management Stephen Rye, Planning and Development Review Gabe Bruehl, Bury + Partners
Daryl Benkendorfer, Land Design Partners
Zac Tolbert, Land Design Partners
Michele Rogerson, Drenner & Golden

### Purpose:

The purpose of the meeting was to follow the recommendation issued on June 23, 2009 by the Planning Commission that "Staff and the Applicant work together to define and apply amenity features to the regional water quality pond, using the Central Market pond as a model, to guarantee superiority in terms of both aesthetics and functionality".

- Tom Franke noted that he has been working on the Central Market pond and is familiar with amenity examples.
- ❖ Based upon the Central Market pond, items discussed for amenities included benches in shade, trash receptacles, a crushed granite trail that is designed to allow for maintenance access and educational signage about the function of the pond.
- Lighting was discussed but it was noted that on other projects the Parks Department prefers to discourage nighttime usage for safety reasons.
- Ingrid McDonald noted that John Gleason of Environmental Resource Management was unable to attend but sent correspondence indicating the use of certain plants and an Integrated Management Plan will be desired. Those items are already covered in Notes 12 and 26 respectively. Mr. Gleason also noted that the developer should prepare for a large maintenance budget.
- Discussion was had regarding the use of makeup water for the pond. Staff would prefer that makeup water not be used for irrigation of landscaping.
- Discussion of trees was had regarding the majority of the trees in the existing unclassified waterway being of not good quality. The pond will be dug down deeper to preserve the existing floodway and trees within those areas will need to be removed.
- Stephen Rye noted in a later correspondence that EROC requested that "non-linear, curving edges" and "layered vegetation" be used to describe the pond as an amenity

Based upon the discussion, the following PUD Plan Notes will be revised to further solidify that the proposed regional wet pond will be used as an amenity:

Note 24 will be revised to specifically list amenities such as benches, a trail, landscaping, maintenance, educational signage, non-linear curving edges and layered vegetation subject to City of Austin approval.

Note 29 will be revised to clarify that the proposed publicly accessible trail will be positioned according to accessibility standards per City of Austin approval. The trail will connect through the project from Arena to Lakeshore Drive.



Date:

May 7, 2009

To:

Stephen Rye, Case Manager

CC:

Kathy Hornaday, P.E., HDR/WHM Transportation Engineering, Inc.

Reference:

South Shore PUD TiA, C814-2008-0087

The Transportation Review Section has reviewed the Traffic Impact Analysis (TIA) for the South Shore PUD, dated December 19, 2008, prepared by HDR/WHM Transportation, and offers the following comments:

The South Shore PUD TIA covers a total of 20.17 acres. The site is located in southeast Austin and is bound by E Riverside Drive, Lakeshore Drive and Tinnin Ford Road.

The property is currently zoned Multi-Family Residential (MF-3), Multi-Family Residential — Neighborhood Plan (MF-3-NP), and Community Commercial — Neighborhood Plan (GR-NP). Currently 527 apartment units exist on the property. The applicant has requested a zoning change to Planned Unit Development (PUD) and proposes to redevelop the site with 1,380 apartment units, 87,000 ft² of retail, and 10,000 ft² of high turnover restaurant. The estimated completion of the project is expected in the year 2012.

### TRIP GENERATION

Based on the standard trip generation rates established by the Institute of Transportation Engineers (ITE), the development will generate approximately 12,601 new unadjusted average daily trips (ADT).

The table below shows the adjusted trip generation by land use for the proposed development:

Table 1. Trip Generation								
			AM F	eak	PM F	eak		
LAND USE	Size	ADT	Enter	Exit	Enter	Exit		
Apartments	1,380 DU	7,372	119	475	441	237		
Retail	87,000 SF	3,845	58	37	158	171		
High Turnover Restaurant	10,000 SF	688	35	32	33	21		
Tot	al	11,905	212	544	632	429		

### **ASSUMPTIONS**

- 1. Based on traffic volumes collected from TxDOT, a two percent annual growth rate was applied to all roadways within the study area.
- 2. In addition to these growth rates, background traffic volumes for 2012 included estimated traffic volumes for the following projects:

•	Libertad Bank	SP-05-1381C
•	2237 E Riverside	SP-04-0018C
•	AutoZone #3069	SP-04-0185C
•	Storage USA	SP-02-0174F
•	El Gran Mercado	SP-00-2475C
•	Jefferson Commons at Town Lake	SP-02-0194C
•	Colorado River Park	SPC-04-0021C
•	HEB Austin #12	SP-05-1260C
•	Riverside Plaza	C8-06-0022.0A
•	Lakeshore Waterfront	C14-04-0129
•	Lakeshore Blvd	C814-06-0109

3. Reductions were taken for pass-by for the following uses:

Table 3. Summary of Pass-By and li	nternal Capture	Reductions
- Page By Reduct	lone %	
Land Use	AM	PM
Shopping Center	24%	34%
Hi-Turnover Restaurant	33%	43%
Themal capture Rec	luctions %	
Land Use	AM	PM
All Land Uses	3%	3%

4. A ten percent transit reduction was assumed for all land uses during both the AM and PM peak periods based on the 27 bus stops in the vicinity of the study area.

### **EXISTING AND PLANNED ROADWAYS**

IH 35 - The AMATP classifies IH 35 as a six-lane freeway between Cesar Chavez Street and US 290 (W). According to TxDOT traffic counts, the 2006 traffic volume on IH 35, north of Riverside Drive, was approximately 153,000 vehicles per day (vpd). According to the AMATP, IH 35 is committed to be upgraded to an eight-lane freeway with High Occupancy Vehicle (HOV) lanes, between Cesar Chavez Street and US 290 (W) by 2025.

Riverside Drive – The AMATP classifies Riverside Drive as a six-lane divided major arterial between IH 35 (S) and SH 71 (E). City of Austin traffic counts indicate that the 2005 traffic volume on Riverside Drive, west of Willow Creek Drive was approximately 47,000 vpd. Per the AMATP, Riverside Drive is committed to be upgraded to an eight-lane divided major arterial between IH 35 (S) and SH 71 (E) by 2025. An additional 60 feet of Right of Way (ROW) is recommended between iH 35 (S) and Lakeshore Drive. The City is currently conducting a corridor study for Riverside Drive. The study, East Riverside Drive Corridor Plan, will include transportation recommendations along Riverside Drive to create an improved vehicular, pedestrian, and transit supportive roadway. The Austin Bicycle Plan recommends Priority 1 Route 60 from IH 35 (S) and SH 71 (E).

Lakeshore Boulevard – The AMATP classifies Lakeshore Boulevard as a two-lane minor arterial between Riverside Drive and Pleasant Valley Road. Lakeshore Boulevard transitions into a four-lane roadway at its intersection with Riverside Drive. City of Austin traffic counts Indicate that the 2006 traffic volume on Lakeshore Boulevard, west of Tinnin Ford Dr. was approximately 11,700 vpd. According to the AMATP, Lakeshore Boulevard is committed to be upgraded to a four-lane minor

arterial between Riverside Drive and Pleasant Valley Road. The Austin Bicycle Plan recommends Priority 1 Route 62 from Riverside Drive to Pleasant Valley Road.

Pleasant Valley Road — The AMATP classifles this roadway as a four-lane undivided major arterial from Colorado River to Riverside Drive. City of Austin traffic counts indicate that the 2005 traffic volume on Pleasant Valley Road, north of Riverside Drive was approximately 19,600 vpd. Per the AMATP, Pleasant Valley Road is committed to be upgraded to a four-lane divided major arterial, between Colorado River and Riverside Drive. The Austin Bicycle Plan recommends Priority 1 Route 61 from Lakeshore Boulevard to Riverside Drive.

Arena Drive/Parker Lane – Arena Drive is currently a two-lane undivided roadway in the vicinity of the site. Arena Drive transitions into a four-lane roadway at its intersection with Riverside Drive. As part of the development, Arena Drive is proposed to be extended (to the east) to Intersect Tinnin Ford Road, and is proposed to align with a Lakeshore PUD site driveway. The Austin Bicycle Plan recommends Priority 1 Route 59 on Arena Drive from Town Creek Drive to Riverside Drive. Parker Lane is currently a four-lane undivided roadway in the vicinity of the site The Austin Bicycle Plan recommends Priority 1 Route 59 on Parker Lane from Riverside Drive to Woodland Avenue.

Royai Crest Drive – Royal Crest Drive is currently a two-lane undivided roadway in the vicinity of the site. No Improvements are currently planned for this roadway in the vicinity of the site.

**Town Creek Drive** – Town Creek Drive is currently a two-iane undivided roadway in the vicinity of the site. The Austin Bicycle Plan recommends Priority 1 Route 59 from Lakeshore Boulevard to Arena Drive.

**Tinnin Ford Road/Burton Drive** – Tinnin Ford Road is currently a two-lane undivided roadway in the vicinity of the site. No Improvements are currently planned for this roadway. Burton Drive is currently a two-lane undivided roadway in the vicinity of the site. No improvements are currently planned for this roadway in the vicinity of the site.

Willow Creek Drive – Willow Creek Drive is currently a two-lane undivided roadway in the vicinity of the site. Willow Creek Drive transitions into a three-lane roadway at its intersection with Riverside Drive. No improvements are currently planned for this roadway in the vicinity of the site. The Austin Bicycle Pian recommends Priority 1 Route 68 from Woodland Avenue to Oltorf Street.

Wickersham Lane – Wickersham Lane is currently a four-lane undivided roadway in the vicinity of the site. Wickersham Lane transitions into a five-lane roadway at its intersection with Riverside Drive. City of Austin traffic counts indicate that the 2004 traffic volume on Wickersham Lane, north of Cromwell Circle was approximately 9,000 vpd. No improvements are currently planned for this roadway in the vicinity of the site.

Elmont Drive – Elmont Drive is currently a two-lane undivided roadway in the vicinity of the site. Elmont Drive is proposed to be reconfigured to provide a 90 degree "T" intersection with Tinnin Ford Road as part of the Lakeshore PUD development. Further improvements are recommended for this roadway as part of the South Shore District PUD development.

### INTERSECTION LEVEL OF SERVICE (LOS)

The TIA analyzed 24 intersections, of which 8 are or will be signalized. Existing and projected levels of service are as follows, assuming that all improvements recommended in the TIA are built:

			т—		Wil	
Intersection		008 sting	2012 F	orecasted		12 Site + recasted
	AM	PM	AM	PM	AM	PM
IH 35 and Riverside Drive*	F	F	F	F	F	F
Riverside Drive and Lakeshore Boulevard*	В	С	С	D	С	D
Riverside Drive and Arena Drive/Parker Lane*	В	С	С	С	D	С
Riverside Drive and Royal Crest Drive*	Α	С	А	В	А	В
Riverside Drive and Tinnin Ford Drive/Burton Drive*	E	С	F	D	F	D
Riverside Drive and Willow Creek Drive*	В	С	В	D	В	D
Riverside Drive and Pleasant Valley Road *	D	D	D	E	D	D
Riverside Drive and Wickersham Lane *	С	C	С	С	С	С
Lakeshore Boulevard and Town Creek Drive	Α	Α	Α	Α	Α	А
Town Creek Drive and Arena Drive	Α	Α	Α	Α	Α	В
Riverside Drive and Private Driveway/Town Creek Drive	Α	Α	Α	Α	Α	A
Lakeshore Boulevard and Tinnin Ford Road	A	Α	Α	E	В	Α
Tinnin Ford Road and Elmont Drive	Α	A	D	Α	В	A
Tinnin Ford Road and Arena Drive/Private Driveway	-	-	-	-	Α	A
Lakeshore Boulevard Driveway A	-	- 1	-	-	Α	Α
Lakeshore Boulevard and Driveway B	-	-		_	A	A
Lakeshore Boulevard and Driveway C			_	-	A	A
Arena Drive and Driveway D	-				A	A
Arena Drive and Driveway E/Driveway G	-	12	-	-	A	A
Arena Drive and Driveway F	-	-	-	-	Α	Α
Town Creek Drive and Driveway H	-	-	-	-	A	A
Town Creek Drive and Driveway i	-	-	- 1		A	A
Tinnin Ford Road and Driveway J	-	-	- 1	-	A	A
Tinnin Ford Road and Driveway K	-	-	-	-	A	A
Town Creek Drive and Driveway L/Driveway M	-	-	-	-	A	A
Driveway N and Riverside Drive		-		-	Α	Α
*SIGNALIZED						

### **RECOMMENDATIONS**

1) Prior to City Council approval, fiscal is required to be posted for the following improvements:

			and mibiosen	1
intersection	improvements approved with C14-06-0215A-D	Total Cost	Pro-Rata Share %	Pro-Rata Share \$
	19	1		
2.1	Construct NB Right turn lane	\$355,486	6.0%	\$21,329
IH 35 & Riverside Dr.	Construct NB Through lane	\$50,705	6.0%	\$3,042
N.	Optimization of Signal Timing	\$5,000	6.0%	\$300
Riverside Dr & Lakeshore	Extend EB left turn lane	\$45,725	17.4%	\$7,956
Blvd.	Optimization of Signal Timing	\$5,000	9.6%	\$480
Riverside Dr. & Tinnin Ford	Extend SB right turn lane	\$8,948	13.7%	\$1,226
Rd/Burton Dr.	Optimization of Signal Timing	\$5,000	4.5%	\$225
Riverside Dr. & Willow Creek	Construct WB left turn lane	\$85,229	4.3%	
Riverside Dr. & Pleasant Valley Rd.	Optimization of Signal Timing	\$5,000	2.7%	\$3,665 \$135
	Striping of a WB left turn lane	\$11,101	6.4%	\$710
Lakeshore Blvd. & Tinnin Ford Rd.	Installation of a Traffic Signal	\$112,500	6.4%	\$7,200
Tinnin Ford Rd.	Restripe to accommodate a 3 lane section with a continuous 2-way center turn lane	\$17,968	14.3%	\$2,569
Lakeshore Blvd.	6' bike lanes, both sides, Riverside to Tinnin Ford	\$25,699	19.2%	\$4,934
Town Creek Dr.	Restripe for two 12' travel lanes and a 6' blke lane on each side, from Lakeshore Blvd. to Arena Dr.	\$14,598	63.7%	\$9,299
	Total Cost	\$715,392		<b>\$</b> 63,071

Fiscal estimates provided/scaled by Kathleen Hornaday, P.E. on February 13, 2009.


2) Assumed in the TIA is the reconstruction of Arena Drive between Riverside Dr and Tinnin Ford Rd to accommodate two 12-foot travel lanes and a six (6) foot bike lane and an eight (8) foot parking lane along each side of the road. The bike lanes will be striped as per City of Austin standards. This improvement will be funded in total by the applicant. Arena Drive will be extended past Town Creek Dr to Tinnin Ford Rd as a private drive. At the time of subdivision or site plan signed and sealed construction plans and cost estimates will be required for staff review and approval.

- 3) Two copies of the final TIA must be submitted prior to 3rd Reading at City Council.
- 4) All site drives shall be constructed as recommended per the TiA.
- 5) Development of this property should be limited to uses and intensities which will not exceed or vary from the projected traffic conditions assumed in the TIA, including peak hour trip generations, traffic distribution, roadway conditions, and other traffic related characteristics.

If you have any questions or require additional information, please contact me at 974-3428.

Amber Mitchell

Sr. Planner ~ Transportation Review Staff Watershed Protection and Development Review




### Exhibit B Proposed Additional Permitted Commercial Uses

	<u> </u>
Bed & Breakfast (Group 1)	Professional Office
Bed & Breakfast (Group 2)	Research Services
Administrative & Business Offices	Restaurant (General)
Administrative Services	Restaurant (Limited)
Art Gallery	Software Development
Art Workshop	Theater
Business or Trade School	College and University Facilities
Business Support Services	Communication Service Facilities
Cocktail Lounge	Community Recreation (Private)
Commercial Off-Street Parking	Community Recreation (Public)
Communications Services	Counseling Services
Consumer Convenience Services	Cultural Services
Consumer Repair Services	Day Care Services (Commercial)
Financial Services	Day Care Services (General)
Food Sales	Day Care Services (Limited)
General Retail Sales (Convenience)	Family Home
General Retail Sales (General)	Group Home, Class I (General)
Hotel-Motel	Group Home, Class I (Limited)
Indoor Entertainment	Group Home, Class II
Indoor Sports and Recreation	Guidance Services
Medical Offices (not exceeding 5,000 sq.ft)	Hospital Services (Limited)
Medical Offices (exceeding 5,000 sq.ft)	Local Utility Services
Off-Site Accessory Parking	Private Primary Educational Facilities
Outdoor Sports and Recreation	Private Secondary Educational Facilities
Personal Improvement Services	Public Primary Educational Facilities
Personal Services	Public Secondary Educational Facilities
Pet Services	Religious Assembly
Printing & Publishing	Safety Services

### <u>Prohibited Uses</u> (per Planning Commission Recommendation)

• Drive Through Services



### **PUD NOTES**

- PRINTEDWENT OF THE PIEW IS ADMINISTED BY HE THE ZOWING I DISTRICT FOR THE PRICEPTIE. BY HIS PIEW [AND USE RIAM] THE FOC IN TITLET AT THE BUILD OF APPROPAL OF THIS PIEW ORDINATES. AND PUBLICATE FLAN SHALL CONTROL , DED WHATE APPROUNCE FILE 200 YOUNG BASE , AND THE PURES AND REGULATIONS SET FORTY D. M. THE EMENT OF EQUITIES, THE 200AMG
- THE WAYS STATE CAMMENDATED SAMPLING AND VALUE SHOPE AND TO SECTIONS ON SO, THE USE A SECTION AS A STATE SHOPE AND THE WAYS STATE AND THE AND T
- ALL FAMO UNES PERMITTED AT "HE WE-A BASE OSTREET AND ALCRED FAMO USES HISTED IN BIE AUDITROMA PERMITTED ASSES FARTE SHERE BE PERMITTED WHERE THE PURP
- INPERIORS COME SHALL BE RESERVED TO IN DO ACRES ON THE OF DROSS SITE AREA.
- I ARMONAL IN THE SHALL DES HOT CRESHINGT, DEPRODUCE OF HAT DE HALDE FOR LIFE ALT. A. P. IT. PHECH HAM BY AN AN THE CRESH TO AN ALEAST, MARKETE SAME CREAMING AN AND THE RESPONDED FOR THE PARKET OF DEPLOYANCE OF THE PARKET OF TH
- 1511 And Description of Authorized by the Authorized by the Authorized by Shandard and Authorized by CHY OF ANDW MATER AND MATERIALS VISITES SHALL BE INTERESTO TO LACH ANALA, SAYON ON THE DIA LING DEE PANE LICE ANDWELL AND STORE SHALL BE RESPONSED FOR SHALL MAD WITH A MATERIAL AND MASTRONAN BETTE MANDAMENTS, STORE OF MASTRONALD AND RESPONSED FOR SHALL MAD UNET METOCOLABIOL DO SHALL LICE AND MATERIAL BY MATERIAL BY AND MATERIAL WAS NOT SHOULDED IN CHARGETED TO THE CITY OF MATERIAL MAD MATERIAL WAS AND MATERIAL BY AND MATERIAL
- Pages (10 Card Pagelos, Alexboard, Clabs) (Artis, Pages And Associated Artis, Best Card (Cort of Card (Cort of Card (Card Artis))) (Artis, Cort (Card (Card Artis))) (Artis, Card (Card Artis)) (Artis)) (Artis))
- He fight destroses and headard (too) team floctories small be confined when derives as an element of the lob team floctories. MAYON, AND MEE MOT SEEM MORE ACTED COST ACHMENDERS OF BASINGAMAN FARM THE CITY OF AUSTINEM
- I HERCEARD, CHE ALL DECEMBER I WAS INCLUDED IN LEAST, BY INCLUDING THE PROSECUTE CONTINUENTS OF THE PROPERTY O
- ALT HUNDHIG SHARE BE REQUIRED TO WEET THE STANDARDS OF A 3 CTAR CARTIN BUILDEN RATHIG WITH 25C ABOND LINESCY COUL REQUIREMENTS AT ADDICTED AT THE DUE OF ARROBINAL OF THE PUB.
- Ne auto partir reng saut de fécurit is a recona ne l'espa futit na accombance de la cista cir de suite de la cista del cista de la cista de la cista del cista de la cista del cista del cista de la cista del cista de
- ALL STOCKHE'S BENN HELTING DAVIL COMPLY WHIT HE CITE CONDERCYAL DCSCH FILMDARDS ALI HE EME HID ANNOVAL HALLES A LUMANCE, BAYEN OR WELTENAMY CONTLANCE AU SICH REQUALIDRIC IS CHANTE PLESUANT TO A PECCES ALIDREO BY "NEL DIE COM
- PLANT ACTES SHALL BE PROMOTE HAS SIDERHAS COMMETHE JARTHA BRINT AND FANTSHORT BOULTAND. PROMYTH HOMBITE, PHILIC ACTESA HAT BY RESIDECTED TO HET HEVARUAL BURDHÓS, CHRACES DR RECHI ATIONAL ALMENTES
- If the Mingrose's operation prime users 2 me users is sent the control and mingrose of mysters (mysters) and managed in the control and and a control and a sent of the control and a co

- I have getting, rockiting weap were, a synd, course, when the fairteene accompany to provide the proof.

  The syndromial of the syndromial

- 4. AN AT-CAPACE REQUIREM (TOOS-HALK) S PRIMITED BY THE CON- OF AUSTIN ON TAKEN ON THE ACCOUNT ON A THREE TO THE PROCESS OF THE ACCOUNT ON THE ACCOUNT OF THE ACCOUNT OF THE ACCOUNT OF THE ACCOUNT ON THE ACCOUNT OF THE ACCOUNT ON THE ACCOUNT OF THE ACCOUNT ON THE ACCOUNT OF THE ACCOUNT OF
- t TANOSCAPHIC TO
- A FENCE BONDERNAG THE MET PENG MET LAWY BE CONSTRUCTED AS REQUIATED BY THE COTY OF AUSTIN DESIGN CHITCHA

- PARTIC FACULTY SHALL BE PACKAGED A MINIMUM OF LODD SQUARE FILE OF USAKEE SHALE FOR FIBER HAL PROTECTION EMERICACY SERVICE OR POLITE FACULTES. ON A ALVI-APRE BASIS, ADR 25 TEAPS
- COMMUNETY AMERICAS SIALI HE PRÓNCED E MARRAJO OF 1,000 CGJARC FELT OF USABLE SPACE FOR ELINGA COMMUNIETY WETHINGS, DAIRCAME FACULITES OR HORA-PRODIT ORICANZATIONS, DIE A REHE-RECC RASIS, FOR 25 TEANS.
- PROBETO FOR ISSUANCE OF A TERMINEARE OF OCCUPANCE FOR THE PRESCRUATION OF INT AUGINESS STANDON OF INT HOME

- UREL STOOM AS DARRED IN SEC

FLOOR AREA SAND

- ART IN PUBLIC PLACES PROGRAM SHALL BE ARCHOOL IN SAUCA THE THE NO SNOW
- A CONTRIBUTION STOPS IN THE

# MODIFICATIONS TO CODE:

Additional Permitted Uses

- but wath argued the produced at them only that the charge and differ an exception to the half of the that setting in the term of the charge and the produced at the produced by the term  $\{t\}$
- તાને ભારતભારીના કર્યા રહ્યું કર્યાં આ ભરાકુર મહોદાડે અહસારો અને (અંબાર(પ્રમારે કર્યું)માં કે ફ્રાંપ)માં, કે ફ્રોપ)માં, કે ક્રોપ)માં, કે ફ્રોપ)માં, કે ફ્રોપ
- aarna deux nit be reduned ic ecelor hie cont trangt compodot leitra de hie commektal design Standands
- AN INTEGRATED PEST MANAGENIAL TEAM (IFW) WILL BE PROVIDED FOR THE EMTRE PUD AREA

Local Unity Services
Payor: Primary Etherstood Fusifiers
Private Secundary Etherstood Fusifiers
Safety Services

N Cap Services (Compressed )
NY Trans

lege and University Facilities mannly Recolution (Provint) aggregate Recolution (Public) seeing Services

- ZI CATES BUT BE PROMBITED DW ALL ROADWAYS
- ት መስዘርነን ለመርተያውበር ወቅደብብር በደዲነ ኃላጊሊያ ይኖ ርዕሎን፣ሚያያያን አብር ሁለተያሳብርን ሊያላሪ ጉዲ ነብና ወውስ. ቀው ይኖ ውዕማንመደብ ሲኖርርውያውን በርዕ ሊተርርያውያሉን ተያ ያለውሷልናዊ ነው። በናገና ወና ልሆያነብ አውቀውያላች. ጉዛ ገጽጊዜ መተር የሙዝብርያውን ጉብ ምብርያብ አውቀውያሉ. ጉዛ ነገር የመዝርያውን ጉብ ምብርያብ ያብር ነው።
- AT ING (DTS (pribs, little) and parts (1907)
- UM HOTEPHEYET BETAL DE MESTAMBAG SAAL BADAKET MADEL FRANCIA AL A 155 BELOW DE DARRENE ANDRE HETROGRADUS BATSTICKA, MERCA SAAL BE ADDRECO USABLE SAAZ AL A 155 BELOW DE DARRENE MARKET BEHFIN, AA'R, AT HY' DIME OF LEASE ENEDDOM
- enden to the Usualect of a chilecuit to occupancy for the first singiliar, a commission of 123,000 that occupancy the austin about somewher finite, toland three or (Chistochar) or both characteristic scales capacity to first more first of a tribon of Kichiar and the characteristic first and the characteristic first and the characteristic first scales of the Court of the characteristic first scales of the Court of the characteristic first scales of the court of the characteristic first scales of the ch
- PARCHARD RESIDE INCLUDING PROPESTS BASE BALLS AND ANGLED STEPBACKS, SHALL CATTED THE HUMAUNI PIDHES PEDINETED BASTEL THE BUNDING DESCAL CRETICALS OF CODE
- SHIP USE BUTTO NOT SHALF CONTAIN PEDESTRAN-OREHTED USES DN SHE

- at menge to tel tosquage of a ctenacalt of occumanca the het riest stencher. 175.000 smalt be unde to cantal we'as row het myempse or ameropequants to word undersaft diela
- AZ THE COTAL WARRER OF PESSCENTIAT UNITS WITHIN THE PUP SHALL HE LIWITED TO 1200
- THE POR SHALL HACKER I (HOMES) SPACELY REPORTED TO THE ANSINE CAMPAINE PROGRAM OF SHIFTLESSER PURCHAM, TO RE PROVINCED HAS LEVERANCE OF HE PROCEDUM. THE LOSS OF THE SHAFTLESSER CONTRACTORS OF THE PARKAGO SACTO USE, SHAFTLESSER OF SELL RESCRIFTED OF HE PROCEDUM.

- I may second preceduance standards regulated within Swall label m it du or oldering Johnstans (1008 todds) in a special standard todds to also see 311 (Metabash 1008 todds) in a special standard see in a contraction of the characteristic standard see an observed color to also see 311 (Metabash 1 mart olderin min regulated standards) see an observed color to also see a pin (Metabash 1 mart observed todds) in the product of the characteristic standards see an observed color to also see an observed to also see an

- MODIFICATION TO SCEDIN 75-5-397 OF THE 24ND DEVELOPMENT CODE TO ALLOW FOR CONSTRUCTION OF A RECOGNAL WET PEND WHEN THE BOUNDAMES OF THE EMPLOY A AREA BLADITY ZONE
- WOOMERADA TO SEEREN 25-2-FRIET OF THE EARL DE ATTROUGHT COCK ID ALLOW FOR THE WARNAMY PERCHES OF REEAS 2, I AND A TO EACTED BOTTET OR THE HEIDAT OF THE ENSTRUG OF THE ZOWING INSTRUCT

## SITE DEVELOPMENT CRITERIA TABLE

321S 101 MINNEW	8.000
(sgygre leet)	
MIGH TOT NOW	50
DMULDING A PAINTE	1
UNIS PER LOC	
SHOUSE BONDE	
PANADA SEIBACKS:	
CRCNI YARD	:
SORICE SUBE TARD:	
MCERIOR SIDE YARLI	*
REAR YARD.	
MAAMUM BLALDING	70%
COVERACE:	
MANIMUM	4
WALKAIGNZ COACE	

1 (

•			
į			
1			
ì			
l			
ļ			

DNI	N1G	32		5
-	8	8,000	Ę	ADLE
			1 aver)	ì
			LEVA DE MELL	
			ľ	

1		

\* SEE LABLE ON SHEEL I OF DIE EAND UST PLAN COR FAREEL HEIGHTS, "SEE BACKS WEL BE GOVERNED BY COMMERCIAL ECSION STANDARDS RE BIELENO PARCELLE ON SHEEL I OF DIE EAND SEPTIMENT STANDARDS. VICINITY MAP

SOUTH SHORE DISTRICT P.U.D.

**GRAYCO PARTNERS** 

LAND USE PLAN **NOTES** 

N