



STATE OF TEXAS
COUNTY OF TRAVIS

(Temporary Staging Area and Material Storage Site Easement)
WILLIAMSON CREEK TRIBUTARY 2
C.O.A. WPDRD, Proj. No. 5848.044

EXHIBIT " C "

LEGAL DESCRIPTION FOR 4590.01 TSAAMSS

Field notes description for a parcel of land containing 0.779-acre of land, equivalent to 33,919 square feet of land, out of and a part of Lot 93, Block K, Second Amended Plat Of Williamson Creek Subdivision Section Two, a subdivision in the City of Austin, Travis County, Texas according to the map or plat thereof recorded in Book 86, Pages 198B-199C, Plat Records of Travis County, Texas and being the same Lot 93, Block K, Second Amended Plat Of Williamson Creek Subdivision Section Two which was conveyed *from* Village Bank & Trust *to* Rafik S. Momin by that certain Warranty Deed With Vendor's Lien dated December 19, 2003 and recorded in Document Number 2003294634, Official Public Records of Travis County, Texas; said parcel of land being more particularly described by metes and bounds, as follows, and as shown on the attached sketch:

BEGINNING at a 1/2 inch iron rod found on the south boundary line of the above referenced Lot 93, Block K, monumenting the common rear corner of Lot 89 and Lot 90, Block K, said Second Amended Plat Of Williamson Creek Subdivision Section Two, for the most easterly corner and **POINT OF BEGINNING** of this easement, having Texas State Plane Grid Coordinate (Central Zone-4203, NAD83(CORS), U.S. Survey Feet, Combined Scale Factor 0.9999555) values of N= 10,044,211.38, E= 3,116,994.67;

THENCE, with said southerly boundary line of Lot 93, same being the northerly boundary line of said Block K, along the northerly boundary line of said Lot 90 and Lot 91, said Block K, the following two (2) bearings and distances:

- 1) **S55°05'11"W** a distance of **69.92 feet** to a 1/2 inch iron rod found at the westerly corner of said Lot 90, same being the northerly corner of said Lot 91, at an angle point of this easement; and
- 2) **S51°54'25"W** a distance of **79.69 feet** to a 1/2 inch iron rod found monumenting the westerly corner of said Lot 91, same being the northerly corner of Lot 92, said Block K, said 1/2 inch iron rod found also being the most easterly corner of an existing Equipment Station easement recorded in Volume 9453, Page 114 of the Real Property Records Travis County, Texas, at an angle point of this easement;

CAPITAL VIEW CENTER 1301 SOUTH CAPITAL OF TEXAS HIGHWAY
BUILDING B, SUITE 315, AUSTIN, TEXAS 78746 (512) 328-7411 (512) 328-7413
T.U.C.P./W.B.E./H.U.B./D.B.E.



THENCE, leaving said northerly boundary line of said Block K and through said Lot 93, with the northerly line of said existing Equipment Station easement, **N73°28'41"W** a distance of **47.19 feet** to a calculated point at the northerly corner of said existing Equipment Station easement, for an inside corner of this easement;

THENCE, with the westerly line of said existing Equipment Station easement, **S27°41'42"W** a distance of **64.93 feet** to a calculated point on the northerly right-of-way line of Teri Road (60' right-of-way), same being the southerly line of said Lot 93, for the westerly corner of said existing equipment station easement and the most southerly corner of this easement;

THENCE, with said northerly right-of-way line of Teri Road, same being said southerly line of Lot 93, the following three (3) bearings and distances:

- 1) **N62°11'04"W** a distance of **82.64 feet** to a calculated point at a point of curvature of a circular curve to the right of this easement, from which the radius point bears **N27°49'34"E** a distance of 270.00 feet;
- 2) Along said circular curve to the right an arc length of **61.98 feet**, having a radius of **270.00 feet**, a delta angle of **13°09'09"**, and a chord bearing of **N55°35'52"W** with a chord distance of **61.84 feet** to a calculated point of reverse curvature of another circular curve to the left of this easement; and
- 3) Along said circular curve to the left an arc length of **97.79 feet**, having a radius of **630.00 feet**, a delta angle of **08°53'38"**, and a chord bearing of **N53°27'59"W** with a chord distance of **97.70 feet** to a calculated point, said calculated point also being the most westerly corner of an existing drainage easement as denoted in said Book 86, Pages 198B-199C, for the most westerly corner of this easement;

THENCE, leaving said northerly right-of-way line of Teri Road, through said Lot 93, with the northerly line of said existing drainage easement, the following five (5) bearings and distances:

- 1) **N71°48'46"E** a distance of **70.03 feet** to a calculated angle point of this easement;
- 2) **S86°56'22"E** a distance of **238.00 feet** to a calculated angle point of this easement;
- 3) **N55°02'24"E** a distance of **77.49 feet** to a calculated angle point of this easement;
- 4) **N64°17'24"E** a distance of **20.00 feet** to a calculated point, for the most northerly corner of this easement; and
- 5) **S11°31'14"E** a distance of **61.89 feet** to the **"POINT OF BEGINNING"**, and containing 0.779-acre of land (33,919 square feet), more or less.



BASIS OF BEARING:

Bearings mentioned on this easement are based on the City of Austin G.P.S. controlling monuments being J-16-3001 Grid Coordinates N=10,044,302.05, E=3,116,148.39, and utilizing J-16-4001 Grid Coordinates N=10,044,334.35, E=3,115,579.61 (see City of Austin monument data sheet). Combined Scale Factor equals 0.9999555. Distances shown hereon are surface.

CERTIFICATION:

I do hereby certify that this easement description is true and correct to the best of my knowledge and belief, and was prepared from an actual on the ground survey of found property corners, under my supervision, and that the markers described herein actually exist, as described, at the time of my survey.

**As Prepared by
Landmark Surveying, LP**

Juan M. Canales, Jr.
Juan M. Canales, Jr.

Registered Professional Land Surveyor No. 4453
Senior Project Manager
Firm Registration No. 100727-00

11-17-10

Date

REFERENCES

MAPSCO 2009, Page 645-X
AUSTIN GRID NO. J-16
TCAD PARCEL ID NO.03-2003-0501
4590.01 TSAAMSS (Rafik S. Momin).doc



FIELD NOTES REVIEWED

By: Clark Daniel Date 12-09-2010

Engineering Support Section
Department of Public Works
and Transportation

CAPITAL VIEW CENTER 1301 SOUTH CAPITAL OF TEXAS HIGHWAY
BUILDING B, SUITE 315, AUSTIN, TEXAS 78746 (512) 328-7411 (512) 328-7413
T.U.C.P./W.B.E./H.U.B./D.B.E.


SURVEY OF A PORTION OF LOT 93, BLOCK K, SECOND AMENDED PLAT OF WILLIAMSON CREEK SUBDIVISION SECTION TWO, THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS

PAGE 4 OF 5

LOT 93
BLOCK K
SECOND AMENDED PLAT OF
WILLIAMSON CREEK
SUBDIVISION SECTION TWO
BK. 86, PGS. 198B-199C
P.R.T.C.T.

RAFIK S. MOMIN
DOC. NO. 2003294634
O.P.R.T.C.T.


Juan M. Canales, Jr.
11-17-10
PARCEL 4590.01
TSAAMSS
0.779-ACRE
(33,919-SF.)



SCALE 1"=60'

LINE	BEARING	DISTANCE
------	---------	----------

L1	N73°28'41"W	47.19'
L2	(N70°41'18"W)(47.19')	
L3	S27°41'42"W	64.93'
L4	(S30°29'00"W)(65.00')	
L5	N62°11'04"W	82.64'
L6	N71°48'46"E	70.03'
L7	N55°02'24"E	77.49'
L8	N64°17'24"E	20.00'
L9	S11°31'14"E	61.89'



SKETCH TO ACCOMPANY FIELD NOTES

Client: PBS&J
Date: November 12, 2010
Office: Stephen Lawrence
Crew: J. Lee
F.B.: 1160/43-44
Path: c:\dwg\11\p b s j\williamson crk trib 2-grd-base.dwg
Job No.: 372-27-13

Landmark
SURVEYING, LP
1301 S. CAPITAL OF TEXAS HWY.
AUSTIN, TEXAS 78746
PH: (813)328-7411 FAX: (813)328-7413

**SURVEY OF A PORTION OF LOT 93, BLOCK K, SECOND AMENDED PLAT OF
WILLIAMSON CREEK SUBDIVISION SECTION TWO,
THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS**

LEGEND

PAGE 5 OF 5

CURVE TABLE

	CURVE	CHORD BEARING	CHORD DISTANCE	DELTA	ARC LENGTH	RADIUS
● 1/2" Iron Rod Found (Unless Otherwise Noted)						
▲ Nail Found (As Noted)						
△ Calculated Point "Not Established on Ground"	C1	N55°35'52"W (N52°55'48"W)	61.84' (61.94')	13°09'09" (13°10'23")	61.98' (62.08')	270.00' (270.00')
() Record Information per Bk. 86, Pgs. 198B-199C	C2	N54°22'21"W (N51°42'17"W)	117.55' (117.73')	10°42'21" (10°43'21")	117.72' (117.90')	630.00' (630.00')
(()) Record Information per Vol. 9453, Pg. 114	C3	N15°57'21"W (N13°17'17"W)	27.64' (27.68')	87°24'23" (87°33'21")	30.51' (30.56')	20.00' (20.00')
R.O.W. Right-of-Way	C4	N74°24'56"E (N79°04'25"E)	20.22' (19.84')	84°44'00" (82°49'09")	22.18' (22.45')	15.00' (15.00')
P.O.B. Point of Beginning Bk. Book	C5	N39°05'15"E (N41°49'11"E)	49.29' (50.00')	08°11'32" (08°18'40")	49.33' (50.04')	345.00' (345.00')
Pg. Page	C6	N47°06'36"E (N50°07'50"E)	49.99' (50.00')	08°18'35" (08°18'40")	50.04' (50.04')	345.00' (345.00')
Vol. Volume	C7	N55°55'23"E (N58°51'29"E)	54.97' (55.00')	09°08'20" (09°08'38")	55.03' (55.06')	345.00' (345.00')
D.E. Drainage Easement	C8	N65°03'43"E (N68°00'07"E)	54.97' (55.00')	09°08'20" (09°08'38")	55.03' (55.06')	345.00' (345.00')
P.U.E. Public Utility Easement Plat Records	C9	N53°27'59"W (N53°27'59"W)	97.70' (97.70')	08°53'38" (08°53'38")	97.79' (97.79')	630.00' (630.00')
P.R.T.C.T. Travis County, Texas						
D.R.T.C.T. Deed Records Travis County, Texas						
R.P.R.T.C.T. Real Property Records Travis County, Texas						
O.P.R.T.C.T. Official Public Records Travis County, Texas						

BEARING BASIS NOTE:

STATE PLANE COORDINATE SYSTEM (GRID) NAD'83

TEXAS CENTRAL ZONE 4203

COMBINED SCALE FACTOR = 0.9999555

NAVD'88 VERTICAL DATUM

Horizontal and vertical coordinates for C.O.A. Monument No. J-16-3001 and Monument No. J-16-4001 as published by the C.O.A., were used as the controlling monuments for this survey. Distances shown hereon are surface.

Utility and Improvement Note:

Utilities and improvements exist on this tract, but are not shown hereon.

The property described hereon is contained within Flood Zone AE, Zone X (Shaded), and Zone X; as scaled on F.I.R.M. Map Number 48453C0605H, dated September 26, 2008 as published by the Federal Emergency Management Agency, the purpose of which is for flood insurance only.

Restrictive Covenant and Easement Note:

- 1.) Restrictive covenants recorded in Volume 86, Page 198B, Plat Records of Travis County, and Volume 9635, Page 423, as amended in Volume 10511, Page 977 and Volume 11829, Page 26, Real Property Records of Travis County, Texas, DO AFFECT the subject easement.
- 10d.) 7.5' utility easement along the rear recorded in Volume 86, Page 198B, Plat Records of Travis County, Texas, DOES NOT AFFECT the subject easement (see 9635/423, page 6).
- 10e.) Public Utility and Drainage easement, 7.5' wide along the rear property lines recorded in Volume 9635, Page 423, Real Property Records of Travis County, Texas, DOES NOT AFFECT the subject easement.
- 10f.) 5' surface drainage easement along the side property lines recorded in Volume 9635, Page 423 and Volume 11829, Page 26, Real Property Records of Travis County, Texas, DOES NOT AFFECT the subject easement.
- 10g.) Easements granted to the City of Austin for underground electric/telephone lines and systems, dated March 25, 1983, recorded in Volume 8870, Page 424, Deed Records of Travis County, Texas DOES AFFECT the subject easement.
- 10h.) Drainage easement that traverses the subject lot (Lot 93) recorded in Volume 86, page 198B, Plat Records of Travis County, Texas DOES AFFECT the subject easement.
- 10i.) Building setback line as set out on the plat recorded in Volume 86, Page 198B, Plat records of Travis County, Texas DOES AFFECT the subject easement; and, those set out in the restrictions recorded in Volume 9635, Page 423, Volume 10511, Page 977 and Volume 11829, Page 26, Real Property Records of Travis County, Texas DO NOT AFFECT the subject easement.

All easements of which I have knowledge and those recorded easements furnished by Alamo Title Insurance according to Commitment Number AT0008000092, are shown or noted hereon. Other than visible easements, no unrecorded or unwritten easements which may exist are shown hereon.


I hereby certify that a survey was made on the ground of the easement shown hereon; that there are no visible discrepancies, conflicts, shortages in area, boundary line conflicts, encroachments, overlapping of improvements, easements or right-of-ways, except as shown; that said easement has access to and from a public roadway; and that this plat is an accurate representation of the easement to the best of my knowledge.

**AS SURVEYED BY
LANDMARK SURVEYING, LP
FIRM REGISTRATION NO. 100727-00**

Juan M. Canales, Jr.
JUAN M. CANALES, JR. 11-17-10
Registered Professional Land Surveyor No. 4453
DATE: November 12, 2010



**THIS SURVEY PLAT IS VALID ONLY IF IT BEARS THE
ORIGINAL SIGNATURE OF THE ABOVE SURVEYOR**

Client: PBS&J
Date: November 12, 2010
Office: Stephen Lawrence
Crew: J. Lee
F.B.: 1160/43-44
Path: c:\dwg 11\p b s j\williamson crk trib ● stassney\ easements\wm crk trib 2-grid-base.dwg
Job No.: 372-27-13



**SKETCH TO
ACCOMPANY
FIELD NOTES**

**Landmark
SURVEYING, LP**
1301 S. CAPITAL OF TEXAS HWY.
BUILDING B, SUITE 315
AUSTIN, TEXAS 78746
Ph: (512)328-7411 FAX: (512)328-7413



Juan M. Canales, Jr.
11-17-10

4590.01 PDDWAPAAE (Rafik S. Momin)

11/10/2010

Scale: 1 inch= 57 feet

File: 4590.01 PDDWQPAE (Rafik S. Momin).ndp

Tract 1: 0.7787 Acres (33919 Sq. Feet), Closure: n53.5652e 0.01 ft. (1/94931), Perimeter=972 ft.

01 s55.0511w 69.92	10 n55.0224e 77.49
02 s51.5425w 79.69	11 n64.1724e 20
03 n73.2841w 47.19	12 s11.3114e 61.89
04 s27.4142w 64.93	
05 n62.1104w 82.64	
06 Rt, r=270.00, delta=013.0909, arc=61.98, chord=n55.3552w 61.84	
07 Lt, r=630.00, delta=008.5338, arc=97.79, chord=n53.2759w 97.70	
08 n71.4846e 70.03	
09 s86.5622e 238	