

Landscape Architecture • Urban Design • Environmental Design • Park Planning

General Grounds Improvements for Barton Springs Pool

Lighting Improvements

Presented to the Design Commission June 24, 2013

Updated for Land and Facilities Meeting August 19, 2014 and Joint Committee Meeting November 12, 2014



Larson Burns & Smith Landscape Architects / Planners Stansberry Engineering Civil Engineers Saenz + Bury MEP Engineers Frank Lam & Associates Structural Engineers

Positive Feedback and Recognition Barton Springs Pool General Grounds Improvements Project:



ISA - Texas Chapter - 2014 Award "ARBORICULTURE PROJECT of the YEAR" Barton Springs Tree Court

Best of Austin Award - Austin Chronical "BEST IMPROVED ENTRY"

to the soul of Austin Barton Springs South Side



Design/Stakeholder Process


- Four Design Charrettes in 2010 prior to preliminary design
- Over 40 public input meetings
- Stakeholder surveys
- Multiple presentations to Joint Committee with stakeholder input
- All aspects of plan approved by Joint Committee, Planning Commission & City Council
- Current plan considered all comments and is a product of the process

COA Board & Commission Approvals

- February 27, 2012 Design Commission
- June 28, 2012- "Environmental Board & Parks Recreation Board" Joint Committee
- August 13, 2012- Land, Facilities and Program
- August 27, 2012- Historic Landmark Commission
- August 28, 2012- Parks and Recreation Board
- December 19, 2012 Urban Forestry Board
- February 11, 2013 Waterfront Planning Advisory Board
- February 19, 2013 Codes and Ordinances Subcommittee
- February 20, 2013 Environmental Board
- February 26, 2013 Planning Commission
- April 11, 2013 City Council
- April 23, 2013 Planning Commission (site plan conditional use)
- August 19, 2014 Land, Facilities and Program Committee (lighting)



Existing Pool Lighting Circa 1936



Existing Conditions:

Old Pool Area Lights

• Twin Fixture Flood Lights Mounted on 30' Wood Utility Poles

Lighting Levels Varied from very low levels over the water to high levels on the pool deck directly under the old light fixtures.

Foot Candle reading were recorded as high as 8.2 on the pool deck. Design Goal is an average FC reading of 2.0.

A Foot-Candle is a measurement of illumination equal to the light produced by one candle at a distance of one foot.

Design Constraints

Fish and Wildlife & Permit Restrictions: Use existing wood poles or place new non – preservative treated poles in same footing hole.


Replacement poles can not be placed within the South Bluff's Critical Environmental Feature Zone.


New Light Poles can only be relocated under the direction of the Salamander Biologist.


Hydraulic lifts will not be allowed on the pool deck for installation or maintenance of the new light fixtures.


Poles to be climbable

No light fixtures allowed underwater.










BATH HOUSE BATH HOUSE	The fact has the fact has been been been been far tes hay too har been been been been been tas taa har has been been been been been far taa been been been tor it to take fas taa been been been tor it to take been fas taa taa far it too taa taa been fas taa taa far it too taa taa been fas taa taa tar it too taa taa been fas taa taa tar it too taa taa been fas taa taa taa taa taa been too been fas taa taa taa taa been har tao been fas taa taa taa taa been har tao been fas taa taa taa been har taa taa been taa been taa been har taa taa been taa
	201 3 10 3 14
	^
	2 0 7
A baro han bar tan i an i ni i ni i ni i ni i ni i ni	4
tint at at an arm with at a training at at a arm at and an arm at and an arm at and	0
	367
ad and and yest out out out out and and and out out out out out out out out and and and out out the for and	Ø
o nå at	
ned ued ued eed eed eed eed eed eed eed e	0
he iz 'ie iz 'ie iz 'ie iz 'ie i is 'ie ie i be br'h h h h h h h h h h h h ie	
🖉 big des bra bas bur han ban bas bes bes bes bes bes bes ber bir han bas bes bes bes ber bir han bas bes bes bes bes ber bir ban bas bes bes bes bes bes bes bes bes bes be	
der bar bar der ster ber bar bar bar bar bar bar bar bar bar ba	Θ
	0
Luminuirs Bahadula Project Barton Boings 3 Hull 6122 3143 22 32238 61	
Target Spr Spr<	
Or at the Output memory S the Old S the Old S the Old Old <th></th>	
Laderi ne del Tgen Urban Ang Mar Man Ang Man Manaha (barrenten product 1994) 1994 1994 1994 1994 1994 1994 199	
M M/d 223.1 32 355.889 M 35 144 177 192 355.890 M	
8 14 17 192 12 122 12 12 12 12 12 12 12 12 12 12 1	
7 1 M 1019 1056 12 30537 16 7 14 1019 1056 12 30537 16 7 14 1019 1256 12 30537 16	
20 TH 3/20 20294 W 20291 (5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
View 1:Plan Rotated 0 Tilted 0	ABS Lighting
Scale : Index 52 Files 52 Scale : Index 52 Scale : Index 52 Scale : Index 52 Scale : Index 52 Files 52 Scale : Index 52 Scale	Abs Lighting


Pool Surface: Ave FC 2.12, Max 7.85, Min .32


Barton Springs Pool General Grounds Internetion New Lighting Design




New Lighting FC Reading July 30, 2014 Pool Deck: Ave FC 2.0, Max 8.4, Min .25 New Poles and Lights Installed May 12 – 16 Adjusted Night of May 21 with Staff and Lifeguards Installed last Pole (north east) May 29th & Readjusted Several Lights

Controls Controls Provi Controls Controls Internet
































Barton Springs Pool




Earton Springs Pool General Grands Internet














New Lighting



