



Amendment No. 2
to
Contract No. GC160000010
#TXMAS-18-51V03
for
Paint and Paint Supp
between
The Sherwin Williams Company
and the
City of Austin

- 1.0 The City hereby exercises this extension option for the subject contract. This extension option will be June 7, 2019 through June 6, 2020. There are no options remaining.
- 2.0 The total contract amount is increased by \$285,000.00 each and combined for this extension period. The total contract authorization is recapped below:

Action	Action Amount	Total Contract Amount
Initial Term: 11/12/2016 – 03/11/2018	\$380,000.00	\$380,000.00
Amendment No. 1: Option 1 – Extension 06/7/2018 – 06/6/2019	\$285,000.00	\$665,000.00
Amendment No. 2: Option 2 – Extension 06/7/2019 – 06/6/2020	\$285,000.00	\$950,000.00

- 3.0 MBEMBE goals do not apply to this contract.
- 4.0 By signing this Amendment, the Contractor certifies that the vendor and its principals are not currently suspended or debarred from doing business with the Federal Government, as indicated by the GSA List of Parties Excluded from Federal Procurement and Non-Procurement Programs, the State of Texas, or the City of Austin.
- 5.0 All other terms and conditions remain the same.

BY THE SIGNATURES affixed below, this amendment is hereby incorporated into and made a part of the above-referenced contract.

Sign/Date: [Signature] May 13, 2019

Printed Name: Craig Mackay
Authorized Representative

The Sherwin Williams Company.
12601 Tech Ridge Blvd., #800
Austin, Texas 78753

Sign Date: [Signature] 5.24.19
Erin D'Vincent, Procurement Supervisor

City of Austin
Purchasing Office
124 W. 8th Street, Ste. 310
Austin, Texas 78701



Amendment No. 1
to
Contract No. GC160000010
for
Paint and Paint Supp
between
The Sherwin Williams Company
and the
City of Austin

- 1.0 The City hereby exercises this extension option for the subject contract. This extension option will be June 7, 2018 through June 6, 2019 to coincide with the current TXMAS contract. One extension option with City of Austin will remain.
- 2.0 The Sherwin Williams Company TXMAS contract No. TXMAS-5-51V010 start date, 10/11/2014 through 01/31/2018 has expired and has been replaced, the new The Sherwin Williams Company TXMAS contract No. TXMAS-18-51V03 effective June 7, 2018 to February 5, 2023
- 3.0 The total contract amount is increased by \$285,000.00 each and combined for this extension period. The total contract authorization is recapped below:

Action	Action Amount	Total Contract Amount
Initial Term: 11/12/2016 – 03/11/2018	\$380,000.00	\$380,000.00
Amendment No. 1: Option 1 – Extension 06/7/2018 – 06/6/2019	\$285,000.00	\$665,000.00

- 4.0 MBE/WBE goals do not apply to this contract.
- 5.0 The City of Austin contract is associated Texas Multiple Award Schedule (TXMAS) contract TXMAS-6-18-51V03 The effective TXMAS term is June 7, 2018 through February 5, 2023.
- 6.0 By signing this Amendment the Contractor certifies that the vendor and its principals are not currently suspended or debarred from doing business with the Federal Government, as indicated by the GSA List of Parties Excluded from Federal Procurement and Non-Procurement Programs, the State of Texas, or the City of Austin.
- 7.0 All other terms and conditions remain the same.

BY THE SIGNATURES affixed below, this amendment is hereby incorporated into and made a part of the above-referenced contract.

Sign/Date:

Craig Mackay 6/21/18

Printed Name: Craig Mackay
Authorized Representative

The Sherwin Williams Company.
12601 Tech Ridge Blvd., #800
Austin, Texas 78753

Sign/Date:

Lindell Gordon Brown
Matthew Duree, Procurement Manager 6-28-18

City of Austin
Purchasing Office
124 W. 8th Street, Ste. 310
Austin, Texas 78701

**CONTRACT BETWEEN THE CITY OF AUSTIN (“City”)
AND
Sherwin-Williams Co. (“Contractor”)
for
Paint and Paint Supplies
MA GC160000010**

This Contract is between Sherwin-Williams Co., having offices at 5795 Airport Boulevard, Austin, Texas 78752 and the City, a home-rule municipality incorporated by the State of Texas, and is effective on the date signed by the City. Solicitation requirements are met by using Contractor’s Texas Multiple Awards Schedule (TXMAS) Contract No. 5-51V010.

1.1 This Contract is composed of the following documents:

- 1.1.1 TXMAS Contract No. 5-51V010
- 1.1.2 This Contract
- 1.1.3 Exhibit A, Supplemental Provisions

1.2 Order of Precedence. Any inconsistency or conflict in the Contract documents shall be resolved by giving precedence in the following order:

- 1.2.1 TXMAS Contract No. 5-51V010 as referenced in Section 1.1.1
- 1.2.2 This Contract
- 1.2.3 Supplemental Provisions as referenced in Section 1.1.3

1.3 Quantity. The Contract is requirements-based. Quantities of goods will be ordered by the City on an as-needed basis using the Contractor’s Pricing as shown in Exhibit C.

1.4 Term of Contract. The Contract shall be in effect for an initial term of sixteen (16) months, subject to the extension of the cooperative contract (as referenced in Section 1.1.1 above), and approval of the Contractor and the City Purchasing Officer or his designee. The Contract may be extended thereafter for up to two 12-month extension options, subject to the approval of the Contractor and the City Purchasing Officer or his designee.

1.4.1 The City reserves the right to transfer this Contract by amendment to future TXMAS contracts that supersede TXMAS Contract No. 5-51V010, if the terms and conditions are favorable to the City.

1.5 Compensation. The Contractor shall be paid a total not-to-exceed amount of \$380,000 for the initial Contract term and a not-to-exceed amount of \$285,000 for each extension option, for a total not-to-exceed contract amount of \$950,000. Payment shall be made following delivery of those items shown in Exhibit C. The Contractor’s Pricing listed in Exhibit C includes all fees and expenses.

This Contract (including any Exhibits) constitutes the entire agreement of the parties regarding the subject matter of this Contract and supersedes all prior and contemporaneous agreements and understandings, whether written or oral, relating to such subject matter. This Contract may be altered, amended, or modified only by a written instrument signed by the duly authorized representatives of both parties.

In witness whereof, the City has caused a duly authorized representative to execute this Contract on the date set forth below.

SHERWIN-WILLIAMS CO.

CITY OF AUSTIN

Craig Mackay
Printed Name of Authorized Person

Pager Strickland
Printed Name of Authorized Person

[Signature]
Signature

[Signature]
Signature

NATIONAL SALES MGR
Title:

Corporate Contract Administrator
Title:

Oct 31, 2016
Date:

November 12 2016
Date:

- Exhibit A - Supplemental Provisions
- Exhibit B - City's Non-Discrimination Certification
- Exhibit C - Contractor's Pricing


[Contracts](#)
[Reports](#)
[Help \(/help\)](#)


0 items

Contract Details: # TXMAS-5-51V010

Search for items in this contract (/ex_search/false/contract_number/TXMAS~5~51V010)

Number	TXMAS-5-51V010
Description	Hardware Superstore
Category	TxSmartBuy
Type	TXMAS
Start Date	10/11/2004
End Date	1/31/2018
Purchase Category Code(Agencies Only)	PCC X
Optional Renewal Terms	This Texas Multiple Award Schedule (TXMAS) contract is renewed on the date that the governmental entity that awarded the underlying contract exercises any renewal options. All State of Texas terms and conditions will continue and apply to all renewal periods by mutual agreement. The contractor has certified that the prices reflected in the contractor's catalog are the same as the prices contained in the most current modification to the underlying contract.
Purchase Orders	Only purchase orders issued through TxSmartBuy are eligible for contract pricing. Contractors cannot ship any products or provide services until issuance through TxSmartBuy and receipt of a Purchase Order. If a TXMAS contract does not have items available in the TxSmartBuy system, a quote order line item should be added to the cart with an attachment that describes order details.
Order Limitation	The contractor is not required to accept orders below the minimum listed below. Orders between the minimum and maximum listed below are subject to the pricing of the underlying contract. For orders above the maximum, purchasing entities are entitled to negotiate for lower prices than those listed. Minimum Order - 1 UNIT Maximum Order - \$100,000

State Contracts	All Texas Council for Purchasing from People with Disabilities contracts and Texas Correctional Industries (TCI) term contracts take precedence over this TXMAS contract. If similar products or services are listed on this TXMAS contract and a CPA Term contract, a determination should be made that will result in a best value purchase.
CPA Contract Management	<p>Questions regarding contract management issues, price changes, amendments or other post-award concerns should be directed to:</p> <p>TPASS TXMAS Program Texas Comptroller of Public Accounts (CPA) Phone: (512) 463-3421 Email:txmas@cpa.state.tx.us (mailto:txmas@cpa.state.tx.us)</p>
Approved Products/Services	Only products or services listed in the underlying contract may be purchased from this TXMAS contract, with one exception. Incidental, off-schedule items may be purchased as "best value, open market" items provided that they are necessary for product integration or product completeness. The purchasing entity is responsible for ensuring that the quoted price for such incidental items is fair and reasonable. These incidental items may be added to the TXMAS purchase order if they are clearly labeled as "open market (OM), best value" items.
Delivery	1-7 DAYS ARO
FOB Point	DESTINATION
Compliant Products by Contractor	Customer reserves the right to require new delivery or a refund in the event that materials or products not meeting specifications are discovered after payment has been made.
Restocking Fee for Returned Products	Refer to contract upon which TXMAS contract is based.
Rebate Reporting Requirement for Federal	<p>Pursuant to Texas Government Code Â§ 2155.510(b), rebates generated from TXMAS contract purchases made in whole or in part with federal funds must be reported by the purchasing agency for reporting, and reconciliation purposes with the appropriate federal funding agency. Each quarter of the State's fiscal year (September 1 through August 31), TXMAS contractors rebate 0.73875% of their TXMAS sales to the State of Texas via the Texas Comptroller of Public Accounts (CPA). It is the purchasing entity's responsibility to report the amount of rebate to the federal fund-provider using the above percent based on the total dollar value of the TXMAS purchase order.</p> <p>Example: A purchasing entity receives and uses federal funds of \$50,000 to purchase items/services on a TXMAS contract. The purchasing entity must report to the federal fund-provider that a sales rebate of \$369.37 ($\\$50,000 * 0.73875\% = \\$369.37$) will be paid to the State of Texas by the TXMAS contractor.</p>
Contractor Performance	<p>The Texas Procurement and Support Services (TPASS), a division of the Comptroller of Public Accounts (CPA), administers a vendor performance program for use by all customers per Texas Government Code (TGC), §2262.055, and 34 Texas Administrative Code (TAC), §20.108. The Vendor Performance relies on the customer's participation in gathering information on vendor performance. State agency customers shall report vendor performance on purchases over \$25,000 from contracts administered by CPA, or any other purchase over \$25,000 made through delegated authority granted by CPA (TAC 20.108), or purchases exempt from CPA procurement rules and procedures. State agencies are additionally encouraged to report vendor performance on purchases under \$25,000.</p> <p>Vendor Performance shall be reported through the CPA VENDOR PERFORMANCE TRACKING SYSTEM (http://www.window.state.tx.us/procurement/prog/vendor_performance/).</p>

The purpose of the Vendor Performance Tracking System is to:

- * Identify vendors that have exceptional performance
- * Aid purchasers in making a best value determination based on vendor past performance
- * Protect the state from vendors with unethical business practices
- * Provide performance scores in four measurable categories for the CMBL vendors
- * Track vendor performance for delegated and exempt purchases

Contractor Information

VID: 13405268502

Contractor: Sherwin Williams Company

Contact Name: Craig MacKay

Email: Craig.MacKay@Sherwin.Com

Phone: (240) 350-7862

Address: Sherwin Williams Company -TXMAS 101 Prospect Avenue, Nw Cleveland OH 44115

Texas.gov (<http://www.texas.gov/en/Pages/default.aspx>)

Statewide Search from the Texas State Library (<https://www.tsl.state.tx.us/trail/index.html>)

State Link Policy (<http://www.dir.texas.gov/pubs/pages/weblink-privacy.aspx>)

Texas Homeland Security (<http://governor.state.tx.us/homeland>)

Texas Transparency (<http://www.texas Transparency.org/>)

Report Fraud (<http://www.window.state.tx.us/fraud.html>)

Glenn Hegar, Texas Comptroller • Window on State Government (<http://www.window.state.tx.us/>) • Contact Us (<http://www.window.state.tx.us/contact.html>)

Privacy and Security Policy (<http://www.window.state.tx.us/privacy.html>)

Accessibility Policy (<http://www.window.state.tx.us/accessibility.html>)

Link Policy (<http://www.window.state.tx.us/linkpolicy.html>)

Public Information Act (<http://www.window.state.tx.us/pia.html>)

Texas Veterans Portal (<http://veterans.portal.texas.gov/en/Pages/default.aspx>)

Compact with Texans (<http://www.window.state.tx.us/comptrol/compact/>)

EXHIBIT A
SUPPLEMENTAL PROVISIONS

1. **Designation of Key Personnel.** The Contractor's Contract Manager for this engagement shall be Justin Quick; Phone: 512-844-2459; Email: swrep4900@sherwin.com. The City's Contract Managers for the engagement shall be as follows:

Department: Austin Convention Center Department

Name: Bryan Helford

Email: Bryan.Helford@austintexas.gov

Phone: 512-404-4311

Department: Austin Energy

Name: Greg Warren

Email: Greg.Warren@austinenergy.com

Phone: 512-322-6172

Department: Austin Fire Department

Name: Karen Bitzer

Email: Karen.Bitzer@austintexas.gov

Phone: 512-974-4131

Department: Austin Police Department

Name: Mary Ann Carney

Email: MaryAnn.Carney@austintexas.gov

Phone: 512 974-4543

Department: Austin Resource Recovery

Name: Jonathan Mays

Email: jonathan.mays@austintexas.gov

Phone: (512) 974-3050

Department: Aviation

Name: Marsha Wells

Email: Marsha.Wells@austintexas.gov

Phone: 512-530-6655

Department: Austin Water

Name: Darrell Richmond

Email: Darrell.Richmond@austintexas.gov

Phone: 512-972-0313

Department: Building Services Department

Name: Taylor Youngblood

Email: Taylor.Youngblood@austintexas.gov

Phone: 512-974-3519

Department: Emergency Medical Services Department

Name: William Alderete

Email: William.Alderete@austintexas.gov

Phone: 512-978-0485

Department: Financial Services

Name: Mike Benson

Email: Mike.Benson@austintexas.gov

Phone: 512-974-2032

Department: Fleet Services

Name: Hazel Black

Email: Hazel.Black@austintexas.gov

Phone: 512-974-1751

Department: Austin/Travis County Health and Human Services

Name: Filip Gecic

Email: Filip.Gecic@austintexas.gov

Phone: 512-972-5602

Department: Municipal Court

Name: David Coleman

Email: David.Coleman@austintexas.gov

Phone: 512-974-4617

Department: Parks and Recreation

Name: Anthony Cardenas

Email: Anthony.Cardenas@austintexas.gov

Phone: 512-974-9503

Department: Public Works

Name: Peggy Ybanez

Email: Peggy.Ybanez@austintexas.gov

Phone: 512-974-7238

Department: Wireless Services

Name: Barbara Kennedy

Email: Barbara.Kennedy@austintexas.gov

Phone: 512-927-3207

2. **Contractor To Package Deliverables.** The Contractor will package deliverables in accordance with good commercial practice and shall include a packing list showing the description of each item, the quantity and unit price. Unless otherwise provided in the Specifications or Supplemental Terms and Conditions, each shipping container shall be clearly and permanently marked as follows: (a) The Contractor's name and address, (b) the City's name, address and purchase order or purchase release number and the price agreement number if applicable, (c) Container number and total number of containers, e.g. box 1 of 4 boxes, and (d) the number of the container bearing the packing list. The Contractor shall bear cost of packaging. Deliverables shall be suitably packed to secure lowest transportation costs and to conform with requirements of common carriers and any applicable specifications. The City's count or weight shall be final and conclusive on shipments not accompanied by packing lists.

3. **Shipment Under Reservation Prohibited.** The Contractor is not authorized to ship the deliverables under reservation and no tender of a bill of lading will operate as a tender of deliverables.

4. **Title & Risk of Loss.** Title to and risk of loss of the deliverables shall pass to the City only when the City actually receives and accepts the deliverables.

5. **Delivery Terms and Transportation Charges.** Deliverables shall be shipped F.O.B. point of delivery unless otherwise specified in the Supplemental Terms and Conditions. Unless otherwise stated in the Offer, the Contractor's price shall be deemed to include all delivery and transportation charges. The City shall have the right to designate what method of transportation shall be used to ship the deliverables. The place of delivery shall be that set forth in the block of the purchase order or purchase release entitled "Receiving Agency".

6. **Right Of Inspection And Rejection.** The City expressly reserves all rights under law, including, but not limited to the Uniform Commercial Code, to inspect the deliverables at delivery before accepting them, and to reject

defective or non-conforming deliverables. If the City has the right to inspect the Contractor's, or the Contractor's Subcontractor's, facilities, or the deliverables at the Contractor's, or the Contractor's Subcontractor's, premises, the Contractor shall furnish, or cause to be furnished, without additional charge, all reasonable facilities and assistance to the City to facilitate such inspection.

7. **No Replacement Of Defective Tender.** Every tender or delivery of deliverables must fully comply with all provisions of the Contract as to time of delivery, quality, and quantity. Any non-complying tender shall constitute a breach and the Contractor shall not have the right to substitute a conforming tender; provided, where the time for performance has not yet expired, the Contractor may notify the City of the intention to cure and may then make a conforming tender within the time allotted in the contract.

8. **Place and Condition of Work.** The City shall provide the Contractor access to the sites where the Contractor is to perform the services as required in order for the Contractor to perform the services in a timely and efficient manner, in accordance with and subject to the applicable security laws, rules, and regulations. The Contractor acknowledges that it has satisfied itself as to the nature of the City's service requirements and specifications, the location and essential characteristics of the work sites, the quality and quantity of materials, equipment, labor and facilities necessary to perform the services, and any other condition or state of fact which could in any way affect performance of the Contractor's obligations under the contract. The Contractor hereby releases and holds the City harmless from and against any liability or claim for damages of any kind or nature if the actual site or service conditions differ from expected conditions.

9. **Workforce.**

9.1 The Contractor shall employ only orderly and competent workers, skilled in the performance of the services which they will perform under the Contract.

9.2 The Contractor, its employees, subcontractors, and subcontractor's employees may not while engaged in participating or responding to a solicitation or while in the course and scope of delivering goods or services under a City of Austin contract or on the City's property:

9.2.1 use or possess a firearm, including a concealed handgun that is licensed under state law, except as required by the terms of the contract; or

9.2.2 use or possess alcoholic or other intoxicating beverages, illegal drugs or controlled substances, nor may such workers be intoxicated, or under the influence of alcohol or drugs, on the job.

9.3 If the City or the City's representative notifies the Contractor that any worker is incompetent, disorderly or disobedient, has knowingly or repeatedly violated safety regulations, has possessed any firearms, or has possessed or was under the influence of alcohol or drugs on the job, the Contractor shall immediately remove such worker from Contract services, and may not employ such worker again on Contract services without the City's prior written consent.

10. **Compliance with Health, Safety, and Environmental Regulations.** The Contractor, its Subcontractors, and their respective employees, shall comply fully with all applicable federal, state, and local health, safety, and environmental laws, ordinances, rules and regulations in the performance of the services, including but not limited to those promulgated by the City and by the Occupational Safety and Health Administration (OSHA). In case of conflict, the most stringent safety requirement shall govern. The Contractor shall indemnify and hold the City harmless from and against all claims, demands, suits, actions, judgments, fines, penalties and liability of every kind arising from the breach of the Contractor's obligations under this paragraph.

11. **Invoices.**

11.1 The Contractor shall submit separate invoices in duplicate on each purchase order or purchase release after each delivery. If partial shipments or deliveries are authorized by the City, a separate invoice must be sent for each shipment or delivery made.

11.2 **Proper Invoices must include a unique invoice number, the purchase order or delivery order number and the master agreement number if applicable, the Department's Name, and the name of the point of contact for the Department.** Invoices shall be itemized. The Contractor's name and, if applicable, the tax identification number on the invoice must exactly match the information in the Contractor's registration

with the City. Unless otherwise instructed in writing, the City may rely on the remittance address specified on Contractor's invoice. Invoices received without all required information cannot be processed. All invoices must be forwarded to the City Department that placed the order and created the purchase order.

Invoices shall be mailed to the below addresses:

	City of Austin
Department	Austin Convention Center Department
Attn:	Accounts Payable
Address	500 East Cesar Chavez
City, State Zip Code	Austin, Texas 78701

	City of Austin
Department	Austin Energy
Attn:	Accounts Payable
Address	721 Barton Springs Rd.
City, State Zip Code	Austin, TX 78704

	City of Austin
Department	Austin Fire Department
Attn:	Accounts Payable
Email Address	FIREACCTSPAYABLE@austintexas.gov

	City of Austin
Department	Austin Police Department
Attn:	Financial Management
Address	P. O> Box 1629
City, State Zip Code	Austin, TX 78767

	City of Austin
Department	Austin Resource Recovery
Attn:	ARR Accounts Payable
Email Address	ARR.AP@austintexas.gov

	City of Austin
Department	Aviation
Attn:	Accounts Payable
Address	3600 Presidential Blvd., Suite 411

Email Address	ABIA.Invoices@austintexas.gov
City, State Zip Code	Austin, TX 78719

	City of Austin
Department	Austin Water
Attn:	Accounts Payable
Address	625 East 10 th
City, State Zip Code	Austin, TX 78701

	City of Austin
Department	Building Services
Attn:	Accounts Payable
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767
Email Address	BSDAPInvoices@austintexas.gov

	City of Austin
Department	Emergency Medical Services
Attn:	Accounts Payable
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767
E-mail Address	EMSAP@austintexas.gov

	City of Austin
Department	Financial Services Purchasing
Attn:	Accounts Payable
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767

	City of Austin
Department	Fleet Services
Attn:	Accounts Payable
Address	1190 Hargrave Street
City, State Zip Code	Austin, TX 78702

	City of Austin
Department	Health and Human Services
Attn:	Accounting Services
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767

	City of Austin
Department	Municipal Court
Attn:	Accounts Payable
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767

	City of Austin
Department	Parks and Recreation
Attn:	Accounts Payable
Address	200 S. Lamar
City, State Zip Code	Austin, TX 78704
Email Address (Email preferred)	pardacccountspayable@austintexas.gov

	City of Austin
Department	Public Works
Attn:	Accounts Payable
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767

	City of Austin
Department	Wireless Services
Attn:	Accounts Payable
Address	P. O. Box 1088
City, State Zip Code	Austin, TX 78767

11.3 Unless otherwise expressly authorized in the Contract, the Contractor shall pass through all Subcontract and other authorized expenses at actual cost without markup.

11.4 Federal Excise Taxes, State taxes, or City sales tax must not be included in the invoiced amount. The City will furnish a tax exemption certificate upon request.

12. **Payment.**

12.1 All proper invoices received by the City will be paid within thirty (30) calendar days of the City's receipt of the deliverables or of the invoice, whichever is later.

12.2 **If payment is not timely made, (per paragraph 6.1), interest shall accrue on the unpaid balance at the lesser of the rate specified in Texas Government Code Section 2251.025 or the maximum lawful rate; except, if payment is not timely made for a reason for which the City may withhold payment hereunder, interest shall not accrue until ten (10) calendar days after the grounds for withholding payment have been resolved.**

12.3 If partial shipments or deliveries are authorized by the City, the Contractor will be paid for the partial shipment or delivery, as stated above, provided that the invoice matches the shipment or delivery.

12.4 The City may withhold or set off the entire payment or part of any payment otherwise due the Contractor to such extent as may be necessary on account of;

12.4.1 delivery of defective or non-conforming services by the Contractor;

12.4.2 third party claims, which are not covered by the insurance which the Contractor is required to provide, are filed or reasonable evidence indicating probable filing of such claims;

12.4.3 failure of the Contractor to pay Subcontractors, or for labor, materials or equipment,

12.4.4 damage to the property of the City or the City's agents, employees or contractors, which is not covered by insurance required to be provided by the Contractor;

12.4.5 reasonable evidence that the Contractor's obligations will not be completed within the time specified in the Contract, and that the unpaid balance would not be adequate to cover actual or liquidated damages for the anticipated delay;

12.4.6 failure of the Contractor to submit proper invoices with all required attachments and supporting documentation; or

12.4.7 failure of the Contractor to comply with any material provision of the Contract.

12.5 Notice is hereby given of Article VIII, Section 1 of the Austin City Charter which prohibits the payment of any money to any person, firm or corporation who is in arrears to the City for taxes, and of §2-8-3 of the Austin City Code concerning the right of the City to offset indebtedness owed the City.

12.6 Payment will be made by check unless the parties mutually agree to payment by credit card or electronic transfer of funds. The Contractor agrees that there shall be no additional charges, surcharges, or penalties to the City for payments made by credit card or electronic transfer of funds.

12.7 The awarding or continuation of this contract is dependent upon the availability of funding. The City's payment obligations are payable only and solely from funds Appropriated and available for this contract. The absence of Appropriated or other lawfully available funds shall render the Contract null and void to the extent funds are not Appropriated or available and any deliverables delivered but unpaid shall be returned to the Contractor. The City shall provide the Contractor written notice of the failure of the City to make an adequate Appropriation for any fiscal year to pay the amounts due under the Contract, or the reduction of any Appropriation to an amount insufficient to permit the City to pay its obligations under the Contract. In the event of non or inadequate appropriation of funds, there will be no penalty or removal fees charged to the City.

13. **Final Payment and Close-Out.** The making and acceptance of final payment will constitute:

13.1 a waiver of all claims by the City against the Contractor, except claims (1) which have been previously asserted in writing and not yet settled, (2) arising from defective work appearing after final inspection, (3) arising from failure of the Contractor to comply with the Contract or the terms of any warranty specified herein, (4) arising from the Contractor's continuing obligations under the Contract, including but not limited to indemnity and warranty obligations, or (5) arising under the City's right to audit; and

13.2 a waiver of all claims by the Contractor against the City other than those previously asserted in writing and not yet settled.

14. **Special Tools & Test Equipment.** If the price stated on the Offer includes the cost of any special tooling or special test equipment fabricated or required by the Contractor for the purpose of filling this order, such special tooling equipment and any process sheets related thereto shall become the property of the City and shall be identified by the Contractor as such.

15. **Right To Audit.**

15.1 The Contractor agrees that the representatives of the Office of the City Auditor or other authorized representatives of the City shall have access to, and the right to audit, examine, or reproduce, any and all records of the Contractor related to the performance under this Contract. The Contractor shall retain all such records for a period of three (3) years after final payment on this Contract or until all audit and litigation matters that the City has brought to the attention of the Contractor are resolved, whichever is longer. The Contractor agrees to refund to the City any overpayments disclosed by any such audit.

15.2 The Contractor shall include this provision in all subcontractor agreements entered into in connection with this Contract.

16. **Warranty – Title.** The Contractor warrants that it has good and indefeasible title to all Deliverables furnished under the Contract, and that the Deliverables are free and clear of all liens, claims, security interests and encumbrances. The Contractor shall indemnify and hold the City harmless from and against all adverse title claims to the Deliverables.

17. **Warranty – Deliverables.** The Contractor warrants and represents that all deliverables sold the City under the Contract shall be free from defects in design, workmanship or manufacture, and conform in all material respects to the specifications, drawings, and descriptions in the Solicitation, to any samples furnished by the Contractor, to the terms, covenants and conditions of the Contract, and to all applicable State, Federal or local laws, rules and regulations, and industry codes and standards. Unless otherwise stated, the deliverables shall be new or recycled merchandise, and not used or reconditioned.

17.1 Recycled deliverables shall be clearly identified as such.

17.2 The Contractor may not limit, exclude or disclaim the foregoing warranty or any warranty implied by law; and any attempt to do so shall be without force or effect.

17.3 Unless otherwise specified in the Contract, the warranty period shall be at least one year from the date of the acceptance of the Deliverables or from the date of acceptance of any replacement Deliverables. If during the warranty period, one or more of the above warranties are breached, the Contractor shall promptly upon receipt of demand either repair the non-conforming Deliverables, or replace the non-conforming Deliverables with fully conforming Deliverables, at the City's option and no additional cost to the City. All costs incidental to such repair or replacement, including but not limited to, any packaging and shipping costs, shall be borne exclusively by the Contractor. The City shall endeavor to give the Contractor written notice of the breach of warranty within thirty (30) calendar days of discovery of the breach of warranty, but failure to give timely notice shall not impair the City's rights under this section.

17.4 If the Contractor is unable or unwilling to repair or replace defective or non-conforming Deliverables as required by the City, then in addition to any other available remedy, the City may reduce the quantity of Deliverables it may be required to purchase under the Contract from the Contractor, and purchase conforming Deliverables from other sources. In such event, the Contractor shall pay to the City upon demand the increased cost, if any, incurred by the City to procure such Deliverables from another source.

17.5 If the Contractor is not the manufacturer, and the Deliverables are covered by a separate manufacturer's warranty, the Contractor shall transfer and assign such manufacturer's warranty to the City. If for any reason the manufacturer's warranty cannot be fully transferred to the City, the Contractor shall assist and cooperate with the City to the fullest extent to enforce such manufacturer's warranty for the benefit of the City.

18. **Warranty – Services.** The Contractor warrants and represents that all services to be provided the City under the Contract will be fully and timely performed in a good and workmanlike manner in accordance with generally accepted industry standards and practices, the terms, conditions, and covenants of the Contract, and all applicable Federal, State and local laws, rules or regulations.

18.1 The Contractor may not limit, exclude or disclaim the foregoing warranty or any warranty implied by law, and any attempt to do so shall be without force or effect.

18.2 Unless otherwise specified in the Contract, the warranty period shall be at least one year from the Acceptance Date. If during the warranty period, one or more of the above warranties are breached, the Contractor shall promptly upon receipt of demand perform the services again in accordance with above standard at no additional cost to the City. All costs incidental to such additional performance shall be borne by the Contractor. The City shall endeavor to give the Contractor written notice of the breach of warranty within thirty (30) calendar days of discovery of the breach warranty, but failure to give timely notice shall not impair the City's rights under this section.

18.3 If the Contractor is unable or unwilling to perform its services in accordance with the above standard as required by the City, then in addition to any other available remedy, the City may reduce the amount of services it may be required to purchase under the Contract from the Contractor, and purchase conforming services from other sources. In such event, the Contractor shall pay to the City upon demand the increased cost, if any, incurred by the City to procure such services from another source.

19. **Acceptance of Incomplete or Non-Conforming Deliverables.** If, instead of requiring immediate correction or removal and replacement of defective or non-conforming Deliverables, the City prefers to accept it, the City may do so. The Contractor shall pay all claims, costs, losses and damages attributable to the City's evaluation of and determination to accept such defective or non-conforming Deliverables. If any such acceptance occurs prior to final payment, the City may deduct such amounts as are necessary to compensate the City for the diminished value of the defective or non-conforming Deliverables. If the acceptance occurs after final payment, such amount will be refunded to the City by Contractor.

20. **Right to Assurance.** Whenever one party to the Contract in good faith has reason to question the other party's intent to perform, demand may be made to the other party for written assurance of the intent to perform. In the event that no assurance is given within the time specified after demand is made, the demanding party may treat this failure as an anticipatory repudiation of the Contract.

21. **Stop Work Notice.** The City may issue an immediate Stop Work Notice in the event the Contractor is observed performing in a manner that is in violation of Federal, State, or local guidelines, or in a manner that is determined by the City to be unsafe to either life or property. Upon notification, the Contractor will cease all work until notified by the City that the violation or unsafe condition has been corrected. The Contractor shall be liable for all costs incurred by the City as a result of the issuance of such Stop Work Notice.

22. **Default.** The Contractor shall be in default under the Contract if the Contractor (a) fails to fully, timely and faithfully perform any of its material obligations under the Contract, (b) fails to provide adequate assurance of performance under Paragraph 16, (c) becomes insolvent or seeks relief under the bankruptcy laws of the United States or (d) makes a material misrepresentation in Contractor's Offer, or any report or deliverable required to be submitted by the Contractor to the City.

23. **Termination For Cause.** In the event of a default by the Contractor, the City shall have the right to terminate the Contract for cause, by written notice effective ten (10) calendar days, unless otherwise specified, after the date of such notice, unless the Contractor, within such ten (10) day period, cures such default, or provides evidence sufficient to prove to the City's reasonable satisfaction that such default does not, in fact, exist. The City may place Contractor on probation for a specified period of time within which the Contractor must correct any non-compliance issues. Probation shall not normally be for a period of more than nine (9) months, however, it may be for a longer period, not to exceed one (1) year depending on the circumstances. If the City determines the Contractor has failed to perform satisfactorily during the probation period, the City may proceed with suspension. In the event of a default by the Contractor, the City may suspend or debar the Contractor in accordance with the "City of Austin Purchasing Office Probation, Suspension and Debarment Rules for Vendors" and remove the Contractor from the City's vendor list for up to five (5) years and any Offer submitted by the Contractor may be disqualified for up to five (5) years. In addition to any other remedy available under law or in equity, the City shall be entitled to recover all actual damages, costs, losses and expenses, incurred by the City as a result of the Contractor's default, including, without limitation, cost of cover, reasonable attorneys' fees, court costs, and prejudgment and post-judgment interest at the maximum lawful rate. All rights and remedies under the Contract are cumulative and are not exclusive of any other right or remedy provided by law.

24. **Termination Without Cause.** The City shall have the right to terminate the Contract, in whole or in part, without cause any time upon thirty (30) calendar days' prior written notice. Upon receipt of a notice of termination, the Contractor shall promptly cease all further work pursuant to the Contract, with such exceptions, if any, specified in the notice of termination. The City shall pay the Contractor, to the extent of funds Appropriated or otherwise legally available for such purposes, for all goods delivered and services performed and obligations incurred prior to the date of termination in accordance with the terms hereof.

25. **Delays.**

25.1 The City may delay scheduled delivery or other due dates by written notice to the Contractor if the City deems it is in its best interest. If such delay causes an increase in the cost of the work under the Contract, the City and the Contractor shall negotiate an equitable adjustment for costs incurred by the Contractor in the Contract price and execute an amendment to the Contract. The Contractor must assert its right to an adjustment within thirty (30) calendar days from the date of receipt of the notice of delay. Failure to agree on any adjusted price shall be handled under the Dispute Resolution process specified in Paragraph 37. However, nothing in this provision shall excuse the Contractor from delaying the delivery as notified.

25.2 Neither party shall be liable for any default or delay in the performance of its obligations under this Contract if, while and to the extent such default or delay is caused by acts of God, fire, riots, civil commotion, labor disruptions, sabotage, sovereign conduct, or any other cause beyond the reasonable control of such Party. In the event of default or delay in Contract performance due to any of the foregoing causes, then the time for completion of the services will be extended; provided, however, in such an event, a conference will be held within three (3) business days to establish a mutually agreeable period of time reasonably necessary to overcome the effect of such failure to perform.

26. **Indemnity.**

26.1 Definitions:

26.1.1 "Indemnified Claims" shall include any and all claims, demands, suits, causes of action, judgments and liability of every character, type or description, including all reasonable costs and expenses of litigation, mediation or other alternate dispute resolution mechanism, including attorney and other professional fees for:

26.1.1.1 damage to or loss of the property of any person (including, but not limited to the City, the Contractor, their respective agents, officers, employees and subcontractors; the officers, agents, and employees of such subcontractors; and third parties); and/or

26.1.1.2 death, bodily injury, illness, disease, worker's compensation, loss of services, or loss of income or wages to any person (including but not limited to the agents, officers and employees of the City, the Contractor, the Contractor's subcontractors, and third parties),

26.1.2 "Fault" shall include the sale of defective or non-conforming Deliverables, negligence, willful misconduct, or a breach of any legally imposed strict liability standard.

26.2 THE CONTRACTOR SHALL DEFEND (AT THE OPTION OF THE CITY), INDEMNIFY, AND HOLD THE CITY, ITS SUCCESSORS, ASSIGNS, OFFICERS, EMPLOYEES AND ELECTED OFFICIALS HARMLESS FROM AND AGAINST ALL INDEMNIFIED CLAIMS DIRECTLY ARISING OUT OF, INCIDENT TO, CONCERNING OR RESULTING FROM THE FAULT OF THE CONTRACTOR, OR THE CONTRACTOR'S AGENTS, EMPLOYEES OR SUBCONTRACTORS, IN THE PERFORMANCE OF THE CONTRACTOR'S OBLIGATIONS UNDER THE CONTRACT. NOTHING HEREIN SHALL BE DEEMED TO LIMIT THE RIGHTS OF THE CITY OR THE CONTRACTOR (INCLUDING, BUT NOT LIMITED TO, THE RIGHT TO SEEK CONTRIBUTION) AGAINST ANY THIRD PARTY WHO MAY BE LIABLE FOR AN INDEMNIFIED CLAIM.

27. **Insurance.** The following insurance requirement applies.

27.1 **General Requirements**

27.1.1 The Contractor shall at a minimum carry insurance in the types and amounts indicated herein for the duration of the Contract and during any warranty period.

27.1.2 The Contractor shall provide a Certificate of Insurance with the coverages and endorsements listed herein as verification of coverage to the City at the below address prior to contract execution and within fourteen (14) calendar days after written request from the City.

27.1.3 The Contractor must also forward a Certificate of Insurance to the City whenever a previously identified policy period has expired, or an extension option or holdover period is exercised, as verification of continuing coverage.

27.1.4 The Contractor shall not commence work until the required insurance is obtained and has been reviewed by City. Approval of insurance by the City shall not relieve or decrease the liability of the Contractor hereunder and shall not be construed to be a limitation of liability on the part of the Contractor.

27.1.5 The City may request that the Contractor submit certificates of insurance to the City for all subcontractors prior to the subcontractors commencing work on the project.

27.1.6 The Contractor's and all subcontractors' insurance coverage shall be written by companies licensed to do business in the State of Texas at the time the policies are issued and shall be written by companies with A.M. Best ratings of B+VII or better.

27.1.7 All endorsements naming the City as additional insured, waivers, and notices of cancellation endorsements as well as the Certificate of Insurance shall be mailed to the following address:

City of Austin
Purchasing Office
P. O. Box 1088
Austin, Texas 78767

27.1.8 The "other" insurance clause shall not apply to the City where the City is an additional insured shown on any policy. It is intended that policies required in the Contract, covering both the City and the Contractor, shall be considered primary coverage as applicable.

27.1.9 If insurance policies are not written for amounts specified in Paragraph 20.2, Specific Coverage Requirements herein, the Contractor shall carry Umbrella or Excess Liability Insurance for any differences in amounts specified. If Excess Liability Insurance is provided, it shall follow the form of the primary coverage.

27.1.10 The City shall be entitled, upon request, at an agreed upon location, and without expense, to review certified copies of policies and endorsements thereto and may make any reasonable requests for deletion or revision or modification of particular policy terms, conditions, limitations, or exclusions except where policy provisions are established by law or regulations binding upon either of the parties hereto or the underwriter on any such policies.

27.1.11 The City reserves the right to review the insurance requirements set forth during the effective period of the Contract and to make reasonable adjustments to insurance coverage, limits, and exclusions when deemed necessary and prudent by the City based upon changes in statutory law, court decisions, the claims history of the industry or financial condition of the insurance company as well as the Contractor.

27.1.12 The Contractor shall not cause any insurance to be canceled nor permit any insurance to lapse during the term of the Contract or as required in the Contract.

27.1.13 The Contractor shall be responsible for premiums, deductibles and self-insured retentions, if any, stated in policies. Self-insured retentions shall be disclosed on the Certificate of Insurance.

27.1.14 The Contractor shall provide the City thirty (30) calendar days written notice of erosion of the aggregate limits below occurrence limits for all applicable coverages indicated within the Contract.

27.2 **Specific Coverage Requirements.** The Contractor shall at a minimum carry insurance in the types and amounts indicated below for the duration of the Contract, including extension options and hold over periods, and during any warranty period. These insurance coverages are required minimums and are not intended to limit the responsibility or liability of the Contractor.

27.2.1 **Commercial General Liability Insurance.** The minimum bodily injury and property damage per occurrence are \$500,000.00 for coverages A (Bodily Injury and Property Damage) and B (Personal and Advertising Injuries). The policy shall contain the following provisions and endorsements.

- 27.2.1.1 Contractual liability coverage for liability assumed under the Contract and all other Contracts related to the project.
- 27.2.1.2 Contractor/Subcontracted Work.
- 27.2.1.3 Products/Completed Operations Liability for the duration of the warranty period.
- 27.2.1.4 Waiver of Subrogation, Endorsement CG 2404, or equivalent coverage.
- 27.2.1.5 Thirty (30) calendar days' Notice of Cancellation, Endorsement CG 0205, or equivalent coverage.
- 27.2.1.6 The City of Austin listed as an additional insured, Endorsement CG 2010, or equivalent coverage.

27.2.2 **Business Automobile Liability Insurance.** The Contractor shall provide coverage for all owned, non-owned and hired vehicles with a minimum combined single limit of \$500,000 per occurrence for bodily injury and property damage. Alternate acceptable limits are \$250,000 bodily injury per person, \$500,000 bodily injury per occurrence and at least \$100,000 property damage liability per accident. The policy shall contain the following endorsements in favor of the City of Austin:

- 27.2.2.1 Waiver of Subrogation, Endorsement CA0444, or equivalent coverage.
- 27.2.2.2 Thirty (30) calendar days' Notice of Cancellation, Endorsement CA0244, or equivalent coverage.
- 27.2.2.3 The City of Austin listed as an additional insured, Endorsement CA2048, or equivalent coverage.

27.2.3 **Worker's Compensation and Employers' Liability Insurance.** Coverage shall be consistent with statutory benefits outlined in the Texas Worker's Compensation Act (Section 401). The minimum policy limits for Employer's Liability are \$100,000 bodily injury each accident, \$500,000 bodily injury by disease policy limit and \$100,000 bodily injury by disease each employee. The policy shall apply to the State of Texas and shall contain the following endorsements in favor of the City of Austin:

- 27.2.3.1 Waiver of Subrogation, Form WC420304, or equivalent coverage.
- 27.2.3.2 Thirty (30) calendar days' Notice of Cancellation, Form WC420601, or equivalent coverage.

27.3 **Endorsements.** The specific insurance coverage endorsements specified above, or their equivalents must be provided. In the event that endorsements, which are the equivalent of the required coverage, are proposed to be substituted for the required coverage, copies of the equivalent endorsements must be provided for the City's review and approval.

28. **Claims.** If any claim, demand, suit, or other action is asserted against the Contractor which arises under or concerns the Contract, or which could have a material adverse effect on the Contractor's ability to perform thereunder, the Contractor shall give written notice thereof to the City within ten (10) calendar days after receipt of notice by the Contractor. Such notice to the City shall state the date of notification of any such claim, demand, suit,

or other action; the names and addresses of the claimant(s); the basis thereof; and the name of each person against whom such claim is being asserted. Such notice shall be delivered personally or by mail and shall be sent to the City and to the Austin City Attorney. Personal delivery to the City Attorney shall be to City Hall, 301 West 2nd Street, 4th Floor, Austin, Texas 78701, and mail delivery shall be to P.O. Box 1088, Austin, Texas 78767.

29. **Notices.** Unless otherwise specified, all notices, requests, or other communications required or appropriate to be given under the Contract shall be in writing and shall be deemed delivered three (3) business days after postmarked if sent by U.S. Postal Service Certified or Registered Mail, Return Receipt Requested. Notices delivered by other means shall be deemed delivered upon receipt by the addressee. Routine communications may be made by first class mail, telefax, or other commercially accepted means. Notices to the City and the Contractor shall be addressed as follows:

To the City:

City of Austin, Purchasing Office

ATTN: Roger Stricklin, Corporate Contract Administrator

P O Box 1088

Austin, TX 78767

To the Contractor:

Sherwin-Williams Co.

ATTN: Justin Quick, Commercial Sales

5795 Airport Boulevard

Austin, Texas 78752

30. **Advertising.** The Contractor shall not advertise or publish, without the City's prior consent, the fact that the City has entered into the Contract, except to the extent required by law.

31. **No Contingent Fees.** The Contractor warrants that no person or selling agency has been employed or retained to solicit or secure the Contract upon any agreement or understanding for commission, percentage, brokerage, or contingent fee, excepting bona fide employees of bona fide established commercial or selling agencies maintained by the Contractor for the purpose of securing business. For breach or violation of this warranty, the City shall have the right, in addition to any other remedy available, to cancel the Contract without liability and to deduct from any amounts owed to the Contractor, or otherwise recover, the full amount of such commission, percentage, brokerage or contingent fee.

32. **Gratuities.** The City may, by written notice to the Contractor, cancel the Contract without liability if it is determined by the City that gratuities were offered or given by the Contractor or any agent or representative of the Contractor to any officer or employee of the City of Austin with a view toward securing the Contract or securing favorable treatment with respect to the awarding or amending or the making of any determination with respect to the performing of such contract. In the event the Contract is canceled by the City pursuant to this provision, the City shall be entitled, in addition to any other rights and remedies, to recover or withhold such amounts of the cost incurred by the Contractor in providing such gratuities.

33. **Prohibition Against Personal Interest in Contracts.** No officer, employee, independent consultant, or elected official of the City who is involved in the development, evaluation, or decision-making process of the performance of any solicitation shall have a financial interest, direct or indirect, in the Contract resulting from that solicitation. Any willful violation of this section shall constitute impropriety in office, and any officer or employee guilty thereof shall be subject to disciplinary action up to and including dismissal. Any violation of this provision, with the knowledge, expressed or implied, of the Contractor shall render the Contract voidable by the City.

34. **Independent Contractor.** The Contract shall not be construed as creating an employer/employee relationship, a partnership, or joint venture. The Contractor's services shall be those of an independent contractor. The Contractor agrees and understands that the Contract does not grant any rights or privileges established for the employees of the City.

35. **Assignment-Delegation.** The Contract shall be binding upon and enure to the benefit of the City and the Contractor and their respective successors and assigns, provided however, that no right or interest in the Contract shall be assigned and no obligation shall be delegated by the Contractor without the prior written consent of the City. Any attempted assignment or delegation by the Contractor shall be void unless made in conformity with this paragraph. The Contract is not intended to confer rights or benefits on any person, firm or entity not a party hereto; it being the intention of the parties that there be no third party beneficiaries to the Contract.

36. **Waiver.** No claim or right arising out of a breach of the Contract can be discharged in whole or in part by a waiver or renunciation of the claim or right unless the waiver or renunciation is supported by consideration and is in writing signed by the aggrieved party. No waiver by either the Contractor or the City of any one or more events of default by the other party shall operate as, or be construed to be, a permanent waiver of any rights or obligations under the Contract, or an express or implied acceptance of any other existing or future default or defaults, whether of a similar or different character.

37. **Dispute Resolution.**

37.1 If a dispute arises out of or relates to the Contract, or the breach thereof, the parties agree to negotiate prior to prosecuting a suit for damages. However, this section does not prohibit the filing of a lawsuit to toll the running of a statute of limitations or to seek injunctive relief. Either party may make a written request for a meeting between representatives of each party within fourteen (14) calendar days after receipt of the request or such later period as agreed by the parties. Each party shall include, at a minimum, one (1) senior level individual with decision-making authority regarding the dispute. The purpose of this and any subsequent meeting is to attempt in good faith to negotiate a resolution of the dispute. If, within thirty (30) calendar days after such meeting, the parties have not succeeded in negotiating a resolution of the dispute, they will proceed directly to mediation as described below. Negotiation may be waived by a written agreement signed by both parties, in which event the parties may proceed directly to mediation as described below.

37.2 If the efforts to resolve the dispute through negotiation fail, or the parties waive the negotiation process, the parties may select, within thirty (30) calendar days, a mediator trained in mediation skills to assist with resolution of the dispute. Should they choose this option, the City and the Contractor agree to act in good faith in the selection of the mediator and to give consideration to qualified individuals nominated to act as mediator. Nothing in the Contract prevents the parties from relying on the skills of a person who is trained in the subject matter of the dispute or a contract interpretation expert. If the parties fail to agree on a mediator within thirty (30) calendar days of initiation of the mediation process, the mediator shall be selected by the Travis County Dispute Resolution Center (DRC). The parties agree to participate in mediation in good faith for up to thirty (30) calendar days from the date of the first mediation session. The City and the Contractor will share the mediator's fees equally and the parties will bear their own costs of participation such as fees for any consultants or attorneys they may utilize to represent them or otherwise assist them in the mediation.

38. **Minority And Women Owned Business Enterprise (MBE/WBE) Procurement Program.**

38.1 All City procurements are subject to the City's Minority-Owned and Women-Owned Business Enterprise Procurement Program found at Chapters 2-9A, 2-9B, 2-9C and 2-9D of the City Code. The Program provides Minority-Owned and Women-Owned Business Enterprises (MBEs/WBEs) full opportunity to participate in all City contracts.

38.2 The City of Austin has determined that no goals are appropriate for this Contract. **Even though no goals have been established for this Contract, the Contractor is required to comply with the City's MBE/WBE Procurement Program, Chapters 2-9A, 2-9B, 2-9C and 2-9D, of the City Code, as applicable, if areas of subcontracting are identified.**

38.3 If any service is needed to perform the Contract and the Contractor does not perform the service with its own workforce or if supplies or materials are required and the Contractor does not have the supplies or materials in its inventory, the Contractor shall contact the Department of Small and Minority Business Resources (DSMBR) at (512) 974-7600 to obtain a list of MBE and WBE firms available to perform the service or provide the supplies or materials. The Contractor must also make a Good Faith Effort to use available MBE and WBE firms. Good Faith Efforts include but are not limited to contacting the listed MBE and WBE firms to solicit their interest in performing on the Contract; using MBE and WBE firms that have shown an interest, meet qualifications, and are competitive in the market; and documenting the results of the contacts.

39. **Jurisdiction and Venue.** The Contract is made under and shall be governed by the laws of the State of Texas, including, when applicable, the Uniform Commercial Code as adopted in Texas, V.T.C.A., Bus. & Comm. Code, Chapter 1, excluding any rule or principle that would refer to and apply the substantive law of another state or jurisdiction. All issues arising from this Contract shall be resolved in the courts of Travis County, Texas and the parties agree to submit to the exclusive personal jurisdiction of such courts. The foregoing, however, shall not be

construed or interpreted to limit or restrict the right or ability of the City to seek and secure injunctive relief from any competent authority as contemplated herein.

40. **Invalidity.** The invalidity, illegality, or unenforceability of any provision of the Contract shall in no way affect the validity or enforceability of any other portion or provision of the Contract. Any void provision shall be deemed severed from the Contract and the balance of the Contract shall be construed and enforced as if the Contract did not contain the particular portion or provision held to be void. The parties further agree to reform the Contract to replace any stricken provision with a valid provision that comes as close as possible to the intent of the stricken provision. The provisions of this section shall not prevent this entire Contract from being void should a provision which is the essence of the Contract be determined to be void.

41. **Survivability of Obligations.** All provisions of the Contract that impose continuing obligations on the parties, including but not limited to the warranty, indemnity, and confidentiality obligations of the parties, shall survive the expiration or termination of the Contract.

42. **Non-Suspension or Debarment Certification.** The City of Austin is prohibited from contracting with or making prime or sub-awards to parties that are suspended or debarred or whose principals are suspended or debarred from Federal, State, or City of Austin Contracts. By accepting a Contract with the City, the Vendor certifies that its firm and its principals are not currently suspended or debarred from doing business with the Federal Government, as indicated by the General Services Administration List of Parties Excluded from Federal Procurement and Non-Procurement Programs, the State of Texas, or the City of Austin.

43. **Equal Opportunity.**

43.1 **Equal Employment Opportunity.** No Contractor or Contractor's agent shall engage in any discriminatory employment practice as defined in Chapter 5-4 of the City Code. No Bid submitted to the City shall be considered, or any Purchase Order issued, or any Contract awarded by the City unless the Contractor has executed and filed with the City Purchasing Office a current Non-Discrimination Certification. The Contractor shall sign and return the Non-Discrimination Certification attached hereto as Exhibit B. Non-compliance with Chapter 5-4 of the City Code may result in sanctions, including termination of the contract and the Contractor's suspension or debarment from participation on future City contracts until deemed compliant with Chapter 5-4.

43.2 **Americans with Disabilities Act (ADA) Compliance.** No Offeror, or Offeror's agent, shall engage in any discriminatory employment practice against individuals with disabilities as defined in the ADA.

44. **Interested Parties Disclosure.** As a condition to entering the Contract, the Business Entity constituting the Offeror must provide the following disclosure of Interested Parties to the City prior to the award of a contract with the City on Form 1295 "Certificate of Interested Parties" as prescribed by the Texas Ethics Commission for any contract award requiring council authorization. The Certificate of Interested Parties Form must be completed on the Texas Ethics Commission website, printed, and signed by the authorized agent of the Business Entity with acknowledgment that disclosure is made under oath and under penalty of perjury. The City will submit the "Certificate of Interested Parties" to the Texas Ethics Commission within 30 days of receipt from the successful Offeror. The Offeror is reminded that the provisions of Local Government Code 176, regarding conflicts of interest between the bidders and local officials remains in place. Link to Texas Ethics Commission Form 1295 process and procedures below:

https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm

45. **Holidays.** The following holidays are observed by the City:

Holiday	Date Observed
New Year's Day	January 1
Martin Luther King, Jr.'s Birthday	Third Monday in January
President's Day	Third Monday in February
Memorial Day	Last Monday in May
Independence Day	July 4
Labor Day	First Monday in September
Veteran's Day	November 11
Thanksgiving Day	Fourth Thursday in November

Friday after Thanksgiving
Christmas Eve
Christmas Day

Friday after Thanksgiving
December 24
December 25

If a Legal Holiday falls on Saturday, it will be observed on the preceding Friday. If a Legal Holiday falls on Sunday, it will be observed on the following Monday.

EXHIBIT B
City of Austin, Texas
EQUAL EMPLOYMENT/FAIR HOUSING OFFICE
NON-DISCRIMINATION CERTIFICATION

City of Austin, Texas
Human Rights Commission

To: City of Austin, Texas, ("OWNER")

I hereby certify that our firm conforms to the Code of the City of Austin, Section 5-4-2 as reiterated below:

Chapter 5-4. Discrimination in Employment by City Contractors.

Sec. 4-2 Discriminatory Employment Practices Prohibited. As an Equal Employment Opportunity (EEO) employer, the Contractor will conduct its personnel activities in accordance with established federal, state and local EEO laws and regulations and agrees:

- (B) (1) Not to engage in any discriminatory employment practice defined in this chapter.
- (2) To take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without discrimination being practiced against them as defined in this chapter. Such affirmative action shall include, but not be limited to: all aspects of employment, including hiring, placement, upgrading, transfer, demotion, recruitment, recruitment advertising; selection for training and apprenticeship, rates of pay or other form of compensation, and layoff or termination.
- (3) To post in conspicuous places, available to employees and applicants for employment, notices to be provided by OWNER setting forth the provisions of this chapter.
- (4) To state in all solicitations or advertisements for employees placed by or on behalf of the Contractor, that all qualified applicants will receive consideration for employment without regard to race, creed, color, religion, national origin, sexual orientation, gender identity, disability, veteran status, sex or age.
- (5) To obtain a written statement from any labor union or labor organization furnishing labor or service to Contractors in which said union or organization has agreed not to engage in any discriminatory employment practices as defined in this chapter and to take affirmative action to implement policies and provisions of this chapter.
- (6) To cooperate fully with OWNER's Human Rights Commission in connection with any investigation or conciliation effort of said Human Rights Commission to ensure that the purpose of the provisions against discriminatory employment practices are being carried out.
- (7) To require compliance with provisions of this chapter by all subcontractors having fifteen or more employees who hold any subcontract providing for the expenditure of \$2,000 or more in connection with any contract with OWNER subject to the terms of this chapter.

For the purposes of this Offer and any resulting Contract, Contractor adopts the provisions of the City's Minimum Standard Nondiscrimination Policy set forth below.

City of Austin

Minimum Standard Non-Discrimination in Employment Policy:

As an Equal Employment Opportunity (EEO) employer, the Contractor will conduct its personnel activities in accordance with established federal, state and local EEO laws and regulations.

The Contractor will not discriminate against any applicant or employee based on race, creed, color, national origin, sex, age, religion, veteran status, gender identity, disability, or sexual orientation. This policy covers all aspects of employment, including hiring, placement, upgrading, transfer, demotion, recruitment, recruitment advertising, selection for training and apprenticeship, rates of pay or other forms of compensation, and layoff or termination.

Further, employees who experience discrimination, sexual harassment, or another form of harassment should immediately report it to their supervisor. If this is not a suitable avenue for addressing their complaint, employees are advised to contact another member of management or their human resources representative. No employee shall be discriminated against, harassed, intimidated, nor suffer any reprisal as a result of reporting a violation of this policy. Furthermore, any employee, supervisor, or manager who becomes aware of any such discrimination or harassment should immediately report it to executive management or the human resources office to ensure that such conduct does not continue.

Contractor agrees that to the extent of any inconsistency, omission, or conflict with its current non-discrimination employment policy, the Contractor has expressly adopted the provisions of the City's Minimum Non-Discrimination Policy contained in Section 5-4-2 of the City Code and set forth above, as the Contractor's Non-Discrimination Policy or as an amendment to such Policy and such provisions are intended to not only supplement the Contractor's policy, but will also supersede the Contractor's policy to the extent of any conflict.

UPON CONTRACT AWARD, THE CONTRACTOR SHALL PROVIDE A COPY TO THE CITY OF THE CONTRACTOR'S NON-DISCRIMINATION POLICY ON COMPANY LETTERHEAD, WHICH CONFORMS IN FORM, SCOPE, AND CONTENT TO THE CITY'S MINIMUM NON-DISCRIMINATION POLICY, AS SET FORTH HEREIN, OR THIS NON-DISCRIMINATION POLICY, WHICH HAS BEEN ADOPTED BY THE CONTRACTOR FOR ALL PURPOSES (THE FORM OF WHICH HAS BEEN APPROVED BY THE CITY'S EQUAL EMPLOYMENT/FAIR HOUSING OFFICE), WILL BE CONSIDERED THE CONTRACTOR'S NON-DISCRIMINATION POLICY WITHOUT THE REQUIREMENT OF A SEPARATE SUBMITTAL.

Sanctions:

Our firm understands that non-compliance with Chapter 5-4 may result in sanctions, including termination of the contract and suspension or debarment from participation in future City contracts until deemed compliant with the requirements of Chapter 5-4.

Term:

The Contractor agrees that this Section 0800 Non-Discrimination Certificate or the Contractor's separate conforming policy, which the Contractor has executed and filed with the Owner, will remain in force and effect for one year from the date of filing. The Contractor further agrees that, in consideration of the receipt of continued Contract payments, the Contractor's Non-Discrimination Policy will automatically renew from year-to-year for the term of the underlying Contract.

Dated this 31st day of Oct, 2016

CONTRACTOR

The Sherwin-Williams Co

Authorized Signature

[Signature]

Title

National Sales Mgr - T46

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	A-100® Exterior Latex Flat	White	TXMAS-5-51V010	TXMAS	18.82	GL		1.00	Sherwin-Williams	640389508	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Ultradeep	TXMAS-5-51V010	TXMAS	18.00	GL		1.00	Sherwin-Williams	640399697	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	18.00	GL		1.00	Sherwin-Williams	640389151	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Deep Base	TXMAS-5-51V010	TXMAS	17.85	PL	5	5.00	Sherwin-Williams	640399689	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	17.85	PL		5.00	Sherwin-Williams	640389169	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Light Yellow	TXMAS-5-51V010	TXMAS	18.00	GL		1.00	Sherwin-Williams	640399713	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	White	TXMAS-5-51V010	TXMAS	18.32	PL	5	5.00	Sherwin-Williams	640389516	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Deep Base	TXMAS-5-51V010	TXMAS	18.00	GL		1.00	Sherwin-Williams	640399671	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Light Yellow	TXMAS-5-51V010	TXMAS	17.85	PL	5	5.00	Sherwin-Williams	640399721	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Flat	Ultradeep	TXMAS-5-51V010	TXMAS	17.85	PL	5	5.00	Sherwin-Williams	640399705	Our best quality exterior flat finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Deep Base	TXMAS-5-51V010	TXMAS	8.59	QT	1	6.00	Sherwin-Williams	650047590	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Deep Base	TXMAS-5-51V010	TXMAS	22.43	GL		4.00	Sherwin-Williams	650047608	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Ultra White	TXMAS-5-51V010	TXMAS	19.40	PL	5	5.00	Sherwin-Williams	650047319	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Ultra White	TXMAS-5-51V010	TXMAS	8.59	QT	1	6.00	Sherwin-Williams	650047624	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	White	TXMAS-5-51V010	TXMAS	19.27	PL	5	5.00	Sherwin-Williams	650047251	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	A-100® Exterior Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	19.40	PL	5	5.00	Sherwin- Williams	650047293	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	19.84	GL		1.00	Sherwin- Williams	650047285	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	19.40	PL	5	5.00	Sherwin- Williams	650047277	Our best quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal down to a surface and air temperature of 35 F.
63056	A-100® Exterior Latex Gloss	White	TXMAS-5- 51V010	TXMAS	19.84	GL		1.00	Sherwin- Williams	650047228	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Ultra White	TXMAS-5- 51V010	TXMAS	19.84	GL		1.00	Sherwin- Williams	650047301	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	19.84	GL		1.00	Sherwin- Williams	650047269	Our best quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal down to a surface and air temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Light Yellow	TXMAS-5- 51V010	TXMAS	19.40	PL	5	5.00	Sherwin- Williams	650047335	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Gloss	Light Yellow	TXMAS-5- 51V010	TXMAS	19.84	GL		1.00	Sherwin- Williams	650047327	Our best quality exterior gloss finish. This product is recommended for use on aluminum, vinyl, wood siding, clapboard, shakes, shingles, plywood, masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Light Yellow	TXMAS-5- 51V010	TXMAS	18.44	PL	5	5.00	Sherwin- Williams	640399788	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	18.44	PL	5	5.00	Sherwin- Williams	640399762	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	18.74	GL		1.00	Sherwin- Williams	640399739	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	18.74	GL		1.00	Sherwin- Williams	640399754	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Light Yellow	TXMAS-5- 51V010	TXMAS	18.74	GL		1.00	Sherwin- Williams	640399770	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	18.44	PL	5	5.00	Sherwin- Williams	640399747	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	18.44	PL		5.00	Sherwin- Williams	640389185	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	A-100® Exterior Latex Satin	White	TXMAS-5-51V010	TXMAS	18.44	PL	5	5.00	Sherwin-Williams	640389532	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	Extra White	TXMAS-5-51V010	TXMAS	18.74	GL		1.00	Sherwin-Williams	640389177	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63056	A-100® Exterior Latex Satin	White	TXMAS-5-51V010	TXMAS	18.84	GL		1.00	Sherwin-Williams	640389524	Our best quality exterior satin finish. This product is recommended for use on aluminum vinyl wood siding clapboard shakes shingles plywood masonry and metal down to an air and surface temperature of 35 F.
63082	A-100® Exterior Oil Wood Primer Low VOC	White	TXMAS-5-51V010	TXMAS	27.97	GL		1.00	Sherwin-Williams	601535164	Designed for use on exterior wood manufactured siding hardboard rough sawn siding and trim as a spot primer or overall primer.
63082	A-100® Exterior Oil Wood Primer Low VOC	White	TXMAS-5-51V010	TXMAS	27.57	PL	5	5.00	Sherwin-Williams	601535172	Designed for use on exterior wood manufactured siding hardboard rough sawn siding and trim as a spot primer or overall primer.
63543	Acrolon 218 HS Polyurethane Gloss	Hardener	TXMAS-5-51V010	TXMAS	23.52	QT	1	1.00	Sherwin-Williams	640312526	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Black	TXMAS-5-51V010	TXMAS	45.23	GL		1.00	Sherwin-Williams	640312492	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Safety Yellow	TXMAS-5-51V010	TXMAS	59.54	GL		1.00	Sherwin-Williams	640312518	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Extra White	TXMAS-5-51V010	TXMAS	45.23	GL		1.00	Sherwin-Williams	640516357	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Ultradeep	TXMAS-5-51V010	TXMAS	234.21	KT		1.00	Sherwin-Williams	640122313	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Ultradeep	TXMAS-5-51V010	TXMAS	43.57	GL		1.00	Sherwin-Williams	640312484	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Extra White	TXMAS-5-51V010	TXMAS	238.45	KT		1.00	Sherwin-Williams	640516365	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Hardener	TXMAS-5-51V010	TXMAS	95.47	GL		1.00	Sherwin-Williams	640173704	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane Gloss	Safety Red	TXMAS-5-51V010	TXMAS	59.54	GL		1.00	Sherwin-Williams	640312500	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane S/G	Ultradeep	TXMAS-5-51V010	TXMAS	234.21	KT		1.00	Sherwin-Williams	640335618	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Acrolon 218 HS Polyurethane S/G	Extra White	TXMAS-5- 51V010	TXMAS	238.45	KT		1.00	Sherwin- Williams	640335592	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane S/G	Ultradeep	TXMAS-5- 51V010	TXMAS	43.57	GL		1.00	Sherwin- Williams	640335600	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63543	Acrolon 218 HS Polyurethane S/G	Extra White	TXMAS-5- 51V010	TXMAS	45.23	GL		1.00	Sherwin- Williams	640335584	A VOC compliant, polyester modified, aliphatic, acrylic polyurethane suitable for industrial applications. Used directly over organic zinc rich primers. Suitable for use in USDA inspected facilities.
63003	Additive - ArmorQuartz System Broadcast Media Color	320 Taco Red	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	9897927	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	340 Riverstone	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	640369591	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	339 Pearl Gray	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	640369583	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	310 Bramble	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	9321340	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	315 Gray Fox	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	640369518	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	336 Mt. Sage	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	9800764	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	313 Flintrock	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	9323668	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	332 Charcoal	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	640369567	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - ArmorQuartz System Broadcast Media Color	319 Sandpoint	TXMAS-5- 51V010	TXMAS	34.00	EA		1.00	General Polymers	9897919	Multi-Color quartz additive for ArmorSeal® 650 SL/RC
63003	Additive - Boiled Linseed Oil		TXMAS-5- 51V010	TXMAS	11.50	PL	5	1.00	Star Tex	1600899	Is used as a natural wood finish and preservative, either alone or with other oils and solvents. Mixed with oil based paints and varnishes, it increases gloss and improves leveling and durability.
63003	Additive - Boiled Linseed Oil		TXMAS-5- 51V010	TXMAS	11.50	PL	5	1.00	Star Tex	1600246	Is used as a natural wood finish and preservative, either alone or with other oils and solvents. Mixed with oil based paints and varnishes, it increases gloss and improves leveling and durability.
63003	Additive - Bug Juice		TXMAS-5- 51V010	TXMAS	14.52	EA		1.00	Walla Environe ntal	9272683	Remarkable insecticide paint additive designed to eliminate crawling and flying insects on interior and exterior surface. Can be applied on most interior and exterior surfaces, including kitchens and pantries.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63003	Additive - Easy Mix E B Emulsa Bond Latex Conditioner		TXMAS-5-51V010	TXMAS	22.57	GL		1.00	Flood Co Stores	1500636	Add to latex or acrylic exterior house paint or stain and apply it to difficult to coat weathered or previously stained T111 exterior plywood, other weathered wood and hardboard siding.
63003	Additive - Floetrol® Latex Paint Conditioner		TXMAS-5-51V010	TXMAS	4.87	QT	1	1.00	Flood Co	1503275	Add Floetrol to latex paints to improve brushability and eliminate brush and lap marks. By extending open time, it's ideal for faux finishes. Floetrol doesn't thin the paint, but actually conditions it, making the paint easier to work with.
63003	Additive - Floetrol® Latex Paint Conditioner		TXMAS-5-51V010	TXMAS	13.98	GL		1.00	Flood Co Stores	1503283	Add Floetrol to latex paints to improve brushability and eliminate brush and lap marks. By extending open time, it's ideal for faux finishes. Floetrol doesn't thin the paint, but actually conditions it, making the paint easier to work with.
63003	Additive - Glass Chip Glitter 1 Lb.		TXMAS-5-51V010	TXMAS	7.63	EA		1.00	Wallboard Tool Co	1604479	1 Lb. For exterior application.
63003	Additive - Penetrol® Quality Oil Paint Conditioner		TXMAS-5-51V010	TXMAS	7.95	QT	1	1.00	Flood Co Stores	1509173	Add to interior or exterior oil alkyd based paint, enamels, varnish. Improves application properties, hiding and coverage. Use to seal and protect new, bare interior rustic woods with a clear matte finish.
63003	Additive - Penetrol® Quality Oil Paint Conditioner		TXMAS-5-51V010	TXMAS	22.57	GL		1.00	Flood Co Stores	1509181	Add to interior or exterior oil alkyd based paint, enamels, varnish. Improves application properties, hiding and coverage. Use to seal and protect new, bare interior rustic woods with a clear matte finish.
63003	Additive - Sand Finish		TXMAS-5-51V010	TXMAS	2.20	EA		1.00	Litex Products	1626498	May be mixed with latex, oil, acrylic or other types of paints to produce a distinctive sand finish. Use to produce a non-skid surface around pools, decks, steps and ramps. Achieve a sand texture effect on walls and ceilings.
63003	Additive - Whiting		TXMAS-5-51V010	TXMAS	2.25	EA		1.00	Litex Products	1626506	A white powder that can be mixed with any paint for increased hiding power. Can be blended with linseed oil to make sash putty. Can be used to make Gesso, a sealer for canvas and artwork. Is often used to create field marking or court lines.
63003	Additive - X-I-M Latex X-Tender		TXMAS-5-51V010	TXMAS	5.02	QT	1	1.00	Xim Products Inc	4500807	Improves Flow and Leveling of water based coatings. Improves open time and brushing time by 10-15 min. Eliminates the ropy brush marks. Leaves no residues. Add just 2-6 ounces per gallon. Does not cause yellowing.
63082	Adhesion Primer Interior/Exterior Latex	Off White	TXMAS-5-51V010	TXMAS	9.75	QT	1	1.00	Sherwin-Williams	640316022	A waterborne, acrylic, adhesion-promoting primer. Topcoat with oil/alkyd or latex. Use on most interior surfaces as well as many small, exterior, architectural details such as hard, glossy, pre-finished doors or shutters.
63082	Adhesion Primer Interior/Exterior Latex	Off White	TXMAS-5-51V010	TXMAS	26.04	GL		1.00	Sherwin-Williams	640316030	A waterborne, acrylic, adhesion-promoting primer. Topcoat with oil/alkyd or latex. Use on most interior surfaces as well as many small, exterior, architectural details such as hard, glossy, pre-finished doors or shutters.
63003	Adhesive - 3M Super 77 Spray		TXMAS-5-51V010	TXMAS	9.31	EA		1.00	3M	1514413	High coverage, high tack, multi purpose spray adhesive. Two spray tips provided.
63003	Adhesive - Caulk Bolt Quick Dry 10.1 fl. oz.	White.	TXMAS-5-51V010	TXMAS	3.10	EA		1.00	Sherwin-Williams	1519107	A 40 year life caulk. Paintable in 30 minutes. Silicized acrylic latex. Easy water cleanup. Good flexibility
63003	Adhesive - Quick Grip Glue	2 Oz.	TXMAS-5-51V010	TXMAS	3.27	EA		1.00	Beacon Adhesives	1643972	Quick grab, quick dry for easy application in a convenient tube. Bonds, mends and repairs almost anything?wood, plastics, rubber, concrete, ceramics, fabrics, glass, leather, and more. Water and weather proof; ideal for outdoor projects.
63003	Adhesive - Universal Border Adhesive		TXMAS-5-51V010	TXMAS	6.27	QT	1	6.00	Roman Adhesive Co	1639095	An adhesive specially formulated for applying borders directly over vinyl wallcoverings or to difficult to bond surfaces. Provides tight bond of edges/seams. It applies easily with brush or roller.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63580	Air Assisted Airless Sprayer - Spray Tech Air Coat		TXMAS-5- 51V010	TXMAS	2,484.77	EA		1.00	Titan Spray Tech	2207660	1/4 GPM Transfer Pump, 0-30 PSI. Weighs 56 lbs. Low boy cart. 1-5 Gallon suction set capacity. TEFC compressor motor. Sprays stains, lacquers, alkyd based and latex based paints. Complete unit includes gun, hose and pot.
63575	Air Blower Fan - Pivoting Blower And Pro Performance Fan		TXMAS-5- 51V010	TXMAS	53.29	EA		1.00	Lasko Products Inc	1639111	Ready to go when you are! This handy Blower Fan is the perfect partner for any job. With its pivoting blower head, you can blast air where it is needed the most. It will keep you cool while you're hard at work. Fully assembled.
63575	Air Compressor - 2 HP		TXMAS-5- 51V010	TXMAS	337.06	EA		1.00	MiTM Corp.	9337197	AC1-HE02-05M1, 2 HP Electric, 5 gallop twin tank. Quality single stage compressor. Aluminum oil lubricated crankcase. Aluminum head for heat dissipation. Cast iron cylinder. Canister inlet air filter.
63575	Air Compressor - Mi-T- M® AC1 PE15 08M1		TXMAS-5- 51V010	TXMAS	1,218.58	EA		1.00	Manningto n	2203693	CFM at 100 PSI: 6.5. 1.5 HP. 120V/230V electric motor. 8 gallon twintank receiving tank. Single stage. Net weight 176 lbs.
63575	Air Compressor - Mi-T- M® AC1 PH55 08M		TXMAS-5- 51V010	TXMAS	1,638.94	EA		1.00	Manningto n	2203701	CFM at 100 PSI: 8.9. 5.5 HP. Honda OHV motor. 8 gallon twintank receiving tank. Single stage. 166 lbs. net weight.
63575	Air Compressor - Mi-T- M® AC2 PE05 20M		TXMAS-5- 51V010	TXMAS	2,545.80	EA		1.00	MiTM Corp.	2203792	CFM at 100 PSI: 15.5. 5 HP. 208V/230V Electric motor. 20 gallon receiving tank. Two stage. 266 lbs. net weight.
63575	Air Compressor - Mi-T- M® AC2 PH08 08M		TXMAS-5- 51V010	TXMAS	2,489.12	EA		1.00	MiTM Corp.	2203743	Air Compressors - 8.0 HP Honda OHV 8 Gallon Twin Two Stage
63580	Airless Sprayer - GH200 Convertible	Bare Unit	TXMAS-5- 51V010	TXMAS	3,991.19	EA		1.00	Graco Inc.	2208239	
63580	Airless Sprayer - GH200 Convertible	Complete Unit	TXMAS-5- 51V010	TXMAS	4,288.32	EA		1.00	Graco Inc.	2208247	
63580	Airless Sprayer - GH200 Convertible With Electric Motor	Bare Unit	TXMAS-5- 51V010	TXMAS	4,824.36	EA		1.00	Graco Inc.	2208254	
63580	Airless Sprayer - GH230	Bare Unit	TXMAS-5- 51V010	TXMAS	4,442.64	EA		1.00	Graco Inc.	2208262	
63580	Airless Sprayer - GH230	Complete Unit	TXMAS-5- 51V010	TXMAS	4,645.68	EA		1.00	Graco Inc.	2208270	
63580	Airless Sprayer - GH300 Gas Operated	Complete Unit	TXMAS-5- 51V010	TXMAS	5,433.50	EA		1.00	Graco Inc.	2208296	
63580	Airless Sprayer - GMax 3400 Gas Operated Hi- Boy	Complete Unit	TXMAS-5- 51V010	TXMAS	2,842.64	EA		1.00	Graco Inc.	2208437	
63580	Airless Sprayer - GMax 3400 Gas Operated Hi- Boy	Bare Unit	TXMAS-5- 51V010	TXMAS	2,620.10	EA		1.00	Graco Inc.	2208429	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63580	Airless Sprayer - GMax 3400 Gas Operated Lo-Boy	Complete Unit	TXMAS-5-51V010	TXMAS	2,842.64	EA		1.00	Graco Inc.	2208411	
63580	Airless Sprayer - GMax 3400 Gas Operated Lo-Boy	Bare Unit	TXMAS-5-51V010	TXMAS	2,620.10	EA		1.00	Graco Inc.	2208403	
63580	Airless Sprayer - GMax II 3900 Premium Hi-Boy	Premium Hi-Boy	TXMAS-5-51V010	TXMAS	3,825.38	EA		1.00	Graco Inc.	2208478	
63580	Airless Sprayer - GMax II 3900 Premium Lo-Boy	Premium Lo-Bo	TXMAS-5-51V010	TXMAS	3,901.72	EA		1.00	Graco Inc.	2208452	
63580	Airless Sprayer - GMax II 3900 Standard Lo-Boy	Standard Lo-Boy	TXMAS-5-51V010	TXMAS	3,626.39	EA		1.00	Graco Inc.	2208445	
63580	Airless Sprayer - GMax II 5900 Convertible Electric Premium Hi-Boy	Premium Hi-Boy	TXMAS-5-51V010	TXMAS	5,189.85	EA		1.00	Graco Inc.	2208551	
63580	Airless Sprayer - GMax II 5900 Convertible Lo-Boy Standard Electric	Standard Lo-Boy	TXMAS-5-51V010	TXMAS	4,572.59	EA		1.00	Graco Inc.	2208569	
63580	Airless Sprayer - GMax II 5900 Convertible Premium Hi-Boy	Premium Lo-Boy	TXMAS-5-51V010	TXMAS	4,450.76	EA		1.00	Graco Inc.	2208536	
63580	Airless Sprayer - GMax II 5900 Convertible Standard Hi-Boy	Standard Hi-Boy	TXMAS-5-51V010	TXMAS	4,166.50	EA		1.00	Graco Inc.	2208528	
63580	Airless Sprayer - GMax II 5900 Electric Premium Lo-Boy	Premium Lo-Boy	TXMAS-5-51V010	TXMAS	5,262.94	EA		1.00	Graco Inc.	2208577	
63580	Airless Sprayer - GMax II 5900 Heavy Duty Standard Hi-Boy	Standard Hi-Boy	TXMAS-5-51V010	TXMAS	4,312.69	EA		1.00	Graco Inc.	2208585	
63580	Airless Sprayer - GMax II 5900 Premium Hi-Boy	Premium Hi-Boy	TXMAS-5-51V010	TXMAS	4,385.78	EA		1.00	Graco Inc.	2208510	
63580	Airless Sprayer - GMax II 5900 Premium Lo-Boy	Premium Lo-Boy	TXMAS-5-51V010	TXMAS	4,450.76	EA		1.00	Graco Inc.	2208494	
63580	Airless Sprayer - GMax II 5900 Standard Lo-Boy	Standard Lo-Boy	TXMAS-5-51V010	TXMAS	4,166.50	EA		1.00	Graco Inc.	2208486	
63580	Airless Sprayer - GMax II 7900 Gas Premium Hi-Boy	Premium Hi-Boy	TXMAS-5-51V010	TXMAS	4,661.93	EA		1.00	Graco Inc.	2208635	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63580	Airless Sprayer - GMax II 7900 Gas Premium Lo- Boy	Premium Lo- Boy	TXMAS-5- 51V010	TXMAS	4,743.15	EA		1.00	Graco Inc.	2208619	
63580	Airless Sprayer - GMax II 7900 Roof Rig	Complete Unit	TXMAS-5- 51V010	TXMAS	4,873.09	EA		1.00	Graco Inc.	2208643	
63580	Airless Sprayer - GMax II 7900 Standard Lo-Boy	Standard Lo- Boy	TXMAS-5- 51V010	TXMAS	4,458.88	EA		1.00	Graco Inc.	2208601	
63580	Airless Sprayer - Graco® HG 300	Bare Unit	TXMAS-5- 51V010	TXMAS	5,230.45	EA		1.00	Graco Inc.	2208288	
63580	Airless Sprayer - Nova® Standard	Standard.	TXMAS-5- 51V010	TXMAS	893.40	EA		1.00	Graco Inc.	2208395	
63580	Airless Sprayer - Spray Tech EPX 2510 Electric	Electric.	TXMAS-5- 51V010	TXMAS	3,319.22	EA		1.00	Titan Spray Tech	4022547	
63580	Airless Sprayer - Spray Tech SW 419 Electric Lo- Boy	Lo-Boy.	TXMAS-5- 51V010	TXMAS	970.56	EA		1.00	Titan Spray Tech	2208734	
63580	Airless Sprayer - Spray Tech SW 419 Electric Upright	Upright.	TXMAS-5- 51V010	TXMAS	970.56	EA		1.00	Titan Spray Tech	2208726	
63580	Airless Sprayer - Spray Tech SW 623 Electric Lo- Boy	Lo-Boy.	TXMAS-5- 51V010	TXMAS	1,482.23	EA		1.00	Titan Spray Tech	2208759	
63580	Airless Sprayer - Spray Tech SW 623 Electric Standard	Standard.	TXMAS-5- 51V010	TXMAS	1,348.22	EA		1.00	Titan Spray Tech	2208767	
63580	Airless Sprayer - Spray Tech SW 623 Electric Upright	Upright.	TXMAS-5- 51V010	TXMAS	1,482.23	EA		1.00	Titan Spray Tech	2208742	
63580	Airless Sprayer - Spray Tech SW 726 Electric Lo- Boy	Lo-Boy.	TXMAS-5- 51V010	TXMAS	1,752.96	EA		1.00	Titan Spray Tech	2208783	
63580	Airless Sprayer - Spray Tech SW 726 Electric Upright	Upright.	TXMAS-5- 51V010	TXMAS	1,752.96	EA		1.00	Titan Spray Tech	2208775	
63580	Airless Sprayer - Titan 440ix Hi-Rider Electric	Loaded Unit	TXMAS-5- 51V010	TXMAS	1,216.92	EA		1.00	Titan Spray Tech	2208916	
63580	Airless Sprayer - Titan 440ix Hi-Rider Electric	Complete Unit	TXMAS-5- 51V010	TXMAS	1,169.54	EA		1.00	Titan Spray Tech	2208908	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63580	Airless Sprayer - Titan 440ix Skid Electric	Complete Unit	TXMAS-5- 51V010	TXMAS	1,081.55	EA		1.00	Titan Spray Tech	2208874	
63580	Airless Sprayer - Titan 640ix Lo-Rider Electric	Loaded Unit	TXMAS-5- 51V010	TXMAS	1,690.69	EA		1.00	Titan Spray Tech	2208965	
63580	Airless Sprayer - Titan 640ix Lo-Rider Electric	Complete Unit	TXMAS-5- 51V010	TXMAS	1,623.01	EA		1.00	Titan Spray Tech	2208957	
63580	Airless Sprayer - Titan 640ix Skid Electric	Loaded Unit	TXMAS-5- 51V010	TXMAS	1,487.64	EA		1.00	Titan Spray Tech	2208932	
63580	Airless Sprayer - Titan 640ix Skid Electric	Complete Unit	TXMAS-5- 51V010	TXMAS	1,487.64	EA		1.00	Titan Spray Tech	2208924	
63580	Airless Sprayer - Titan 740ix Electric Lo-Rider	Bare Unit	TXMAS-5- 51V010	TXMAS	1,893.74	EA		1.00	Titan Spray Tech	2208155	0.72 GPM at 3300 psi. Supports 0.27 tip size. Supports one gun. Weighs 55 Lbs. Piston pump type. 1.8 HP motor. Manufactured for 75-100 gallons usage per week.
63580	Airless Sprayer - Titan 840ix Electric Hi-Rider	Bare Unit	TXMAS-5- 51V010	TXMAS	3,502.41	EA		1.00	Titan Spray Tech	2208122	0.95 GPM 3300 psi. Supportds .031 spray tip. Supports 2 guns with .021 tips. Weighs 90 Lbs. Piston type pump. 2.1 HP motor. Manufactured for 100-150 gallon usage per week.
63580	Airless Sprayer - Titan 840ix Electric Lo-Rider	Bare Unit	TXMAS-5- 51V010	TXMAS	3,502.41	EA		1.00	Titan Spray Tech	2208114	0.95 GPM 3300 psi. Supportds .031 spray tip. Supports 2 guns with .021 tips. Weighs 90 Lbs. Piston type pump. 2.1 HP motor. Manufactured for 100-150 gallon usage per week.
63580	Airless Sprayer - Titan Electric 740ix Hi-Rider	Bare Unit	TXMAS-5- 51V010	TXMAS	1,893.74	EA		1.00	Titan Spray Tech	2208163	0.72 GPM at 3300 psi. Supports 0.27 tip size. Supports one gun. Weighs 55 Lbs. Piston pump type. 1.8 HP motor. Manufactured for 75-100 gallons per week. Manufactured for 75-100 gallons usage per week.
63580	Airless Sprayer - Titan Performer 640ix Electric Hi-Rider	Loaded Unit	TXMAS-5- 51V010	TXMAS	1,623.01	EA		1.00	Titan Spray Tech	2208940	
63580	Airless Sprayer - Titan SpeedFlo Boss Portable Gas Operated		TXMAS-5- 51V010	TXMAS	6,960.09	EA		1.00	Titan Spray Tech	4228961	2.5 GPM at 3300 PSI. Supports .049 tip. Supports 4 guns with .023 tips. Weighs 330 lbs. Hydraulic piston pump. 8 HP Honda motor. Recommended for 500 gallons weekly usage.
63580	Airless Sprayer - Ultimate MX II 495 Hi Boy	Complete Unit	TXMAS-5- 51V010	TXMAS	1,839.59	EA		1.00	Graco Inc.	2209252	The new Ultimate MX II 495 features the leading technology and performance of Graco's larger Ultra Max II models. Is the sprayer of choice for professionals who need a higher output sprayer for daily use on residential jobs.
63580	Airless Sprayer - Ultimate MX II 685 Standard Hi-Boy	Complete Unit	TXMAS-5- 51V010	TXMAS	2,263.28	EA		1.00	Graco Inc.	2209260	
63580	Airless Sprayer - Ultimate Nova 395 High Stand		TXMAS-5- 51V010	TXMAS	1,336.35	EA		1.00	Graco Inc.	2206811	0.45 GPM, 3300 PSI. Supports .021 tip size. Supports 1 gun. Weighs 43 lbs. Piston type pump. 5/8 HP motor. Complate with gun, hose and tip. Recommended for 25 to 50 gallons weekly usage.
63580	Airless Sprayer - Ultimate Nova 395 Standard Frame	Gun, Hose And Rac 5 Tip	TXMAS-5- 51V010	TXMAS	1,263.71	EA		1.00	Graco Inc.	2207405	0.45 GPM, 3300 PSI. Supports .021 tip size. Supports 1 gun. Weighs 43 lbs. Piston type pump. 5/8 HP motor. Complate with gun, hose and tip. Recommended for 25 to 50 gallons weekly usage.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63580	Airless Sprayer - Ultimate Nova 395 Standard Lo-Boy		TXMAS-5- 51V010	TXMAS	1,336.35	EA		1.00	Graco Inc.	2206829	0.45 GPM, 3300 PSI. Supports .021 tip size. Supports 1 gun. Weighs 43 lbs. Piston type pump. 5/8 HP motor. Complate with gun, hose and tip. Recommended for 25 to 50 gallons weekly usage.
63580	Airless Texture Sprayer - TexSpray 1030FC		TXMAS-5- 51V010	TXMAS	6,853.35	EA		1.00	Graco Inc.	4041430	3.0 GPM at 3300 PSI. 400 ft. maximum hose length. 5.5 Honda motor. Weighs 150 lbs. Sprays smooth to heavy aggregated textures with silica sand, perlite, vermiculite, polystyrene in smooth, medium, coarse and extra coarse grades.
63580	Airless Texture Sprayer - TexSpray 5900 HD Complete	Complete.	TXMAS-5- 51V010	TXMAS	4,588.83	EA		1.00	Graco Inc.	2208593	
63580	Airless Texture Sprayer - TexSpray EXT HP		TXMAS-5- 51V010	TXMAS	2,811.90	EA		1.00	Graco Inc.	4127684	1.5 GPM at 100 PSI. 100 ft. maximum hose length. 1.5 HP motor. Weighs 124 lbs. Sprays gypsum, elastomerics, stone paints, EIF's, deck coatings, plasters and some cement base products.
63580	Airless Texture Sprayer - TexSpray GTX 2000		TXMAS-5- 51V010	TXMAS	3,823.91	EA		1.00	Graco Inc.	2207629	4.0 GPM 120 psi. 100 foot hose length. 5.5 HP Honda. Weighs 165 Lbs. Sprays simulated acoustics, drywall mud, elastomerics, deck coatings and some cement base materials.
63580	Airless Texture Sprayer - TexSpray Mark V		TXMAS-5- 51V010	TXMAS	5,518.78	EA		1.00	Graco Inc.	9920802	Maintenance Free Hardened Gear Train. Endurance Piston Pump oversized clerances ensure minimal pressure drop and surge free performance for consistent texture applications.
63580	Airless Texture Sprayer - TexSpray RTX 1000		TXMAS-5- 51V010	TXMAS	1,013.79	EA		1.00	Graco Inc.	2207348	1.0 GPM at 60 PSI. 25 ft. maximum hose length. 1 HP motor. Weighs 80 lbs. Sprays simulated acoustics, and drywall mud.. Typical applications: Residential and light commercial interiors.
63580	Airless Texture Sprayer - TexSpray RTX 1500		TXMAS-5- 51V010	TXMAS	2,373.19	EA		1.00	Graco Inc.	2207652	2.0 GPM 100 psi. Maximum hose length 10 feet. 2 HP motor. Weighs 125 Lbs. Sprays simulated acoustics, drywall mud, elastomerics, deck coatings and some cement base materials. Manufactured for medium usage applications.
63580	Texture Sprayer Texturing Unit With Compressor And Drywall Hopper Gun		TXMAS-5- 51V010	TXMAS	901.30	EA		1.00	Marshallto wn Trowel Co.	5938741	120 PSI. 50 ft. maximum hose length. 2 HP motor. Weighs 65 lbs. Sprays simulated acoustics, drywall mud, waterproofing material, pool deck sealant, stucco and most gravity fed materials. For light applications.
63056	All Surface Enamel Alkyd Gloss	Black	TXMAS-5- 51V010	TXMAS	8.15	QT	1	1.00	Sherwin- Williams	640325676	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Black	TXMAS-5- 51V010	TXMAS	24.21	GL		1.00	Sherwin- Williams	640325684	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	23.44	GL		1.00	Sherwin- Williams	640359709	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	7.72	QT	1	1.00	Sherwin- Williams	640359691	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Safety Yellow	TXMAS-5- 51V010	TXMAS	24.20	GL		4.00	Sherwin- Williams	640325866	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	8.15	QT	1	1.00	Sherwin- Williams	640325759	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	All Surface Enamel Alkyd Gloss	Tinting White	TXMAS-5- 51V010	TXMAS	24.21	GL		1.00	Sherwin- Williams	640325825	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	23.42	GL		1.00	Sherwin- Williams	640325767	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Safety Red	TXMAS-5- 51V010	TXMAS	24.20	GL		4.00	Sherwin- Williams	640325742	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Safety Yellow	TXMAS-5- 51V010	TXMAS	8.47	QT	1	1.00	Sherwin- Williams	640325858	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Tinting White	TXMAS-5- 51V010	TXMAS	8.15	QT	1	1.00	Sherwin- Williams	640325817	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Gloss	Safety Red	TXMAS-5- 51V010	TXMAS	8.47	QT	1	1.00	Sherwin- Williams	640325734	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63082	All Surface Enamel Alkyd Gloss Primer	White	TXMAS-5- 51V010	TXMAS	23.42	GL		1.00	Sherwin- Williams	640325841	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63082	All Surface Enamel Alkyd Gloss Primer	White	TXMAS-5- 51V010	TXMAS	7.64	QT	1	1.00	Sherwin- Williams	640325833	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Low Sheen	Ultradeep	TXMAS-5- 51V010	TXMAS	8.15	QT	1	1.00	Sherwin- Williams	640325775	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Low Sheen	Black	TXMAS-5- 51V010	TXMAS	23.42	GL		1.00	Sherwin- Williams	640325700	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Low Sheen	Ultradeep	TXMAS-5- 51V010	TXMAS	23.42	GL		1.00	Sherwin- Williams	640325783	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Alkyd Low Sheen	Black	TXMAS-5- 51V010	TXMAS	8.15	QT	1	1.00	Sherwin- Williams	640325692	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	7.90	QT	1	1.00	Sherwin- Williams	640359675	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	8.75	QT	1	1.00	Sherwin- Williams	640363495	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	25.38	GL		1.00	Sherwin- Williams	640359683	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	All Surface Enamel Latex Gloss	Black	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640326021	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640325924	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Safety Yellow	TXMAS-5- 51V010	TXMAS	32.73	GL		4.00	Sherwin- Williams	640325973	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Safety Red	TXMAS-5- 51V010	TXMAS	32.73	GL		4.00	Sherwin- Williams	640325957	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Safety Yellow	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640325965	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	25.17	GL		1.00	Sherwin- Williams	640325932	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	25.73	GL		1.00	Sherwin- Williams	640363503	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Black	TXMAS-5- 51V010	TXMAS	24.32	GL		1.00	Sherwin- Williams	640326039	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Gloss	Safety Red	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640325940	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Low Sheen	Black	TXMAS-5- 51V010	TXMAS	8.75	QT	1	1.00	Sherwin- Williams	640369104	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Low Sheen	Ultradeep	TXMAS-5- 51V010	TXMAS	24.32	GL		1.00	Sherwin- Williams	640325999	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Low Sheen	Black	TXMAS-5- 51V010	TXMAS	25.73	GL		1.00	Sherwin- Williams	640369112	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Low Sheen	Black	TXMAS-5- 51V010	TXMAS	24.32	GL		1.00	Sherwin- Williams	640326054	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Low Sheen	Ultradeep	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640325981	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63056	All Surface Enamel Latex Low Sheen	Black	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640326047	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	All Surface Enamel Latex Primer	White	TXMAS-5- 51V010	TXMAS	24.32	GL		1.00	Sherwin- Williams	640326070	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63082	All Surface Enamel Latex Primer	White	TXMAS-5- 51V010	TXMAS	7.85	QT	1	1.00	Sherwin- Williams	640326062	Designed for use on interior and exterior wood, metal, drywall, and other surfaces. This high quality coating provides excellent resistance to weather and sunlight. Use on doors, trim, windows, and other hard wear areas.
63059	Anti-Sweat Marine Paint	White	TXMAS-5- 51V010	TXMAS	72.50	PL	5	5.00	Hempel	5981816	A water-based, moisture-absorbing coating. It is a light material with high water-absorbing capacity. A 60 mils thick film holds approximately 1 quart/.25 US gallon of water per 10 sq. ft.
63050	ArmorSeal® 1000 HS	Extra White/Tint Base Part A	TXMAS-5- 51V010	TXMAS	78.47	PL	5	1.00	Sherwin- Williams	640516548	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Clear Part A	TXMAS-5- 51V010	TXMAS	65.71	GL		1.00	Sherwin- Williams	640120309	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Extra White/Tint Base Part A	TXMAS-5- 51V010	TXMAS	80.84	GL		1.00	Sherwin- Williams	640516530	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Clear Part A	TXMAS-5- 51V010	TXMAS	54.93	PL	5	1.00	Sherwin- Williams	640120317	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Hardener Part B	TXMAS-5- 51V010	TXMAS	61.83	PL	5	1.00	Sherwin- Williams	640173555	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Hardener Part B	TXMAS-5- 51V010	TXMAS	64.99	GL		1.00	Sherwin- Williams	640120408	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Safety Yellow Part A	TXMAS-5- 51V010	TXMAS	70.73	GL		1.00	Sherwin- Williams	640120382	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Sandstone Part A	TXMAS-5- 51V010	TXMAS	67.88	GL		1.00	Sherwin- Williams	640120366	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Deck Gray Part A	TXMAS-5- 51V010	TXMAS	64.99	GL		1.00	Sherwin- Williams	640120333	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Tile Red Part A	TXMAS-5- 51V010	TXMAS	64.99	GL		1.00	Sherwin- Williams	640120341	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Haze Gray Part A	TXMAS-5- 51V010	TXMAS	63.56	PL	5	1.00	Sherwin- Williams	640173548	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.
63050	ArmorSeal® 1000 HS	Haze Gray Part A	TXMAS-5- 51V010	TXMAS	64.99	GL		1.00	Sherwin- Williams	640120358	A high solids, heavy duty, two-component, catalyzed, polyamide epoxy coating formulated for demanding marine and industrial requirements.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Clear	TXMAS-5- 51V010	TXMAS	43.16	GL		1.00	Sherwin- Williams	640365938	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance, good chemical resistance, with excellent color and gloss retention.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Clear	TXMAS-5- 51V010	TXMAS	42.52	PL	5	5.00	Sherwin- Williams	640365946	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance, good chemical resistance, with excellent color and gloss retention.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Haze Gray	TXMAS-5- 51V010	TXMAS	43.16	GL		1.00	Sherwin- Williams	640365979	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance, good chemical resistance, with excellent color and gloss retention.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Clear Tint Base	TXMAS-5- 51V010	TXMAS	43.16	GL		1.00	Sherwin- Williams	640365953	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance and good chemical resistance.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Clear Tint Base	TXMAS-5- 51V010	TXMAS	42.52	PL	5	5.00	Sherwin- Williams	640365961	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance and good chemical.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Haze Gray	TXMAS-5- 51V010	TXMAS	42.52	PL	5	5.00	Sherwin- Williams	640365987	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance, good chemical resistance, with excellent color and gloss retention.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Extra White	TXMAS-5- 51V010	TXMAS	42.52	PL	5	5.00	Sherwin- Williams	640365920	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance, good chemical resistance, with excellent color and gloss retention.
63050	ArmorSeal® 1K Waterbased Urethane Floor Enamel	Extra White	TXMAS-5- 51V010	TXMAS	43.16	GL		1.00	Sherwin- Williams	640365912	A high gloss, high performance, one component polyester waterbased urethane, formulated specifically for industrial floor applications. Provides outstanding abrasion resistance, good chemical resistance, with excellent color and gloss retention.
63050	ArmorSeal® 33 Epoxy Primer Sealer	Light Gray Part A and B	TXMAS-5- 51V010	TXMAS	88.71	KT		1.00	Sherwin- Williams	2400000	A low viscosity 100% Solids high build fast cure epoxy primer designed for use under ArmorSeal 650 or where a high bild primer is needed. Enhances adhesion by penetrating into the concrete substrate.
63050	ArmorSeal® 33 Epoxy Primer Sealer	Hardener Part B	TXMAS-5- 51V010	TXMAS	194.71	KT		1.00	Sherwin- Williams	2400026	A low viscosity 100% Solids high build fast cure epoxy primer designed for use under ArmorSeal 650 or where a high bild primer is needed. Enhances adhesion by penetrating into the concrete substrate.
63050	ArmorSeal® 33 Epoxy Primer Sealer	Light Gray Part A	TXMAS-5- 51V010	TXMAS	195.74	KT		1.00	General Polymers	2400018	A low viscosity 100% Solids high build fast cure epoxy primer designed for use under ArmorSeal 650 or where a high bild primer is needed. Enhances adhesion by penetrating into the concrete substrate.
63050	ArmorSeal® 33 Epoxy Primer Sealer	Clear Part A and B	TXMAS-5- 51V010	TXMAS	103.19	KT		1.00	Sherwin- Williams	640343760	A low viscosity 100% Solids high build fast cure epoxy primer designed for use under ArmorSeal 650 or where a high bild primer is needed. Enhances adhesion by penetrating into the concrete substrate.
63050	ArmorSeal® 33 Epoxy Primer Sealer	Clear Part A	TXMAS-5- 51V010	TXMAS	227.35	KT		1.00	Sherwin- Williams	640343778	A low viscosity 100% Solids high build fast cure epoxy primer designed for use under ArmorSeal 650 or where a high bild primer is needed. Enhances adhesion by penetrating into the concrete substrate.
63050	ArmorSeal® 5020 Epoxy Floor Resurfacer Aggregate	Neutral Color 40 Pound Bag	TXMAS-5- 51V010	TXMAS	21.02	EA		1.00	Sherwin- Williams	2400620	A trowelable epoxy surfacing and leveling compound for new and old floors of concrete, wood, or steel where a high degree of chemical and abrasion resistance is required. USDA accepted.
63050	ArmorSeal® 5020 Epoxy Floor Resurfacer Primer and Resurfacer	Haze Gray 480 sq ft kit	TXMAS-5- 51V010	TXMAS	2,358.57	EA		1.00	Sherwin- Williams	2400570	A trowelable epoxy surfacing and leveling compound for new and old floors of concrete, wood, or steel where a high degree of chemical and abrasion resistance is required. USDA accepted.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	ArmorSeal® 5020 Epoxy Floor Resurfacer Primer and Resurfacer	Haze Gray 20sq ft kit	TXMAS-5-51V010	TXMAS	246.90	EA			General - Polymers	2400562	A trowelable epoxy surfacing and leveling compound for new and old floors of concrete, wood, or steel where a high degree of chemical and abrasion resistance is required. USDA accepted.
63050	ArmorSeal® 650 HB/RC Self-Leveling/Recoatable Epoxy	Hi-Build Additive	TXMAS-5-51V010	TXMAS	29.86	EA		1.00	Sherwin-Williams	2400455	Is a 2 component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Tile Red Part A and B	TXMAS-5-51V010	TXMAS	112.29	KT		1.00	Sherwin-Williams	2401750	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Ultradeep	TXMAS-5-51V010	TXMAS	104.81	GL		1.00	Sherwin-Williams	640386116	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Haze Gray Part A and B	TXMAS-5-51V010	TXMAS	112.29	KT		1.00	Sherwin-Williams	2401719	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Tile Red Part A	TXMAS-5-51V010	TXMAS	254.40	KT		1.00	Sherwin-Williams	2401768	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Deck Gray Part A	TXMAS-5-51V010	TXMAS	254.40	KT		1.00	Sherwin-Williams	2401743	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Haze Gray Part A	TXMAS-5-51V010	TXMAS	261.55	KT		1.00	General Polymers	2401727	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	White Part A	TXMAS-5-51V010	TXMAS	261.55	KT		1.00	Sherwin-Williams	2401818	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Clear Part A	TXMAS-5-51V010	TXMAS	254.40	KT		1.00	Sherwin-Williams	2401842	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Deck Gray Part A and B	TXMAS-5-51V010	TXMAS	115.45	KT		1.00	Sherwin-Williams	2401735	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Standard Hardener	TXMAS-5-51V010	TXMAS	284.86	KT		1.00	Sherwin-Williams	2401792	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Sandstone Part A and B	TXMAS-5-51V010	TXMAS	112.29	KT		1.00	Sherwin-Williams	2401776	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	White Part A and B	TXMAS-5-51V010	TXMAS	115.45	KT		1.00	Sherwin-Williams	2401800	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Clear Part A and B	TXMAS-5-51V010	TXMAS	112.29	KT		1.00	Sherwin-Williams	2401834	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Standard Hardener	TXMAS-5-51V010	TXMAS	43.14	EA		1.00	Sherwin-Williams	640383329	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Fast Set Hardener	TXMAS-5-51V010	TXMAS	43.16	EA		2.00	Sherwin-Williams	640383337	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Sandstone Part A	TXMAS-5-51V010	TXMAS	254.40	KT		1.00	Sherwin-Williams	2401784	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Fast Set Hardener	TXMAS-5-51V010	TXMAS	221.96	KT		1.00	Sherwin-Williams	640348439	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 650 SL/RC Self-Leveling/Recoatable Epoxy	Ultradeep	TXMAS-5-51V010	TXMAS	359.54	KT		1.00	Sherwin-Williams	640386124	A two component, high performance floor system that provides a high gloss, seamless, hygienic surface that is extremely hard wearing and durable. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 700HS High Solids Water Based Epoxy Floor Coating	Clear Part A	TXMAS-5-51V010	TXMAS	237.75	KT		1.00	General Polymers	2401511	A two component, low VOC, epoxy floor finish/coating designed to provide an attractive, uniform appearance in industrial environments. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 700HS High Solids Water Based Epoxy Floor Coating	Tile Red Part A	TXMAS-5-51V010	TXMAS	243.30	KT		1.00	Sherwin-Williams	2401610	A two component, low VOC, epoxy floor finish/coating designed to provide an attractive, uniform appearance in industrial environments. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® 700HS High Solids Water Based Epoxy Floor Coating	Clear Part A and B	TXMAS-5-51V010	TXMAS	78.29	KT		1.00	General Polymers	2401503	A two component, low VOC, epoxy floor finish/coating designed to provide an attractive, uniform appearance in industrial environments. Suitable for use in USDA inspected facilities.
63050	ArmorSeal® Crack Filler	Gray Part A and B	TXMAS-5-51V010	TXMAS	162.21	KT		1.00	Sherwin-Williams	2400653	A two component polymer hybrid containing both urethane and epoxy resins in order to provide a resilient filler for horizontal expansion joints.
63050	ArmorSeal® Expresspatch	Red	TXMAS-5-51V010	TXMAS	89.93	EA		1.00	Sherwin-Williams	640361275	A 100% solids, low odor, waterbased urethane slurry floor patch kit, to be applied at 1/16" minimum thickness (smooth) and broadcast to yield a 1/4" finished system (textured). ExpressPatch can be applied by flat trowel.
63050	ArmorSeal® Expresspatch	Black	TXMAS-5-51V010	TXMAS	89.93	EA		1.00	Sherwin-Williams	640361283	A 100% solids, low odor, waterbased urethane slurry floor patch kit, to be applied at 1/16" minimum thickness (smooth) and broadcast to yield a 1/4" finished system (textured). ExpressPatch can be applied by flat trowel.
63050	ArmorSeal® Expresspatch	Dark Gray	TXMAS-5-51V010	TXMAS	90.46	EA		1.00	Sherwin-Williams	640355491	A 100% solids, low odor, waterbased urethane slurry floor patch kit, to be applied at 1/16" minimum thickness (smooth) and broadcast to yield a 1/4" finished system (textured). ExpressPatch can be applied by flat trowel.
63050	ArmorSeal® Flexible Joint Sealant	Gray Part A and B	TXMAS-5-51V010	TXMAS	159.70	KT		1.00	General Polymers	2400646	A two component polymer hybrid containing both urethane and epoxy resins in order to provide a resilient filler for horizontal expansion joints.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Tile Red Part A	TXMAS-5-51V010	TXMAS	31.82	GL		1.00	Sherwin-Williams	640120044	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Haze Gray Part A	TXMAS-5-51V010	TXMAS	31.82	GL		1.00	Sherwin-Williams	640119996	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Deck Gray Part A	TXMAS-5- 51V010	TXMAS	31.82	GL		1.00	Sherwin- Williams	640120010	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Deck Gray Part A	TXMAS-5- 51V010	TXMAS	31.17	PL	5	5.00	Sherwin- Williams	640120028	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Hardener Part B	TXMAS-5- 51V010	TXMAS	46.32	GL		1.00	Sherwin- Williams	640120085	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	White/Tint Base Part A	TXMAS-5- 51V010	TXMAS	31.82	GL		1.00	Sherwin- Williams	640120069	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Tile Red Part A	TXMAS-5- 51V010	TXMAS	31.17	PL	5	5.00	Sherwin- Williams	640120051	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex 7100 Water Based Epoxy Floor Coating	Hardener Part B	TXMAS-5- 51V010	TXMAS	45.60	PL	5	5.00	Sherwin- Williams	640120093	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex® 7100 Primer Water Based Epoxy Floor Coating	Off White	TXMAS-5- 51V010	TXMAS	33.13	PL	5	5.00	Sherwin- Williams	640321857	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex® 7100 Primer Water Based Epoxy Floor Coating	Off White	TXMAS-5- 51V010	TXMAS	33.97	GL		1.00	Sherwin- Williams	640321840	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex® 7100 Water Based Epoxy Floor Coating	Clear Tint Base Part A	TXMAS-5- 51V010	TXMAS	33.97	GL		1.00	Sherwin- Williams	640360442	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex® 7100 Water Based Epoxy Floor Coating	Haze Gray Part A	TXMAS-5- 51V010	TXMAS	31.17	PL	5	5.00	Sherwin- Williams	640120002	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex® 7100 Water Based Epoxy Floor Coating	White/Tint Base Part A	TXMAS-5- 51V010	TXMAS	31.17	PL	5	5.00	Sherwin- Williams	640120077	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Floor-Plex® 7100 Water Based Epoxy Floor Coating	Clear Tint Base Part A	TXMAS-5- 51V010	TXMAS	33.13	PL	5	5.00	Sherwin- Williams	640360459	A high performance, VOC compliant, low odor, catalyzed, water borne, polyamide epoxy floor primer. Provides overall performance comparable to that of most solvent borne epoxy floor systems. USDA accepted.
63050	ArmorSeal® Rexthane I Floor Coating	White-Tint Base	TXMAS-5- 51V010	TXMAS	117.15	GL		1.00	Sherwin- Williams	640328597	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Ultradeep Tint Base	TXMAS-5- 51V010	TXMAS	166.10	GL		1.00	Sherwin- Williams	640386090	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Sandstone	TXMAS-5- 51V010	TXMAS	117.15	GL		1.00	Sherwin- Williams	640327912	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	ArmorSeal® Rexthane I Floor Coating	Clear	TXMAS-5- 51V010	TXMAS	117.15	GL		1.00	Sherwin- Williams	640327920	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Clear	TXMAS-5- 51V010	TXMAS	109.96	PL	5	1.00	Sherwin- Williams	640330825	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	White-Tint Base	TXMAS-5- 51V010	TXMAS	155.83	PL	5	5.00	Sherwin- Williams	640386082	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Deck Gray	TXMAS-5- 51V010	TXMAS	117.15	GL		1.00	Sherwin- Williams	640327896	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Haze Gray	TXMAS-5- 51V010	TXMAS	113.25	PL	5	1.00	Sherwin- Williams	640327888	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Ultradeep Tint Base	TXMAS-5- 51V010	TXMAS	155.83	PL	5	5.00	Sherwin- Williams	640386108	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Rexthane I Floor Coating	Haze Gray	TXMAS-5- 51V010	TXMAS	117.15	GL		1.00	Sherwin- Williams	640327870	A high solids, single component, aliphatic, moisture cure urethane, VOC complying, moisture resistant industrial floor coating. Rexthane I cures to a high gloss and chemical resistant film equivalent to two-part urethane coatings.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Deck Gray	TXMAS-5- 51V010	TXMAS	28.37	GL		1.00	Sherwin- Williams	640172664	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	White	TXMAS-5- 51V010	TXMAS	28.37	GL		1.00	Sherwin- Williams	640172623	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Haze Gray	TXMAS-5- 51V010	TXMAS	28.37	GL		1.00	Sherwin- Williams	640172649	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	27.65	PL	5	1.00	Sherwin- Williams	640120218	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	33.13	PL	5	1.00	Sherwin- Williams	640516845	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	28.37	GL		1.00	Sherwin- Williams	640120200	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	White	TXMAS-5- 51V010	TXMAS	27.65	PL	5	1.00	Sherwin- Williams	640172631	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Deck Gray	TXMAS-5- 51V010	TXMAS	27.65	PL	5	1.00	Sherwin- Williams	640172672	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	33.13	GL		1.00	Sherwin- Williams	640516837	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Haze Gray	TXMAS-5- 51V010	TXMAS	27.65	PL	5	5.00	Sherwin- Williams	640172656	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Tile Red	TXMAS-5- 51V010	TXMAS	28.37	GL		1.00	Sherwin- Williams	640172680	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex 100% Acrylic Floor Coating	Tile Red	TXMAS-5- 51V010	TXMAS	27.65	PL	5	1.00	Sherwin- Williams	640172698	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex Primer Acrylic Floor Coating	Off White	TXMAS-5- 51V010	TXMAS	32.27	PL	5	1.00	Sherwin- Williams	640321832	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Tread-Plex Primer Acrylic Floor Coating	Off White	TXMAS-5- 51V010	TXMAS	33.09	GL		1.00	Sherwin- Williams	640321824	A general purpose, interior/exterior, VOC compliant, 100% acrylic, low odor, waterborne floor coating. One component. Water clean up. Fast dry. Slip resistant properties. Abrasion resistant. USDA accepted.
63050	ArmorSeal® Water Based Epoxy Primer Sealer	Clear Part A and B	TXMAS-5- 51V010	TXMAS	88.71	KT		1.00	Sherwin- Williams	2400067	Compatible with most high performance finish coats and, in many cases, can be used as an effective barrier coat when coating previously painted surfaces. Low Odor. Low VOC. Fast Dry. USDA accepted.
63050	ArmorSeal® Water Based Epoxy Primer Sealer	Gray Part A and B	TXMAS-5- 51V010	TXMAS	68.51	KT		1.00	Sherwin- Williams	2400091	Compatible with most high performance finish coats and, in many cases, can be used as an effective barrier coat when coating previously painted surfaces. Low Odor. Low VOC. Fast Dry. USDA accepted.
63050	ArmorSeal® Water Based Epoxy Primer Sealer	Gray Part A	TXMAS-5- 51V010	TXMAS	165.18	KT		1.00	Sherwin- Williams	2400109	Compatible with most high performance finish coats and, in many cases, can be used as an effective barrier coat when coating previously painted surfaces. Low Odor. Low VOC. Fast Dry. USDA accepted.
63050	ArmorSeal® Water Based Epoxy Primer Sealer	Hardener for Clear Part B	TXMAS-5- 51V010	TXMAS	87.10	GL		4.00	General Polymers	2400083	Compatible with most high performance finish coats and, in many cases, can be used as an effective barrier coat when coating previously painted surfaces. Low Odor. Low VOC. Fast Dry. USDA accepted.
63050	ArmorSeal® Water Based Epoxy Primer Sealer	Hardener for Gray Part B	TXMAS-5- 51V010	TXMAS	123.83	GL		1.00	General Polymers	2400117	Compatible with most high performance finish coats and, in many cases, can be used as an effective barrier coat when coating previously painted surfaces. Low Odor. Low VOC. Fast Dry. USDA accepted.
63050	ArmorSeal® Water Based Epoxy Primer Sealer	Clear Part A	TXMAS-5- 51V010	TXMAS	197.56	KT		1.00	General Polymers	2400075	Compatible with most high performance finish coats and, in many cases, can be used as an effective barrier coat when coating previously painted surfaces. Low Odor. Low VOC. Fast Dry. USDA accepted.
63543	Bags - Contractor Clean Up Bags	42 Gallon	TXMAS-5- 51V010	TXMAS	7.08	EA		1.00	Poly- America	1619261	2 Mil 42 Gallon. 20 bags per roll. Heavy duty.
63050	Bath Paint Interior Satin Finish	Extra White	TXMAS-5- 51V010	TXMAS	20.95	GL		1.00	Sherwin- Williams	640512380	Provides a mildew resistant finish in humid environments such as bathrooms, kitchens, closets, basements, garages, and laundry rooms. A tough, durable finish, it is suitable for use on interior walls, ceilings, and trim.
63050	Bath Paint Interior Semi- Gloss Finish	Extra White	TXMAS-5- 51V010	TXMAS	20.95	GL		1.00	Sherwin- Williams	640512364	Provides a mildew resistant finish in humid environments such as bathrooms, kitchens, closets, basements, garages, and laundry rooms. A tough, durable finish, it is suitable for use on interior walls, ceilings, and trim.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Bench - Adjustable Aluminum Bench	18 Inch x 30 Inch	TXMAS-5- 51V010	TXMAS	274.41	EA		1.00	Wallboard Tool Co	2896652	High strength aluminum alloy construction. Legs adjust to variable heights. Folds and locks for secure and easy storage. Rubber feet to prevent slippage. Maximum load is 400 Lbs.
63543	Blades - 10 Single Edge Blades In A Dispenser On A Card #9 66-0210		TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	American Safety Razor Co	1530815	Transparent plastic safety dispenser.
63543	Blades - 100 Single Edge Blades In A Box #9 66- 0499		TXMAS-5- 51V010	TXMAS	4.87	EA		1.00	American Safety Razor Co	1520121	Regular duty .009 Inch with non-rust aluminum backs. Convenient sliding door box.
63543	Blades - Single Edge Razor Blades #12	100 Per Box	TXMAS-5- 51V010	TXMAS	5.30	EA		1.00	American Safety Razor Co	2824530	Heavy duty .012 Inch with non-rust aluminum backs. Ideal for trimming heavy 54 Inch vinyl.
63056	Bond-Plex Waterbased Acrylic Coating	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	41.09	PL	5	1.00	Sherwin- Williams	640347472	A single component, waterborne acrylic, adhesion promoting coating formulated for direct application to pre-finished metal siding. Suitable for interior and exterior use.
63056	Bond-Plex Waterbased Acrylic Coating	Clear Tint Base	TXMAS-5- 51V010	TXMAS	41.09	PL	5	1.00	Sherwin- Williams	640347498	A single component, waterborne acrylic, adhesion promoting coating formulated for direct application to pre-finished metal siding. Suitable for interior and exterior use.
63056	Bond-Plex Waterbased Acrylic Coating	Clear Tint Base	TXMAS-5- 51V010	TXMAS	42.51	GL		1.00	Sherwin- Williams	640347480	A single component, waterborne acrylic, adhesion promoting coating formulated for direct application to pre-finished metal siding. Suitable for interior and exterior use.
63056	Bond-Plex Waterbased Acrylic Coating	Aluminum	TXMAS-5- 51V010	TXMAS	42.51	GL		1.00	Sherwin- Williams	640344602	A single component, waterborne acrylic, adhesion promoting coating formulated for direct application to pre-finished metal siding. Suitable for interior and exterior use.
63056	Bond-Plex Waterbased Acrylic Coating	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	42.51	GL		1.00	Sherwin- Williams	640347464	A single component, waterborne acrylic, adhesion promoting coating formulated for direct application to pre-finished metal siding. Suitable for interior and exterior use.
63056	Bond-Plex Waterbased Acrylic Coating	Aluminum	TXMAS-5- 51V010	TXMAS	41.09	PL	5	1.00	Sherwin- Williams	640344610	A single component, waterborne acrylic, adhesion promoting coating formulated for direct application to pre-finished metal siding. Suitable for interior and exterior use.
63543	Booking Table For Wallpaper	62 Inch	TXMAS-5- 51V010	TXMAS	177.09	EA		1.00	Advance Equipment Mfg	4055216	Two heavy duty chrome plated steel brackets. Supports two 66 Inch x 11 Inch or 44 Inch x 11 Inch basswood boards. Pasting machine sold separately.
63520	Booth Filters - Paint Arrestors Duo Pad 20x20x2 inches	100 Per Case	TXMAS-5- 51V010	TXMAS	44.92	EA		1.00	Chromac Manufactur ing Co. Inc.	2822963	Removes up to 99.9% of all paint particulates without dropping vital air flow below federally prescribed limits.
63520	Booth Filters - Paint Arrestors Duo Pad 20x25x2 inches	100 Per Case	TXMAS-5- 51V010	TXMAS	53.30	EA		1.00	Chromac Manufactur ing Co. Inc.	2822971	Removes up to 99.9% of all paint particulates without dropping vital air flow below federally prescribed limits.
14545	Brush - Bargain Brush	4 Inch	TXMAS-5- 51V010	TXMAS	4.15	EA		###	Sherwin- Williams	1820596	100 percent polyester. Resin handle.
14545	Brush - Bargain Brush	3 Inch	TXMAS-5- 51V010	TXMAS	3.27	EA		###	Sherwin- Williams	1820588	100 percent polyester. Resin handle.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Brush - Bargain Brush	2 Inch	TXMAS-5-51V010	TXMAS	2.38	EA		###	Sherwin-Williams	1820570	100 percent polyester. Resin handle.
14545	Brush - Bargain Brush	1 Inch	TXMAS-5-51V010	TXMAS	1.32	EA		###	Sherwin-Williams	1820562	100 percent polyester. Resin handle.
14545	Brush - Bent Radiator Black China Bristle With Wood Handle	3 Inch	TXMAS-5-51V010	TXMAS	20.05	EA		1.00	Sherwin-Williams	1442441	Bent Radiator Black China Bristle Brush With Wood Handle
14545	Brush - Best Stainer #123	4-3/4 Inch	TXMAS-5-51V010	TXMAS	14.08	EA		1.00	Bestt Liebco	8581852	White China Bristle. Nickered Steel Ferrule. Two piece screw-in handle. Lacquered Wood.
14545	Brush - Best Stainer #144		TXMAS-5-51V010	TXMAS	21.31	EA		1.00	Bestt Liebco	9281288	White China Bristle. Nickered Steel Ferrule. Two piece screw-in handle. Lacquered Wood.
14545	Brush - Bestt Liebco Stain Brush	4 Inch	TXMAS-5-51V010	TXMAS	11.80	EA		1.00	Bestt Liebco	4911699	For use with oil-based and latex stains, preservatives and waterproofers. For deck railings, small trim areas, floors, doors, cabinets, furniture, fences, and siding. Great for interior or exterior use.
14545	Brush - Brass Bristle Mini Brushes	3 Brushes	TXMAS-5-51V010	TXMAS	2.39	EA		1.00	Hyde Tools	1552447	Use to remove rust, scale, dirt and for general surface preparation. 7 Inch curved handles protect hands from wok surfaces. 1/2 Inch brass bristles unaffected by paint removers, solvents and thinners. Three per bag.
14545	Brush - Chip Brush	2 Inch	TXMAS-5-51V010	TXMAS	1.05	EA		1.00	Sherwin-Williams	1439488	White China bristle with wood handle
14545	Brush - Chip Brush	3 Inch	TXMAS-5-51V010	TXMAS	2.00	EA		1.00	Sherwin-Williams	1439496	White China bristle with wood handle
14545	Brush - Commodore Plus White China Bristle Angle Sash	2 Inch	TXMAS-5-51V010	TXMAS	6.82	EA		1.00	Sherwin-Williams	1803295	100 percent white China bristle custom formulated for marine coatings. Good for all oil-based stains, varnishes, shellac and polyurethane. Resin handle, corrosion resistant ferrule. Enhanced chisel tip for a unique finish.
14545	Brush - Commodore Plus White China Bristle Trim	3 Inch	TXMAS-5-51V010	TXMAS	10.43	EA		1.00	Sherwin-Williams	1803311	100 percent white China bristle custom formulated for marine coatings. Good for all oil-based stains, varnishes, shellac and polyurethane. Resin handle, corrosion resistant ferrule. Enhanced chisel tip for a unique finish.
14545	Brush - Commodore Plus White China Bristle Trim	2-1/2 Inch	TXMAS-5-51V010	TXMAS	8.60	EA		1.00	Sherwin-Williams	1805324	100 percent white China bristle custom formulated for marine coatings. Good for all oil-based stains, varnishes, shellac and polyurethane. Resin handle, corrosion resistant ferrule. Enhanced chisel tip for a unique finish.
14545	Brush - Commodore Plus White China Bristle Trim	2 Inch	TXMAS-5-51V010	TXMAS	6.82	EA		1.00	Sherwin-Williams	1803303	100 percent white China bristle custom formulated for marine coatings. Good for all oil-based stains, varnishes, shellac and polyurethane. Resin handle, corrosion resistant ferrule. Enhanced chisel tip for a unique finish.
14545	Brush - Commodore Plus White China Bristle Wall	4 Inch	TXMAS-5-51V010	TXMAS	14.90	EA		1.00	Sherwin-Williams	1803329	100 percent white China bristle custom formulated for marine coatings. Good for all oil-based stains, varnishes, shellac and polyurethane. Resin handle, corrosion resistant ferrule. Enhanced chisel tip for a unique finish.
14545	Brush - Contractor Series® Black China Bristle Angle Sash Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	12.90	EA		1.00	Sherwin-Williams	1713627	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Brush - Contractor Series® Black China Bristle Angle Sash Brush	1-1/2 Inch	TXMAS-5- 51V010	TXMAS	9.82	EA		1.00	Sherwin- Williams	1713601	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Angle Sash Brush	3 Inch	TXMAS-5- 51V010	TXMAS	13.23	EA		1.00	Sherwin- Williams	1713635	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Angle Sash Brush	2 Inch	TXMAS-5- 51V010	TXMAS	10.34	EA		1.00	Sherwin- Williams	1713619	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Flat Sash Brush	3 Inch	TXMAS-5- 51V010	TXMAS	12.66	EA		1.00	Sherwin- Williams	1713544	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Flat Sash Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	11.94	EA		1.00	Sherwin- Williams	1713536	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Flat Sash Brush	2 Inch	TXMAS-5- 51V010	TXMAS	10.34	EA		1.00	Sherwin- Williams	1713528	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Thin Angle Sash Brush	2 Inch	TXMAS-5- 51V010	TXMAS	9.82	EA		1.00	Sherwin- Williams	1713577	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Thin Angle Sash Brush	1-1/2 Inch	TXMAS-5- 51V010	TXMAS	9.29	EA		1.00	Sherwin- Williams	1713569	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Thin Angle Sash Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	11.62	EA		1.00	Sherwin- Williams	1713585	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Black China Bristle Thin Angle Sash Brush 1 Inch	1 Inch	TXMAS-5- 51V010	TXMAS	9.04	EA		1.00	Sherwin- Williams	1713551	Finest quality black China bristles provide excellent pickup and release and is the best choice for all paints. Black China bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Bristle Ox Hair Blend Rattail Angle Sash Brush	3 Inch	TXMAS-5- 51V010	TXMAS	14.11	EA			Sherwin- - Williams	1804715	Unique blend of black China bristle and Ox hair for the finest finish. Ox hair is extremely fine and soft creating an exceptional tool for fine finish work. Bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Bristle Ox Hair Blend Rattail Angle Sash Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	19.30	EA			Sherwin- - Williams	1802743	Unique blend of black China bristle and Ox hair for the finest finish. Ox hair is extremely fine and soft creating an exceptional tool for fine finish work. Bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Bristle Ox Hair Blend Rattail Angle Sash Brush	2 Inch	TXMAS-5- 51V010	TXMAS	14.63	EA			Sherwin- - Williams	1804707	Unique blend of black China bristle and Ox hair for the finest finish. Ox hair is extremely fine and soft creating an exceptional tool for fine finish work. Bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Bristle Ox Hair Blend Rattail Flat Sash Brush	3 Inch	TXMAS-5- 51V010	TXMAS	12.97	EA			Sherwin- - Williams	1804699	Unique blend of black China bristle and Ox hair for the finest finish. Ox hair is extremely fine and soft creating an exceptional tool for fine finish work. Bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Bristle Ox Hair Blend Rattail Flat Sash Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	11.27	EA			Sherwin- - Williams	1802735	Unique blend of black China bristle and Ox hair for the finest finish. Ox hair is extremely fine and soft creating an exceptional tool for fine finish work. Bristles flag naturally for excellent flow and leveling.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Series® Bristle Ox Hair Blend Rattail Flat Sash Brush	2 Inch	TXMAS-5-51V010	TXMAS	8.50	EA			Sherwin-Williams	1802727	Unique blend of black China bristle and Ox hair for the finest finish. Ox hair is extremely fine and soft creating an exceptional tool for fine finish work. Bristles flag naturally for excellent flow and leveling.
14545	Brush - Contractor Series® Nylon Polyester Angle Sash Brush	2 Inch	TXMAS-5-51V010	TXMAS	11.09	EA		6.00	Sherwin-Williams	1713809	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Angle Sash Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	12.78	EA		6.00	Sherwin-Williams	1713817	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Angle Sash Brush	3-1/2 Inch	TXMAS-5-51V010	TXMAS	15.36	EA		2.00	Sherwin-Williams	1551324	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Angle Sash Brush	3 Inch	TXMAS-5-51V010	TXMAS	13.64	EA		4.00	Sherwin-Williams	1713825	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Angle Sash Brush	1-1/2 Inch	TXMAS-5-51V010	TXMAS	10.66	EA		1.00	Sherwin-Williams	1713791	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Angle Trim Brush	3 Inch	TXMAS-5-51V010	TXMAS	15.36	EA		1.00	Sherwin-Williams	1708866	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Flat Sash Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	11.94	EA		1.00	Sherwin-Williams	1713726	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Flat Sash Brush	3 Inch	TXMAS-5-51V010	TXMAS	12.66	EA		1.00	Sherwin-Williams	1713734	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Flat Sash Brush	2 Inch	TXMAS-5-51V010	TXMAS	10.66	EA		1.00	Sherwin-Williams	1713718	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Square Shoulder Wall Brush	4 Inch	TXMAS-5-51V010	TXMAS	22.18	EA		1.00	Sherwin-Williams	1713973	100 percent Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smooth finish, better cutting, easier cleanup. Beech wood handle.
14545	Brush - Contractor Series® Nylon Polyester Square Shoulder Wall Brush	3-1/2 Inch	TXMAS-5-51V010	TXMAS	18.59	EA		1.00	Sherwin-Williams	1804673	100 percent Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smooth finish, better cutting, easier cleanup. Beech wood handle.
14545	Brush - Contractor Series® Nylon Polyester Square Shoulder Wall Brush	3 Inch	TXMAS-5-51V010	TXMAS	15.98	EA		1.00	Sherwin-Williams	1713965	100 percent Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smooth finish, better cutting, easier cleanup. Beech wood handle.
14545	Brush - Contractor Series® Nylon Polyester Thin Angle Sash Brush	1-1/2 Inch	TXMAS-5-51V010	TXMAS	9.53	EA		1.00	Sherwin-Williams	1713759	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Thin Angle Sash Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	11.94	EA		1.00	Sherwin-Williams	1713775	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Brush - Contractor Series® Nylon Polyester Thin Angle Sash Brush	2 Inch	TXMAS-5-51V010	TXMAS	10.23	EA		1.00	Sherwin-Williams	1713767	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle.
14545	Brush - Contractor Series® Nylon Polyester Thin Angle Sash Brush	1 Inch	TXMAS-5-51V010	TXMAS	9.46	EA		1.00	Sherwin-Williams	1713742	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Thin Angle Sash Brush	3 Inch	TXMAS-5-51V010	TXMAS	12.66	EA		1.00	Sherwin-Williams	1713783	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Trim Brush	2 Inch	TXMAS-5-51V010	TXMAS	13.64	EA		1.00	Sherwin-Williams	1711167	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Trim Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	14.50	EA		1.00	Sherwin-Williams	1711183	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Nylon Polyester Trim Brush	3 Inch	TXMAS-5-51V010	TXMAS	15.36	EA		1.00	Sherwin-Williams	1711993	100% Dupont TYNEX® Nylon and OREL® polyester blend. Advanced construction for a smoother finish, better cutting, easier cleanup. Beech wood handle. Durable stainless steel ferrule resists rusting after repeated cleanings.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Angle Sash	3 Inch	TXMAS-5-51V010	TXMAS	17.91	EA		1.00	Sherwin-Williams	1739051	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Angle Sash	2-1/2 Inch	TXMAS-5-51V010	TXMAS	15.08	EA		6.00	Sherwin-Williams	1739044	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Angle Sash	2 Inch	TXMAS-5-51V010	TXMAS	13.64	EA		1.00	Sherwin-Williams	1739036	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Flat Sash	2-1/2 Inch	TXMAS-5-51V010	TXMAS	14.50	EA		1.00	Sherwin-Williams	1803279	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Thin Angle Sash	2 Inch	TXMAS-5-51V010	TXMAS	12.90	EA		1.00	Sherwin-Williams	1739010	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Thin Angle Sash	2-1/2 Inch	TXMAS-5-51V010	TXMAS	14.50	EA		1.00	Sherwin-Williams	1739028	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Thin Angle Sash	1-1/2 Inch	TXMAS-5-51V010	TXMAS	11.51	EA		1.00	Sherwin-Williams	1739002	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Trim	4 Inch	TXMAS-5-51V010	TXMAS	16.19	EA		1.00	Sherwin-Williams	1739077	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Wall	3 Inch	TXMAS-5-51V010	TXMAS	19.43	EA		1.00	Sherwin-Williams	1739085	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Brush - Contractor Series® Sher-Tip Nylon Polyester Wall	4 Inch	TXMAS-5-51V010	TXMAS	24.97	EA		1.00	Sherwin-Williams	1739093	Every filament is ground to a fine point, creating the sharpest cut line of any brush. Deliver a soft-flex, extremely durable, hand-trimmed brush with excellent flow and leveling.
14545	Brush - Hockey Stick Nylon Polyester With Wood Handle	3 Inch	TXMAS-5-51V010	TXMAS	20.05	EA		1.00	Sherwin-Williams	1731827	Hockey Stick Nylon Polyester Brush With Wood Handle
14545	Brush - Poly Foam	3 Inch	TXMAS-5-51V010	TXMAS	0.93	EA		1.00	Sherwin-Williams	1803188	Poly Foam Brush
14545	Brush - Poly Foam	1 Inch	TXMAS-5-51V010	TXMAS	0.81	EA		1.00	Sherwin-Williams	1803162	Poly Foam Brush
14545	Brush - Poly Foam	2 Inch	TXMAS-5-51V010	TXMAS	0.93	EA		1.00	Sherwin-Williams	1803170	Poly Foam Brush
14545	Brush - Poly Foam	4 Inch	TXMAS-5-51V010	TXMAS	0.93	EA		1.00	Sherwin-Williams	1803196	Poly Foam Brush
14545	Brush - Purdy® Adjutant Oil Base Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	12.78	EA		1.00	Sw Purdy	2433209	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® Adjutant Oil Base Brush	2 Inch	TXMAS-5-51V010	TXMAS	10.50	EA		1.00	Sw Purdy	2433191	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® Extra Oregon Black China Bristle Brush	2 Inch	TXMAS-5-51V010	TXMAS	10.83	EA		1.00	Sw Purdy	4280517	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® Nylox Glide Latex A/S Brush	2 Inch	TXMAS-5-51V010	TXMAS	13.24	EA		6.00	Sw Purdy	4220216	Nylox is the favorite brush of many pro painters for interior use. With 100% dyed nylon from Purdy, the first brushmaker to offer dyed nylon, and still the standard by which others are measured.
14545	Brush - Purdy® Nylox Glide Latex A/S Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	15.52	EA		6.00	Sw Purdy	4220232	Nylox is the favorite brush of many pro painters for interior use. With 100% dyed nylon from Purdy, the first brushmaker to offer dyed nylon, and still the standard by which others are measured.
14545	Brush - Purdy® Nylox Moose Latex Wall Brush	3 Inch	TXMAS-5-51V010	TXMAS	20.09	EA		6.00	Sw Purdy	4220505	Nylox is the favorite brush of many pro painters for interior use. With 100% dyed nylon from Purdy, the first brushmaker to offer dyed nylon, and still the standard by which others are measured.
14545	Brush - Purdy® Nylox Sprig Latex Trim Brush	3 Inch	TXMAS-5-51V010	TXMAS	15.52	EA		6.00	Purdy	4220471	Nylox is the favorite brush of many pro painters for interior use. With 100% dyed nylon from Purdy, the first brushmaker to offer dyed nylon, and still the standard by which others are measured.
14545	Brush - Purdy® Nylox Swan Latex Brush	3 Inch	TXMAS-5-51V010	TXMAS	18.72	EA		6.00	Sw Purdy	4220430	Nylox is the favorite brush of many pro painters for interior use. With 100% dyed nylon from Purdy, the first brushmaker to offer dyed nylon, and still the standard by which others are measured.
14545	Brush - Purdy® Ox-Hair Ox-O-Angular A/S Brush	2-1/2 Inch	TXMAS-5-51V010	TXMAS	24.66	EA		6.00	Sw Purdy	8136574	Ox-hair is the softest, most supple natural animal hair used in Purdy handcrafted brushes. Specially formulated and carefully blended with our softest White China bristle for just the right amount of resiliency.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Brush - Purdy® Ox-Hair Ox-O-Thin Flat Sash Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	22.83	EA		6.00	Sw Purdy	4220562	Ox-hair is the softest, most supple natural animal hair used in Purdy handcrafted brushes. Specially formulated and carefully blended with our softest White China bristle for just the right amount of resiliency.
14545	Brush - Purdy® Plato White China Brush	3 Inch	TXMAS-5- 51V010	TXMAS	10.95	EA		1.00	Sw Purdy	4220554	The standard of excellence in bristle, Purdy's White China bristle brushes are equal in character and performance to our traditional Black China bristle.
14545	Brush - Purdy® Pro Extra Dale A/S Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	16.44	EA		1.00	Sw Purdy	9241878	Pro-Extra brushes are the finest painting tools made. The bristles are a blend of three components: Tynex nylon for softness and ease of paint flow, Chinex for fast clean up with self-flagging tip, and Orel polyester for stiffness retention.
14545	Brush - Purdy® Pro Extra Glide A/S Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	17.35	EA		6.00	Sw Purdy	5913959	Pro-Extra brushes are the finest painting tools made. The bristles are a blend of three components: Tynex nylon for softness and ease of paint flow, Chinex for fast clean up with self-flagging tip, and Orel polyester for stiffness retention.
14545	Brush - Purdy® Pro Extra Glide A/S Brush	2 Inch	TXMAS-5- 51V010	TXMAS	15.98	EA		1.00	Sw Purdy	9241894	Pro-Extra brushes are the finest painting tools made. The bristles are a blend of three components: Tynex nylon for softness and ease of paint flow, Chinex for fast clean up with self-flagging tip, and Orel polyester for stiffness retention.
14545	Brush - Purdy® Pro Extra Glide A/S Brush	3 Inch	TXMAS-5- 51V010	TXMAS	17.50	EA		6.00	Sw Purdy	5912514	Pro-Extra brushes are the finest painting tools made. The bristles are a blend of three components: Tynex nylon for softness and ease of paint flow, Chinex for fast clean up with self-flagging tip, and Orel polyester for stiffness retention.
14545	Brush - Purdy® Pro Extra Sprig Straight Trim Brush	3 Inch	TXMAS-5- 51V010	TXMAS	21.01	EA		1.00	Sw Purdy	9238080	Pro-Extra brushes are the finest painting tools made. The bristles are a blend of three components: Tynex nylon for softness and ease of paint flow, Chinex for fast clean up with self-flagging tip, and Orel polyester for stiffness retention.
14545	Brush - Purdy® Pro Extra Swan Varnish/Enamel Brush	3 Inch	TXMAS-5- 51V010	TXMAS	19.79	EA		1.00	Sw Purdy	5912522	Pro-Extra brushes are the finest painting tools made. The bristles are a blend of three components: Tynex nylon for softness and ease of paint flow, Chinex for fast clean up with self-flagging tip, and Orel polyester for stiffness retention.
14545	Brush - Purdy® Syntox A/S Brush	2 Inch Angle	TXMAS-5- 51V010	TXMAS	17.26	EA		6.00	Sw Purdy	9346149	Has all the benefits of Ox hair brushes without any of the negatives. Totally shed resistant and will last at least 5 times longer than Ox Hair brushes. Can be used in water or solvent based clear finishes.
14545	Brush - Purdy® Syntox A/S Brush	2-1/2 Inch Angle	TXMAS-5- 51V010	TXMAS	21.01	EA		6.00	Sw Purdy	9338401	Has all the benefits of Ox hair brushes without any of the negatives. Totally shed resistant and will last at least 5 times longer than Ox Hair brushes. Can be used in water or solvent based clear finishes.
14545	Brush - Purdy® Syntox Sprig Thin Straight Brush	3 Inch	TXMAS-5- 51V010	TXMAS	19.18	EA		6.00	Sw Purdy	9568916	Has all the benefits of Ox hair brushes without any of the negatives. Totally shed resistant and will last at least 5 times longer than Ox Hair brushes. Can be used in water or solvent based clear finishes.
14545	Brush - Purdy® Syntox Trim Brush	2-1/2 Inch Flat	TXMAS-5- 51V010	TXMAS	18.26	EA		6.00	Sw Purdy	9346628	Has all the benefits of Ox hair brushes without any of the negatives. Totally shed resistant and will last at least 5 times longer than Ox Hair brushes. Can be used in water or solvent based clear finishes.
14545	Brush - Purdy® White Adjutant Oil/Stain A/S Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	12.32	EA		6.00	Sw Purdy	4237772	The standard of excellence in bristle, Purdy's White China bristle brushes are equal in character and performance to our traditional Black China bristle.
14545	Brush - Purdy® White Adjutant Oil/Stain A/S Brush	2 Inch	TXMAS-5- 51V010	TXMAS	10.04	EA		6.00	Sw Purdy	4237798	The standard of excellence in bristle, Purdy's White China bristle brushes are equal in character and performance to our traditional Black China bristle.
14545	Brush - Purdy® White Sprig Oil Base Trim Brush	3 Inch	TXMAS-5- 51V010	TXMAS	14.43	EA		6.00	Sw Purdy	4220539	The standard of excellence in bristle, Purdy's White China bristle brushes are equal in character and performance to our traditional Black China bristle.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Brush - Purdy® XL Dale A/S Brush	1-1/2 Inch	TXMAS-5- 51V010	TXMAS	8.37	EA		6.00	Sw Purdy	8135162	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Dale A/S Brush	3 Inch	TXMAS-5- 51V010	TXMAS	15.52	EA		6.00	Sw Purdy	2433241	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Dale A/S Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	9.20	EA		6.00	Sw Purdy	8135170	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Dale A/S Brush	1 Inch	TXMAS-5- 51V010	TXMAS	9.58	EA		6.00	Sw Purdy	4649976	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Dale A/S Brush	2 Inch	TXMAS-5- 51V010	TXMAS	11.87	EA		6.00	Sw Purdy	2433225	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Glide A/S Brush	2 Inch	TXMAS-5- 51V010	TXMAS	10.26	EA		6.00	Purdy	8130312	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Glide A/S Brush	2-1/2 Inch	TXMAS-5- 51V010	TXMAS	12.17	EA		6.00	Purdy	8136863	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Glide A/S Brush	3-1/2 Inch	TXMAS-5- 51V010	TXMAS	24.02	EA		6.00	Sw Purdy	2433852	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Glide A/S Brush	1-1/2 Inch	TXMAS-5- 51V010	TXMAS	10.95	EA		1.00	Sw Purdy	2433258	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Glide A/S Brush	3 Inch	TXMAS-5- 51V010	TXMAS	15.22	EA		1.00	Purdy	8130320	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL PIP Brush	1 Inch	TXMAS-5- 51V010	TXMAS	21.92	EA		6.00	Sw Purdy	4247599	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Sprig Trim Brush	4 Inch	TXMAS-5- 51V010	TXMAS	24.48	EA		6.00	Sw Purdy	8132318	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Sprig Trim Brush	3 Inch	TXMAS-5- 51V010	TXMAS	14.84	EA		1.00	Sw Purdy	8132300	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Purdy® XL Swan Brush	3 Inch	TXMAS-5- 51V010	TXMAS	16.59	EA		6.00	Sw Purdy	8132334	The mainstay of the professional painter. Long recognized for its ability to holds and deliver more paint than any other material, China bristle reaches its ultimate potential in Purdy handcrafted professional brushes.
14545	Brush - Tight Spots Polyester Angle Sash	2 Inch	TXMAS-5- 51V010	TXMAS	5.02	EA		6.00	Sherwin- Williams	1806454	Great for use in "tight spots" such as the inside of cabinets, behind bathroom fixtures, corners etc. Easy to grip, short brush handle for use in tight areas. Stainless steel ferrule and wood handle.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Deck And Siding Bristle Polyester Angle Sash Stain	2-1/2 Inch	TXMAS-5-51V010	TXMAS	11.95	EA		1.00	Sherwin-Williams	1717206	Custom blend of natural white China bristle and durable polyester ideal for applying WoodScapes stains. Block brushes have threaded handles for use with extension poles.
14545	Brush - WoodScapes® Deck And Siding Bristle Polyester Block Stain	Number 4	TXMAS-5-51V010	TXMAS	16.08	EA		1.00	Sherwin-Williams	1717214	Custom blend of natural white China bristle and durable polyester ideal for applying WoodScapes stains. Block brushes have threaded handles for use with extension poles.
14545	Brush - WoodScapes® Deck And Siding Bristle Polyester Block Stain	Number 6	TXMAS-5-51V010	TXMAS	26.07	EA		1.00	Sherwin-Williams	1717230	Custom blend of natural white China bristle and durable polyester ideal for applying WoodScapes stains. Block brushes have threaded handles for use with extension poles.
14545	Brush - WoodScapes® Deck And Siding Bristle Polyester Block Stain	Number 5	TXMAS-5-51V010	TXMAS	20.17	EA		1.00	Sherwin-Williams	1717222	Custom blend of natural white China bristle and durable polyester ideal for applying WoodScapes stains. Block brushes have threaded handles for use with extension poles.
63057	Brush Plate Epoxy Touch-Up	Hardener For B62W225	TXMAS-5-51V010	TXMAS	14.72	QT	1	1.00	Sherwin-Williams	640383998	HARDENER FOR B62W225: Brush Plate Epoxy is a high solids novalac epoxy amine coating. This product is engineered specifically as a touch-up coating for Nova-Plate UHS and Dura-Plate UHS.
63057	Brush Plate Epoxy Touch-Up	White	TXMAS-5-51V010	TXMAS	44.16	GL		1.00	Sherwin-Williams	640384004	Brush Plate Epoxy is a high solids novalac epoxy amine coating. This product is engineered specifically as a touch-up coating for Nova-Plate UHS and Dura-Plate UHS.
63543	Bucket Grid - Economy Metal	9 Inch	TXMAS-5-51V010	TXMAS	2.00	EA		1.00	Sherwin-Williams	1440072	Economy Model.
63543	Bucket Grid - Heavy Duty	9 Inch	TXMAS-5-51V010	TXMAS	2.81	EA		1.00	Sherwin-Williams	1801281	Heavy Duty.
63543	Bucket Grid - Metal Grid	7 Inch	TXMAS-5-51V010	TXMAS	2.40	EA		1.00	Sherwin-Williams	1731876	Metal Paint Grid For 1 Gallon Can
63056	Builders Solution Interior Latex Eg-Shel	Extra White	TXMAS-5-51V010	TXMAS	19.32	PL	5	5.00	Sherwin-Williams	640353900	A high quality product designed for the professional. This product is recommended for interior application on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal
63056	Builders Solution Interior Latex Eg-Shel	Deep Base	TXMAS-5-51V010	TXMAS	19.32	PL	5	5.00	Sherwin-Williams	640353926	A high quality product designed for the professional. This product is recommended for interior application on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal
63056	Builders Solution Interior Latex Eg-Shel	Deep Base	TXMAS-5-51V010	TXMAS	19.64	GL		4.00	Sherwin-Williams	640353918	A high quality product designed for the professional. This product is recommended for interior application on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal
63056	Builders Solution Interior Latex Eg-Shel	Extra White	TXMAS-5-51V010	TXMAS	19.64	GL		4.00	Sherwin-Williams	640353892	A high quality product designed for the professional. This product is recommended for interior application on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal
63056	Builders Solution Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	16.44	PL	5	5.00	Sherwin-Williams	640363057	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63056	Builders Solution Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	16.87	GL		4.00	Sherwin-Williams	640363040	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.

EXHIBIT C
CONTRACTOR'S PRICING

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	Builders Solution System Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	25.27	GL		4.00	Sherwin- Williams	640364717	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63056	Builders Solution System Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	25.11	PL	5	5.00	Sherwin- Williams	640364725	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63082	Builders Solution System Interior Primer Surfacer	White	TXMAS-5- 51V010	TXMAS	12.60	PL	5	5.00	Sherwin- Williams	640349700	A high quality product designed for the professional. This product is recommended for interior application on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	Carpet Shield	24 Inch x 50 Inch	TXMAS-5- 51V010	TXMAS	13.78	EA		1.00	Surface Shields	9368846	Clear self adhering protective film fo all types of carpeting. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application. Great protection during remodeling, painting, moving, etc.
63543	Carpet Shield	30 Inch x 200 Ft.	TXMAS-5- 51V010	TXMAS	60.54	EA		1.00	Surface Shields	9240680	Clear, self adhering protective film for all types of carpeting. Uniquely formulated adhesive system adheres to all carpet substrates. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application.
63056	Cashmere® Interior Latex Flat Enamel	Extra White	TXMAS-5- 51V010	TXMAS	20.46	GL		1.00	Sherwin- Williams	640336244	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Flat Enamel	Luminous White	TXMAS-5- 51V010	TXMAS	21.46	GL		1.00	Sherwin- Williams	640336228	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Flat Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	20.13	PL	5	5.00	Sherwin- Williams	640338059	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Flat Enamel	Extra White	TXMAS-5- 51V010	TXMAS	20.13	PL	5	5.00	Sherwin- Williams	640338042	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Flat Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	20.46	GL		1.00	Sherwin- Williams	640336269	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Low Lustre	Deep Base	TXMAS-5- 51V010	TXMAS	22.09	GL		1.00	Sherwin- Williams	640336327	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Low Lustre	Luminous White	TXMAS-5- 51V010	TXMAS	23.45	GL		4.00	Sherwin- Williams	640336285	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Low Lustre	Deep Base	TXMAS-5- 51V010	TXMAS	21.94	PL	5	5.00	Sherwin- Williams	640338026	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Low Lustre	Extra White	TXMAS-5- 51V010	TXMAS	21.94	PL	5	5.00	Sherwin- Williams	640338018	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Low Lustre	Extra White	TXMAS-5- 51V010	TXMAS	22.09	GL		1.00	Sherwin- Williams	640336301	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	Cashmere® Interior Latex Medium Lustre	Luminous White	TXMAS-5- 51V010	TXMAS	23.76	GL		4.00	Sherwin- Williams	640348058	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Medium Lustre	Extra White	TXMAS-5- 51V010	TXMAS	22.73	PL	5	5.00	Sherwin- Williams	640348082	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Medium Lustre	Extra White	TXMAS-5- 51V010	TXMAS	22.87	GL		1.00	Sherwin- Williams	640348074	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63056	Cashmere® Interior Latex Medium Lustre	Deep Base	TXMAS-5- 51V010	TXMAS	22.87	GL		1.00	Sherwin- Williams	640348090	Developed primarily for the residential repaint contractor. This product provides the residential repaint contractor with a very silky and easy to apply product. The results are a high hiding wall paint with a unique, smooth, low-stipple finish.
63003	Catalyst MEK Peroxide	Red	TXMAS-5- 51V010	TXMAS	40.66	EA			Ashland Chemical - Company	600203343	A colorless high strength solvent with slower drying characteristics. Used for thinning most types of lacquers, nitrocellulose, acrylic, butyrate and coatings based on vinyl solution and epoxy resins.
63003	Catalyst MEK Peroxide	Clear	TXMAS-5- 51V010	TXMAS	40.66	EA		1.00	Ashland Chemical Company	600203335	Acolorless high strength solvent with slower drying characteristics. Used for thinning most types of lacquers, nitrocellulose, acrylic, butyrate and coatings based on vinyl solution and epoxy resins.
63057	Catalyzed Epoxy Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	50.45	GL		1.00	Sherwin- Williams	501001374	A two component epoxy primer system offering excellent adhesion and corrosion resistance. Its fast dry makes it ideal for production line application.
63057	Catalyzed Epoxy Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	49.43	PL	5	5.00	Sherwin- Williams	501001382	A two component epoxy primer system offering excellent adhesion and corrosion resistance. Its fast dry makes it ideal for production line application.
63057	Catalyzed Epoxy Primer	Catalyst	TXMAS-5- 51V010	TXMAS	18.71	QT	1	1.00	Sherwin- Williams	501006142	A two component epoxy primer system offering excellent adhesion and corrosion resistance. Its fast dry makes it ideal for production line application.
63057	Catalyzed Epoxy Primer	Catalyst	TXMAS-5- 51V010	TXMAS	47.76	GL		1.00	Sherwin- Williams	501006159	A two component epoxy primer system offering excellent adhesion and corrosion resistance. Its fast dry makes it ideal for production line application.
63543	Caulk - Powerhouse Sealant	White	TXMAS-5- 51V010	TXMAS	2.46	EA		1.00	Sherwin- Williams	1781699	55 year warranty. Excellent adhesion and durability for longer life. Maximum flexibility for crown molding installation. Heavier bodied for improved tooling. Plastic cartridge.
63543	Caulk - Pro Select® 100% Silicone Rubber All Purpose Sealant	Clear	TXMAS-5- 51V010	TXMAS	3.50	EA		1.00	Sherwin- Williams	1637461	Is an interior/exterior, 100% silicone sealant that can be used to seal cracks or joints in or between wood, glass, fiberglass, metal, vinyl and many plastics.
63543	Caulk - Pro Select® 100% Silicone Rubber All Purpose Sealant	White	TXMAS-5- 51V010	TXMAS	3.50	EA		6.00	Sherwin- Williams	1637453	Is an interior/exterior, 100% silicone sealant that can be used to seal cracks or joints in or between wood, glass, fiberglass, metal, vinyl and many plastics.
63543	Caulk - Pro Select® Interior Exterior Pro Spackling Compound	White	TXMAS-5- 51V010	TXMAS	5.30	QT	1	1.00	Sherwin- Williams	1512631	Ready to use. Mildew and crack resistant. Dries fast; low shrinkage. Interior Exterior.
63543	Caulk - Pro Select® Multi Purpose Acrylic Latex Caulk	White	TXMAS-5- 51V010	TXMAS	1.40	EA		1.00	Sherwin- Williams	1518273	35 year warranty. Value priced professional caulk. Meets ASTM Spec. C-834. Plastic cartridge. Use for installing and repairing drywall, plaster and basic trimwork.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Caulk - Pro Select® Siliconized Acrylic Latex Caulk	Clear	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1518331	A flexible acrylic caulking compound specifically formulated with silicone utilizing the latest developments in waterborne technology. These advancements offer improved paintability, durability and adhesion in all application.
63543	Caulk - Pro Select® Siliconized Acrylic Latex Caulk	White	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1518323	A flexible acrylic caulking compound specifically formulated with silicone utilizing the latest developments in waterborne technology. These advancements offer improved paintability, durability and adhesion in all application.
63543	Caulk - Pro Select® Siliconized Acrylic Latex Caulk Squeeze Tube	White	TXMAS-5- 51V010	TXMAS	1.83	EA	12	1.00	Sherwin- Williams	1631431	A flexible acrylic caulking compound specifically formulated with silicone utilizing the latest developments in waterborne technology. These advancements offer improved paintability, durability and adhesion in all application.
63543	Caulk - White Lightning® 3006	Super White	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1566017	40 year warranty. 100 percent pure acrylic formula with silicone. Remains permanently flexible, even at colder temperatures. Exceeds ASTM Spec. C-834.
63543	Caulk - White Lightning® 3006	Clear	TXMAS-5- 51V010	TXMAS	2.54	EA		1.00	Sherwin- Williams	1619600	Remains permanently flexible, even at colder temperatures. 40 year warranty. 100 percent pure acrylic formula with silicone. Exceeds ASTM Spec. C-834.
63543	Lightning® Stop Gap! Triple Expanding Insulating Foam		TXMAS-5- 51V010	TXMAS	5.27	EA		1.00	Sherwin- Williams	1632447	Expands to fill cracks and gaps forming an airtight and waterproof bond. Can be used to seal and insulate around windows and door frames. Dries tack free in 15 minutes. Cures in 8 hours.
63543	Caulk Gun - Cradle Hex Rod		TXMAS-5- 51V010	TXMAS	6.18	EA		1.00	Dripless Inc	1551951	For all latex and silicone caulks. Durable heavy duty Hex Rod. Spout cutter seal punch and dripless feature. Professional grade caul gun.
63543	Caulk Gun - Cradle Ratchet		TXMAS-5- 51V010	TXMAS	6.64	EA		1.00	Dripless Inc	1551969	For all latex and silicone caulks. Direct drive ratchet rod gives extra torque and power. Spout cutter, seal punch, ladder hook and dripless feature.
63543	Caulk Gun - Dripless Cradle		TXMAS-5- 51V010	TXMAS	3.10	EA		1.00	Dripless Inc	1557859	For all latex and silicone caulk. Handy ladder hook. Dripless feature prevents caulk drips. Economy grade.
63543	Caulk Gun - Sausage Pack		TXMAS-5- 51V010	TXMAS	26.56	EA		1.00	Dripless Inc	7965254	Neoprene plunger fits tightly against barrel to completely and evenly expel material. Lightweight aluminum barrel is chrome coated for corrosion resistance. Plunger cap can be removed and adapted to fit a standard 10 oz. caulk tube.
63543	Caulk Gun - Skeleton		TXMAS-5- 51V010	TXMAS	13.27	EA		1.00	Dripless Inc	4507554	For all latex, urethane and butyl-based caulks. Additional leverage in the handle which gives contractors more power with less effort. Rotating barrel, heavy duty grip. Industrial grade.
63543	Cement-Plex® 875 Block Filler	Hardener Part B	TXMAS-5- 51V010	TXMAS	18.72	EA		1.00	Sherwin- Williams	640172359	A heavy duty, interior/exterior, VOC compliant, two component, cementitious, acrylic, waterborne block filler designed to provide a smooth, dense base coat which accepts both conventional and high performance topcoats.
63543	Cement-Plex® 875 Block Filler	White Part A	TXMAS-5- 51V010	TXMAS	85.61	KT		1.00	Sherwin- Williams	640172342	A heavy duty, interior/exterior, VOC compliant, two component, cementitious, acrylic, waterborne block filler designed to provide a smooth, dense base coat which accepts both conventional and high performance topcoats.
63543	CHP Cumene Hydrogen Peroxide	Clear	TXMAS-5- 51V010	TXMAS	101.23	GL		1.00	General Polymers	640353165	Required for Cor-Cote VEN Vinyl Ester Novolac, Cor-Cote VEN GF, and Cor-Cote VEN FF.
63056	Classic 99® Interior Alkyd Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	25.22	GL		4.00	Sherwin- Williams	640512422	Our best quality alkyd semigloss product. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	Classic 99® Interior Alkyd Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	25.08	PL	5	5.00	Sherwin-Williams	640512430	Our best quality alkyd semigloss product. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal
63056	Classic 99® Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	17.29	PL	5	5.00	Sherwin-Williams	640510178	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	17.65	GL		4.00	Sherwin-Williams	640510061	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Flat	Luminous White	TXMAS-5-51V010	TXMAS	18.16	GL		4.00	Sherwin-Williams	990699993	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Flat	Deep Base	TXMAS-5-51V010	TXMAS	17.65	GL		4.00	Sherwin-Williams	640513651	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Flat Ceiling Paint	Bright White	TXMAS-5-51V010	TXMAS	16.59	GL		4.00	Sherwin-Williams	1103480	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Flat Ceiling Paint	Bright White	TXMAS-5-51V010	TXMAS	16.40	PL	5	5.00	Sherwin-Williams	640108148	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Satin	Deep Base	TXMAS-5-51V010	TXMAS	18.05	GL		4.00	Sherwin-Williams	640513636	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Satin	Extra White	TXMAS-5-51V010	TXMAS	18.58	PL	5	5.00	Sherwin-Williams	640510186	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Satin	Luminous White	TXMAS-5-51V010	TXMAS	20.43	GL		4.00	Sherwin-Williams	640154860	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Satin	Extra White	TXMAS-5-51V010	TXMAS	18.74	GL		4.00	Sherwin-Williams	640510087	For use on primed plaster, wallboard, wood, masonry, and primed metal. Classic 99 provides one coat hiding over many colors on smooth surfaces and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Semi-Gloss	Deep Base	TXMAS-5-51V010	TXMAS	19.54	GL		4.00	Sherwin-Williams	640513677	For use on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal. Provides one coat and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Semi-Gloss	Luminous White	TXMAS-5-51V010	TXMAS	21.02	GL		4.00	Sherwin-Williams	994999993	For use on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal. Provides one coat and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	19.40	PL	5	5.00	Sherwin-Williams	640510194	For use on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal. Provides one coat and will provide a durable, scrubable, and washable finish.
63056	Classic 99® Interior Latex Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	19.54	GL		4.00	Sherwin-Williams	640510103	For use on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal. Provides one coat and will provide a durable, scrubable, and washable finish.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Cleaners - Krud Kutter® Graffiti Remover		TXMAS-5- 51V010	TXMAS	9.13	QT	1	1.00	Supreme Chemicals	9520867	removes acrylic, acrylic enamel, aerosol paint, enamel, high gloss, oil lacquers, primers, sealers, semi-gloss, speed-enamels, stain killers, super enamels, urethane enamels, water-based enamels, permanent markers ink, lipstick, crayon, shoe dye.
63543	Cleaners - M-1 House Wash		TXMAS-5- 51V010	TXMAS	15.22	GL		1.00	Jomaps Inc	4782884	An odorless, biodegradable, water-based cleaning solution that is ideal for just about every surface.
63575	Cleaners - Multi Purpose Deck N Wash Sprayer		TXMAS-5- 51V010	TXMAS	13.89	EA		1.00	Hudson Manufactur ing Co	1632371	Flat fan nozzle ideal for spraying stains and sealers. Convenient 33 Inch hose. Translucent tank makes it easy to view liquid level. Large funnel opening makes it easy to fill and empty.
63543	Cleaners - Wood Bleach		TXMAS-5- 51V010	TXMAS	6.07	EA		1.00	Savogran Co.	7775521	Powder formula. Removes black water spots and tannin stains. Makes 1gallon.
63056	ColorAccents Interior Alkyd Semi-Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	24.99	PL	5	5.00	Sherwin- Williams	640353850	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Alkyd Semi-Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	25.24	GL		1.00	Sherwin- Williams	640333381	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Alkyd Semi-Gloss	Bright Yellow	TXMAS-5- 51V010	TXMAS	7.78	QT	1	1.00	Sherwin- Williams	640333357	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Alkyd Semi-Gloss	Real Red	TXMAS-5- 51V010	TXMAS	25.24	GL		1.00	Sherwin- Williams	640333340	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Alkyd Semi-Gloss	Bright Yellow	TXMAS-5- 51V010	TXMAS	25.24	GL		1.00	Sherwin- Williams	640333365	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Alkyd Semi-Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	7.78	QT	1	1.00	Sherwin- Williams	640333373	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Alkyd Semi-Gloss	Real Red	TXMAS-5- 51V010	TXMAS	7.78	QT	1	1.00	Sherwin- Williams	640333332	Provides finishes in bright and deep colors for accent walls, trim, or ceilings.
63056	ColorAccents Interior Latex Flat	Ultradeep	TXMAS-5- 51V010	TXMAS	22.14	PL	5	5.00	Sherwin- Williams	640353843	Provides bright and deep colors for walls, trim and ceiling. Uses a new technology to deliver a finish that has superior resistance to burnishing and marring.
63056	ColorAccents Interior Latex Flat	Bright Yellow	TXMAS-5- 51V010	TXMAS	22.14	GL		1.00	Sherwin- Williams	640350526	Provides bright and deep colors for walls, trim and ceiling. Uses a new technology to deliver a finish that has superior resistance to burnishing and marring.
63056	ColorAccents Interior Latex Flat	Ultradeep	TXMAS-5- 51V010	TXMAS	22.14	GL		1.00	Sherwin- Williams	640350500	Provides bright and deep colors for walls, trim and ceiling. Uses a new technology to deliver a finish that has superior resistance to burnishing and marring.
63056	ColorAccents Interior Latex Flat	Real Red	TXMAS-5- 51V010	TXMAS	22.14	GL		1.00	Sherwin- Williams	640350484	Provides bright and deep colors for walls, trim and ceiling. Uses a new technology to deliver a finish that has superior resistance to burnishing and marring.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	ColorAccents Interior Latex Satin	Bright Yellow	TXMAS-5- 51V010	TXMAS	21.37	GL		1.00	Sherwin- Williams	640516308	Provides a low luster finish in bright and deep colors for accent walls or ceilings.
63056	ColorAccents Interior Latex Satin	Real Red	TXMAS-5- 51V010	TXMAS	21.37	GL		1.00	Sherwin- Williams	640516324	Provides a low luster finish in bright and deep colors for accent walls or ceilings.
63056	ColorAccents Interior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	21.37	GL		1.00	Sherwin- Williams	640516282	Provides a low luster finish in bright and deep colors for accent walls or ceilings.
63056	ColorAccents Interior Latex Semi-Gloss	Real Red	TXMAS-5- 51V010	TXMAS	22.09	GL		1.00	Sherwin- Williams	640333282	Provides a semi-gloss finish in bright and deep colors for accent walls or ceilings.
63056	ColorAccents Interior Latex Semi-Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	22.09	GL		1.00	Sherwin- Williams	640333324	Provides a semi-gloss finish in bright and deep colors for accent walls or ceilings.
63056	ColorAccents Interior Latex Semi-Gloss	Bright Yellow	TXMAS-5- 51V010	TXMAS	22.09	GL		1.00	Sherwin- Williams	640333308	Provides a semi-gloss finish in bright and deep colors for accent walls or ceilings.
63543	Colorant - Phoenix® Hypertoner	Blue (Green Shade)	TXMAS-5- 51V010	TXMAS	100.83	GL		1.00	Sherwin- Williams	601623739	Are concentrated universal colorants used for shading custom colors, which can be used with most Chemical Coatings solvent-based products. Their higher tint strengths give good color matches with less colorant.
63543	Colorant - Phoenix® Hypertoner	Black (Non- Flock)	TXMAS-5- 51V010	TXMAS	49.26	GL		1.00	Sherwin- Williams	601618374	Are concentrated universal colorants used for shading custom colors, which can be used with most Chemical Coatings solvent-based products. Their higher tint strengths give good color matches with less colorant.
63543	Colorant - Solvent 844	Organic Yellow	TXMAS-5- 51V010	TXMAS	53.01	QT	1	1.00	Creanova	1073279	Solvent Colorant 844 - Organic Yellow - Quart
63543	Colorant - Solvent 844	Quinacridone Violet	TXMAS-5- 51V010	TXMAS	225.52	GL		1.00	Creanova	1073402	Solvent Colorant 844 - Quinacridone Violet
63543	Colorant - Solvent 844	Yellow Iron Oxide	TXMAS-5- 51V010	TXMAS	16.22	QT	1	1.00	Creanova	1073154	Solvent Colorant 844 - Yellow Iron Oxide - Quart
63543	Colorant - Solvent 844	Quinacridone Violet	TXMAS-5- 51V010	TXMAS	57.83	QT	1	1.00	Creanova	1073394	Solvent Colorant 844 - Quinacridone Violet - Quart
63543	Colorant - Solvent 844	Lamp Black	TXMAS-5- 51V010	TXMAS	14.82	QT	1	1.00	Creanova	1073428	Solvent Colorant 844 - Lamp Black - Quart
63543	Colorant - Solvent 844	Red Iron Oxide	TXMAS-5- 51V010	TXMAS	87.60	GL		1.00	Creanova	1073139	Solvent Colorant 844 - Red Iron Oxide - Gallon
63543	Colorant - Solvent 844	Yellow Iron Oxide	TXMAS-5- 51V010	TXMAS	63.69	GL		1.00	Creanova	1073162	Solvent Colorant 844 - Yellow Iron Oxide - Gallon

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Colorant - Solvent 844	Organic Yellow	TXMAS-5-51V010	TXMAS	206.40	GL		1.00	Creanova	1073287	Solvent Colorant 844 - Organic Yellow - Gallon
63543	Colorant - Solvent 844	Titanium Dioxide	TXMAS-5-51V010	TXMAS	72.43	GL		1.00	Creanova	1073014	Solvent Colorant 844 - Titanium Dioxide - Gallon
63543	Colorant - Solvent 844	Lamp Black	TXMAS-5-51V010	TXMAS	56.81	GL		1.00	Creanova	1073436	Solvent Colorant 844 - Lamp Black - Gallon
63543	Colorant - Solvent 844	Phthalo Blue	TXMAS-5-51V010	TXMAS	35.88	QT	1	1.00	Creanova	1073360	Solvent Colorant 844 - Phthalo Blue - Quart
63543	Colorant - Solvent 844	Lead Free Med Yellow	TXMAS-5-51V010	TXMAS	192.55	GL		1.00	Creanova	1073253	Solvent Colorant 844 - Lead Free Med Yellow - Gallon
63543	Colorant - Solvent 844	Lead Free Med Yellow	TXMAS-5-51V010	TXMAS	49.93	QT	1	1.00	Creanova	1073246	Solvent Colorant 844 - Lead Free Med Yellow - Quart
63543	Colorant - Solvent 844	Lead Free Orange	TXMAS-5-51V010	TXMAS	45.95	QT	1	1.00	Creanova	1073097	Solvent Colorant 844 - Lead Free Orange - Quart
63543	Colorant - Solvent 844	Burnt Umber	TXMAS-5-51V010	TXMAS	68.63	GL		1.00	Creanova	1073196	Solvent Colorant 844 - Burnt Umber - Gallon
63543	Colorant - Solvent 844	Burnt Umber	TXMAS-5-51V010	TXMAS	17.61	QT	1	1.00	Creanova	1073188	Solvent Colorant 844 - Burnt Umber - Quart
63543	Colorant - Solvent 844	Phthalo Blue	TXMAS-5-51V010	TXMAS	141.66	GL		1.00	Creanova	1073378	Solvent Colorant 844 - Phthalo Blue - Gallon
63543	Colorant - Solvent 844	Lead Free Orange	TXMAS-5-51V010	TXMAS	177.06	GL		1.00	Creanova	1073105	Solvent Colorant 844 - Lead Free Orange - Gallon
63543	Colorant - Solvent 844	Phthalo Green	TXMAS-5-51V010	TXMAS	34.92	QT	1	1.00	Creanova	1073337	Solvent Colorant 844 - Phthalo Green - Quart
63543	Colorant - Solvent 844	Red Iron Oxide	TXMAS-5-51V010	TXMAS	21.96	QT	1	1.00	Creanova	1073121	Solvent Colorant 844 - Red Iron Oxide - Quart
63543	Colorant - Solvent 844	Quinacridone Red	TXMAS-5-51V010	TXMAS	58.06	QT	1	1.00	Creanova	1073030	Solvent Colorant 844 - Quinacridone Red - Quart
63543	Colorant - Solvent 844	Quinacridone Red	TXMAS-5-51V010	TXMAS	225.33	GL		1.00	Creanova	1073048	Solvent Colorant 844 - Quinacridone Red

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Colorant - Solvent 844	Phthalo Green	TXMAS-5- 51V010	TXMAS	136.67	GL		1.00	Creanova	1073345	Solvent Colorant 844 - Phthalo Green - Gallon
63082	Color-Prime® Interior Latex Primer	Deep Tinting Base	TXMAS-5- 51V010	TXMAS	20.54	GL		4.00	Sherwin- Williams	640331674	Designed to achieve better hide and color development for vivid, brilliant, and deep accent colors. The COLOR-PRIME SYSTEM requires fewer coats of finish and provides improved touch-up saving time, material and money.
63543	Concrete and Driveway Sealer	Clear	TXMAS-5- 51V010	TXMAS	14.54	PL	5	5.00	Sherwin- Williams	640346698	A clear oligomeric siloxane water repellent designed to weatherproof old and new concrete and driveways.
63543	Concrete and Driveway Sealer	Clear	TXMAS-5- 51V010	TXMAS	14.70	GL		1.00	Sherwin- Williams	640346680	A clear oligomeric siloxane water repellent designed to weatherproof old and new concrete and driveways.
63543	Concrete and Terrazzo Sealer	Clear	TXMAS-5- 51V010	TXMAS	20.89	PL	5	1.00	Sherwin- Williams	1511419	A fast drying, clear coating that seals pores to prevent spalling and pitting. It has excellent resistance to stains from spills of mineral oil, vegetable oils, grease, water and mild acids and alkalies.
63543	Concrete and Terrazzo Sealer	Clear	TXMAS-5- 51V010	TXMAS	21.04	GL		1.00	Sherwin- Williams	1511401	A fast drying, clear waterproofer that seals pores to prevent spalling and pitting. It has excellent resistance to stains from spills or mineral oil, vegetable oils, grease, water and mild acids and alkalies.
63543	ConFlex XL High Build Coating	Deep Base	TXMAS-5- 51V010	TXMAS	23.87	PL	5	1.00	Sherwin- Williams	640329595	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL High Build Coating	Extra White	TXMAS-5- 51V010	TXMAS	23.87	PL	5	1.00	Sherwin- Williams	640515623	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL Textured High Build Coating	Deep Base	TXMAS-5- 51V010	TXMAS	23.87	PL	5	5.00	Sherwin- Williams	640515391	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL Textured High Build Coating	Deep Base	TXMAS-5- 51V010	TXMAS	23.87	PL	5	5.00	Sherwin- Williams	640515383	Is an elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL Textured High Build Coating	Deep Base	TXMAS-5- 51V010	TXMAS	23.87	PL	5	5.00	Sherwin- Williams	640515409	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL Textured High Build Coating Extra Coarse Texture	Extra White	TXMAS-5- 51V010	TXMAS	23.87	PL	5	1.00	Sherwin- Williams	640515433	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL Textured High Build Coating Fine Texture	Extra White	TXMAS-5- 51V010	TXMAS	23.87	PL	5	1.00	Sherwin- Williams	640515417	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConFlex XL Textured High Build Coating Medium Texture	Extra White	TXMAS-5- 51V010	TXMAS	23.87	PL	5	1.00	Sherwin- Williams	640515425	An elastomeric coating that provides excellent flexibility, durability, and weather resistance. Will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco.
63543	ConSeal Patch Brush Grade Smooth	White	TXMAS-5- 51V010	TXMAS	23.36	GL		1.00	Sherwin- Williams	640326500	Uniquely designed to improve the appearance of any masonry surface by filling, bridging, and sealing cracks and openings. ConSeal Patches and Sealants provide a flexible, durable, elastomeric, and weatherproof seal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ConSeal Patch Brush Grade Textured	White	TXMAS-5- 51V010	TXMAS	23.36	GL		1.00	Sherwin- Williams	640326518	Uniquely designed to improve the appearance of any masonry surface by filling, bridging, and sealing cracks and openings. ConSeal Patches and Sealants provide a flexible, durable, elastomeric, and weatherproof seal.
63543	ConSeal Patch Knife Grade Smooth	White	TXMAS-5- 51V010	TXMAS	23.36	GL		1.00	Sherwin- Williams	640326484	Uniquely designed to improve the appearance of any masonry surface by filling, bridging, and sealing cracks and openings. ConSeal Patches and Sealants provide a flexible, durable, elastomeric, and weatherproof seal.
63543	ConSeal Patch Knife Grade Textured	White	TXMAS-5- 51V010	TXMAS	23.36	GL		1.00	Sherwin- Williams	640326492	Uniquely designed to improve the appearance of any masonry surface by filling, bridging, and sealing cracks and openings. ConSeal Patches and Sealants provide a flexible, durable, elastomeric, and weatherproof seal.
63543	ConSeal Sealant Gun Grade Smooth	White	TXMAS-5- 51V010	TXMAS	3.81	EA		1.00	Sherwin- Williams	640326468	Uniquely designed to improve the appearance of any masonry surface by filling, bridging, and sealing cracks and openings. ConSeal Patches and Sealants provide a flexible, durable, elastomeric, and weatherproof seal.
63543	ConSeal Sealant Gun Grade Textured	White	TXMAS-5- 51V010	TXMAS	3.81	EA		1.00	Sherwin- Williams	640326476	Uniquely designed to improve the appearance of any masonry surface by filling, bridging, and sealing cracks and openings. ConSeal Patches and Sealants provide a flexible, durable, elastomeric, and weatherproof seal.
63082	Copoxy Shop Primer	Gold Part A	TXMAS-5- 51V010	TXMAS	34.84	PL	5	1.00	Sherwin- Williams	640120416	An epoxy polyamide primer designed specifically for immersion service under immersion grade epoxies and polyurea. It is fast drying, low VOC coating with an extended recoatability. Low temperature cure down to 40 F.
63082	Copoxy Shop Primer	Hardener Part B	TXMAS-5- 51V010	TXMAS	34.84	PL	5	1.00	Sherwin- Williams	640120440	An epoxy polyamide primer designed specifically for immersion service under immersion grade epoxies and polyurea. It is fast drying, low VOC coating with an extended recoatability. Low temperature cure down to 40 F.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Tile Red	TXMAS-5- 51V010	TXMAS	135.53	PL	5	5.00	General Polymers	640343752	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Sandstone	TXMAS-5- 51V010	TXMAS	120.43	KT		2.00	Sherwin- Williams	640334918	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Haze Gray	TXMAS-5- 51V010	TXMAS	92.17	PL	5	5.00	Sherwin- Williams	640334900	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Haze Gray	TXMAS-5- 51V010	TXMAS	341.42	KT		2.00	General Polymers	640334892	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Tile Red	TXMAS-5- 51V010	TXMAS	341.42	KT		2.00	General Polymers	640343745	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Hardener	TXMAS-5- 51V010	TXMAS	170.71	GL		1.00	General Polymers	640334934	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Hardener	TXMAS-5- 51V010	TXMAS	95.65	PL	5	5.00	Sherwin- Williams	640334942	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.
63057	Cor-Cote® E.N. 7000 High Build Epoxy Novolac Coating	Sandstone	TXMAS-5- 51V010	TXMAS	92.17	PL	5	5.00	Sherwin- Williams	640334926	A 100% solids, two component, high build, epoxy novolac coating designed to protect substrates against severe chemical attack.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Cor-Cote® HCR FF Flake Filled Novolac Epoxy	Hardener	TXMAS-5-51V010	TXMAS	68.30	QT	1	1.00	General Polymers	640352993	A 100% solids, high chemical resistant hybrid novolac epoxy coating and lining that resists aggressive acids, alkalies and solvents.
63057	Cor-Cote® HCR FF Flake Filled Novolac Epoxy	Tile Red	TXMAS-5-51V010	TXMAS	648.99	KT		1.00	General Polymers	640352985	A 100% solids, high chemical resistant hybrid novolac epoxy coating and lining that resists aggressive acids, alkalies and solvents.
63057	Cor-Cote® HCR FF Flake Filled Novolac Epoxy	Tile Red	TXMAS-5-51V010	TXMAS	172.73	GL		1.00	General Polymers	640352977	A 100% solids, high chemical resistant hybrid novolac epoxy coating and lining that resists aggressive acids, alkalies and solvents.
63057	Cor-Cote® HCR FF Flake Filled Novolac Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	172.73	GL		1.00	General Polymers	640352951	A 100% solids, high chemical resistant hybrid novolac epoxy coating and lining that resists aggressive acids, alkalies and solvents.
63057	Cor-Cote® HCR FF Flake Filled Novolac Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	648.99	KT		1.00	General Polymers	640352969	A 100% solids, high chemical resistant hybrid novolac epoxy coating and lining that resists aggressive acids, alkalies and solvents.
63057	Cor-Cote® HCR FF Flake Filled Novolac Epoxy	Hardener	TXMAS-5-51V010	TXMAS	214.22	GL		1.00	General Polymers	640353009	A 100% solids, high chemical resistant hybrid novolac epoxy coating and lining that resists aggressive acids, alkalies and solvents.
63057	Cor-Cote® HCR Novolac Epoxy	Tile Red	TXMAS-5-51V010	TXMAS	129.86	GL		1.00	General Polymers	640352894	A 100% solids, high chemical resistant hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Tile Red	TXMAS-5-51V010	TXMAS	499.15	KT		1.00	General Polymers	640352902	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	129.86	GL		1.00	General Polymers	640352878	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Clear	TXMAS-5-51V010	TXMAS	499.15	KT		1.00	General Polymers	640352928	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Hardener	TXMAS-5-51V010	TXMAS	214.22	GL		1.00	General Polymers	640352944	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	499.15	KT		1.00	General Polymers	640352886	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Clear	TXMAS-5-51V010	TXMAS	129.86	GL		1.00	General Polymers	640352910	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HCR Novolac Epoxy	Hardener	TXMAS-5-51V010	TXMAS	68.30	QT	1	1.00	General Polymers	640352936	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP FF Flake Filled Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	105.30	PL	5	5.00	General Polymers	640352829	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Cor-Cote® HP FF Flake Filled Epoxy	Hardener	TXMAS-5-51V010	TXMAS	125.18	GL		1.00	General Polymers	640352852	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP FF Flake Filled Epoxy	Tile Red	TXMAS-5-51V010	TXMAS	105.30	PL	5	5.00	General Polymers	640352845	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP FF Flake Filled Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	220.97	KT		2.00	General Polymers	640352811	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP FF Flake Filled Epoxy	Hardener	TXMAS-5-51V010	TXMAS	119.05	PL	5	5.00	General Polymers	640352860	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP High Performance Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	76.22	PL	5	5.00	General Polymers	640352746	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP High Performance Epoxy	Hardener	TXMAS-5-51V010	TXMAS	125.18	GL		1.00	General Polymers	640352795	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP High Performance Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	160.20	KT		2.00	General Polymers	640352738	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP High Performance Epoxy	Hardener	TXMAS-5-51V010	TXMAS	119.05	PL	5	5.00	General Polymers	640352803	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP High Performance Epoxy	Clear	TXMAS-5-51V010	TXMAS	160.20	KT		2.00	General Polymers	640352779	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® HP High Performance Epoxy	Clear	TXMAS-5-51V010	TXMAS	76.22	PL	5	5.00	General Polymers	640352787	A 100% solids, high chemical resistant, self leveling hybrid novolac epoxy technology that resists aggressive acids, alkalies, and solvents. Its easy to use rapid setting formulation may reduce costly downtime.
63057	Cor-Cote® SC Sewer-Cote	Hardener Part B	TXMAS-5-51V010	TXMAS	56.04	PL	5	5.00	General Polymers	640365466	A 100% solids high build epoxy coating designed for the common protection of concrete and steel in municipal and industrial waste water treatment facilities and general industrial areas containing concentrated acids and alkali.
63057	Cor-Cote® SC Sewer-Cote	Haze Gray Part A	TXMAS-5-51V010	TXMAS	56.04	PL	5	5.00	General Polymers	640365482	A 100% solids high build epoxy coating designed for the common protection of concrete and steel in municipal and industrial waste water treatment facilities and general industrial areas containing concentrated acids and alkali.
63057	Cor-Cote® SC Sewer-Cote	Haze Gray Part A	TXMAS-5-51V010	TXMAS	116.20	KT		2.00	General Polymers	640365474	A 100% solids high build epoxy coating designed for the common protection of concrete and steel in municipal and industrial waste water treatment facilities and general industrial areas containing concentrated acids and alkali.
63057	Cor-Cote® SC Sewer-Cote	Hardener Part B	TXMAS-5-51V010	TXMAS	58.10	GL		1.00	General Polymers	640365458	A 100% solids high build epoxy coating designed for the common protection of concrete and steel in municipal and industrial waste water treatment facilities and general industrial areas containing concentrated acids and alkali.
63057	Cor-Cote® VEN FF Flake Filled Vinyl Ester Novolac	Tile Red	TXMAS-5-51V010	TXMAS	121.63	PL	5	5.00	General Polymers	640353157	A multi functional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Cor-Cote® VEN FF Flake Filled Vinyl Ester Novolac	Haze Gray	TXMAS-5-51V010	TXMAS	121.63	PL	5	5.00	General Polymers	640353132	A multi functional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN FF Flake Filled Vinyl Ester Novolac	Tile Red	TXMAS-5-51V010	TXMAS	126.66	GL		1.00	General Polymers	640353140	A multi functional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN FF Flake Filled Vinyl Ester Novolac	Haze Gray	TXMAS-5-51V010	TXMAS	126.66	GL		1.00	General Polymers	640353124	A multi functional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN GF Graphite Filled Vinyl	Charcoal Gray	TXMAS-5-51V010	TXMAS	119.74	PL	5	5.00	General Polymers	640353256	A multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and excellent resistance to thermal degradation.
63057	Cor-Cote® VEN GF Graphite Filled Vinyl	Charcoal Gray	TXMAS-5-51V010	TXMAS	121.63	GL		1.00	General Polymers	640353249	A multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and excellent resistance to thermal degradation.
63057	Cor-Cote® VEN Vinyl Ester Novolac	Haze Gray	TXMAS-5-51V010	TXMAS	107.51	GL		1.00	General Polymers	640353082	A self leveling multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN Vinyl Ester Novolac	Clear	TXMAS-5-51V010	TXMAS	102.53	PL	5	5.00	General Polymers	640353116	A self leveling multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN Vinyl Ester Novolac	Tile Red	TXMAS-5-51V010	TXMAS	102.53	PL	5	5.00	General Polymers	640353371	A self leveling multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN Vinyl Ester Novolac	Haze Gray	TXMAS-5-51V010	TXMAS	102.53	PL	5	5.00	General Polymers	640353090	A self leveling multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN Vinyl Ester Novolac	Tile Red	TXMAS-5-51V010	TXMAS	107.51	GL		1.00	General Polymers	640353363	A self leveling multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63057	Cor-Cote® VEN Vinyl Ester Novolac	Clear	TXMAS-5-51V010	TXMAS	107.51	GL		1.00	General Polymers	640353108	A self leveling multifunctional epoxy novolac based vinyl ester. It provides resistance to many aromatic and aliphatic solvents, organic and mineral acids and strong oxidizers.
63547	Cornerease Replacement Roller Cover		TXMAS-5-51V010	TXMAS	9.12	EA		1.00	Hyde Tools	9202417	Cornerease Replacement Roller Cover
63057	Corobond 100 Epoxy Primer Sealer	Hardener	TXMAS-5-51V010	TXMAS	85.02	PL	5	5.00	Sherwin-Williams	640334843	A high solids, low VOC, low viscosity, penetrating epoxy primer/sealer formulated for use over concrete surfaces in secondary containment environments. Helps prevent blow-back and outgassing.
63057	Corobond 100 Epoxy Primer Sealer	Haze Gray	TXMAS-5-51V010	TXMAS	85.02	PL	5	5.00	General Polymers	640334827	A high solids, low VOC, low viscosity, penetrating epoxy primer/sealer formulated for use over concrete surfaces in secondary containment environments. Helps prevent blow-back and outgassing.
63057	Corobond 100 Epoxy Primer Sealer	Off White	TXMAS-5-51V010	TXMAS	85.02	PL	5	5.00	General Polymers	640334801	A high solids, low VOC, low viscosity, penetrating epoxy primer/sealer formulated for use over concrete surfaces in secondary containment environments. Helps prevent blow-back and outgassing.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Corobond 100 Epoxy Primer Sealer	Hardener	TXMAS-5-51V010	TXMAS	79.23	GL		1.00	General Polymers	640334835	A high solids, low VOC, low viscosity, penetrating epoxy primer/sealer formulated for use over concrete surfaces in secondary containment environments. Helps prevent blow-back and outgassing.
63057	Corobond 100 Epoxy Primer Sealer	Haze Gray	TXMAS-5-51V010	TXMAS	158.46	KT		2.00	General Polymers	640334819	A high solids, low VOC, low viscosity, penetrating epoxy primer/sealer formulated for use over concrete surfaces in secondary containment environments. Helps prevent blow-back and outgassing.
63057	Corobond 100 Epoxy Primer Sealer	Off White	TXMAS-5-51V010	TXMAS	102.41	KT		2.00	General Polymers	640334793	A high solids, low VOC, low viscosity, penetrating epoxy primer/sealer formulated for use over concrete surfaces in secondary containment environments. Helps prevent blow-back and outgassing.
63057	Corobond Conductive Epoxy Primer	Hardener	TXMAS-5-51V010	TXMAS	116.39	GL		1.00	General Polymers	640353223	A 100% solids conductive epoxy primer, formulated for use on concrete to provide uniform electrical conductivity.
63057	Corobond Conductive Epoxy Primer	Black	TXMAS-5-51V010	TXMAS	236.30	KT		1.00	General Polymers	640353207	A 100% solids conductive epoxy primer, formulated for use on concrete to provide uniform electrical conductivity.
63082	Corobond Conductive Vinyl Ester Primer	Black	TXMAS-5-51V010	TXMAS	106.41	PL	5	5.00	General Polymers	640353199	A conductive, elastomer modified epoxy vinyl ester. It is designed to provide superior adhesion to concrete and metal substrates.
63082	Corobond Conductive Vinyl Ester Primer	Black	TXMAS-5-51V010	TXMAS	111.43	GL		1.00	General Polymers	640353181	A conductive, elastomer modified epoxy vinyl ester. It is designed to provide superior adhesion to concrete and metal substrates.
63050	Corobond Crack Filler	Gray	TXMAS-5-51V010	TXMAS	267.26	KT			General - Polymers	1073956	A two component epoxy paste developed specifically for sealing, smoothing, and fairing applications on concrete, metals, plastic (FRP), wood or masonry.
63050	Corobond Flexible Joint Sealant	Gray	TXMAS-5-51V010	TXMAS	263.08	KT			General - Polymers	1073980	A two component polymer hybrid containing both urethane and epoxy resins in order to provide a resilient filler for horizontal expansion joints. A filler and sealer for narrow masonry control joints and grooves.
63057	Corobond HS High Solids Epoxy Primer	Clear	TXMAS-5-51V010	TXMAS	66.13	GL		1.00	General Polymers	640353413	A two component, high solids epoxy primer. It is designed to provide an amine blush resistant surface under cool, high humidity conditions.
63057	Corobond HS High Solids Epoxy Primer	Hardener	TXMAS-5-51V010	TXMAS	111.25	GL		1.00	General Polymers	640353439	A two component, high solids epoxy primer. It is designed to provide an amine blush resistant surface under cool, high humidity conditions.
63057	Corobond HS High Solids Epoxy Primer	Clear	TXMAS-5-51V010	TXMAS	62.59	PL	5	5.00	General Polymers	640353421	A two component, high solids epoxy primer. It is designed to provide an amine blush resistant surface under cool, high humidity conditions.
63057	Corobond HS High Solids Epoxy Primer	Hardener	TXMAS-5-51V010	TXMAS	104.31	PL	5	5.00	General Polymers	640353447	A two component, high solids epoxy primer. It is designed to provide an amine blush resistant surface under cool, high humidity conditions.
63057	Corobond LT Low Temperature Epoxy Primer	Clear	TXMAS-5-51V010	TXMAS	64.91	PL	5	5.00	General Polymers	640353389	A 100% solids epoxy primer and binder resin. It is designed to cure at temperatures as low as 35 F. At higher temperatures, Corobond LT is a rapid setting epoxy primer and binder resin for fast turnaround.
63057	Corobond LT Low Temperature Epoxy Primer	Hardener	TXMAS-5-51V010	TXMAS	117.91	PL	5	5.00	General Polymers	640353405	A 100% solids epoxy primer and binder resin. It is designed to cure at temperatures as low as 35 F. At higher temperatures, Corobond LT is a rapid setting epoxy primer and binder resin for fast turnaround.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Corobond LT Low Temperature Epoxy Primer	Hardener	TXMAS-5-51V010	TXMAS	124.07	GL		1.00	General Polymers	640353397	A 100% solids epoxy primer and binder resin. It is designed to cure at temperatures as low as 35 F. At higher temperatures, Corobond LT is a rapid setting epoxy primer and binder resin for fast turnaround.
63057	Corobond LT Low Temperature Epoxy Primer	Clear	TXMAS-5-51V010	TXMAS	215.26	KT		1.00	General Polymers	640353538	A 100% solids epoxy primer and binder resin. It is designed to cure at temperatures as low as 35 F. At higher temperatures, Corobond LT is a rapid setting epoxy primer and binder resin for fast turnaround.
63082	Corobond Vinyl Ester Primer	Clear	TXMAS-5-51V010	TXMAS	103.06	PL	5	5.00	Sherwin-Williams	640385001	An elastomer modified epoxy vinyl ester. It is designed to promote adhesion to concrete and metal substrates and resist mechanical stresses such as impact, tensile stress and flexural stress.
63082	Corobond Vinyl Ester Primer	Clear	TXMAS-5-51V010	TXMAS	109.99	GL		1.00	General Polymers	640384996	An elastomer modified epoxy vinyl ester. It is designed to promote adhesion to concrete and metal substrates and resist mechanical stresses such as impact, tensile stress and flexural stress.
63082	Corobond Vinyl Ester Primer	White/Opaque	TXMAS-5-51V010	TXMAS	109.99	GL		1.00	General Polymers	640352712	An elastomer modified epoxy vinyl ester. It is designed to promote adhesion to concrete and metal substrates and resist mechanical stresses such as impact, tensile stress and flexural stress.
63543	Corothane® I Aliphatic Finish Coat	Extra White	TXMAS-5-51V010	TXMAS	110.73	PL	5	5.00	Sherwin-Williams	640374856	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Ultra White	TXMAS-5-51V010	TXMAS	88.72	GL		1.00	Sherwin-Williams	640129417	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Pallet Tan SW4003	TXMAS-5-51V010	TXMAS	107.84	GL		1.00	Sherwin-Williams	640327029	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Safety Green SW4085	TXMAS-5-51V010	TXMAS	107.84	GL		1.00	Sherwin-Williams	640327011	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Safety Black	TXMAS-5-51V010	TXMAS	107.84	GL		1.00	Sherwin-Williams	640321626	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Ultradeep	TXMAS-5-51V010	TXMAS	117.21	GL		1.00	Sherwin-Williams	640374807	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Generator Green SW4070	TXMAS-5-51V010	TXMAS	107.84	GL		1.00	Sherwin-Williams	640327003	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Safety Blue SW4086	TXMAS-5-51V010	TXMAS	107.84	GL		1.00	Sherwin-Williams	640327045	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Light Gray SW4027	TXMAS-5-51V010	TXMAS	83.79	PL	5	5.00	Sherwin-Williams	640129383	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Safety Red	TXMAS-5-51V010	TXMAS	112.61	GL		1.00	Sherwin-Williams	640321634	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Corothane® I Aliphatic Finish Coat	Slate Gray SW4026	TXMAS-5- 51V010	TXMAS	107.84	GL		1.00	Sherwin- Williams	640326997	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Umbra SW4008	TXMAS-5- 51V010	TXMAS	107.84	GL		1.00	Sherwin- Williams	640327052	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Ultra White	TXMAS-5- 51V010	TXMAS	83.87	PL	5	1.00	Sherwin- Williams	640129409	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Ultradeep	TXMAS-5- 51V010	TXMAS	110.73	PL	5	5.00	Sherwin- Williams	640374815	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Extra White	TXMAS-5- 51V010	TXMAS	117.21	GL		1.00	Sherwin- Williams	640374849	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Polymer Blue SW4055	TXMAS-5- 51V010	TXMAS	107.84	GL		1.00	Sherwin- Williams	640327037	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Light Gray SW4027	TXMAS-5- 51V010	TXMAS	88.72	GL		1.00	Sherwin- Williams	640129391	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Aliphatic Finish Coat	Safety Yellow	TXMAS-5- 51V010	TXMAS	107.84	GL		1.00	Sherwin- Williams	640321642	A single component, VOC compliant, moisture curing urethane for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Coal Tar	Black	TXMAS-5- 51V010	TXMAS	63.10	PL	5	1.00	Sherwin- Williams	640129474	A single component, moisture curing urethane with micaceous iron oxide designed for low temperature and immersion application. It is high solids and VOC compliant. Low temperature application - down to 20 F.
63543	Corothane® I HS Aliphatic Finish Coat	Ultra White	TXMAS-5- 51V010	TXMAS	113.25	PL	5	1.00	Sherwin- Williams	640328076	A single component, VOC compliant, moisture curing urethane designed for low temperature or high humidity applications while providing UV resistance and chemical resistance equivalent to two part urethane coatings.
63543	Corothane® I HS Aliphatic Finish Coat	Extra White	TXMAS-5- 51V010	TXMAS	132.11	GL		1.00	Sherwin- Williams	640374864	A single component, VOC compliant, moisture curing urethane designed for low temperature or high humidity applications while providing UV resistance and chemical resistance equivalent to two part urethane coatings.
63543	Corothane® I HS Aliphatic Finish Coat	Extra White	TXMAS-5- 51V010	TXMAS	127.73	PL	5	5.00	Sherwin- Williams	640374872	A single component, VOC compliant, moisture curing urethane designed for low temperature or high humidity applications while providing UV resistance and chemical resistance equivalent to two part urethane coatings.
63543	Corothane® I HS Aliphatic Finish Coat	Ultradeep	TXMAS-5- 51V010	TXMAS	132.11	GL		1.00	Sherwin- Williams	640374823	A single component, VOC compliant, moisture curing urethane designed for low temperature or high humidity applications while providing UV resistance and chemical resistance equivalent to two part urethane coatings.
63543	Corothane® I HS Aliphatic Finish Coat	Ultra White	TXMAS-5- 51V010	TXMAS	117.15	GL		1.00	Sherwin- Williams	640328068	A single component, VOC compliant, moisture curing urethane designed for low temperature or high humidity applications while providing UV resistance and chemical resistance equivalent to two part urethane coatings.
63543	Corothane® I HS Aliphatic Finish Coat	Ultradeep	TXMAS-5- 51V010	TXMAS	127.73	PL	5	5.00	Sherwin- Williams	640374831	A single component, VOC compliant, moisture curing urethane designed for low temperature or high humidity applications while providing UV resistance and chemical resistance equivalent to two part urethane coatings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Corothane® I Ironox A	Gray	TXMAS-5-51V010	TXMAS	72.35	PL	5	1.00	Sherwin-Williams	640129292	A single component, VOC compliant, moisture curing urethane finish coat with micaceous iron oxide for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Ironox A	Gray	TXMAS-5-51V010	TXMAS	78.04	GL		1.00	Sherwin-Williams	640129300	A single component, VOC compliant, moisture curing urethane finish coat with micaceous iron oxide for low temperature or high humidity applications providing UV resistance and chemical resistance. May apply down to 20 F.
63543	Corothane® I Ironox B	Brownish/Gray	TXMAS-5-51V010	TXMAS	68.97	PL	5	1.00	Sherwin-Williams	640129276	A single component, VOC compliant, moisture curing urethane intermediate coat with micaceous iron oxide designed for low temperature applications, providing chemical and abrasion resistance. May apply down to 20 F.
63543	Corothane® I Ironox® A HS	Gray	TXMAS-5-51V010	TXMAS	77.93	PL	5	1.00	Sherwin-Williams	640348009	A single component, VOC compliant, moisture curing urethane finish coat with micaceous iron oxide designed for low temperature or high humidity applications.
63543	Corothane® I Ironox® A HS	Gray	TXMAS-5-51V010	TXMAS	81.48	GL		1.00	Sherwin-Williams	640347993	A single component, VOC compliant, moisture curing urethane finish coat with micaceous iron oxide designed for low temperature or high humidity applications.
63543	Corothane® I Ironox® B	Brownish/Gray	TXMAS-5-51V010	TXMAS	70.67	GL		1.00	Sherwin-Williams	640129284	A single component, VOC compliant, moisture curing urethane intermediate coat with micaceous iron oxide designed for low temperature applications, providing chemical and abrasion resistance. May apply down to 20 F.
63543	Corothane® I KA Accelerator	Additive	TXMAS-5-51V010	TXMAS	28.19	QT	1	1.00	Sherwin-Williams	601612476	Designed for use in select Sherwin-Williams Corothane I - Moisture Cure Urethanes to enhance drying times.
63543	Corothane® I Mio-Aluminum Primer/Topcoat		TXMAS-5-51V010	TXMAS	60.67	GL		1.00	Sherwin-Williams	640325510	A single component, VOC compliant, moisture curing, aluminum and Micaceous Iron Oxide filled, urethane primer, intermediate coating, or finish. Has excellent surface wetting properties and provides extended recoatability.
63543	Corothane® I Mio-Aluminum Primer/Topcoat		TXMAS-5-51V010	TXMAS	55.92	PL	5	1.00	Sherwin-Williams	640325528	A single component, VOC compliant, moisture curing, aluminum and Micaceous Iron Oxide filled, urethane primer, intermediate coating, or finish. Has excellent surface wetting properties and provides extended recoatability.
63543	Corothane® I Preprime	Clear	TXMAS-5-51V010	TXMAS	58.60	PL	5	1.00	Sherwin-Williams	640129318	A clear, single component, VOC compliant, moisture curing, urethane primer. It has excellent surface wetting properties and can be applied to sound, rusted surfaces with minimal surface preparation.
63543	Corothane® I Preprime	Clear	TXMAS-5-51V010	TXMAS	60.29	GL		1.00	Sherwin-Williams	640129334	A clear, single component, VOC compliant, moisture curing, urethane primer. It has excellent surface wetting properties and can be applied to sound, rusted surfaces with minimal surface preparation.
63543	Corothane® II	Hardener Part B	TXMAS-5-51V010	TXMAS	11.40	QT	1	1.00	Sherwin-Williams	6304414	A two-component, VOC compliant, aliphatic acrylic modified polyurethane for use in industrial environments. A heavy duty maintenance coating for use in high visibility areas. Suitable for use in USDA inspected facilities.
63543	Corothane® II	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	187.25	KT		1.00	Sherwin-Williams	941699993	A two-component, VOC compliant, aliphatic acrylic modified polyurethane for use in industrial environments. A heavy duty maintenance coating for use in high visibility areas. Suitable for use in USDA inspected facilities.
63543	Corothane® II	Pure White	TXMAS-5-51V010	TXMAS	179.74	KT		1.00	Sherwin-Williams	935599993	A two-component, VOC compliant, aliphatic acrylic modified polyurethane for use in industrial environments. A heavy duty maintenance coating for use in high visibility areas. Suitable for use in USDA inspected facilities.
63543	Corothane® II	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	50.66	GL		1.00	Sherwin-Williams	940299993	A two-component, VOC compliant, aliphatic acrylic modified polyurethane for use in industrial environments. A heavy duty maintenance coating for use in high visibility areas. Suitable for use in USDA inspected facilities.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Corothane® II	Hardener Part B	TXMAS-5- 51V010	TXMAS	43.74	GL		1.00	Sherwin- Williams	6304422	A two-component, VOC compliant, aliphatic acrylic modified polyurethane for use in industrial environments. A heavy duty maintenance coating for use in high visibility areas. Suitable for use in USDA inspected facilities.
63543	Corothane® II	Pure White	TXMAS-5- 51V010	TXMAS	47.82	GL		1.00	Sherwin- Williams	934199993	A two-component, VOC compliant, aliphatic acrylic modified polyurethane for use in industrial environments. A heavy duty maintenance coating for use in high visibility areas. Suitable for use in USDA inspected facilities.
63543	Coveralls - Krew® 1100 General Protection Coverall	Size Large	TXMAS-5- 51V010	TXMAS	5.12	EA		1.00	Scott	1619253	Three layer construction of breathable, lightweight fabric. Reinforced seams and generous cut of coverall prevents tearing. Recommended for lead abatement.
63543	Coveralls - Krew® 1100 General Protection Coverall	Size XXL	TXMAS-5- 51V010	TXMAS	5.12	EA		1.00	Scott	1619089	Three layer construction of breathable, lightweight fabric. Reinforced seams and generous cut of coverall prevents tearing. Recommended for lead abatement.
63543	Coveralls - Krew® 1100 General Protection Coverall	Size XL	TXMAS-5- 51V010	TXMAS	5.12	EA		1.00	Scott	1619071	Three layer construction of breathable, lightweight fabric. Reinforced seams and generous cut of coverall prevents tearing. Recommended for lead abatement.
63543	DeckScapes Exterior Acrylic Solid Color Stain	Extra White	TXMAS-5- 51V010	TXMAS	26.25	GL		4.00	Sherwin- Williams	640359204	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes Exterior Acrylic Solid Color Stain	Deep Base	TXMAS-5- 51V010	TXMAS	26.25	GL		4.00	Sherwin- Williams	640359220	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes Exterior Acrylic Solid Color Stain	Extra White	TXMAS-5- 51V010	TXMAS	26.06	PL	5	5.00	Sherwin- Williams	640359212	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes Exterior Acrylic Solid Color Stain	Deep Base	TXMAS-5- 51V010	TXMAS	26.06	PL	5	5.00	Sherwin- Williams	640359238	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes Exterior Acrylic Solid Color Stain	Ultradeep	TXMAS-5- 51V010	TXMAS	26.25	GL		4.00	Sherwin- Williams	640359246	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes Exterior Oil- Based Semi-Transparent Stain	Tint Base	TXMAS-5- 51V010	TXMAS	24.45	GL		4.00	Sherwin- Williams	640359360	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Oil- Based Semi-Transparent Stain	Tint Base	TXMAS-5- 51V010	TXMAS	24.26	PL	5	5.00	Sherwin- Williams	640359378	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Oil- Based Toner	Redwood	TXMAS-5- 51V010	TXMAS	22.45	PL	5	5.00	Sherwin- Williams	640359410	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Oil- Based Toner	Cedar	TXMAS-5- 51V010	TXMAS	22.45	PL	5	5.00	Sherwin- Williams	640359436	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Oil- Based Toner	Natural	TXMAS-5- 51V010	TXMAS	22.63	GL		1.00	Sherwin- Williams	640359386	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	DeckScapes Exterior Oil-Based Toner	Cedar	TXMAS-5-51V010	TXMAS	22.63	GL		1.00	Sherwin-Williams	640359428	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Oil-Based Toner	Natural	TXMAS-5-51V010	TXMAS	22.45	PL	5	5.00	Sherwin-Williams	640359394	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Oil-Based Toner	Redwood	TXMAS-5-51V010	TXMAS	22.63	GL		1.00	Sherwin-Williams	640359402	Long-lasting penetrating oil-based formula protects the beauty of wood with a rich semi-transparent stain. One coat coverage of most woods. Scuff-resistant formula with maximum UV protection that resists fading.
63543	DeckScapes Exterior Waterborne Stain	Clear	TXMAS-5-51V010	TXMAS	17.93	PL	5	5.00	Sherwin-Williams	640359295	Protects wood from sun while allowing the wood to gray naturally. Advanced water repellants make water bead up, protecting against cracking, splitting and warping of wood. Contains agents that inhibit the growth of mildew on the surface.
63543	DeckScapes Exterior Waterborne Toner	Clear	TXMAS-5-51V010	TXMAS	22.63	GL		1.00	Sherwin-Williams	640359345	Three way UV protection - absorbs, blocks, and stabilizes - to help keep wood looking new. Enhances woods natural grain and texture with a natural amber tone. Tintable to cedar tone, redwood tone and nutmeg tone.
63543	DeckScapes® Exterior Acrylic Solid Color Stain	Ultradeep	TXMAS-5-51V010	TXMAS	26.06	PL	5	5.00	Sherwin-Williams	640359253	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Redwood	TXMAS-5-51V010	TXMAS	21.83	PL	5	5.00	Sherwin-Williams	640374955	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Tint Base	TXMAS-5-51V010	TXMAS	24.71	PL	5	5.00	Sherwin-Williams	640359279	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Natural	TXMAS-5-51V010	TXMAS	21.83	PL	5	5.00	Sherwin-Williams	640374971	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Natural	TXMAS-5-51V010	TXMAS	21.98	GL		4.00	Sherwin-Williams	640374963	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Cedar	TXMAS-5-51V010	TXMAS	21.83	PL	5	5.00	Sherwin-Williams	640374997	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Redwood	TXMAS-5-51V010	TXMAS	21.98	GL		4.00	Sherwin-Williams	640374948	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Cedar	TXMAS-5-51V010	TXMAS	21.98	GL		4.00	Sherwin-Williams	640374989	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Semi-Transparent Stain	Tint Base	TXMAS-5-51V010	TXMAS	24.89	GL		1.00	Sherwin-Williams	640359261	Provides a long lasting, mildew-resistant film with excellent penetration for protecting horizontal exterior wood surfaces. This product can be applied at air, surface, and material temperature as low as 50 F.
63543	DeckScapes® Exterior Waterborne Stain	Clear	TXMAS-5-51V010	TXMAS	18.10	GL		1.00	Sherwin-Williams	640359287	Protects wood from sun while allowing the wood to gray naturally. Advanced water repellants make water bead up, protecting against cracking, splitting and warping of wood. Contains agents that inhibit the growth of mildew on the surface.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	DeckScapes® Exterior Waterborne Toner	Clear	TXMAS-5-51V010	TXMAS	22.45	PL	5	5.00	Sherwin-Williams	640359352	Three way UV protection - absorbs, blocks, and stabilizes - to help keep wood looking new. Enhances woods natural grain and texture with a natural amber tone. Tintable to cedar tone, redwood tone and nutmeg tone.
63543	Deglosser Liquid For Alkyd Paints		TXMAS-5-51V010	TXMAS	3.53	QT	1	1.00	Star Tex	1600964	Cleans and degreases. It dulls previously painted surfaces prior to refinishing.
63543	Diamond-Clad® Clear Coat Urethane	Catalyst Part C	TXMAS-5-51V010	TXMAS	12.10	EA		1.00	Sherwin-Williams	640311924	A three component, low-VOC, acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings. High gloss and excellent graffiti resistance.
63543	Diamond-Clad® Clear Coat Urethane	Hardener Part B	TXMAS-5-51V010	TXMAS	32.19	QT	1	1.00	Sherwin-Williams	640311908	A three component, low-VOC, acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings. High gloss and excellent graffiti resistance.
63543	Diamond-Clad® Clear Coat Urethane Gloss	Clear Part A	TXMAS-5-51V010	TXMAS	32.19	GH		1.00	Sherwin-Williams	640311882	A three component, low-VOC, acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings. High gloss and excellent graffiti resistance.
63543	Diamond-Clad® Clear Coat Urethane Semi-Gloss	Clear Part A	TXMAS-5-51V010	TXMAS	32.19	EA		1.00	Sherwin-Williams	640358594	A three component, low-VOC, acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings.
63543	Diamond-Clad® WB Clear Coat Waterbased Urethane	Catalyst Part C	TXMAS-5-51V010	TXMAS	13.66	EA		1.00	Sherwin-Williams	640360509	A three component, low VOC, waterbased acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings.
63543	Diamond-Clad® WB Clear Coat Waterbased Urethane	Hardener Part B	TXMAS-5-51V010	TXMAS	28.49	QT	1	1.00	Sherwin-Williams	640360467	A three component, low VOC, waterbased acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings.
63543	Diamond-Clad® WB Clear Coat Waterbased Urethane Gloss	Clear Part A	TXMAS-5-51V010	TXMAS	32.19	GL		1.00	Sherwin-Williams	640360475	A three component, low VOC, waterbased acrylic polyurethane clear coat that enhances the finish and weathering properties of newly applied aliphatic urethane coatings.
63543	Dimenso® One-Coat Enamel	Silver	TXMAS-5-51V010	TXMAS	28.19	PL	5	5.00	Sherwin-Williams	5222518	A one coat, two purpose, three dimensional alkyd gloss enamel for general product finishing. Dries very fast or can be baked to provide a unique, hammered finish. Also can produce an opalescent effect.
63543	Dimenso® One-Coat Enamel	Silver	TXMAS-5-51V010	TXMAS	29.77	GL		1.00	Sherwin-Williams	5222500	A one coat, two purpose, three dimensional alkyd gloss enamel for general product finishing. Dries very fast or can be baked to provide a unique, hammered finish. Also can produce an opalescent effect.
63543	Dimenso® One-Coat Enamel	Dark Blue	TXMAS-5-51V010	TXMAS	28.19	PL	5	5.00	Sherwin-Williams	5222310	A one coat, two purpose, three dimensional alkyd gloss enamel for general product finishing. Dries very fast or can be baked to provide a unique, hammered finish. Also can produce an opalescent effect.
63543	Dimenso® One-Coat Enamel	Dark Blue	TXMAS-5-51V010	TXMAS	29.77	GL		1.00	Sherwin-Williams	5222302	A one coat, two purpose, three dimensional alkyd gloss enamel for general product finishing. Dries very fast or can be baked to provide a unique, hammered finish. Also can produce an opalescent effect.
63543	Direct-To-Metal Enamel	Pure White	TXMAS-5-51V010	TXMAS	32.73	PL	5	1.00	Sherwin-Williams	1360015	A high-build alkyd coating with rust-inhibitive properties for application directly to bare steel. Corrosion resistance and finish coat protection in one coat. Suitable for use in USDA inspected facilities.
63543	Direct-To-Metal Enamel	Ultradeep	TXMAS-5-51V010	TXMAS	34.51	GL		1.00	Sherwin-Williams	1360064	A high-build alkyd coating with rust-inhibitive properties for application directly to bare steel. Corrosion resistance and finish coat protection in one coat. Suitable for use in USDA inspected facilities.

EXHIBIT C
CONTRACTOR'S PRICING

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Direct-To-Metal Enamel	Pure White	TXMAS-5- 51V010	TXMAS	33.73	GL		1.00	Sherwin- Williams	1360007	A high-build alkyd coating with rust-inhibitive properties for application directly to bare steel. Corrosion resistance and finish coat protection in one coat. Suitable for use in USDA inspected facilities.
63543	Direct-To-Metal Enamel	Ultradeep	TXMAS-5- 51V010	TXMAS	33.73	PL	5	1.00	Sherwin- Williams	1360072	A high-build alkyd coating with rust-inhibitive properties for application directly to bare steel. Corrosion resistance and finish coat protection in one coat. Suitable for use in USDA inspected facilities.
63543	Direct-To-Metal Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	34.51	GL		1.00	Sherwin- Williams	640517504	A high-build alkyd coating with rust-inhibitive properties for application directly to bare steel. Corrosion resistance and finish coat protection in one coat. Suitable for use in USDA inspected facilities.
63543	DOD C 24596 Flame Retardant Latex Enamel Marine Paint	White 27880	TXMAS-5- 51V010	TXMAS	35.55	GL		1.00	Sherwin- Williams	640330130	A non-flaming water-based, non-intumescent, fire retardant, general purpose, semi-gloss paint. Intended for protective and decorative uses.
63543	DOD C 24596 Flame Retardant Latex Enamel Marine Paint	White 27880	TXMAS-5- 51V010	TXMAS	38.29	PL	5	5.00	Sherwin- Williams	640330148	A non-flaming water-based, non-intumescent, fire retardant, general purpose, semi-gloss paint. Intended for protective and decorative uses.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	26307	TXMAS-5- 51V010	TXMAS	52.79	PL	5	5.00	Sherwin- Williams	640389854	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	Soft White	TXMAS-5- 51V010	TXMAS	39.29	PL	5	5.00	Sherwin- Williams	640236766	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	Yellow Gray 26400	TXMAS-5- 51V010	TXMAS	49.75	PL	5	5.00	Sherwin- Williams	640389698	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	Pastel Blue 25526	TXMAS-5- 51V010	TXMAS	47.72	GL		1.00	Sherwin- Williams	640389730	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	24585	TXMAS-5- 51V010	TXMAS	42.84	GL		1.00	Sherwin- Williams	640389706	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	Soft White	TXMAS-5- 51V010	TXMAS	39.29	GL		1.00	Sherwin- Williams	640398863	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	22563	TXMAS-5- 51V010	TXMAS	51.68	GL		1.00	Sherwin- Williams	640389920	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	26307	TXMAS-5- 51V010	TXMAS	53.65	GL		1.00	Sherwin- Williams	640389847	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-E-24607A Chlorinated Alkyd Enamel	24585	TXMAS-5- 51V010	TXMAS	43.35	PL	5	5.00	Sherwin- Williams	640389714	DOD-E-24607A is a semi-gloss enamel, designed primarily for interior industrial and marine applications. Flame resistant, will not spontaneously burst into flame in the event of exposure to fire.
63543	DOD-P-15328D	Green	TXMAS-5- 51V010	TXMAS	22.97	GL		4.00	Sherwin- Williams	501221733	A pretreatment, two packages, acid catalyzed vinyl wash primer used for clean metal surfaces. It is used to enhance adhesion of the coating system and conforms to Military Specification DOD-P-15328D

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	DOD-P-15328D	Green	TXMAS-5- 51V010	TXMAS	78.41	KT		1.00	Sherwin- Williams	530103092	A pretreatment, two packages, acid catalyzed vinyl wash primer used for clean metal surfaces. It is used to enhance adhesion of the coating system and conforms to Military Specification DOD-P-15328D
63543	DOD-P-15328D	Catalyst	TXMAS-5- 51V010	TXMAS	5.40	QT	1	6.00	Sherwin- Williams	501221758	A pretreatment, two packages, acid catalyzed vinyl wash primer used for clean metal surfaces. It is used to enhance adhesion of the coating system and conforms to Military Specification DOD-P-15328D
63543	DOD-P-15328D	Catalyst	TXMAS-5- 51V010	TXMAS	14.91	GL		1.00	Sherwin- Williams	530103118	A pretreatment, two packages, acid catalyzed vinyl wash primer used for clean metal surfaces. It is used to enhance adhesion of the coating system and conforms to Military Specification DOD-P-15328D
63543	Door Stands - 6 Per Pack		TXMAS-5- 51V010	TXMAS	15.32	EA		1.00	Quicktruss	1618925	Built in flat spikes protect door from splitting. Hammer into place. Removes by hand. Stands doors up securely so both faces and ends can be prepped and painted at one time.
63514	Dropcloth - 0.4 Mil Plastic 6 Pack	9 Ft. x 12 Ft.	TXMAS-5- 51V010	TXMAS	4.56	EA		8.00	Poly- America	1643659	
63514	Dropcloth - 1 Mil Plastic 3 Pack	9 Ft. x 12 Ft.	TXMAS-5- 51V010	TXMAS	5.32	EA		8.00	Poly- America	1643642	
63514	Dropcloth - 3.5 Mil Poly Film	10 Ft. x 25 Ft.	TXMAS-5- 51V010	TXMAS	9.28	EA		###	Poly- America	1650373	
63514	Dropcloth - 6 Mil Clear Plastic Sheeting	20 Ft. x 100 Ft. x 6 Ft.	TXMAS-5- 51V010	TXMAS	86.42	EA		1.00	Poly- America	6113716	
63514	Dropcloth - Easy Mask® PreTaped	96 Inch x 75 Foot	TXMAS-5- 51V010	TXMAS	11.81	EA		1.00	Trimaco	1632405	Aggressive 1 Inch high tack tape combined with 0.5 mil HD polyethylene. Core fits common hand held masking devices enabling one person to quickly and easily mask large areas. Maintains strength when wet.
63514	Dropcloth - Gotcha Covered For Painters	4 Ft. x 10 Ft.	TXMAS-5- 51V010	TXMAS	4.02	EA		1.00	Scott	1540137	Unique fiber construction laminated to a polyurethane moisture barrier. Lightweight, flexible, drapes easily over furniture. Strong enough to resist punctures from ladders and other equipment.
63514	Dropcloth - Gotcha Covered For Painters	8 Ft. x 12 Ft.	TXMAS-5- 51V010	TXMAS	7.42	EA		1.00	Scott	1536077	Unique fiber construction laminated to a polyurethane moisture barrier. Lightweight, flexible, drapes easily over furniture. Strong enough to resist punctures from ladders and other equipment.
63514	Dropcloth - Plastic PreTaped	48 Inch x 75 Ft.	TXMAS-5- 51V010	TXMAS	6.53	EA		1.00	Trimaco	1613504	Tape eliminates seepage, bleedthrough; gives a clean straight edge. Plastic material clings to protect surfaces. Adhesive is safe for most surfaces - leaves no sticky residue.
63514	Dropcloth - Quick Drop Butyl II	5 Ft. x 5 Ft.	TXMAS-5- 51V010	TXMAS	7.69	EA		###	Reaves And Company	1643584	Quick Drop Butyl II 5 Ft. x 5 Ft. Drop Cloth
63543	Dry Fall Flat	Brilliant White	TXMAS-5- 51V010	TXMAS	11.40	PL	5	1.00	Sherwin- Williams	640104055	A modified alkyd paint for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity. Flash rust resistant. For use in USDA inspected facilities. Easy clean up. Interior use.
63543	Dry Fall Flat	Brilliant White	TXMAS-5- 51V010	TXMAS	10.59	DR	53	1.00	Sherwin- Williams	640104063	A modified alkyd paint for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity. Flash rust resistant. For use in USDA inspected facilities. Easy clean up. Interior use.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Dry Fallout Spray Eg-Shel	White	TXMAS-5-51V010	TXMAS	16.32	PL	5	1.00	Sherwin-Williams	640115200	A fast drying alkyd mill white paint for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity. Suitable for use in USDA inspected facilities. Easy cleanup.
63543	Drywall Conditioner Interior Latex	Clear Base	TXMAS-5-51V010	TXMAS	14.36	GL		4.00	Sherwin-Williams	640336616	Eliminates paper bubbles. Seals damaged drywall paper. Makes future wallcovering removal easy. Will not raise the nap of paper facing and dries clear under wallcovering.
63543	DTM Acrylic Coating Gloss	Safety Red	TXMAS-5-51V010	TXMAS	41.63	GL		1.00	Sherwin-Williams	1361559	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Deep Base	TXMAS-5-51V010	TXMAS	32.73	PL	5	5.00	Sherwin-Williams	640517520	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	35.52	PL	5	5.00	Sherwin-Williams	1360551	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	36.45	GL		1.00	Sherwin-Williams	1360544	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Black	TXMAS-5-51V010	TXMAS	25.70	GL		1.00	Sherwin-Williams	1360577	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Black	TXMAS-5-51V010	TXMAS	24.47	PL	5	5.00	Sherwin-Williams	640110748	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	32.73	PL	5	5.00	Sherwin-Williams	640516340	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Deep Base	TXMAS-5-51V010	TXMAS	33.73	GL		1.00	Sherwin-Williams	640517512	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Safety Yellow	TXMAS-5-51V010	TXMAS	41.63	GL		1.00	Sherwin-Williams	1361526	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	33.73	GL		1.00	Sherwin-Williams	640516332	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Gloss	Safety Orange	TXMAS-5-51V010	TXMAS	41.63	GL		1.00	Sherwin-Williams	1361534	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Semi-Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	34.51	GL		1.00	Sherwin-Williams	640517538	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Semi-Gloss	Deep Base	TXMAS-5-51V010	TXMAS	35.52	PL	5	5.00	Sherwin-Williams	640517561	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	DTM Acrylic Coating Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	640517553	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Semi-Gloss	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	1361088	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Semi-Gloss	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	35.52	PL	5	5.00	Sherwin- Williams	1361096	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63543	DTM Acrylic Coating Semi-Gloss	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	33.73	PL	5	5.00	Sherwin- Williams	640517546	A water reducible, 100% Acrylic, corrosion resistant coating for light to moderate industrial use. Designed for new construction or maintenance use and can be used directly over prepared substrates.
63082	DTM Acrylic Primer Finish	White	TXMAS-5- 51V010	TXMAS	30.35	GL		1.00	Sherwin- Williams	1361500	An acrylic emulsion, waterborne, corrosion resistant coating for new construction and industrial maintenance applications. Can be used as a primer under most water base topcoats or alone as a primer/topcoat system.
63082	DTM Acrylic Primer Finish	White	TXMAS-5- 51V010	TXMAS	31.59	PL	5	1.00	Sherwin- Williams	1361518	An acrylic emulsion, waterborne, corrosion resistant coating for new construction and industrial maintenance applications. Can be used as a primer under most water base topcoats or alone as a primer/topcoat system.
63082	DTM Bonding Primer	Off White	TXMAS-5- 51V010	TXMAS	33.95	PL	5	5.00	Sherwin- Williams	1360668	A waterborne adhesion-promoting bonding primer. Part of a system for coating pre-finished metal siding and other hard, slick, glossy surfaces. Must be topcoated - Corrosion resistant.
63082	DTM Bonding Primer	Off White	TXMAS-5- 51V010	TXMAS	34.31	GL		1.00	Sherwin- Williams	1360650	A waterborne adhesion-promoting bonding primer. Part of a system for coating pre-finished metal siding and other hard, slick, glossy surfaces. Must be topcoated - Corrosion resistant.
63082	DTM Wash Primer	Yellow Green	TXMAS-5- 51V010	TXMAS	34.37	PL	5	1.00	Sherwin- Williams	640170601	A low VOC, water based wash primer to be applied over aluminum and galvanizing or used as a tie-coat over zinc rich primers. Accepts high performance hot solvent topcoats directly such as epoxies and urethanes.
63082	DTM Wash Primer	Yellow Green	TXMAS-5- 51V010	TXMAS	34.51	GL		1.00	Sherwin- Williams	640170593	A low VOC, water based wash primer to be applied over aluminum and galvanizing or used as a tie-coat over zinc rich primers. Accepts high performance hot solvent topcoats directly such as epoxies and urethanes.
63543	Duct Tape - PC-600	2 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	4.79	EA		1.00	Shurtape Technologi es	1650548	
63543	Duct Tape - Red PC-667	2 Inch	TXMAS-5- 51V010	TXMAS	5.27	EA		1.00	Shurtape Technologi es	9097882	Specialty Premium 14 Day UV Resistant Indoor Outdoor Duct Tape for Concrete-Stucco-Masonry Masking Applications
63543	Dura-Plate White		TXMAS-5- 51V010	TXMAS	22.89	EA		1.00	Baker Company	9920539	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	Dura-Plate® 154 HD Splash Zone Coating	Hardener Part B	TXMAS-5- 51V010	TXMAS	38.15	PL	5	5.00	Sherwin- Williams	640173639	A high solids, high build amine epoxy coating that will withstand extreme conditions of abrasion and corrosion. It can be applied from 10 to 40 mils dry in one coat.
63543	Dura-Plate® 154 HD Splash Zone Coating	Black Part A	TXMAS-5- 51V010	TXMAS	38.15	PL	5	5.00	Sherwin- Williams	640173621	A high solids, high build amine epoxy coating that will withstand extreme conditions of abrasion and corrosion. It can be applied from 10 to 40 mils dry in one coat.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Dura-Plate® 154 HD Splash Zone Coating	Gray Part A	TXMAS-5- 51V010	TXMAS	38.15	PL	5	5.00	Sherwin- Williams	640173613	A high solids, high build amine epoxy coating that will withstand extreme conditions of abrasion and corrosion. It can be applied from 10 to 40 mils dry in one coat.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Mill White/Tint Base	TXMAS-5- 51V010	TXMAS	175.71	KT		1.00	Sherwin- Williams	640321717	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	13.75	QT	1	1.00	Sherwin- Williams	640321733	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	51.12	GL		1.00	Sherwin- Williams	640174439	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Haze Gray	TXMAS-5- 51V010	TXMAS	175.71	KT		1.00	Sherwin- Williams	640174413	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Mill White/Tint Base	TXMAS-5- 51V010	TXMAS	45.10	GL		1.00	Sherwin- Williams	640321725	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Haze Gray	TXMAS-5- 51V010	TXMAS	45.10	GL		1.00	Sherwin- Williams	640321691	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Black	TXMAS-5- 51V010	TXMAS	175.71	KT		1.00	Sherwin- Williams	640312534	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Red Oxide	TXMAS-5- 51V010	TXMAS	45.10	GL		1.00	Sherwin- Williams	640321675	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Black	TXMAS-5- 51V010	TXMAS	45.10	GL		1.00	Sherwin- Williams	640321683	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Red Oxide	TXMAS-5- 51V010	TXMAS	175.71	KT		1.00	Sherwin- Williams	640174405	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	50.91	GL		1.00	Sherwin- Williams	640335485	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 Multi Purpose Epoxy	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	198.41	KT		1.00	Sherwin- Williams	640335493	Formulated for immersion and atmospheric service in marine and industrial environments. Provides exceptional performance in corrosive environment, and can be applied at temperatures as low as 0 F.
63057	Dura-Plate® 235 NSF Multi-Purpose Epoxy	Buff	TXMAS-5- 51V010	TXMAS	126.90	KT		1.00	Sherwin- Williams	640345039	A modified epoxy phenalkamine, formulated for immersion service in fresh, salt and potable water.
63057	Dura-Plate® 235 NSF Multi-Purpose Epoxy	White	TXMAS-5- 51V010	TXMAS	199.13	KT		1.00	Sherwin- Williams	640345054	A modified epoxy phenalkamine, formulated for immersion service in fresh, salt and potable water.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Dura-Plate® 235 NSF Multi-Purpose Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	15.61	QT	1	1.00	Sherwin- Williams	640345062	A modified epoxy phenalkamine, formulated for immersion service in fresh, salt and potable water.
63057	Dura-Plate® 235 NSF Multi-Purpose Epoxy	White	TXMAS-5- 51V010	TXMAS	51.12	GL		1.00	Sherwin- Williams	640345047	A modified epoxy phenalkamine, formulated for immersion service in fresh, salt and potable water.
63057	Dura-Plate® 235 NSF Multi-Purpose Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	41.12	GL		1.00	Sherwin- Williams	640345070	A modified epoxy phenalkamine, formulated for immersion service in fresh, salt and potable water.
63057	Dura-Plate® 235 NSF Multi-Purpose Epoxy	Buff	TXMAS-5- 51V010	TXMAS	51.12	GL		1.00	Sherwin- Williams	640345021	A modified epoxy phenalkamine, formulated for immersion service in fresh, salt and potable water.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	58.08	GL		1.00	Sherwin- Williams	640360129	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. Low VOC. Low odor. No problem with dew point.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Off White	TXMAS-5- 51V010	TXMAS	58.08	GL		1.00	Sherwin- Williams	640362182	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. Low VOC. Low odor. No problem with dew point.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Haze Gray	TXMAS-5- 51V010	TXMAS	58.08	GL		1.00	Sherwin- Williams	640362208	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. Low VOC. Low odor. No problem with dew point.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Haze Gray	TXMAS-5- 51V010	TXMAS	225.77	KT		1.00	Sherwin- Williams	640362216	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. Low VOC. Low odor. No problem with dew point.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	225.77	KT		1.00	Sherwin- Williams	640360137	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. Low VOC. Low odor. No problem with dew point.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Hardener	TXMAS-5- 51V010	TXMAS	56.68	GL		1.00	Sherwin- Williams	640360152	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. No more problems with dew point. Low VOC. Low odor.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Off White	TXMAS-5- 51V010	TXMAS	225.77	KT		1.00	Sherwin- Williams	640362190	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. Low VOC. Low odor. No problem with dew point.
63057	Dura-Plate® MT Moisture Tolerant Epoxy Primer	Hardener	TXMAS-5- 51V010	TXMAS	15.65	QT	1	1.00	Sherwin- Williams	640360145	A high solids, two component, bisphenol A epoxy amine coating designed to be applied directly on damp or dry steel surfaces. Can be applied directly on damp or dry steel surfaces. No more problem with dew point.
63543	Dura-Plate® UHS Clear Laminant		TXMAS-5- 51V010	TXMAS	290.63	KT		1.00	Sherwin- Williams	640321881	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63082	Dura-Plate® UHS Low Temperature Primer	Hardener	TXMAS-5- 51V010	TXMAS	75.35	GL		1.00	Sherwin- Williams	640311858	An ultra high solids epoxy amine formulated specifically as a primer for use under Dura-Plate UHS topcoat. For use in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63082	Dura-Plate® UHS Primer	Low Temp Hardener Clear B	TXMAS-5- 51V010	TXMAS	21.25	QT	1	1.00	Sherwin- Williams	601130438	An ultra high solids epoxy amine formulated specifically as a primer for use under Dura-Plate UHS topcoat. For use in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Dura-Plate® UHS Primer (With OAP Additive)	Blue A	TXMAS-5- 51V010	TXMAS	251.27	KT		1.00	Sherwin- Williams	640384905	An ultra high solids epoxy amine formulated specifically as a primer for use under Dura-Plate UHS topcoat. For use in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63057	Dura-Plate® UHS Primer Ultra High Solids Epoxy	Gold Part A	TXMAS-5- 51V010	TXMAS	89.65	GL		1.00	Sherwin- Williams	640330239	An ultra high solids epoxy amine formulated specifically as a primer for use under Dura-Plate UHS topcoat. For use in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63057	Dura-Plate® UHS Ultra High Solids Epoxy	Haze Gray	TXMAS-5- 51V010	TXMAS	91.29	GL		1.00	Sherwin- Williams	640382206	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63057	Dura-Plate® UHS Ultra High Solids Epoxy	Green	TXMAS-5- 51V010	TXMAS	27.15	QT	1	1.00	Sherwin- Williams	640333134	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63057	Dura-Plate® UHS Ultra High Solids Epoxy	Haze Gray	TXMAS-5- 51V010	TXMAS	358.02	KT		1.00	Sherwin- Williams	640376422	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63057	Dura-Plate® UHS Ultra High Solids Epoxy	Black	TXMAS-5- 51V010	TXMAS	358.02	KT		1.00	Sherwin- Williams	640376414	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63057	Dura-Plate® UHS Ultra High Solids Epoxy	Green	TXMAS-5- 51V010	TXMAS	56.95	GL		1.00	Sherwin- Williams	640173571	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63543	Dura-Plate® UHS With Opti-Check OAP Technology	White	TXMAS-5- 51V010	TXMAS	229.72	KT		1.00	Sherwin- Williams	640173563	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63543	Dura-Plate® UHS With Opti-Check OAP Technology	Part B Hardener 55 Gal. Drum	TXMAS-5- 51V010	TXMAS	51.14	DR	53	###	Sherwin- Williams	640323457	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63543	Dura-Plate® UHS With Opti-Check OAP Technology	Part A White	TXMAS-5- 51V010	TXMAS	55.84	DR	53	###	Sherwin- Williams	640323465	Type V - A coating system having a maximum VOC content of 340 g/L (2.83 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	Dura-Plate® UHS With Opti-Check OAP Technology	White	TXMAS-5- 51V010	TXMAS	72.02	GL		1.00	Sherwin- Williams	640330221	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63543	Dura-Plate® UHS With Opti-Check OAP Technology	Part B And For Clear Laminant	TXMAS-5- 51V010	TXMAS	57.49	GL		1.00	Sherwin- Williams	640311841	An ultra high solids epoxy amine engineered specifically for use as a laminating system in immersion service in ballast tanks, oil tanks, and refined fuel storage tanks.
63056	Duration® Coating Exterior Latex Flat	Super White	TXMAS-5- 51V010	TXMAS	36.01	PL	5	5.00	Sherwin- Williams	640326203	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	36.16	GL		1.00	Sherwin- Williams	640515458	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Super White	TXMAS-5- 51V010	TXMAS	36.16	GL		1.00	Sherwin- Williams	640323069	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	Duration® Coating Exterior Latex Flat	Ultradeep	TXMAS-5- 51V010	TXMAS	36.01	PL	5	5.00	Sherwin- Williams	640345237	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Light Yellow	TXMAS-5- 51V010	TXMAS	36.16	GL		1.00	Sherwin- Williams	640345245	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	36.01	PL	5	5.00	Sherwin- Williams	640515466	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	36.16	GL		1.00	Sherwin- Williams	640345203	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	36.01	PL	5	5.00	Sherwin- Williams	640345211	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Flat	Ultradeep	TXMAS-5- 51V010	TXMAS	36.16	GL		1.00	Sherwin- Williams	640345229	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Gloss	Ultradeep Base	TXMAS-5- 51V010	TXMAS	37.69	GL		1.00	Sherwin- Williams	640361374	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	37.53	PL	5	5.00	Sherwin- Williams	640361341	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Light Yellow	TXMAS-5- 51V010	TXMAS	37.53	PL	5	5.00	Sherwin- Williams	640361408	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	37.53	PL	5	5.00	Sherwin- Williams	640361366	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	37.69	GL		1.00	Sherwin- Williams	640361358	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Light Yellow	TXMAS-5- 51V010	TXMAS	37.69	GL		1.00	Sherwin- Williams	640361390	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Super White	TXMAS-5- 51V010	TXMAS	37.53	PL	5	5.00	Sherwin- Williams	640361325	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	37.69	GL		1.00	Sherwin- Williams	640361333	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Gloss	Super White	TXMAS-5- 51V010	TXMAS	37.69	GL		1.00	Sherwin- Williams	640361317	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	Duration® Coating Exterior Latex Gloss	Ultradeep Base	TXMAS-5- 51V010	TXMAS	37.53	PL	5	5.00	Sherwin- Williams	640361382	The result of advances in acrylic technology. DURATION uses PermaLast technology to provide you with the most durable and longest lasting coating available for protecting the outside of your home.
63056	Duration® Coating Exterior Latex Satin	Super White	TXMAS-5- 51V010	TXMAS	36.77	PL	5	5.00	Sherwin- Williams	640326104	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Light Yellow	TXMAS-5- 51V010	TXMAS	36.77	PL	5	5.00	Sherwin- Williams	640345310	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Super White	TXMAS-5- 51V010	TXMAS	36.92	GL		1.00	Sherwin- Williams	640322905	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	36.92	GL		1.00	Sherwin- Williams	640345286	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Light Yellow	TXMAS-5- 51V010	TXMAS	36.92	GL		1.00	Sherwin- Williams	640345302	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	36.92	GL		1.00	Sherwin- Williams	640345260	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	36.77	PL	5	5.00	Sherwin- Williams	640345294	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	36.77	PL	5	5.00	Sherwin- Williams	640515524	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	36.77	PL	5	5.00	Sherwin- Williams	640345278	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63056	Duration® Coating Exterior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	36.92	GL		1.00	Sherwin- Williams	640515516	Provides you with the most durable and longest lasting coating available for protecting your home. One Coat Protection - Self-Priming - Easy Application - Superior Hiding. Resists Blistering and Peeling.
63543	Duration® Home Interior Latex Matte	Extra White	TXMAS-5- 51V010	TXMAS	30.68	PL	5	5.00	Sherwin- Williams	650096522	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Matte	Deep Base	TXMAS-5- 51V010	TXMAS	30.83	GL		1.00	Sherwin- Williams	650096548	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Matte	Extra White	TXMAS-5- 51V010	TXMAS	30.83	GL		1.00	Sherwin- Williams	650096514	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Matte	High Reflective White	TXMAS-5- 51V010	TXMAS	31.59	GL		1.00	Sherwin- Williams	650096498	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Duration® Home Interior Latex Satin	Extra White	TXMAS-5-51V010	TXMAS	31.59	GL		1.00	Sherwin-Williams	650096589	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Satin	Extra White	TXMAS-5-51V010	TXMAS	31.44	PL	5	5.00	Sherwin-Williams	650096597	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Satin	High Reflective White	TXMAS-5-51V010	TXMAS	32.36	GL		1.00	Sherwin-Williams	650096563	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Satin	Deep Base	TXMAS-5-51V010	TXMAS	31.59	GL		1.00	Sherwin-Williams	650096613	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Semi-Gloss	High Reflective White	TXMAS-5-51V010	TXMAS	33.12	GL		1.00	Sherwin-Williams	650096647	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	32.20	PL	5	5.00	Sherwin-Williams	650096670	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Duration® Home Interior Latex Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	32.36	GL		1.00	Sherwin-Williams	650096662	Provides long lasting beauty, washability, with resistance to stains, scuffs and burnishing. Very smooth even finish. Very low VOC. Very low odor. Very easy application.
63543	Easy Sand Interior Oil Based Primer	White	TXMAS-5-51V010	TXMAS	16.89	PL	5	5.00	Sherwin-Williams	640359477	Assures uniform appearance of topcoats, Seals out water sensitive stains, dried water stains, smoke stains and related odors, and grease, ink, and pencil stains.
63543	Easy Sand Interior Oil Based Primer	White	TXMAS-5-51V010	TXMAS	17.34	GL		4.00	Sherwin-Williams	640361291	Assures uniform appearance of topcoats. Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease, ink and pencil stains. Quick drying.
63543	E-Barrier Reflective Coating For Attic Decking	Silver Metallic	TXMAS-5-51V010	TXMAS	37.78	PL	5	5.00	Sherwin-Williams	640359493	A low emissivity (low E) coating for application to the underside surface of roof decks. Helps keep the interior of structure warmer in winter and cooler in summer.
63543	Elastomeric VIP Elastomeric Coating	White	TXMAS-5-51V010	TXMAS	23.46	PL	5	1.00	Momentive Performance (Gesa)	1502764	
63057	Epolon II Multi Mil Epoxy Part A	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	45.70	PL	5	1.00	Sherwin-Williams	640516803	An interior/exterior, VOC compliant, high build, self-priming, catalyzed polyamide epoxy. Maximum resistance to alkali, abrasion, substrate corrosion, moisture, and industrial environments.
63057	Epolon II Multi Mil Epoxy Part A	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	46.48	GL		1.00	Sherwin-Williams	640516795	An interior/exterior, VOC compliant, high build, self-priming, catalyzed polyamide epoxy. Maximum resistance to alkali, abrasion, substrate corrosion, moisture, and industrial environments.
63057	Epolon II Multi Mil Epoxy Part B	Hardener	TXMAS-5-51V010	TXMAS	26.11	PL	5	1.00	Sherwin-Williams	640119814	An interior/exterior, VOC compliant, high build, self-priming, catalyzed polyamide epoxy. Maximum resistance to alkali, abrasion, substrate corrosion, moisture, and industrial environments.
63057	Epolon II Multi Mil Epoxy Part B	Hardener	TXMAS-5-51V010	TXMAS	26.89	GL		1.00	Sherwin-Williams	640119806	An interior/exterior, VOC compliant, high build, self-priming, catalyzed polyamide epoxy. Maximum resistance to alkali, abrasion, substrate corrosion, moisture, and industrial environments.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Epolon II RIP Rust Inhibitive Epoxy Primer	Off White	TXMAS-5- 51V010	TXMAS	51.53	PL	5	1.00	Sherwin- Williams	640119590	A high performance, exterior/interior, VOC compliant, lead and chromate free, high solids, two component, rust inhibitive, catalyzed polyamide epoxy steel primer.
63057	Epolon II RIP Rust Inhibitive Epoxy Primer	Gray	TXMAS-5- 51V010	TXMAS	51.53	PL	5	1.00	Sherwin- Williams	640119616	A high performance, exterior/interior, VOC compliant, lead and chromate free, high solids, two component, rust inhibitive, catalyzed polyamide epoxy steel primer.
63057	Epolon II RIP Rust Inhibitive Epoxy Primer	Hardener	TXMAS-5- 51V010	TXMAS	35.47	PL	5	1.00	Sherwin- Williams	640119665	A high performance, exterior/interior, VOC compliant, lead and chromate free, high solids, two component, rust inhibitive, catalyzed polyamide epoxy steel primer.
63057	Epolon II RIP Rust Inhibitive Epoxy Primer	Gray	TXMAS-5- 51V010	TXMAS	52.42	GL		1.00	Sherwin- Williams	640119608	A high performance, exterior/interior, VOC compliant, lead and chromate free, high solids, two component, rust inhibitive, catalyzed polyamide epoxy steel primer.
63057	Epolon II RIP Rust Inhibitive Epoxy Primer	Hardener	TXMAS-5- 51V010	TXMAS	36.40	GL		1.00	Sherwin- Williams	640119657	A high performance, exterior/interior, VOC compliant, lead and chromate free, high solids, two component, rust inhibitive, catalyzed polyamide epoxy steel primer.
63543	Epo-Phen Hi-Temp Coating	Hardener	TXMAS-5- 51V010	TXMAS	77.27	GL		1.00	Sherwin- Williams	640321907	A flake filled (MIO) amine cured epoxy phenolic novolac for use under thermal insulation at elevated temperatures. Resistant to 425 F. constant and 450 F intermittent (dry service) - Self priming.
63543	Epo-Phen Hi-Temp Coating	Gray	TXMAS-5- 51V010	TXMAS	210.76	KT		1.00	Sherwin- Williams	640321899	A flake filled (MIO) amine cured epoxy phenolic novolac for use under thermal insulation at elevated temperatures. Resistant to 425 F. constant and 450 F intermittent (dry service) - Self priming.
63057	Epoxy Mastic Aluminum II	Hardener Part B	TXMAS-5- 51V010	TXMAS	38.97	PL	5	1.00	Sherwin- Williams	640149076	A high solids, aluminum filled epoxy coating to provide a high performance system over marginally prepared steel surfaces. A universal primer when applying high performance coatings over alkyds, to prevent lifting.
63057	Epoxy Mastic Aluminum II	Aluminum Part A	TXMAS-5- 51V010	TXMAS	40.62	GL		1.00	Sherwin- Williams	640149043	A high solids, aluminum filled epoxy coating to provide a high performance system over marginally prepared steel surfaces. A universal primer when applying high performance coatings over alkyds, to prevent lifting.
63057	Epoxy Mastic Aluminum II	Aluminum Part A	TXMAS-5- 51V010	TXMAS	40.05	PL	5	1.00	Sherwin- Williams	640149050	A high solids, aluminum filled epoxy coating to provide a high performance system over marginally prepared steel surfaces. A universal primer when applying high performance coatings over alkyds, to prevent lifting.
63057	Epoxy Mastic Aluminum II	Hardener Part B	TXMAS-5- 51V010	TXMAS	40.62	GL		1.00	Sherwin- Williams	640149068	A high solids, aluminum filled epoxy coating to provide a high performance system over marginally prepared steel surfaces. A universal primer when applying high performance coatings over alkyds, to prevent lifting.
63057	Epoxy Primer 2.8 VOC Catalyzed	White	TXMAS-5- 51V010	TXMAS	155.69	KT		1.00	Sherwin- Williams	601611734	A high solids, two component epoxy primer offering excellent adhesion and corrosion resistance without the use of chromates. It is especially suitable for use under Polane Polyurethane topcoats.
63057	Epoxy Primer 2.8 VOC Catalyzed	Gray	TXMAS-5- 51V010	TXMAS	156.71	KT		1.00	Sherwin- Williams	501053854	A high solids, two component epoxy primer offering excellent adhesion and corrosion resistance without the use of chromates. It is especially suitable for use under Polane Polyurethane topcoats.
63057	Epoxy Primer 2.8 VOC Catalyzed	Catalyst	TXMAS-5- 51V010	TXMAS	43.60	GL		1.00	Sherwin- Williams	501053813	A high solids, two component epoxy primer offering excellent adhesion and corrosion resistance without the use of chromates. It is especially suitable for use under Polane Polyurethane topcoats.
63543	Extension Ladder - Aluminum Type 1	24 Ft.	TXMAS-5- 51V010	TXMAS	212.50	EA		1.00	Werner, R. D.	4037917	Type 1 duty rating heavy duty industrial use 250 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation, quick clip and rope eliminates loose ends, tangles and knots. Mar-resistant end caps. Interlocking side rails.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Extension Ladder - Aluminum Type 1	32 Ft.	TXMAS-5- 51V010	TXMAS	297.85	EA		1.00	Werner, R. D.	4037941	Type 1 duty rating heavy duty industrial use 250 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation, quick clip and rope eliminates loose ends, tangles and knots. Mar-resistant end caps. Interlocking side rails.
63543	Extension Ladder - Aluminum Type 1	20 Ft.	TXMAS-5- 51V010	TXMAS	153.56	EA		1.00	Werner, R. D.	4037784	Type 1 duty rating heavy duty industrial use 250 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation, quick clip and rope eliminates loose ends, tangles and knots. Mar-resistant end caps. Interlocking side rails.
63543	Extension Ladder - Aluminum Type 1	16 Ft.	TXMAS-5- 51V010	TXMAS	127.12	EA		1.00	Werner, R. D.	4037966	Type 1 duty rating heavy duty industrial use 250 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation, quick clip and rope eliminates loose ends, tangles and knots. Mar-resistant end caps. Interlocking side rails.
63543	Extension Ladder - Aluminum Type 1	28 Ft.	TXMAS-5- 51V010	TXMAS	234.67	EA		1.00	Werner, R. D.	4037867	Type 1 duty rating heavy duty industrial use 250 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation, quick clip and rope eliminates loose ends, tangles and knots. Mar-resistant end caps. Interlocking side rails.
63543	Extension Ladder - Aluminum Type 1A	16 Ft.	TXMAS-5- 51V010	TXMAS	158.69	EA		1.00	Werner, R. D.	4034849	Type 1A duty rating extra heavy duty professional use 300 lb. capacity. Full side rail 1/4 Inch thick guide bracket at top of base, engages full fly rail. Two 1/4 Inch thick brackets at bottom inside of fly section for smooth operation and durability.
63543	Extension Ladder - Aluminum Type 1A	28 Ft.	TXMAS-5- 51V010	TXMAS	280.76	EA		1.00	Werner, R. D.	6118046	Type 1A duty rating extra heavy duty professional use 300 lb. capacity. Full side rail 1/4 Inch thick guide bracket at top of base, engages full fly rail. Two 1/4 Inch thick brackets at bottom inside of fly section for smooth operation and durability.
63543	Extension Ladder - Aluminum Type 1A	20 Ft.	TXMAS-5- 51V010	TXMAS	181.73	EA		1.00	Werner, R. D.	6118038	Type 1A duty rating extra heavy duty professional use 300 lb. capacity. Full side rail 1/4 Inch thick guide bracket at top of base, engages full fly rail. Two 1/4 Inch thick brackets at bottom inside of fly section for smooth operation and durability.
63543	Extension Ladder - Aluminum Type 1A	24 Ft.	TXMAS-5- 51V010	TXMAS	213.30	EA		1.00	Werner, R. D.	2825123	Type 1A duty rating extra heavy duty professional use 300 lb. capacity. Full side rail 1/4 Inch thick guide bracket at top of base, engages full fly rail. Two 1/4 Inch thick brackets at bottom inside of fly section for smooth operation and durability.
63543	Extension Ladder - Aluminum Type 1A 32	32 Ft.	TXMAS-5- 51V010	TXMAS	296.94	EA		1.00	Werner, R. D.	2822310	Type 1A duty rating extra heavy duty professional use 300 lb. capacity. Full side rail 1/4 Inch thick guide bracket at top of base, engages full fly rail. Two 1/4 Inch thick brackets at bottom inside of fly section for smooth operation and durability.
63543	Extension Ladder - Aluminum Type 1A 40	40 Ft.	TXMAS-5- 51V010	TXMAS	397.64	EA		1.00	Werner, R. D.	2822336	Type 1A duty rating extra heavy duty professional use 300 lb. capacity. Full side rail 1/4 Inch thick guide bracket at top of base, engages full fly rail. Two 1/4 Inch thick brackets at bottom inside of fly section for smooth operation and durability.
63543	Extension Ladder - Aluminum Type 2	20 Ft.	TXMAS-5- 51V010	TXMAS	136.50	EA		1.00	Werner, R. D.	2822286	Type 2 duty rating medium duty commercial use 225 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation. quick clip and rope eliminates loose ends, tangles and knots. Mar resistant end caps.
63543	Extension Ladder - Aluminum Type 2	28 Ft.	TXMAS-5- 51V010	TXMAS	200.51	EA		1.00	Werner, R. D.	2822302	Type 2 duty rating medium duty commercial use 225 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation. quick clip and rope eliminates loose ends, tangles and knots. Mar resistant end caps.
63543	Extension Ladder - Aluminum Type 2	16 Ft.	TXMAS-5- 51V010	TXMAS	123.71	EA		1.00	Werner, R. D.	6117998	Type 2 duty rating medium duty commercial use 225 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation. quick clip and rope eliminates loose ends, tangles and knots. Mar resistant end caps.
63543	Extension Ladder - Aluminum Type 2	24 Ft.	TXMAS-5- 51V010	TXMAS	162.10	EA		1.00	Werner, R. D.	2822294	Type 2 duty rating medium duty commercial use 225 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation. quick clip and rope eliminates loose ends, tangles and knots. Mar resistant end caps.
63543	Extension Ladder - Aluminum Type 2	32 Ft.	TXMAS-5- 51V010	TXMAS	238.91	EA		1.00	Werner, R. D.	6118012	Type 2 duty rating medium duty commercial use 225 lb. load capacity. Slip resistant Traction-Tred® D-rungs. Easy separation. quick clip and rope eliminates loose ends, tangles and knots. Mar resistant end caps.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Extension Ladder - Orange Fiberglass Type 1A	20 Ft.	TXMAS-5- 51V010	TXMAS	225.26	EA		1.00	R D Werner	4001871	Type 1A duty rating extra heavy duty professional use 300 Lb. capacity. Orange electrically non-conductive side rails. Direct rung to rail connections. Interlocking side rails.
63543	Extension Plank - Aluminum	8 Ft. To 13 Ft.	TXMAS-5- 51V010	TXMAS	198.79	EA		1.00	Werner, R. D.	2824431	250 lb. duty rating. 1 man, 2-section extension plank. Made of 2 inch deep box section extrusions. Has spring set positive lock which sets the plank in 12 Inch increments. Follows UL, OSHA, an ANSI codes.
63543	Extension Plank - Aluminum	10 Ft. x 17 Ft.	TXMAS-5- 51V010	TXMAS	279.03	EA		1.00	Werner, R. D.	6117840	250 lb. duty rating. 1 man, 2-section extension plank. Made of 2 inch deep box section extrusions. Has spring set positive lock which sets the plank in 12 Inch increments. Follows UL, OSHA, an ANSI codes.
63547	Extension Pole - Contractor Series® Frame Lock	4 Ft. - 8 Ft.	TXMAS-5- 51V010	TXMAS	29.57	EA		1.00	Sherwin- Williams	1806512	Offers a new technology in locking extension poles to roller frames, creating the most stable connection ever.
63547	Extension Pole - Contractor Series® Frame Lock	6 Ft. - 12 Ft.	TXMAS-5- 51V010	TXMAS	36.30	EA		1.00	Sherwin- Williams	1806520	Offers a new technology in locking extension poles to roller frames, creating the most stable connection ever.
63547	Extension Pole - Contractor Series® Frame Lock	8 Ft. - 16 Ft.	TXMAS-5- 51V010	TXMAS	39.96	EA		1.00	Sherwin- Williams	1807064	Offers a new technology in locking extension poles to roller frames, creating the most stable connection ever.
63547	Extension Pole - Contractor Series® Frame Lock	2 Ft. - 4 Ft.	TXMAS-5- 51V010	TXMAS	23.97	EA		1.00	Sherwin- Williams	1806504	Offers a new technology in locking extension poles to roller frames, creating the most stable connection ever.
63547	Extension Pole - Contractor Series® Frame Lock Frame Adaptor	2 Pack	TXMAS-5- 51V010	TXMAS	3.34	EA		1.00	Sherwin- Williams	1807056	Offers a new technology in locking extension poles to roller frames, creating the most stable connection ever.
63547	Extension Pole - Contractor Series® Twist Lock	6 Ft. x 12 Ft.	TXMAS-5- 51V010	TXMAS	24.97	EA		1.00	Sherwin- Williams	1803832	Heavy duty wall fiberglass tubes twist to lock. Heavy duty glas filled nylon components. Sturdy cast zinc tip accepts all standard roller frames. Oversized rubber grip for better control.
63547	Extension Pole - Contractor Series® Twist Lock	4 Ft. x 8 Ft.	TXMAS-5- 51V010	TXMAS	20.17	EA		1.00	Sherwin- Williams	1803824	Heavy duty wall fiberglass tubes twist to lock. Heavy duty glas filled nylon components. Sturdy cast zinc tip accepts all standard roller frames. Oversized rubber grip for better control.
63547	Extension Pole - Contractor Series® Twist Lock	2 Ft. x 4 Ft.	TXMAS-5- 51V010	TXMAS	14.50	EA		1.00	Sherwin- Williams	1803816	Heavy duty wall fiberglass tubes twist to lock. Heavy duty glas filled nylon components. Sturdy cast zinc tip accepts all standard roller frames. Oversized rubber grip for better control.
63547	Extension Pole - Contractor Series® Twist Lock	8 Ft. x 16 Ft.	TXMAS-5- 51V010	TXMAS	32.12	EA		1.00	Sherwin- Williams	1803840	Heavy duty wall fiberglass tubes twist to lock. Heavy duty glas filled nylon components. Sturdy cast zinc tip accepts all standard roller frames. Oversized rubber grip for better control.
63547	Extension Pole - Paint Smart Brand Quick Reach Telescoping Pole	7-1/2 Ft. To 12-1/2 Ft.	TXMAS-5- 51V010	TXMAS	244.36	EA		1.00	Hyde Tools	1645969	Extension Pole - Paint Smart Brand Quick Reach Telescoping Pole 7-1/2 Ft. To 12-1/2 Ft.
63547	Extension Pole - Paint Smart Brand Quick Reach Telescoping Pole	5-1/2 Ft. To 8-1/2 Ft.	TXMAS-5- 51V010	TXMAS	227.96	EA		1.00	Hyde Tools	9941055	Extension Pole - Paint Smart Brand Quick Reach Telescoping Pole 5-1/2 Ft. To 8-1/2 Ft.
63547	Extension Pole - Premium Adjustable Metal	43 Inch To 78 Inch	TXMAS-5- 51V010	TXMAS	9.29	EA		1.00	Sherwin- Williams	1709369	Adjustable.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Extension Pole - Purdy® JIFFYLOC Extension Pole	4-8 Ft.	TXMAS-5- 51V010	TXMAS	28.31	EA		1.00	Sw Purdy	1809102	Patented quick-release pole adaptor makes tool changes a snap! Easy to use, one button release lever locks the pole at 6" intervals. Rigid aluminum and fiberglass construction.
63547	Extension Pole - Purdy® JIFFYLOC Extension Pole	6-12 Ft.	TXMAS-5- 51V010	TXMAS	42.93	EA		1.00	Sw Purdy	1809128	Patented quick-release pole adaptor makes tool changes a snap! Easy to use, one button release lever locks the pole at 6" intervals. Rigid aluminum and fiberglass construction.
63547	Extension Pole - Purdy® JIFFYLOC Extension Pole	6-12 Ft.	TXMAS-5- 51V010	TXMAS	33.80	EA		1.00	Sw Purdy	1809110	Patented quick-release pole adaptor makes tool changes a snap! Easy to use, one button release lever locks the pole at 6" intervals. Rigid aluminum and fiberglass construction.
63547	Extension Pole - Purdy® JIFFYLOC Extension Pole	2-4 Ft.	TXMAS-5- 51V010	TXMAS	24.66	EA		1.00	Sw Purdy	1809094	Patented quick-release pole adaptor makes tool changes a snap! Easy to use, one button release lever locks the pole at 6" intervals. Rigid aluminum and fiberglass construction.
63547	Extension Pole - Purdy® JIFFYLOC Extension Pole	1-2 Ft.	TXMAS-5- 51V010	TXMAS	18.26	EA		1.00	Sw Purdy	1809086	Patented quick-release pole adaptor makes tool changes a snap! Easy to use, one button release lever locks the pole at 6" intervals. Rigid aluminum and fiberglass construction
63547	Extension Pole - Wood With Metal Tip	6 Ft.	TXMAS-5- 51V010	TXMAS	5.21	EA		1.00	Sherwin- Williams	1703263	With metal tip.
63547	Extension Pole - Zipwall Spring Loaded Pole Kit	12 Ft.	TXMAS-5- 51V010	TXMAS	104.91	EA		1.00	Zip Wall	9855693	12 Foot Zipwall Spring Loaded Pole Kit
63056	Exterior Alkyd Semi Transparent Stain	Clear Base	TXMAS-5- 51V010	TXMAS	14.77	PL	5	5.00	Sherwin- Williams	1045772	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.
63056	Exterior Alkyd Semi Transparent Stain	Clear Base	TXMAS-5- 51V010	TXMAS	15.01	GL		1.00	Sherwin- Williams	1045764	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.
63056	Exterior Alkyd Semi- Transparent VOC- Complying Wood Stain	Clear Base	TXMAS-5- 51V010	TXMAS	18.15	PL	5	1.00	Sherwin- Williams	1040492	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.
63056	Exterior Alkyd Semi- Transparent VOC- Complying Wood Stain	Clear Base	TXMAS-5- 51V010	TXMAS	18.29	GL		1.00	Sherwin- Williams	1040484	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.
63082	Exterior Latex Wood Primer	White	TXMAS-5- 51V010	TXMAS	21.48	GL		1.00	Sherwin- Williams	6000483	Designed for use on exterior wood and plywood siding and trim as a spot primer or overall primer.
63082	Exterior Latex Wood Primer	White	TXMAS-5- 51V010	TXMAS	21.27	PL	5	5.00	Sherwin- Williams	6000491	Designed for use on exterior wood and plywood siding and trim as a spot primer or overall primer.
63082	Exterior Oil Based Wood Primer	White	TXMAS-5- 51V010	TXMAS	23.10	GL		1.00	Sherwin- Williams	7108350	Designed for use on exterior wood manufactured siding hardboard rough sawn siding and trim as a spot primer or overall primer.
63082	Exterior Oil Based Wood Primer	White	TXMAS-5- 51V010	TXMAS	22.77	PL	5	5.00	Sherwin- Williams	7108376	Designed for use on exterior wood manufactured siding hardboard rough sawn siding and trim as a spot primer or overall primer.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Exterior Oil Based Wood Primer	White	TXMAS-5-51V010	TXMAS	9.69	QT	1	6.00	Sherwin-Williams	7108368	Designed for use on exterior wood manufactured siding hardboard rough sawn siding and trim as a spot primer or overall primer.
63056	Exterior Stain Oil Base Solid Color	Ultradeep	TXMAS-5-51V010	TXMAS	21.45	GL		4.00	Sherwin-Williams	640351185	A VOC complying stain providing a long lasting, mildew resistant film for protecting most exterior wood surfaces.
63056	Exterior Stain Oil Base Solid Color	Ultradeep	TXMAS-5-51V010	TXMAS	21.12	PL	5	5.00	Sherwin-Williams	640351193	A VOC complying stain providing a long lasting, mildew resistant film for protecting most exterior wood surfaces.
63056	Exterior Stain Oil Base Solid Color	Snowcap White	TXMAS-5-51V010	TXMAS	21.45	GL		4.00	Sherwin-Williams	640351144	A VOC complying stain providing a long lasting, mildew resistant film for protecting most exterior wood surfaces.
63056	Exterior Stain Oil Base Solid Color	Deep Base	TXMAS-5-51V010	TXMAS	21.45	GL		4.00	Sherwin-Williams	640351169	A VOC complying stain providing a long lasting, mildew resistant film for protecting most exterior wood surfaces.
63543	EZ Moves Hard Surface Furniture Slides	4-3/4 Inch x 4 Ft.	TXMAS-5-51V010	TXMAS	13.71	EA		1.00	Simtec	9600321	Sold in sets of two, these extra long felt bottom slides allow one person to easily move heavy furniture and more on hard surface floors.
63082	E-Z® Roll Reducer Urethane Defoamer		TXMAS-5-51V010	TXMAS	20.16	QT	1	1.00	Sherwin-Williams	640322459	Provides a better final appearance and minimizes the potential for foaming and bubbling during roller application.
63003	Fade-A-Way Dye Additive (For Diamond Clad)	Green/Translucent	TXMAS-5-51V010	TXMAS	8.23	EA		1.00	Sherwin-Williams	640334702	A translucent colorant whih is added to Diamond-Clad Clear Coat to ensure a uniform application of th clear coat.
63057	Fast Clad Brush Grade Epoxy	Hardener	TXMAS-5-51V010	TXMAS	38.98	QT	1	1.00	Sherwin-Williams	640355772	A high solids epoxy amine coating that is engineered specifically as a brushable repair coating for Fast Clad ER Epoxy in sea water and fuel ballast tanks.
63057	Fast Clad Brush Grade Epoxy	White	TXMAS-5-51V010	TXMAS	38.98	KT		1.00	Sherwin-Williams	640355780	A high solids epoxy amine coating that is engineered specifically as a brushable repair coating for Fast Clad ER Epoxy in sea water and fuel ballast tanks.
63057	Fast Clad ER Epoxy Edge Retentive Epoxy	Blue - w/OAP Additive	TXMAS-5-51V010	TXMAS	74.11	PL	5	5.00	Sherwin-Williams	640384921	An edge retentive, high solids epoxy Bisphenol A amine coating engineered specifically for immersion service.
63057	Fast Clad ER Epoxy Edge Retentive Epoxy	White	TXMAS-5-51V010	TXMAS	75.11	PL	5	5.00	Sherwin-Williams	640352621	An edge retentive, high solids epoxy Bisphenol A amine coating engineered specifically for immersion service.
63057	Fast Clad ER MIL-PRF-23236C	Hardener	TXMAS-5-51V010	TXMAS	75.11	PL	5	5.00	Sherwin-Williams	640352613	An edge retentive, high solids epoxy Bisphenol A amine coating engineered specifically for immersion service.
63543	Fast Clad® DTM Urethane Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	204.00	KT		1.00	Sherwin-Williams	640347688	A single coat, direct-to-metal urethane finish. It is a fast dry, aliphatic polyurea formulated to provide high build and high performance protection with excellent color and gloss retention through airless spraying.
63543	Fast Clad® DTM Urethane Gloss	Clear Tint Base	TXMAS-5-51V010	TXMAS	204.00	KT		1.00	Sherwin-Williams	640347704	A single coat, direct-to-metal urethane finish. It is a fast dry, aliphatic polyurea formulated to provide high build and high performance protection with excellent color and gloss retention through airless spraying.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Fast Clad® DTM Urethane Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	52.00	GL		1.00	Sherwin-Williams	640347670	A single coat, direct-to-metal urethane finish. It is a fast dry, aliphatic polyurea formulated to provide high build and high performance protection with excellent color and gloss retention through airless spraying.
63543	Fast Clad® DTM Urethane Gloss	Clear Tint Base	TXMAS-5-51V010	TXMAS	52.00	GL		1.00	Sherwin-Williams	640347696	A single coat, direct-to-metal urethane finish. It is a fast dry, aliphatic polyurea formulated to provide high build and high performance protection with excellent color and gloss retention through airless spraying.
63543	Fast Clad® DTM Urethane Mastic	Hardener	TXMAS-5-51V010	TXMAS	18.00	QT	1	1.00	Sherwin-Williams	640347712	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Tint Base	TXMAS-5-51V010	TXMAS	203.73	KT		1.00	Sherwin-Williams	640362083	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Red Oxide	TXMAS-5-51V010	TXMAS	51.93	GL		1.00	Sherwin-Williams	640362091	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Tint Base	TXMAS-5-51V010	TXMAS	51.93	GL		1.00	Sherwin-Williams	640362075	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Red Oxide	TXMAS-5-51V010	TXMAS	203.73	KT		1.00	Sherwin-Williams	640361846	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Aluminum	TXMAS-5-51V010	TXMAS	203.73	KT		1.00	Sherwin-Williams	640361838	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Hardener	TXMAS-5-51V010	TXMAS	68.00	GL		1.00	Sherwin-Williams	640347720	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® DTM Urethane Mastic	Aluminum	TXMAS-5-51V010	TXMAS	51.93	GL		1.00	Sherwin-Williams	640362067	A single coat, fast dry, high build, direct-to-metal, polyaspartic urethane containing MIO (micaceous iron oxide). Is formulated to provide high performance protection with excellent corrosion and weathering resistance.
63543	Fast Clad® HB Acrylic	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	41.61	GL		1.00	Sherwin-Williams	640347894	A one component, fast dry, high build finish designed for one coat application directly to organic and inorganic zinc-rich primers or other recommended primers. May be also applied directly to prepared steel.
63543	Fast Clad® HB Acrylic	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	40.80	PL	5	1.00	Sherwin-Williams	640347902	A one component, fast dry, high build finish designed for one coat application directly to organic and inorganic zinc-rich primers or other recommended primers. May be also applied directly to prepared steel.
63543	Fast Clad® HB Acrylic	Clear Tint Base	TXMAS-5-51V010	TXMAS	41.61	GL		1.00	Sherwin-Williams	640347910	A one component, fast dry, high build finish designed for one coat application directly to organic and inorganic zinc-rich primers or other recommended primers. May be also applied directly to prepared steel.
63543	Fast Clad® HB Acrylic	Clear Tint Base	TXMAS-5-51V010	TXMAS	40.80	PL	5	1.00	Sherwin-Williams	640347928	A one component, fast dry, high build finish designed for one coat application directly to organic and inorganic zinc-rich primers or other recommended primers. May be also applied directly to prepared steel.
63543	Fast Clad® Urethane Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	293.73	KT		1.00	Sherwin-Williams	640355418	A fast dry, single coat, aliphatic polyurea urethan specifically formulated for accelerated maintenance painting.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Fast Clad® Urethane Gloss	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	55.08	GL		1.00	Sherwin- Williams	640355400	A fast dry, single coat, aliphatic polyurea urethan specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Gloss	Clear Tint Base	TXMAS-5- 51V010	TXMAS	293.73	KT		1.00	Sherwin- Williams	640355434	A fast dry, single coat, aliphatic polyurea urethan specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Gloss	Clear Tint Base	TXMAS-5- 51V010	TXMAS	55.08	GL		1.00	Sherwin- Williams	640355426	A fast dry, single coat, aliphatic polyurea urethan specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Hardener	Gloss And Semi-Gloss	TXMAS-5- 51V010	TXMAS	73.43	GL		1.00	Sherwin- Williams	640347746	A fast dry, single coat, aliphatic polyurea urethane specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Hardener	Gloss And Semi-Gloss	TXMAS-5- 51V010	TXMAS	20.23	QT	1	1.00	Sherwin- Williams	640355392	A fast dry, single coat, aliphatic polyurea urethane specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Semi-Gloss	Clear Tint Base	TXMAS-5- 51V010	TXMAS	293.73	KT		1.00	Sherwin- Williams	640355384	A fast dry, single coat, aliphatic polyurea urethane specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Semi-Gloss	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	293.73	KT		1.00	Sherwin- Williams	640347738	A fast dry, single coat, aliphatic polyurea urethane specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Semi-Gloss	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	55.08	GL		1.00	Sherwin- Williams	640355368	A fast dry, single coat, aliphatic polyurea urethane specifically formulated for accelerated maintenance painting.
63543	Fast Clad® Urethane Semi-Gloss	Clear Tint Base	TXMAS-5- 51V010	TXMAS	55.08	GL		1.00	Sherwin- Williams	640355376	A fast dry, single coat, aliphatic polyurea urethane specifically formulated for accelerated maintenance painting.
63543	Fast Dry Acrylic Enamel	Silver	TXMAS-5- 51V010	TXMAS	35.66	PL	5	5.00	Sherwin- Williams	5203971	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Blending White	TXMAS-5- 51V010	TXMAS	29.58	DR	53	###	Sherwin- Williams	5203658	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Equipment Green	TXMAS-5- 51V010	TXMAS	34.79	PL	5	5.00	Sherwin- Williams	5203476	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Safety Yellow	TXMAS-5- 51V010	TXMAS	37.76	PL	5	5.00	Sherwin- Williams	5203690	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	28.13	PL	5	5.00	Sherwin- Williams	501009963	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	25.09	PL	5	5.00	Sherwin- Williams	5203773	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Fast Dry Acrylic Enamel	Brite Red	TXMAS-5- 51V010	TXMAS	46.34	PL	5	5.00	Sherwin- Williams	5203864	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Machinery Red	TXMAS-5- 51V010	TXMAS	34.79	PL	5	5.00	Sherwin- Williams	5203492	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Clear	TXMAS-5- 51V010	TXMAS	25.09	PL	5	5.00	Sherwin- Williams	5203732	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Clear	TXMAS-5- 51V010	TXMAS	23.99	DR	53	###	Sherwin- Williams	5203740	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63543	Fast Dry Acrylic Enamel	Blending White	TXMAS-5- 51V010	TXMAS	30.55	PL	5	5.00	Sherwin- Williams	5203641	A high gloss, durable acrylic enamel. Its fast air drying properties make it ideal for coating various metal products. May be catalyzed with Polane Catalyst V66V29 for improved resistance properties.
63082	Fast Drying Interior/Exterior Oil Based Primer	White	TXMAS-5- 51V010	TXMAS	17.09	PL	5	5.00	Sherwin- Williams	640382321	Assures uniform appearance of exterior and interior topcoats. This may be topcoated with latex or oil paints, is for use on new construction or repainting.
63082	Fast Drying Interior/Exterior Oil Based Primer	White	TXMAS-5- 51V010	TXMAS	17.86	GL		4.00	Sherwin- Williams	640382313	Assures uniform appearance of exterior and interior topcoats. This may be topcoated with latex or oil paints, is for use on new construction or repainting.
63066	Fast Glo® Water Based Phosphorescent Safety Marking Coating	Greenish Yellow	TXMAS-5- 51V010	TXMAS	46.22	QT	1	1.00	Sherwin- Williams	640349833	A single component, water based phosphorescent photo luminescent coating that glows in the dark after the removal of artificial light. Designed for interior use where markings are necessary to designate boundaries and directions.
63066	Fast Glo® Water Based Phosphorescent Safety Marking Coating	Greenish Yellow	TXMAS-5- 51V010	TXMAS	173.65	GL		1.00	Sherwin- Williams	640349841	A single component, water based phosphorescent photo luminescent coating that glows in the dark after the removal of artificial light. Designed for interior use where markings are necessary to designate boundaries and directions.
63543	Fast Production Enamel	Federal Yellow	TXMAS-5- 51V010	TXMAS	42.08	PL	5	5.00	Sherwin- Williams	520214297	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Blending White	TXMAS-5- 51V010	TXMAS	28.19	PL	5	5.00	Sherwin- Williams	530103225	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	23.55	PL	5	5.00	Sherwin- Williams	520285347	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Safety Yellow	TXMAS-5- 51V010	TXMAS	35.45	PL	5	5.00	Sherwin- Williams	520200361	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Caterpillar Yellow	TXMAS-5- 51V010	TXMAS	25.69	PL	5	5.00	Sherwin- Williams	501065387	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Red	TXMAS-5- 51V010	TXMAS	33.19	PL	5	5.00	Sherwin- Williams	520214271	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Fast Production Enamel	Blending White	TXMAS-5- 51V010	TXMAS	26.57	DR	53	###	Sherwin- Williams	530103233	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Omaha Orange	TXMAS-5- 51V010	TXMAS	39.86	PL	5	5.00	Sherwin- Williams	520200809	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Green	TXMAS-5- 51V010	TXMAS	29.77	PL	5	5.00	Sherwin- Williams	520214255	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Blue	TXMAS-5- 51V010	TXMAS	29.77	PL	5	5.00	Sherwin- Williams	520204231	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Blending White	TXMAS-5- 51V010	TXMAS	26.67	DR	53	###	Sherwin- Williams	530103258	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	White	TXMAS-5- 51V010	TXMAS	28.19	PL	5	5.00	Sherwin- Williams	520285388	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	ASA 49 Gray	TXMAS-5- 51V010	TXMAS	25.69	PL	5	5.00	Sherwin- Williams	520214230	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Blending White	TXMAS-5- 51V010	TXMAS	28.19	PL	5	5.00	Sherwin- Williams	530103241	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	22.56	DR	53	###	Sherwin- Williams	520200478	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	White	TXMAS-5- 51V010	TXMAS	26.67	DR	53	###	Sherwin- Williams	520285396	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	23.66	PL	5	5.00	Sherwin- Williams	520200460	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
63543	Fast Production Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	22.56	DR	53	###	Sherwin- Williams	520285354	A gloss alkyd enamel intended for finishing or refinishing industrial, construction and agricultural equipment. May be catalyzed for higher gloss, increased hardness and improved resistance properties.
14545	Faux Finishing - Badger Softener Blender For Faux Finishing	1-1/4 Inch	TXMAS-5- 51V010	TXMAS	22.56	EA		1.00	Bestt Liebco	7238900	Made with long tufts of the highest quality badger hair.
14545	Faux Finishing - Badger Softener Blender For Faux Finishing	6 Inch Triple Row	TXMAS-5- 51V010	TXMAS	155.90	EA		1.00	Bestt Liebco	1618453	Made of long tufts of the highest quality badger hair. Features a triple row.
14545	Faux Finishing - Badger Softener Blender For Faux Finishing	3 Inch	TXMAS-5- 51V010	TXMAS	33.46	EA		1.00	Bestt Liebco	9031139	Made with long tufts of the highest quality badger hair.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Faux Finishing - Bristle Softener Blenders For Faux Finishing	4 Inch	TXMAS-5-51V010	TXMAS	21.39	EA		1.00	Bestt Liebco	4556742	Made of bristle for oil-based glazes. Softeners are made for mild effects and blending glaze colors.
14545	Faux Finishing - Chamois Cloth		TXMAS-5-51V010	TXMAS	12.99	EA		1.00	Bestt Liebco	1618537	A ragging specialty tool. Made with a high grade leather. Good for the multitude of ragging or rag rolling techniques and are made with a clean lint-free material for a clean finish.
14545	Faux Finishing - Colorwashing For Faux Finishing	4 Inch	TXMAS-5-51V010	TXMAS	11.73	EA		1.00	Bestt Liebco	9017211	Designed to help achieve subtle colorwashing effects.
14545	Faux Finishing - Dragging Brush For Faux Finishing	3 Inch	TXMAS-5-51V010	TXMAS	14.78	EA		1.00	Bestt Liebco	1618560	The primary tool used in the popular strie look. Specifically designed for ragging only.
14545	Faux Finishing - Faux Finishing Comb		TXMAS-5-51V010	TXMAS	3.10	EA		1.00	Sherwin-Williams	1713999	Metal tines in a metal handle.
14545	Faux Finishing - Faux Finishing Fan Bristle Blender	Large	TXMAS-5-51V010	TXMAS	6.41	EA		1.00	Bestt Liebco	9028184	Made for a wide variety of woodgrain effects. Used to overlay decorative patterns and unique designs such as Bird's Eye Maple. Made of pure white bristle hair.
14545	Faux Finishing - Faux Finishing Fan Bristle Blender	3 Inch	TXMAS-5-51V010	TXMAS	4.94	EA		1.00	Bestt Liebco	4556528	Made for a variety of woodgrain effects. Designed for special effects such as the tortoise shell. Made of natural white bristle.
14545	Faux Finishing - Flogging Dragging Brush For Faux Finishing	4 Inch	TXMAS-5-51V010	TXMAS	23.94	EA		1.00	Bestt Liebco	1618552	The primary tool used in the popular strie look. Designed for use as a dragging or flogging brush.
14545	Faux Finishing - Graining Tool		TXMAS-5-51V010	TXMAS	13.32	EA		1.00	Bestt Liebco	7973761	Comes with easy to use wood handle for creating woodgrain finishes.
14545	Faux Finishing - Graining Tool With Handle	1/4 Inch Round	TXMAS-5-51V010	TXMAS	3.53	EA		1.00	Advance Equipment Mfg	4913398	Reduces heart grain wood effects. Rubber corrugation mounted on quarter round block.
14545	Faux Finishing - Oval Stippler For Faux Finishing	3-1/2 Inch	TXMAS-5-51V010	TXMAS	41.84	EA		1.00	Bestt Liebco	4860706	Works as a large oval stippling brush or a large surface spatter brush. Size and hair strength makes it ideal for rough surfaces. Black bristle pounder.
14545	Faux Finishing - Pencil Overgrainer For Faux Finishing	7 Head Bristle	TXMAS-5-51V010	TXMAS	23.94	EA		1.00	Bestt Liebco	1618636	For the individual who prefers painting woodgraining patterns in by brush. Available in two different hair filaments.
14545	Faux Finishing - Pencil Overgrainer For Faux Finishing	5 Head Bristle	TXMAS-5-51V010	TXMAS	18.59	EA		1.00	Bestt Liebco	1618628	For the individual who prefers painting woodgraining patterns in by brush. Available in two different hair filaments.
14545	Faux Finishing - Pencil Overgrainer For Faux Finishing	3 Heads Sable	TXMAS-5-51V010	TXMAS	28.86	EA		1.00	Bestt Liebco	7239064	For the individual who prefers painting woodgraining patterns in by brush. Available in two different hair filaments. Sable.
14545	Faux Finishing - Pencil Overgrainer For Faux Finishing	3 Head Bristle	TXMAS-5-51V010	TXMAS	13.68	EA		1.00	Bestt Liebco	4556460	For the individual who prefers painting woodgraining patterns in by brush. Available in two different hair filaments.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Faux Finishing - Softener Blender For Faux Finishing	4 Inch	TXMAS-5-51V010	TXMAS	21.39	EA		1.00	Bestt Liebco	4471892	Uses synthetic hair processed specifically for the new latex glaze. Softeners are made for mild effects and blending glaze colors.
14545	Faux Finishing - Softener Blender Gray Goat For Faux Finishing	1 Inch	TXMAS-5-51V010	TXMAS	5.28	EA		1.00	Bestt Liebco	7506405	Not as soft as badger softeners. Made to be used on most effects requiring a soft finish.
14545	Faux Finishing - Spatter Brush For Faux Finishing		TXMAS-5-51V010	TXMAS	4.14	EA		1.00	Bestt Liebco	1618644	Provides highlights to granite or stone techniques. Use for a very controlled spattering.
14545	Faux Finishing - Standard Mottler For Faux Finishing	1 Inch	TXMAS-5-51V010	TXMAS	10.61	EA		1.00	Bestt Liebco	1618792	For stenciling, dragging, graining and softening. Hair lengths vary depending on the effect desired. White bristle.
14545	Faux Finishing - Standard Mottler For Faux Finishing	2 Inch	TXMAS-5-51V010	TXMAS	10.99	EA		1.00	Bestt Liebco	1618800	For stenciling, dragging, graining and softening. Hair lengths vary depending on the effect desired. White bristle.
14545	Faux Finishing - Standard Mottler For Faux Finishing	4 Inch	TXMAS-5-51V010	TXMAS	15.20	EA		1.00	Bestt Liebco	1618826	For stenciling, dragging, graining and softening. Hair lengths vary depending on the effect desired. White bristle.
14545	Faux Finishing - Standard Mottler For Faux Finishing	3 Inch	TXMAS-5-51V010	TXMAS	12.91	EA		1.00	Bestt Liebco	1618818	For stenciling, dragging, graining and softening. Hair lengths vary depending on the effect desired. White bristle.
14545	Faux Finishing - Standard Mottler Ox Hair	3 Inch	TXMAS-5-51V010	TXMAS	16.35	EA		1.00	Bestt Liebco	9015058	For stenciling, dragging, graining and softening. Hair lengths vary depending on the effect desired.
14545	Faux Finishing - Stencil Brush For Faux Finishing	1.375 Inch	TXMAS-5-51V010	TXMAS	9.54	EA		1.00	Bestt Liebco	7272883	Available in a larger size range. Features an easier to hold varnished sash handle for larger stencil jobs.
14545	Faux Finishing - Stencil Brush For Faux Finishing	3/4 Inch	TXMAS-5-51V010	TXMAS	4.56	EA		1.00	Bestt Liebco	1618511	Available in a larger size range. Features an easier to hold varnished sash handle for larger stencil jobs.
14545	Faux Finishing - Stencil Brush For Faux Finishing	1/2 Inch	TXMAS-5-51V010	TXMAS	4.17	EA		1.00	Bestt Liebco	1618503	Available in a larger size range. Features an easier to hold varnished sash handle for larger stencil jobs.
14545	Faux Finishing - Stencil Brush For Faux Finishing	10 Inch	TXMAS-5-51V010	TXMAS	2.93	EA		1.00	Bestt Liebco	1618487	Available in a wide variety of brush head sizes with two different handle styles. Fitted with a short plain wood handle, allowing hands to work closer to the surface.
14545	Faux Finishing - Stipple Brush Big Tex Tampico		TXMAS-5-51V010	TXMAS	6.79	EA		1.00	Texmaster Tools	1626399	Pre-cut and pre-formed texture brush filled with tampico fiber set in a wood block.
14545	Faux Finishing - Stipple Brush Original	8 Inch	TXMAS-5-51V010	TXMAS	12.75	EA		1.00	Texmaster Tools	1626415	Pre-cut and pre-formed stipple brush filled with horse hair poly bristles set in a poly block.
14545	Faux Finishing - Stippler Brush	4 Inch x 7 Inch	TXMAS-5-51V010	TXMAS	103.44	EA		1.00	Bestt Liebco	4602215	Produces "raw" glazed effects. Block bristle small tuft.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
14545	Faux Finishing - Stippler Brush For Faux Finishing	3 Inch x 6 Inch	TXMAS-5- 51V010	TXMAS	67.92	EA		1.00	Bestt Liebco	1618388	Produces "raw" glazed effects. Block bristle small tuft.
14545	Faux Finishing - Stippler Brush For Faux Finishing	1 Inch x 4 Inch	TXMAS-5- 51V010	TXMAS	19.33	EA		1.00	Bestt Liebco	1618354	Produces "raw" glazed effects. Block bristle small tuft.
14545	Faux Finishing - Stippler Brush For Faux Finishing	1 Inch x 4 Inch	TXMAS-5- 51V010	TXMAS	15.95	EA		1.00	Bestt Liebco	4204681	Produces "raw" glazes effects. Block bristle. Large Tuft.
14545	Faux Finishing - Stippler Brush For Faux Finishing	2 Inch x 4 Inch	TXMAS-5- 51V010	TXMAS	29.82	EA		1.00	Bestt Liebco	1618370	Produces "raw" glazed effects. Block bristle small tuft.
14545	Faux Finishing - Woodgraining Pad	4 Inch	TXMAS-5- 51V010	TXMAS	6.86	EA		1.00	Bestt Liebco	9012055	Quarter sawn. Unique, simple and easy to use. Selection consists of five different widths and five different pattern designs.
14545	Faux Finishing - Woodgraining Pad	5 Inch	TXMAS-5- 51V010	TXMAS	12.19	EA		1.00	Bestt Liebco	7973753	Quarter sawn. Unique, simple and easy to use. Selection consists of five different widths and five different pattern designs.
14545	Faux Finishing - Woodgraining Pad	5 Inch	TXMAS-5- 51V010	TXMAS	12.19	EA		1.00	Bestt Liebco	9009911	Plain sawn - wide grain - off center left. Unique, simple and easy to use. Selection consists of five different widths and five different pattern designs.
14545	Faux Finishing - Woodgraining Pad	6 Inch	TXMAS-5- 51V010	TXMAS	13.69	EA		1.00	Bestt Liebco	9009945	Rotary quarter sawn. Unique, simple and easy to use. Selection consists of five different widhs and five different pattern designs.
63543	Fiberglass Mat 50 inch wide 1-1/2 ounce For Laminate System		TXMAS-5- 51V010	TXMAS	3.93	EA		1.00	Ashland Chemical Company	600102859	
63543	Filler - Carpenters Wood Filler	Natural Color	TXMAS-5- 51V010	TXMAS	2.02	EA		1.00	Sherwin- Williams	1517150	Ready-to-use all-purpose stainable wood filler for filling cracks and holes, beige color. Accepts paint, shellac or varnish. Provides a quick, wood like patch for small gaps or cracks.
63543	Filler - Carpenters Wood Filler	Natural Color	TXMAS-5- 51V010	TXMAS	3.98	PT	1	1.00	Sherwin- Williams	1517176	Ready-to-use all-purpose stainable wood filler for filling cracks and holes, beige color. Accepts paint, shellac or varnish. Provides a quick, wood like patch for small gaps or cracks.
63543	Floodlight - Heavy Duty Base		TXMAS-5- 51V010	TXMAS	21.29	EA		1.00	Warner Mfg. Company	1601541	500 watt weatherproof fixtures. Lights up to 5000 square feet. 8 foot, 18 gauge heavy duty cord. Limited lifetime warranty.
63543	Galvite HS Solvent Based Acrylic Coating	Off White	TXMAS-5- 51V010	TXMAS	30.52	PL	5	1.00	Sherwin- Williams	6304554	A solvent based acrylic coating with low VOC. It is intended for use in mild industrial and commercial environments. It may be used untopcoated or topcoated with select waterborne or solvent based coatings.
63543	Galvite HS Solvent Based Acrylic Coating	Off White	TXMAS-5- 51V010	TXMAS	31.23	GL		1.00	Sherwin- Williams	6304547	A solvent based acrylic coating with low VOC. It is intended for use in mild industrial and commercial environments. It may be used untopcoated or topcoated with select waterborne or solvent based coatings.
63543	Glazing Compound - No. 66	White	TXMAS-5- 51V010	TXMAS	14.16	GL		1.00	Sherwin- Williams	1526854	Smooth, ready to use white compound used to seal window panes into wood, metal or other sashes. Provides durable seal against harsh weather.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Glazing Compound - No. 66	White	TXMAS-5-51V010	TXMAS	4.41	QT	1	1.00	Sherwin-Williams	1526847	Smooth, ready to use white compound used to seal window panes into wood, metal or other sashes. Provides durable seal against harsh weather.
63543	Glitter - Gold Glitter	1 Lb.	TXMAS-5-51V010	TXMAS	10.20	EA		1.00	Wallboard Tool Co	1604461	May be gunned into wet acoustic plaster or texture paint. Fade resistant and tarnish proof.
63543	Glitter - Silver Glitter	1 Lb.	TXMAS-5-51V010	TXMAS	8.92	EA		1.00	Wallboard Tool Co	1604487	May be gunned into wet acoustic plaster or texture paint. Fade resistant and tarnish proof.
63543	Gloss Modifying Agent For Solvent Based Coatings		TXMAS-5-51V010	TXMAS	36.45	PL	5	5.00	Sherwin-Williams	530102532	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Gloss Modifying Agent For Solvent Based Coatings		TXMAS-5-51V010	TXMAS	37.59	GL		1.00	Sherwin-Williams	530102524	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Gorilla Glue	2 Oz.	TXMAS-5-51V010	TXMAS	4.56	EA		1.00	Gorilla Glue	9504838	The original Gorilla Glue has always helped you get the job done right the first time. But now, you can build, create and repair four times as fast. Our original glue gets stronger, faster ? now setting in just one to two hours.
63050	H&C® Basement & Masonry Waterproofer	White	TXMAS-5-51V010	TXMAS	23.90	GL		1.00	H&C Concrete Products	1609387	H & C® Basement & Masonry Waterproofer is a fast-drying, light textured latex waterproofer with superior sealing properties for long-lasting beauty.
63050	H&C® Basement & Masonry Waterproofer	White	TXMAS-5-51V010	TXMAS	23.02	PL	5	5.00	H&C Concrete Products	1609395	H & C® Basement & Masonry Waterproofer is a fast-drying, light textured latex waterproofer with superior sealing properties for long-lasting beauty.
63050	H&C® Chatahoochee Sealer	Clear	TXMAS-5-51V010	TXMAS	19.46	GL		1.00	H&C Concrete Products	1072578	A silicone acrylic based sealer. It is the ideal interior and exterior sealer to add a durable, non-yellowing, decorative finish to both mortar and epoxy-set natural stone.
63050	H&C® Chatahoochee Sealer	Clear	TXMAS-5-51V010	TXMAS	15.94	PL	5	1.00	H&C Concrete Products	1072586	A silicone acrylic based sealer. It is the ideal interior and exterior sealer to add a durable, non-yellowing, decorative finish to both mortar and epoxy-set natural stone.
63050	H&C® Concrete & Masonry Waterproofing Sealer	Clear	TXMAS-5-51V010	TXMAS	11.95	PL	5	1.00	H&C Concrete Products	1078880	A quality acrylic sealer that penetrates and protects bare, aged, dry, and porous surfaces. It penetrates and resists water damage long after the water beading is gone.
63050	H&C® Concrete & Masonry Waterproofing Sealer	Clear	TXMAS-5-51V010	TXMAS	12.39	GL		1.00	H&C Concrete Products	1078872	A quality acrylic sealer that penetrates and protects bare, aged, dry, and porous surfaces. It penetrates and resists water damage long after the water beading is gone.
63050	H&C® Concrete Etching Solution		TXMAS-5-51V010	TXMAS	13.27	GL		1.00	H&C Concrete Products	1081116	A concentrated, water reducible, phosphoric acid and detergent designed to clean and prepare concrete, masonry, steel, galvanized metal, and zinc surfaces for coating, staining, or sealing.
63050	H&C® Concrete Sealer Oil-based Clear	Clear	TXMAS-5-51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1078773	Concrete Sealer Clear Gloss Oil-based is a solvent-based sealer formulated with a silicone acrylic resin.
63050	H&C® Concrete Sealer Oil-based Clear	Clear	TXMAS-5-51V010	TXMAS	19.84	PL	5	1.00	H&C Concrete Products	1078781	Concrete Sealer Clear Gloss Oil-based is a solvent-based sealer formulated with a silicone acrylic resin.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Deep Base	TXMAS-5- 51V010	TXMAS	19.47	PL	5	1.00	H&C Concrete Products	640330213	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Pearl Gray	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071455	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Clear	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071547	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Deep Base	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	640330205	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Gull Gray	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072594	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Bombay	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1072461	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	White	TXMAS-5- 51V010	TXMAS	19.47	PL	5	1.00	H&C Concrete Products	640330171	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	White	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	640330163	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Tile Red	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072644	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Gull Gray	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1079003	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Clear	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072651	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Brick Red	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071521	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Pearl Gray	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072602	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Bombay	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072610	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Black	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071281	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Sandstone	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071513	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Patio Green	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071505	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Tile Red	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	H&C Concrete Products	1071497	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Sandstone	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072636	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Patio Green	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1072628	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Red	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1080530	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® Concrete Silicone Acrylic Sealer VOC	Black	TXMAS-5- 51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1080522	An opaque waterproofing sealer that bonds with concrete or masonry surfaces to provide a long-lasting, hard, decorative finish. Will Not Peel, Flake or Fade - Long Lasting Finish - Resists Oil, Gasoline, Water and UV Rays - Resists Hot Tire Pick-Up.
63050	H&C® D100 Solvent	Reducer D100	TXMAS-5- 51V010	TXMAS	13.27	GL		1.00	H&C Concrete Products	1071372	For the Reduction and Clean-Up of H and C Silicone Acrylic Concrete Stains
63050	H&C® D100 Solvent for H and C Silicone Acrylic Stains		TXMAS-5- 51V010	TXMAS	12.39	PL	5	5.00	H&C Concrete Products	1080688	For the Reduction and Clean-Up of H and C Silicone Acrylic Concrete Stains.
63050	H&C® HB100 Siloxane Water Repellent	Clear	TXMAS-5- 51V010	TXMAS	20.36	PL	5	1.00	H&C Concrete Products	1078765	Designed to weatherproof old and new masonry. Provides a long lasting, breathable barrier superior resistance to water, airborne dust and dirt, salt, acid rain, efflorescence, alkali, freeze/thaw damage and spalling. HB-100 is a 10% siloxane solution.
63050	H&C® HB150 Siloxane Water Repellent	Clear	TXMAS-5- 51V010	TXMAS	25.68	DR	53	###	H&C Concrete Products	1080357	Designed to weatherproof old and new masonry. Provides a long lasting, breathable barrier superior resistance to water, airborne dust and dirt, salt, acid rain, efflorescence, alkali, freeze/thaw damage and spalling. HB-150 is a 15% siloxane solution.
63050	H&C® HB150 Siloxane Water Repellent	Clear	TXMAS-5- 51V010	TXMAS	25.68	PL	5	1.00	H&C Concrete Products	1080332	Designed to weatherproof old and new masonry. Provides a long lasting, breathable barrier superior resistance to water, airborne dust and dirt, salt, acid rain, efflorescence, alkali, freeze/thaw damage and spalling. HB-150 is a 15% siloxane solution.
63050	H&C® Sharkgrip® Slip Resistant Additive	3.2 oz. For One Gallon	TXMAS-5- 51V010	TXMAS	3.53	EA		1.00	H&C Concrete Products	1078732	A micronized polymer for addition to paints for slip resistance, fine texturing, and gloss reduction. It will stir easily into most oil-based and latex-based paints and other coatings with minimal effect on the coating's viscosity.
63050	H&C® Sharkgrip® Slip Resistant Additive	16 Oz. For 5 Gallon	TXMAS-5- 51V010	TXMAS	6.18	EA		1.00	H&C Concrete Products	1078740	A micronized polymer for addition to paints for slip resistance, fine texturing, and gloss reduction. It will stir easily into most oil-based and latex-based paints and other coatings with minimal effect on the coating's viscosity.
63050	H&C® Super V Repellent Concentrate	Clear	TXMAS-5- 51V010	TXMAS	93.89	EA		1.00	H&C Concrete Products	1080415	A self emulsifying, siloxane concentrate, mixed with water, forms a micro emulsion suitable for application to above grade, dense or porous masonry surfaces. Available in 10% solids may be custom blended for specific requirements.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63050	H&C® WB50 Siloxane Water Repellent	Clear	TXMAS-5-51V010	TXMAS	19.46	PL	5	1.00	H&C Concrete Products	1080399	A 5% silicone, water based, water repellant designed for application to porous masonry surfaces. It is easy to use and is suitable for application to both dry and slightly damp surfaces.
63056	Harmony® Interior Latex Eg Shel	Extra White	TXMAS-5-51V010	TXMAS	20.83	GL		4.00	Sherwin-Williams	640336038	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Eg Shel	Extra White	TXMAS-5-51V010	TXMAS	20.68	PL	5	1.00	Sherwin-Williams	640336046	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Eg Shel	Deep Base	TXMAS-5-51V010	TXMAS	20.83	GL		1.00	Sherwin-Williams	640336053	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	19.06	PL	5	1.00	Sherwin-Williams	640336103	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	19.19	GL		1.00	Sherwin-Williams	640336095	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Flat	Deep Base	TXMAS-5-51V010	TXMAS	19.19	GL		1.00	Sherwin-Williams	640336111	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63082	Harmony® Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	17.91	PL	5	1.00	Sherwin-Williams	640336145	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63082	Harmony® Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	18.05	GL		1.00	Sherwin-Williams	640336137	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	21.11	PL	5	5.00	Sherwin-Williams	640336186	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	21.25	GL		1.00	Sherwin-Williams	640336178	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63056	Harmony® Interior Latex Semi-Gloss	Deep Base	TXMAS-5-51V010	TXMAS	21.25	GL		1.00	Sherwin-Williams	640336194	Provides a durable, low-odor, anti-microbial, interior paint formulated without silica. Use this product without typical odor complaints in occupied areas because of the very low odor during application and drying.
63082	Heavy Duty Block Filler	White	TXMAS-5-51V010	TXMAS	15.52	PL	5	5.00	Sherwin-Williams	1310010	A pure acrylic resin block filler for use on interior and exterior poured and precast concrete, concrete block, and cinder block. Excellent moisture resistance. Excellent filling characteristics.
63082	High Build Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	10.19	PL	5	5.00	Sherwin-Williams	640122685	Fills and surfaces rough and uneven new drywall construction. Minimizes minor surface imperfections, paper fuzz, minor sanding grooves, nicks and pinholes. Use on interior: drywall, cured plaster and under Decorative Texture Finishes.
63543	High Solids Acrylic Enamel	Silver	TXMAS-5-51V010	TXMAS	45.98	PL	5	5.00	Sherwin-Williams	501024517	A high gloss, 3.5 lb/gal VOC complying, acrylic enamel suitable for coating various metal products. May be catalyzed with Polane Exterior Catalyst, V66V29, for higher gloss, and improved resistance properties.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	High Solids Acrylic Enamel	Flat Black	TXMAS-5-51V010	TXMAS	26.03	PL	5	5.00	Sherwin-Williams	501035414	A high gloss, 3.5 lb/gal VOC complying, acrylic enamel suitable for coating various metal products. May be catalyzed with Polane Exterior Catalyst, V66V29, for higher gloss, and improved resistance properties.
63543	High Solids Acrylic Enamel	Gloss White	TXMAS-5-51V010	TXMAS	33.40	PL	5	5.00	Sherwin-Williams	5208335	A high gloss, 3.5 lb/gal VOC complying, acrylic enamel suitable for coating various metal products. May be catalyzed with Polane Exterior Catalyst, V66V29, for higher gloss, and improved resistance properties.
63543	High Solids Acrylic Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	29.94	PL	5	5.00	Sherwin-Williams	5208327	A high gloss, 3.5 lb/gal VOC complying, acrylic enamel suitable for coating various metal products. May be catalyzed with Polane Exterior Catalyst, V66V29, for higher gloss, and improved resistance properties.
63543	High Solids Acrylic Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	29.94	PL	5	5.00	Sherwin-Williams	5208350	A high gloss, 3.5 lb/gal VOC complying, acrylic enamel suitable for coating various metal products. May be catalyzed with Polane Exterior Catalyst, V66V29, for higher gloss, and improved resistance properties.
63543	High Solids Acrylic Enamel	Blending White	TXMAS-5-51V010	TXMAS	35.88	PL	5	5.00	Sherwin-Williams	5208343	A high gloss, 3.5 lb/gal VOC complying, acrylic enamel suitable for coating various metal products. May be catalyzed with Polane Exterior Catalyst, V66V29, for higher gloss, and improved resistance properties.
63057	Hi-Mil Sher-Tar® Epoxy	Hardener Part B	TXMAS-5-51V010	TXMAS	35.87	GL		1.00	Sherwin-Williams	6300644	A high build, polyamide cured, epoxy coal tar coating, which can be applied at high film thickness in one coat. For use over prepared substrates such as steel and concrete in industrial environments
63057	Hi-Mil Sher-Tar® Epoxy	Black Part A	TXMAS-5-51V010	TXMAS	68.10	KT		1.00	Sherwin-Williams	6300487	A high build, polyamide cured, epoxy coal tar coating, which can be applied at high film thickness in one coat. For use over prepared substrates such as steel and concrete in industrial environments.
63082	Hi-Solids Alkyd Metal Primer	Off White	TXMAS-5-51V010	TXMAS	26.05	GL		1.00	Sherwin-Williams	640153789	A fast drying, high solids, low VOC, rust inhibitive, alkyd primer for steel surfaces, and is free of heavy metal hazards. It is easy to apply by spray and has good resistance to general atmospheric weathering.
63082	Hi-Solids Alkyd Metal Primer	Reddish Brown	TXMAS-5-51V010	TXMAS	25.48	PL	5	1.00	Sherwin-Williams	6304471	A fast drying, high solids, low VOC, rust inhibitive, alkyd primer for steel surfaces, and is free of heavy metal hazards. It is easy to apply by spray and has good resistance to general atmospheric weathering.
63082	Hi-Solids Alkyd Metal Primer	Off White	TXMAS-5-51V010	TXMAS	25.48	PL	5	1.00	Sherwin-Williams	640150918	A fast drying, high solids, low VOC, rust inhibitive, alkyd primer for steel surfaces, and is free of heavy metal hazards. It is easy to apply by spray and has good resistance to general atmospheric weathering.
63082	Hi-Solids Alkyd Metal Primer	Reddish Brown	TXMAS-5-51V010	TXMAS	26.05	GL		1.00	Sherwin-Williams	640152740	A fast drying, high solids, low VOC, rust inhibitive, alkyd primer for steel surfaces, and is free of heavy metal hazards. It is easy to apply by spray and has good resistance to general atmospheric weathering.
63057	Hi-Solids Catalyzed Epoxy	Sanitary White	TXMAS-5-51V010	TXMAS	132.97	KT		1.00	Sherwin-Williams	6400246	A polyamide/bisphenol A epoxy resin coating formulated for immersion service in fresh, salt, and potable water. May also be used as part of a system for tank exteriors.
63057	Hi-Solids Catalyzed Epoxy	Beige	TXMAS-5-51V010	TXMAS	132.97	KT		1.00	Sherwin-Williams	6400485	A polyamide/bisphenol A epoxy resin coating formulated for immersion service in fresh, salt, and potable water. May also be used as part of a system for tank exteriors.
63057	Hi-Solids Catalyzed Epoxy	Light Blue	TXMAS-5-51V010	TXMAS	132.97	KT		1.00	Sherwin-Williams	6400493	A polyamide/bisphenol A epoxy resin coating formulated for immersion service in fresh, salt, and potable water. May also be used as part of a system for tank exteriors.
63057	Hi-Solids Catalyzed Epoxy	Hardener	TXMAS-5-51V010	TXMAS	35.87	GL		1.00	Sherwin-Williams	6303168	A polyamide/bisphenol A epoxy resin coating formulated for immersion service in fresh, salt, and potable water. May also be used as part of a system for tank exteriors.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Hi-Solids Polyurethane Gloss	Safety Yellow Part S	TXMAS-5- 51V010	TXMAS	110.79	GL		1.00	Sherwin- Williams	6204978	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Extra White/Tint Base Part S	TXMAS-5- 51V010	TXMAS	73.36	GL		1.00	Sherwin- Williams	640517678	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Safety Red Part S	TXMAS-5- 51V010	TXMAS	110.79	GL		1.00	Sherwin- Williams	6204986	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Extra White/Tint Base Part S	TXMAS-5- 51V010	TXMAS	294.19	KT		1.00	Sherwin- Williams	640517686	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Black Part S	TXMAS-5- 51V010	TXMAS	64.43	GL		1.00	Sherwin- Williams	6204994	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Ultradeep/Cle ar Tint Base Part S	TXMAS-5- 51V010	TXMAS	307.37	KT		1.00	Sherwin- Williams	607499993	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Ultradeep/Cle ar Tint Base Part S	TXMAS-5- 51V010	TXMAS	80.97	GL		1.00	Sherwin- Williams	857799993	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Ultra White	TXMAS-5- 51V010	TXMAS	307.37	KT		1.00	Sherwin- Williams	640320792	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss	Ultra White	TXMAS-5- 51V010	TXMAS	75.68	GL		1.00	Sherwin- Williams	640320784	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss-CA	Hardener	TXMAS-5- 51V010	TXMAS	76.16	GL		1.00	Sherwin- Williams	6304281	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Gloss-CA	Hardener	TXMAS-5- 51V010	TXMAS	23.47	QT	1	1.00	Sherwin- Williams	6304141	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Semi-Gloss	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	73.36	GL		1.00	Sherwin- Williams	640335527	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Semi-Gloss	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	294.19	KT		1.00	Sherwin- Williams	640335535	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Semi-Gloss	Ultradeep/Cle ar Tint Base Part S	TXMAS-5- 51V010	TXMAS	307.37	KT		1.00	Sherwin- Williams	640335550	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering
63543	Hi-Solids Polyurethane Semi-Gloss	Ultradeep/Cle ar Tint Base Part S	TXMAS-5- 51V010	TXMAS	80.97	GL		1.00	Sherwin- Williams	640335543	A two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It offers high performance protection with excellent exterior gloss and color retention. Good/excellent resistance to corrosion and weathering

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63066	Hotline® Fast Dry Latex Traffic Marking Paint TM2152	White	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	800003204	A very fast drying paint for use in marking parking lots, airports, and roads. TM2152 and TM2153 may be applied ambient airless or conventional, or may be heated for even faster dry.
63066	Hotline® Fast Dry Latex Traffic Marking Paint TM2153	Lead Free Yellow	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	800003212	A very fast drying paint for use in marking parking lots, airports, and roads. TM2152 and TM2153 may be applied ambient airless or conventional, or may be heated for even faster dry.
63543	Hydrogloss Single Component Waterbased Urethane	Clear Tint Base	TXMAS-5-51V010	TXMAS	42.52	GL		1.00	Sherwin-Williams	640365896	A single component, high performance, polyester waterbased urethane. Provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two component waterbased urethanes.
63543	Hydrogloss Single Component Waterbased Urethane	Extra White	TXMAS-5-51V010	TXMAS	41.18	PL	5	5.00	Sherwin-Williams	640365888	A single component, high performance, polyester waterbased urethane. Provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two component waterbased urethanes.
63543	Hydrogloss Single Component Waterbased Urethane	Extra White	TXMAS-5-51V010	TXMAS	42.52	GL		1.00	Sherwin-Williams	640365870	A single component, high performance, polyester waterbased urethane. Provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two component waterbased urethanes.
63543	Hydrogloss Single Component Waterbased Urethane	Clear Tint Base	TXMAS-5-51V010	TXMAS	41.18	PL	5	5.00	Sherwin-Williams	640365904	A single component, high performance, polyester waterbased urethane. Provides toughness, flexibility, abrasion resistance, and excellent UV resistance. Exterior performance comparable to two component waterbased urethanes.
63543	Illusions Crackle Medium		TXMAS-5-51V010	TXMAS	10.62	QT	1	6.00	Sherwin-Williams	640335865	Designed to make latex topcoats crackle. The latex topcoat cracks when applied over the crackle medium allowing the base coat color to show through.
63543	Illusions Latex Based Faux Finish Glazing Liquid	Clear	TXMAS-5-51V010	TXMAS	17.15	GL		1.00	Sherwin-Williams	640316014	Allows the creation of a variety of finishes on interior walls, doors, trim, and furniture. The special effects are developed by sponging on or off, ragging on or off, and combing. Not For Floors.
63543	Illusions Latex Based Faux Finish Glazing Liquid	Clear	TXMAS-5-51V010	TXMAS	5.68	QT	1	1.00	Sherwin-Williams	640316006	Allows the creation of a variety of finishes on interior walls, doors, trim, and furniture. The special effects are developed by sponging on or off, ragging on or off, and combing. Not For Floors.
63543	Illusions SandScapes	Tinting Base	TXMAS-5-51V010	TXMAS	28.95	GL		1.00	Sherwin-Williams	640353330	A unique combination of color and texture, producing a sophisticated matte finish with dark and light highlights.
63543	Illusions SoftSuede	Tinting Base	TXMAS-5-51V010	TXMAS	28.95	GL		1.00	Sherwin-Williams	640353322	Develops a matte textured finish creating the illusion of suede fabric on the walls.
63543	Illusions® Latex Based Faux Finish Glazing Liquid Extended Drying	Clear	TXMAS-5-51V010	TXMAS	22.37	GL		1.00	Sherwin-Williams	640359451	Allows the creation of a variety of finishes on interior walls, doors, trim, and furniture. The special effects are developed by sponging on or off, ragging on or off, and combing. Not For Floors.
63543	Illusions® Latex Based Faux Finish Glazing Liquid Extended Drying	Clear	TXMAS-5-51V010	TXMAS	8.24	QT	1	1.00	Sherwin-Williams	640359444	Allows the creation of a variety of finishes on interior walls, doors, trim, and furniture. The special effects are developed by sponging on or off, ragging on or off, and combing. Not For Floors.
63543	Illusions® Metallic Technique Finishes	Pearl	TXMAS-5-51V010	TXMAS	16.51	QT	1	1.00	Sherwin-Williams	640335832	Can be sponged, ragged, or color-washed onto walls, doors, furniture, or any interior architectural detail for a beautiful, semi-translucent, metallic finish.
63543	Illusions® Metallic Technique Finishes	Silver	TXMAS-5-51V010	TXMAS	12.49	QT	1	1.00	Sherwin-Williams	640335857	Can be sponged, ragged, or color-washed onto walls, doors, furniture, or any interior architectural detail for a beautiful, semi-translucent, metallic finish.

EXHIBIT C
CONTRACTOR'S PRICING

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Illusions® Metallic Technique Finishes	Gold	TXMAS-5- 51V010	TXMAS	12.49	QT	1	1.00	Sherwin- Williams	640335840	Can be sponged, ragged, or color-washed onto walls, doors, furniture, or any interior architectural detail for a beautiful, semi-translucent, metallic finish.
63543	Illusions® Metallic Technique Finishes	Copper	TXMAS-5- 51V010	TXMAS	16.51	QT	1	1.00	Sherwin- Williams	640358362	Can be sponged, ragged, or color-washed onto walls, doors, furniture, or any interior architectural detail for a beautiful, semi-translucent, metallic finish.
63543	Illusions® Oil Based Faux Finish Glazing Liquid	Clear	TXMAS-5- 51V010	TXMAS	21.21	GL		4.00	Sherwin- Williams	640323234	Allows the creation of a variety of finishes on interior walls, doors, trim, and furniture. The special effects are developed by sponging on or off, ragging on or off, and combing. Not For Floors.
63543	Illusions® Oil Based Faux Finish Glazing Liquid	Clear	TXMAS-5- 51V010	TXMAS	6.79	QT	1	1.00	Sherwin- Williams	640323226	Allows the creation of a variety of finishes on interior walls, doors, trim, and furniture. The special effects are developed by sponging on or off, ragging on or off, and combing. Not For Floors.
63543	Industrial Aluminum Paint	Silver	TXMAS-5- 51V010	TXMAS	18.60	PL	5	1.00	Sherwin- Williams	6106496	An economical, one-package, interior / exterior, general purpose, leafing aluminum paint which produces a chrome-like uniform appearance and provides heat resistance up to 400 F
63543	Industrial Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	29.55	GL		1.00	Sherwin- Williams	640517736	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Safety Orange	TXMAS-5- 51V010	TXMAS	28.80	GL		1.00	Sherwin- Williams	6174056	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Cedar Green	TXMAS-5- 51V010	TXMAS	20.98	GL		1.00	Sherwin- Williams	6170500	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Safety Yellow	TXMAS-5- 51V010	TXMAS	28.80	GL		1.00	Sherwin- Williams	6174072	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Tower Gray	TXMAS-5- 51V010	TXMAS	21.56	GL		1.00	Sherwin- Williams	6170302	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Pure White	TXMAS-5- 51V010	TXMAS	21.30	GL		1.00	Sherwin- Williams	790799993	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Safety Red	TXMAS-5- 51V010	TXMAS	28.80	GL		1.00	Sherwin- Williams	6174064	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Black	TXMAS-5- 51V010	TXMAS	19.91	GL		1.00	Sherwin- Williams	6170203	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Walnut Brown	TXMAS-5- 51V010	TXMAS	19.91	GL		1.00	Sherwin- Williams	6170708	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Black	TXMAS-5- 51V010	TXMAS	18.63	PL	5	5.00	Sherwin- Williams	6170211	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Industrial Enamel	Slate Gray	TXMAS-5- 51V010	TXMAS	21.56	GL		1.00	Sherwin- Williams	6170401	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	20.98	PL	5	5.00	Sherwin- Williams	797499993	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	22.80	GL		1.00	Sherwin- Williams	796999993	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Pure White	TXMAS-5- 51V010	TXMAS	19.41	PL	5	5.00	Sherwin- Williams	791299993	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	28.05	PL	5	5.00	Sherwin- Williams	640517744	A medium oil/alkyd all-purpose enamel with a durable color pigment system. Designed for interior and exterior use. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel HS	Deep Base	TXMAS-5- 51V010	TXMAS	34.37	PL	5	5.00	Sherwin- Williams	640518742	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Deep Base	TXMAS-5- 51V010	TXMAS	35.15	GL		1.00	Sherwin- Williams	640517793	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	29.75	GL		1.00	Sherwin- Williams	640118709	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Safety Red	TXMAS-5- 51V010	TXMAS	32.26	GL		1.00	Sherwin- Williams	640118675	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Safety Yellow	TXMAS-5- 51V010	TXMAS	32.26	GL		1.00	Sherwin- Williams	640118683	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Black	TXMAS-5- 51V010	TXMAS	28.17	GL		1.00	Sherwin- Williams	640118667	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Pure White	TXMAS-5- 51V010	TXMAS	29.03	GL		1.00	Sherwin- Williams	640118592	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Safety Orange	TXMAS-5- 51V010	TXMAS	43.07	GL		1.00	Sherwin- Williams	640118691	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Pure White	TXMAS-5- 51V010	TXMAS	28.17	PL	5	5.00	Sherwin- Williams	640118600	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.
63543	Industrial Enamel HS	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	29.03	PL	5	5.00	Sherwin- Williams	640118725	A high solids, low VOC, alkyd, gloss topcoat. It is easy to apply by brush, roll, or spray and is intended for interior/exterior use in industrial environments.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Industrial Enamel VOC Complying	Pure White	TXMAS-5-51V010	TXMAS	22.17	GL		1.00	Sherwin-Williams	640109211	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Deep Base	TXMAS-5-51V010	TXMAS	29.47	PL	5	5.00	Sherwin-Williams	640517785	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Deep Base	TXMAS-5-51V010	TXMAS	30.55	GL		1.00	Sherwin-Williams	640517777	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	22.44	PL	5	5.00	Sherwin-Williams	640109328	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Safety Orange	TXMAS-5-51V010	TXMAS	30.53	GL		1.00	Sherwin-Williams	640141446	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	24.32	GL		1.00	Sherwin-Williams	640109310	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Pure White	TXMAS-5-51V010	TXMAS	20.94	PL	5	5.00	Sherwin-Williams	640109229	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Safety Yellow	TXMAS-5-51V010	TXMAS	30.53	GL		1.00	Sherwin-Williams	640141461	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Black	TXMAS-5-51V010	TXMAS	21.30	GL		1.00	Sherwin-Williams	640109237	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Enamel VOC Complying	Safety Red	TXMAS-5-51V010	TXMAS	30.53	GL		1.00	Sherwin-Williams	640141453	A medium oil, alkyd, interior/exterior, all-purpose enamel. Designed for new construction and maintenance application uses. Dries fast and allows equipment to be placed back in service quickly.
63543	Industrial Urethane Alkyd Enamel	Extra White	TXMAS-5-51V010	TXMAS	42.50	GL		1.00	Sherwin-Williams	640365615	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63543	Industrial Urethane Alkyd Enamel	Ultradeep Tint Base	TXMAS-5-51V010	TXMAS	41.83	PL	5	5.00	Sherwin-Williams	640365748	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63543	Industrial Urethane Alkyd Enamel	Ultradeep Tint Base	TXMAS-5-51V010	TXMAS	42.50	GL		1.00	Sherwin-Williams	640365730	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63543	Industrial Urethane Alkyd Enamel	Black	TXMAS-5-51V010	TXMAS	42.50	GL		1.00	Sherwin-Williams	640365755	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63543	Industrial Urethane Alkyd Enamel	Safety Yellow	TXMAS-5-51V010	TXMAS	47.82	GL		1.00	Sherwin-Williams	640384160	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Industrial Urethane Alkyd Enamel	Safety Red	TXMAS-5-51V010	TXMAS	47.82	GL		1.00	Sherwin-Williams	640384178	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63543	Industrial Urethane Alkyd Enamel	Black	TXMAS-5-51V010	TXMAS	41.83	PL	5	5.00	Sherwin-Williams	640365763	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63543	Industrial Urethane Alkyd Enamel	Extra White	TXMAS-5-51V010	TXMAS	41.83	PL	5	5.00	Sherwin-Williams	640365623	A high solids, high gloss, 2.8 lb/gal VOC compliant coating intended for interior exterior use in industrial environments. It is easy to brush, roll or spray. Modified with urethane resin for increased durability and ease of application.
63082	Industrial Wash Primer	Green	TXMAS-5-51V010	TXMAS	34.21	PL	5	5.00	Sherwin-Williams	5228812	A fast drying, pretreatment type, 2 package, acid catalyzed vinyl washcoat. Promotes excellent adhesion. Serves as a tie coat over nonferrous metals, ferrous metals, and zinc coated steel.
63082	Industrial Wash Primer	Green	TXMAS-5-51V010	TXMAS	35.45	GL		1.00	Sherwin-Williams	5228804	A fast drying, pretreatment type, 2 package, acid catalyzed vinyl washcoat. Promotes excellent adhesion. Serves as a tie coat over nonferrous metals, ferrous metals, and zinc coated steel.
63082	Industrial Wash Primer Catalyst Reducer		TXMAS-5-51V010	TXMAS	18.56	PL	5	5.00	Sherwin-Williams	5307244	A fast drying, pretreatment type, 2 package, acid catalyzed vinyl washcoat. Promotes excellent adhesion. Serves as a tie coat over nonferrous metals, ferrous metals, and zinc coated steel.
63082	Industrial Wash Primer Catalyst Reducer		TXMAS-5-51V010	TXMAS	19.52	GL		1.00	Sherwin-Williams	5307236	A fast drying, pretreatment type, 2 package, acid catalyzed vinyl washcoat. Promotes excellent adhesion. Serves as a tie coat over nonferrous metals, ferrous metals, and zinc coated steel.
63543	Joint Tape - Self Adhesive Glass Mesh	2 Inch x 300 Ft.	TXMAS-5-51V010	TXMAS	7.49	EA		1.00	Permaglas Mesh	1534767	Quick and easy joint taping. Pressure sensitive adhesive backing. Strong reinforcement, eliminates preplastering. May be used with any type of joint compound.
63543	Kem Acryl HS 100 Enamel	Black	TXMAS-5-51V010	TXMAS	34.76	DR	53	###	Sherwin-Williams	601641335	A good quality high solids low VOC air drying Acrylic Enamel. It has faster through dry than traditional high solids air dry enamels. The product line consists of a full Gloss White, Black and Clear. Can be shaded with 844 colorants.
63543	Kem Acryl HS 100 Enamel	Black	TXMAS-5-51V010	TXMAS	34.95	PL	5	5.00	Sherwin-Williams	601641327	A good quality high solids low VOC air drying Acrylic Enamel. It has faster through dry than traditional high solids air dry enamels. The product line consists of a full Gloss White, Black and Clear. Can be shaded with 844 colorants.
63543	Kem Acryl HS 100 Enamel	Clear	TXMAS-5-51V010	TXMAS	34.92	PL	5	5.00	Sherwin-Williams	601641343	A good quality high solids low VOC air drying Acrylic Enamel. It has faster through dry than traditional high solids air dry enamels. The product line consists of a full Gloss White, Black and Clear. Can be shaded with 844 colorants.
63543	Kem Acryl HS 100 Enamel	Gloss White	TXMAS-5-51V010	TXMAS	38.45	PL	5	5.00	Sherwin-Williams	601641301	A good quality high solids low VOC air drying Acrylic Enamel. It has faster through dry than traditional high solids air dry enamels. The product line consists of a full Gloss White, Black and Clear. Can be shaded with 844 colorants.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Low Gloss Blending White	TXMAS-5-51V010	TXMAS	28.26	PL	5	5.00	Sherwin-Williams	501052500	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Gloss Clear	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	501052666	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Low Gloss Blending White	TXMAS-5-51V010	TXMAS	26.81	DR	53	###	Sherwin-Williams	501052690	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	25.26	PL	5	5.00	Sherwin-Williams	501051015	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Gloss Blending White	TXMAS-5-51V010	TXMAS	28.26	PL	5	5.00	Sherwin-Williams	501051007	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Low Gloss Black	TXMAS-5-51V010	TXMAS	22.53	DR	53	###	Sherwin-Williams	501052641	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Gloss Blending White	TXMAS-5-51V010	TXMAS	26.78	DR	53	###	Sherwin-Williams	501052658	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Low Gloss Black	TXMAS-5-51V010	TXMAS	23.52	PL	5	5.00	Sherwin-Williams	501052518	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1400 Water Reducible Baking Enamel	Low Gloss Clear	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	501052880	A waterborne alkyd-amino enamel designed for general metal finishing. It provides a hard, tough coating at 2.3 lb/gal VOC compliance without the hazards of flammable solvents.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	Black	TXMAS-5-51V010	TXMAS	19.11	DR	53	###	Sherwin-Williams	601618424	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	White	TXMAS-5-51V010	TXMAS	23.05	PL	5	5.00	Sherwin-Williams	601619695	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	Clear	TXMAS-5-51V010	TXMAS	24.39	DR	53	###	Sherwin-Williams	601631252	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	Gloss Clear	TXMAS-5-51V010	TXMAS	22.84	PL	5	5.00	Sherwin-Williams	601620206	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	White	TXMAS-5-51V010	TXMAS	23.40	DR	53	###	Sherwin-Williams	601619703	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	Black	TXMAS-5-51V010	TXMAS	19.56	PL	5	5.00	Sherwin-Williams	601618416	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 1500T Waterborne Baking Enamel	Gloss Clear	TXMAS-5-51V010	TXMAS	22.71	DR	53	###	Sherwin-Williams	601624125	A one component, water reducible, thermoset baking enamel for the electronic enclosure and general metal market. This product can be used as a smooth or texture coating.
63543	Kem Aqua® 280 Water Reducible Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	22.03	DR	53	###	Sherwin-Williams	501038798	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Low Gloss Black	TXMAS-5-51V010	TXMAS	20.87	DR	53	###	Sherwin-Williams	501044283	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem Aqua® 280 Water Reducible Enamel	Silver	TXMAS-5-51V010	TXMAS	27.52	PL	5	5.00	Sherwin-Williams	501048060	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Low Gloss Blending White	TXMAS-5-51V010	TXMAS	22.49	PL	5	5.00	Sherwin-Williams	501044291	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Gloss Blending White	TXMAS-5-51V010	TXMAS	23.13	DR	53	###	Sherwin-Williams	501038830	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Low Gloss Black	TXMAS-5-51V010	TXMAS	21.39	PL	5	5.00	Sherwin-Williams	501044275	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Warm White	TXMAS-5-51V010	TXMAS	23.55	PL	5	5.00	Sherwin-Williams	501038871	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Low Gloss Clear	TXMAS-5-51V010	TXMAS	19.17	PL	5	5.00	Sherwin-Williams	501044317	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Gloss Blending White	TXMAS-5-51V010	TXMAS	23.55	PL	5	5.00	Sherwin-Williams	501038822	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Gloss Blending Clear	TXMAS-5-51V010	TXMAS	20.23	PL	5	5.00	Sherwin-Williams	501038855	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Gloss Blending Clear	TXMAS-5-51V010	TXMAS	19.20	DR	53	###	Sherwin-Williams	501038863	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 280 Water Reducible Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	22.49	PL	5	5.00	Sherwin-Williams	501038780	A 2.8 VOC fast drying water reducible acrylic modified alkyd coating intended for industrial product finishing and refinishing applications.
63543	Kem Aqua® 400 Waterborne Enamel	Gloss Clear	TXMAS-5-51V010	TXMAS	21.45	PL	5	5.00	Sherwin-Williams	601624521	A high quality water reducible alkyd enamel. Offers very good color and gloss retention with sharp gloss and excellent corrosion resistance making it an ideal coating for the Off-Road Equipment and General Metal markets.
63543	Kem Aqua® 400 Waterborne Enamel	White	TXMAS-5-51V010	TXMAS	25.83	PL	5	5.00	Sherwin-Williams	601612237	A high quality water reducible alkyd enamel. Offers very good color and gloss retention with sharp gloss and excellent corrosion resistance making it an ideal coating for the Off-Road Equipment and General Metal markets.
63543	Kem Aqua® 400 Waterborne Enamel	Blue	TXMAS-5-51V010	TXMAS	32.72	PL	5	5.00	Sherwin-Williams	601621196	A high quality water reducible alkyd enamel. Offers very good color and gloss retention with sharp gloss and excellent corrosion resistance making it an ideal coating for the Off-Road Equipment and General Metal markets.
63543	Kem Aqua® 400 Waterborne Enamel	Low Gloss Black	TXMAS-5-51V010	TXMAS	27.03	PL	5	5.00	Sherwin-Williams	501224307	A high quality water reducible alkyd enamel. Offers very good color and gloss retention with sharp gloss and excellent corrosion resistance making it an ideal coating for the Off-Road Equipment and General Metal markets.
63543	Kem Aqua® 400 Waterborne Enamel	Black	TXMAS-5-51V010	TXMAS	24.16	PL	5	5.00	Sherwin-Williams	601612278	A high quality water reducible alkyd enamel. Offers very good color and gloss retention with sharp gloss and excellent corrosion resistance making it an ideal coating for the Off-Road Equipment and General Metal markets.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Kem Aqua® 50P Water Reducible Primer	Red Oxide	TXMAS-5-51V010	TXMAS	17.77	PL	5	5.00	Sherwin-Williams	601620354	Are low VOC water reducible acrylic latex type primers designed for the general metal finishing markets. They compliment the Kem Aqua® Gloss Enamel product line.
63082	Kem Aqua® 50P Water Reducible Primer	Black	TXMAS-5-51V010	TXMAS	17.56	PL	5	5.00	Sherwin-Williams	601621352	Are low VOC water reducible acrylic latex type primers designed for the general metal finishing markets. They compliment the Kem Aqua® Gloss Enamel product line. Low odor improves working conditions.
63082	Kem Aqua® 50P Water Reducible Primer	White	TXMAS-5-51V010	TXMAS	18.55	PL	5	5.00	Sherwin-Williams	601621360	Are low VOC water reducible acrylic latex type primers designed for the general metal finishing markets. They compliment the Kem Aqua® Gloss Enamel product line. Low odor improves working conditions.
63082	Kem Aqua® 50P Water Reducible Primer	Gray	TXMAS-5-51V010	TXMAS	17.51	PL	5	5.00	Sherwin-Williams	601618044	Are low VOC water reducible acrylic latex type primers designed for the general metal finishing markets. They compliment the Kem Aqua® Gloss Enamel product line.
63543	Kem Aqua® 600 Smooth Water Reducible Enamel	White	TXMAS-5-51V010	TXMAS	36.30	PL	5	5.00	Sherwin-Williams	501032692	A one component, low gloss, 2.3 lb/gal VOC complying, acrylic latex, water reducible coating developed for the electronic business machine market.
63543	Kem Aqua® 600 Smooth Water Reducible Enamel	Black	TXMAS-5-51V010	TXMAS	30.34	PL	5	5.00	Sherwin-Williams	501032684	A one component, low gloss, 2.3 lb/gal VOC complying, acrylic latex, water reducible coating developed for the electronic business machine market.
63543	Kem Aqua® 600 Smooth Water Reducible Enamel	Clear	TXMAS-5-51V010	TXMAS	32.62	PL	5	5.00	Sherwin-Williams	501032676	A one component, low gloss, 2.3 lb/gal VOC complying, acrylic latex, water reducible coating developed for the electronic business machine market.
63543	Kem Aqua® 600T Water Reducible Enamel	White	TXMAS-5-51V010	TXMAS	41.20	PL	5	5.00	Sherwin-Williams	5202072	A one component, 2.3 lb/gal VOC complying, acrylic latex, water reducible coating developed for the electronic business machine market.
63543	Kem Aqua® 600T Water Reducible Enamel	Black	TXMAS-5-51V010	TXMAS	37.20	PL	5	5.00	Sherwin-Williams	5202056	A one component, 2.3 lb/gal VOC complying, acrylic latex, water reducible coating developed for the electronic business machine market.
63543	Kem Aqua® 600T Water Reducible Enamel	Clear	TXMAS-5-51V010	TXMAS	39.86	PL	5	5.00	Sherwin-Williams	5202064	A one component, 2.3 lb/gal VOC complying, acrylic latex, water reducible coating developed for the electronic business machine market.
63082	Kem Aqua® 65P Water Reducible Spray Fil	Black	TXMAS-5-51V010	TXMAS	34.79	PL	5	5.00	Sherwin-Williams	501217749	A one component, VOC complying acrylic latex filler developed to fill and hide profile and surface imperfections on structural foam plastics and metal for the business machine and electronic cabinetry market.
63082	Kem Aqua® 65P Water Reducible Spray Fil	Off White	TXMAS-5-51V010	TXMAS	34.79	PL	5	5.00	Sherwin-Williams	501053680	A one component, VOC complying acrylic latex filler developed to fill and hide profile and surface imperfections on structural foam plastics and metal for the business machine and electronic cabinetry market.
63082	Kem Aqua® 70P Water Reducible Metal Primer	Gray	TXMAS-5-51V010	TXMAS	26.53	DR	53	###	Sherwin-Williams	501053227	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.
63082	Kem Aqua® 70P Water Reducible Metal Primer	Black	TXMAS-5-51V010	TXMAS	19.17	DR	53	###	Sherwin-Williams	501053409	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.
63082	Kem Aqua® 70P Water Reducible Metal Primer	Red Oxide	TXMAS-5-51V010	TXMAS	19.58	DR	53	###	Sherwin-Williams	501052922	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Kem Aqua® 70P Water Reducible Metal Primer	Red Oxide	TXMAS-5-51V010	TXMAS	20.79	PL	5	5.00	Sherwin-Williams	501052286	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.
63082	Kem Aqua® 70P Water Reducible Metal Primer	Black	TXMAS-5-51V010	TXMAS	19.98	PL	5	5.00	Sherwin-Williams	501053391	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.
63082	Kem Aqua® 70P Water Reducible Metal Primer	Gray	TXMAS-5-51V010	TXMAS	27.59	PL	5	5.00	Sherwin-Williams	501051023	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.
63082	Kem Aqua® 70P Water Reducible Metal Primer	White	TXMAS-5-51V010	TXMAS	21.05	PL	5	5.00	Sherwin-Williams	501054332	Are fast drying primers for general industrial use on steel either as a single shop coat or as the primer for Kem Aqua 280 Water Reducible Enamels.
63082	Kem Aqua® Bonding Primer	White	TXMAS-5-51V010	TXMAS	31.06	PL	5	5.00	Sherwin-Williams	501054209	A one component acrylic latex intended as a tie coating or adhesion promoting primer over structural foam plastics, such as polystyrene, polyphenylene oxide, polycarbonate, and gas counter pressure molded plastics
63543	Kem Aqua® Colorant	Red Oxide	TXMAS-5-51V010	TXMAS	74.74	GL		1.00	Sherwin-Williams	501230684	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Red (Blue Shade)	TXMAS-5-51V010	TXMAS	165.08	GL		1.00	Sherwin-Williams	501230692	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Magenta	TXMAS-5-51V010	TXMAS	181.78	GL		1.00	Sherwin-Williams	501230676	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Green (Blue Shade)	TXMAS-5-51V010	TXMAS	156.55	GL		1.00	Sherwin-Williams	501230643	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Yellow (Green Shade)	TXMAS-5-51V010	TXMAS	199.38	GL		1.00	Sherwin-Williams	501230726	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Blue (Red Shade)	TXMAS-5-51V010	TXMAS	138.40	GL		1.00	Sherwin-Williams	501230650	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Black	TXMAS-5-51V010	TXMAS	47.26	GL		1.00	Sherwin-Williams	501230742	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Orange	TXMAS-5-51V010	TXMAS	264.65	GL		1.00	Sherwin-Williams	501232797	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Jet Black	TXMAS-5-51V010	TXMAS	70.42	GL		1.00	Sherwin-Williams	501245229	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Red (Yellow Shade)	TXMAS-5-51V010	TXMAS	122.52	GL		1.00	Sherwin-Williams	501230700	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem Aqua® Colorant	Blue (Green shade)	TXMAS-5-51V010	TXMAS	125.61	GL		1.00	Sherwin-Williams	501230668	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Colorant	Yellow (Red Shade)	TXMAS-5-51V010	TXMAS	260.20	GL		1.00	Sherwin-Williams	501230734	Are concentrated colorants used for shading custom colors, which can be used with most Chemical Coatings waterborne products.
63543	Kem Aqua® Flatting Base For Water Reducible Coatings	Gloss Modifier	TXMAS-5-51V010	TXMAS	24.80	PL	5	5.00	Sherwin-Williams	501053656	A concentrate designed to lower the gloss of water reducible coatings.
63543	Kem Aqua® Gloss Enamel	Container Blue	TXMAS-5-51V010	TXMAS	23.38	PL	5	5.00	Sherwin-Williams	601613409	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	Low Gloss Black	TXMAS-5-51V010	TXMAS	16.05	PL	5	5.00	Sherwin-Williams	601614555	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	Black	TXMAS-5-51V010	TXMAS	15.62	PL	5	5.00	Sherwin-Williams	640316469	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	Clear	TXMAS-5-51V010	TXMAS	15.71	PL	5	5.00	Sherwin-Williams	601613730	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	Machine Tool Gray	TXMAS-5-51V010	TXMAS	19.10	PL	5	5.00	Sherwin-Williams	601614365	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	Black	TXMAS-5-51V010	TXMAS	15.20	DR	53	###	Sherwin-Williams	640316477	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	Low Gloss White	TXMAS-5-51V010	TXMAS	17.21	PL	5	5.00	Sherwin-Williams	601614548	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Gloss Enamel	White	TXMAS-5-51V010	TXMAS	16.82	PL	5	5.00	Sherwin-Williams	501217400	A fast drying high gloss water reducible coating intended for industrial product finishing and refinishing applications. It is ideal for the general metal finishing marketplace.
63543	Kem Aqua® Strippable Coating	White	TXMAS-5-51V010	TXMAS	27.91	DR	53	###	Sherwin-Williams	501045272	A fast drying, water based, peelable coating designed to keep spray booths cleaner, brighter and safer. Its strong cohesive properties permit easy stripping.
63543	Kem Aqua® Strippable Coating	White	TXMAS-5-51V010	TXMAS	30.18	PL	5	5.00	Sherwin-Williams	501040497	A fast drying, water based, peelable coating designed to keep spray booths cleaner, brighter and safer. Its strong cohesive properties permit easy stripping.
63543	Kem Aqua® Strippable Coating	White	TXMAS-5-51V010	TXMAS	30.61	GL		1.00	Sherwin-Williams	501040489	A fast drying, water based, peelable coating designed to keep spray booths cleaner, brighter and safer. Its strong cohesive properties permit easy stripping.
63082	Kem Aqua® Wash Primer	Green	TXMAS-5-51V010	TXMAS	29.77	GL		1.00	Sherwin-Williams	501054506	A fast drying, one package, low VOC, water based primer designed to promote adhesion between the substrate and finish coats. It serves as a tie coat over steel, aluminum, galvanized steel, and nonferrous metals.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Kem Aqua® Wash Primer	Green	TXMAS-5-51V010	TXMAS	29.23	PL	5	5.00	Sherwin-Williams	501054324	A fast drying, one package, low VOC, water based primer designed to promote adhesion between the substrate and finish coats. It serves as a tie coat over steel, aluminum, galvanized steel, and nonferrous metals.
63082	Kem Bond® HS Universal Metal Primer	Gray	TXMAS-5-51V010	TXMAS	35.88	PL	5	5.00	Sherwin-Williams	640344974	Is a fast drying, high solids, low VOC, heavy metal free, rust inhibitive, universal, alkyd metal primer. Kem Bond HS can be topcoated with alkyd, acrylic, and high performance coatings.
63082	Kem Bond® HS Universal Metal Primer	Off White	TXMAS-5-51V010	TXMAS	26.01	GL		1.00	Sherwin-Williams	6304539	Is a fast drying, high solids, low VOC, heavy metal free, rust inhibitive, universal, alkyd metal primer. Kem Bond HS can be topcoated with alkyd, acrylic, and high performance coatings.
63082	Kem Bond® HS Universal Metal Primer	Red Oxide	TXMAS-5-51V010	TXMAS	25.48	PL	5	1.00	Sherwin-Williams	6304497	Is a fast drying, high solids, low VOC, heavy metal free, rust inhibitive, universal, alkyd metal primer. Kem Bond HS can be topcoated with alkyd, acrylic, and high performance coatings.
63082	Kem Bond® HS Universal Metal Primer	Off White	TXMAS-5-51V010	TXMAS	25.29	PL	5	1.00	Sherwin-Williams	640167151	Is a fast drying, high solids, low VOC, heavy metal free, rust inhibitive, universal, alkyd metal primer. Kem Bond HS can be topcoated with alkyd, acrylic, and high performance coatings.
63082	Kem Bond® HS Universal Metal Primer	Gray	TXMAS-5-51V010	TXMAS	36.96	GL		1.00	Sherwin-Williams	640344966	Is a fast drying, high solids, low VOC, heavy metal free, rust inhibitive, universal, alkyd metal primer. Kem Bond HS can be topcoated with alkyd, acrylic, and high performance coatings.
63082	Kem Bond® HS Universal Metal Primer	Red Oxide	TXMAS-5-51V010	TXMAS	26.01	GL		1.00	Sherwin-Williams	6304521	Is a fast drying, high solids, low VOC, heavy metal free, rust inhibitive, universal, alkyd metal primer. Kem Bond HS can be topcoated with alkyd, acrylic, and high performance coatings.
63057	Kem Cati-Coat HS Epoxy Filler Sealer	Off White	TXMAS-5-51V010	TXMAS	32.61	PL	5	1.00	Sherwin-Williams	640172441	Is a high performance, interior/exterior, VOC compliant, epoxy block filler. Designed for tenacious adhesion to masonry substrates while filling voids and crevices to smooth the surface.
63057	Kem Cati-Coat HS Epoxy Filler Sealer	Hardener	TXMAS-5-51V010	TXMAS	32.61	PL	5	1.00	Sherwin-Williams	640172458	Is a high performance, interior/exterior, VOC compliant, epoxy block filler. Designed for tenacious adhesion to masonry substrates while filling voids and crevices to smooth the surface.
63082	Kem Kromik® Universal Metal Primer	Off White	TXMAS-5-51V010	TXMAS	22.92	PL	5	5.00	Sherwin-Williams	640115333	Is a low VOC, modified alkyd resin primer for use over iron and steel substrates. Used as a universal primer under high performance topcoats and suitable as a barrier coat over conventional coatings.
63082	Kem Kromik® Universal Metal Primer	Off White	TXMAS-5-51V010	TXMAS	24.21	GL		1.00	Sherwin-Williams	640115325	Is a low VOC, modified alkyd resin primer for use over iron and steel substrates. Used as a universal primer under high performance topcoats and suitable as a barrier coat over conventional coatings.
63082	Kem Kromik® Universal Metal Primer	Brown	TXMAS-5-51V010	TXMAS	22.92	PL	5	5.00	Sherwin-Williams	640111753	Is a low VOC, modified alkyd resin primer for use over iron and steel substrates. Used as a universal primer under high performance topcoats and suitable as a barrier coat over conventional coatings.
63082	Kem Kromik® Universal Metal Primer	Gray	TXMAS-5-51V010	TXMAS	24.26	GL		1.00	Sherwin-Williams	640348033	Is a low VOC, modified alkyd resin primer for use over iron and steel substrates. Used as a universal primer under high performance topcoats and suitable as a barrier coat over conventional coatings.
63082	Kem Kromik® Universal Metal Primer	Brown	TXMAS-5-51V010	TXMAS	24.21	GL		1.00	Sherwin-Williams	640111746	Is a low VOC, modified alkyd resin primer for use over iron and steel substrates. Used as a universal primer under high performance topcoats and suitable as a barrier coat over conventional coatings.
63082	Kem Kromik® Universal Metal Primer	Gray	TXMAS-5-51V010	TXMAS	22.99	PL	5	5.00	Sherwin-Williams	640348041	Is a low VOC, modified alkyd resin primer for use over iron and steel substrates. Used as a universal primer under high performance topcoats and suitable as a barrier coat over conventional coatings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem Lustral® Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	24.66	GL		1.00	Sherwin- Williams	5213012	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	33.19	GL		1.00	Sherwin- Williams	5217211	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	23.55	PL	5	5.00	Sherwin- Williams	5213020	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Wrought Iron Flat Black	TXMAS-5- 51V010	TXMAS	26.67	GL		1.00	Sherwin- Williams	5213319	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Lemon Yellow	TXMAS-5- 51V010	TXMAS	50.45	GL		1.00	Sherwin- Williams	5218318	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Vermilion	TXMAS-5- 51V010	TXMAS	45.44	GL		1.00	Sherwin- Williams	5216619	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	ASA 49 Gray	TXMAS-5- 51V010	TXMAS	28.19	GL		1.00	Sherwin- Williams	5212915	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	31.92	PL	5	5.00	Sherwin- Williams	5217229	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Wrought Iron Flat Black	TXMAS-5- 51V010	TXMAS	25.69	PL	5	5.00	Sherwin- Williams	5213327	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Clear Blending Enamel	TXMAS-5- 51V010	TXMAS	19.17	DR	53	###	Sherwin- Williams	5003546	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem Lustral® Enamel	Light Yellow	TXMAS-5- 51V010	TXMAS	52.71	GL		1.00	Sherwin- Williams	5218714	A full gloss, medium oil length, air dry enamel with excellent film characteristics for interior and exterior use. Its ease of application makes it ideal for product finishing and maintenance use.
63543	Kem® 400 Enamel	Silver Metallic	TXMAS-5- 51V010	TXMAS	23.07	PL	5	5.00	Sherwin- Williams	5209184	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	19.29	DR	53	###	Sherwin- Williams	5209663	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	18.28	PL	5	5.00	Sherwin- Williams	5209630	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	High Hide White	TXMAS-5- 51V010	TXMAS	24.59	DR	53	###	Sherwin- Williams	501229819	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem® 400 Enamel	High Hide White	TXMAS-5- 51V010	TXMAS	25.01	PL	5	5.00	Sherwin- Williams	601626609	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	21.64	GL		1.00	Sherwin- Williams	5232855	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Silver Metallic	TXMAS-5- 51V010	TXMAS	25.51	DR	53	###	Sherwin- Williams	5209192	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	18.28	PL	5	5.00	Sherwin- Williams	5209655	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Acrylic Modifier	TXMAS-5- 51V010	TXMAS	61.15	PL	5	5.00	Sherwin- Williams	501040869	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	18.28	DR	53	###	Sherwin- Williams	5209648	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Catalyst	TXMAS-5- 51V010	TXMAS	96.28	GL		1.00	Sherwin- Williams	5001474	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	16.34	PL	5	5.00	Sherwin- Williams	501062178	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63543	Kem® 400 Enamel Base	Clear	TXMAS-5- 51V010	TXMAS	15.98	DR	53	###	Sherwin- Williams	501062186	A short oil alkyd, high gloss enamel for interior and exterior application for OEM finishing or refinishing of industrial, construction, and agricultural equipment as well as a wide array of general metal applications.
63082	Kem® 400 Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	17.35	PL	5	5.00	Sherwin- Williams	5209549	A fast drying primer offering corrosion protection under Kem 400 Enamels. Free of lead and chromate hazards - Spray apply using conventional, airless, air assisted airless, or HVLP - Does not require sanding.
63082	Kem® 400 Primer	Gray	TXMAS-5- 51V010	TXMAS	18.07	PL	5	5.00	Sherwin- Williams	5209523	A fast drying primer offering corrosion protection under Kem 400 Enamels. Free of lead and chromate hazards - Spray apply using conventional, airless, air assisted airless, or HVLP - Does not require sanding.
63082	Kem® 400 Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	16.96	DR	53	###	Sherwin- Williams	5209556	A fast drying primer offering corrosion protection under Kem 400 Enamels. Free of lead and chromate hazards - Spray apply using conventional, airless, air assisted airless, or HVLP - Does not require sanding.
63082	Kem® 400 Primer	Gray	TXMAS-5- 51V010	TXMAS	21.49	GL		1.00	Sherwin- Williams	5232848	A fast drying primer offering corrosion protection under Kem 400 Enamels. Free of lead and chromate hazards - Spray apply using conventional, airless, air assisted airless, or HVLP - Does not require sanding.
63082	Kem® 400 Primer	Gray	TXMAS-5- 51V010	TXMAS	17.46	DR	53	###	Sherwin- Williams	5209531	A fast drying primer offering corrosion protection under Kem 400 Enamels. Free of lead and chromate hazards - Spray apply using conventional, airless, air assisted airless, or HVLP - Does not require sanding.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Safety Yellow	TXMAS-5- 51V010	TXMAS	39.25	GL		1.00	Sherwin- Williams	640363453	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Extra White	TXMAS-5- 51V010	TXMAS	29.27	GL		1.00	Sherwin- Williams	640362448	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Extra White	TXMAS-5- 51V010	TXMAS	28.91	PL	5	5.00	Sherwin- Williams	640362455	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Black	TXMAS-5- 51V010	TXMAS	28.91	PL	5	5.00	Sherwin- Williams	640362711	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Ultradeep	TXMAS-5- 51V010	TXMAS	29.27	GL		1.00	Sherwin- Williams	640362463	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Black	TXMAS-5- 51V010	TXMAS	29.27	GL		1.00	Sherwin- Williams	640362703	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Ultradeep	TXMAS-5- 51V010	TXMAS	28.91	PL	5	5.00	Sherwin- Williams	640362471	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® 4000 High Solids Acrylic Alkyd Enamel	Safety Red	TXMAS-5- 51V010	TXMAS	39.25	GL		1.00	Sherwin- Williams	640363461	A high solids, gloss, VOC-compliant, general purpose acrylic alkyd enamel coating intended for industrial applications. Ideal for interior and exterior applications, the refinishing of industrial, construction, and agricultural equipment.
63543	Kem® Fast Dry High Solids Enamel	Black	TXMAS-5- 51V010	TXMAS	31.14	PL	5	5.00	Sherwin- Williams	501059158	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	White	TXMAS-5- 51V010	TXMAS	33.13	DR	53	###	Sherwin- Williams	501215925	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	Black	TXMAS-5- 51V010	TXMAS	30.69	DR	53	###	Sherwin- Williams	501215909	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	White	TXMAS-5- 51V010	TXMAS	33.48	PL	5	5.00	Sherwin- Williams	501059125	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	Low Gloss White	TXMAS-5- 51V010	TXMAS	36.29	PL	5	5.00	Sherwin- Williams	601614159	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	Clear	TXMAS-5- 51V010	TXMAS	30.37	PL	5	5.00	Sherwin- Williams	501059141	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	Clear	TXMAS-5- 51V010	TXMAS	29.97	DR	53	###	Sherwin- Williams	501215917	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.
63543	Kem® Fast Dry High Solids Enamel	Low Gloss Clear	TXMAS-5- 51V010	TXMAS	32.44	PL	5	5.00	Sherwin- Williams	601614167	Are high quality high solids low VOC air drying alkyd enamels. They offer very good color and gloss retention and excellent corrosion resistance making them an ideal coating for the Waste Equipment market.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Kem® Hi-Temp Heat Flex II 450	Thunder Gray	TXMAS-5- 51V010	TXMAS	109.53	GL		1.00	Sherwin- Williams	640172540	A high performance, VOC compliant, high solids, silicone acrylic, heat resistant gloss topcoat. Specifically designed to provide color and gloss retention in continuous high heat source up to 450 F.
63543	Kem® Hi-Temp Heat Flex II 450	Shale Gray	TXMAS-5- 51V010	TXMAS	107.38	GL		1.00	Sherwin- Williams	640172532	A high performance, VOC compliant, high solids, silicone acrylic, heat resistant gloss topcoat. Specifically designed to provide color and gloss retention in continuous high heat source up to 450 F.
63543	Kem® Hi-Temp Heat Flex II 450	Cirrus Gray	TXMAS-5- 51V010	TXMAS	107.38	GL		1.00	Sherwin- Williams	640172755	A high performance, VOC compliant, high solids, silicone acrylic, heat resistant gloss topcoat. Specifically designed to provide color and gloss retention in continuous high heat source up to 450 F.
63543	Kem® Hi-Temp Heat Flex II 450	Black	TXMAS-5- 51V010	TXMAS	109.53	GL		1.00	Sherwin- Williams	640172516	A high performance, VOC compliant, high solids, silicone acrylic, heat resistant gloss topcoat. Specifically designed to provide color and gloss retention in continuous high heat source up to 450 F.
63543	Kem® Hi-Temp Heat Flex II 450	Aluminum	TXMAS-5- 51V010	TXMAS	141.33	GL		1.00	Sherwin- Williams	640355285	A high performance, VOC compliant, high solids, silicone acrylic, heat resistant gloss topcoat. Specifically designed to provide color and gloss retention in continuous high heat source up to 450 F.
63543	Kem® Hi-Temp Heat Flex II 450	New Toned White	TXMAS-5- 51V010	TXMAS	107.38	GL		1.00	Sherwin- Williams	640172524	A high performance, VOC compliant, high solids, silicone acrylic, heat resistant gloss topcoat. Specifically designed to provide color and gloss retention in continuous high heat source up to 450 F.
63543	Kem® Hi-Temp Heat Flex II Accelerator		TXMAS-5- 51V010	TXMAS	85.51	QT	1	1.00	Sherwin- Williams	640172615	A high performance, VOC compliant, high solids, silicone heat resistant topcoat. Specifically designed to provide color retention in continuous high heat sources up to 800 F.
63082	Kem-Flash® 500 Primer	Gray	TXMAS-5- 51V010	TXMAS	21.24	DR	53	###	Sherwin- Williams	601619398	Are high quality, fast air drying, VOC compliant alkyd primers. They satisfy the performance specification requirements of the off road equipment and general metal markets.
63082	Kem-Flash® 500 Primer	Black	TXMAS-5- 51V010	TXMAS	23.20	DR	53	###	Sherwin- Williams	601619745	Are high quality, fast air drying, VOC compliant alkyd primers. They satisfy the performance specification requirements of the off road equipment and general metal markets.
63082	Kem-Flash® 500 Primer	Gray	TXMAS-5- 51V010	TXMAS	21.70	PL	5	5.00	Sherwin- Williams	601619380	Are high quality, fast air drying, VOC compliant alkyd primers. They satisfy the performance specification requirements of the off road equipment and general metal markets.
63082	Kem-Flash® 500 Primer	White	TXMAS-5- 51V010	TXMAS	26.12	PL	5	5.00	Sherwin- Williams	601619653	Are high quality, fast air drying, VOC compliant alkyd primers. They satisfy the performance specification requirements of the off road equipment and general metal markets.
63082	Kem-Flash® 500 Primer	Black	TXMAS-5- 51V010	TXMAS	22.87	PL	5	5.00	Sherwin- Williams	601619737	Are high quality, fast air drying, VOC compliant alkyd primers. They satisfy the performance specification requirements of the off road equipment and general metal markets.
63082	Kem-Flash® 500 Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	22.84	PL	5	5.00	Sherwin- Williams	601619786	Are high quality, fast air drying, VOC compliant alkyd primers. They satisfy the performance specification requirements of the off road equipment and general metal markets.
63082	Kem-Flash® Prime	Buff	TXMAS-5- 51V010	TXMAS	29.77	DR	53	###	Sherwin- Williams	5002431	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	Red	TXMAS-5- 51V010	TXMAS	28.19	PL	5	5.00	Sherwin- Williams	5002522	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Kem-Flash® Prime	Red	TXMAS-5- 51V010	TXMAS	26.57	DR	53	###	Sherwin- Williams	5002530	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	White	TXMAS-5- 51V010	TXMAS	33.19	PL	5	5.00	Sherwin- Williams	5002621	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	Gray	TXMAS-5- 51V010	TXMAS	29.77	DR	53	###	Sherwin- Williams	5002332	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	Red	TXMAS-5- 51V010	TXMAS	29.77	GL		1.00	Sherwin- Williams	5002514	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	Gray	TXMAS-5- 51V010	TXMAS	31.98	GL		1.00	Sherwin- Williams	5002316	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	White	TXMAS-5- 51V010	TXMAS	34.21	GL		1.00	Sherwin- Williams	5002613	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	Buff	TXMAS-5- 51V010	TXMAS	30.81	PL	5	5.00	Sherwin- Williams	5002423	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Prime	Gray	TXMAS-5- 51V010	TXMAS	30.74	PL	5	5.00	Sherwin- Williams	5002324	Are fast drying, versatile alkyd primer providing excellent corrosion resistance for industrial and maintenance use. Excellent corrosion resistance achieved by a scientifically balanced blend of corrosion inhibiting pigments
63082	Kem-Flash® Ultra-Bond Primer	Black	TXMAS-5- 51V010	TXMAS	28.73	DR	53	###	Sherwin- Williams	501215305	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.
63082	Kem-Flash® Ultra-Bond® Primer	White	TXMAS-5- 51V010	TXMAS	29.19	PL	5	5.00	Sherwin- Williams	501213334	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.
63082	Kem-Flash® Ultra-Bond® Primer	Gray	TXMAS-5- 51V010	TXMAS	29.19	PL	5	5.00	Sherwin- Williams	501061899	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.
63082	Kem-Flash® Ultra-Bond® Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	29.19	PL	5	5.00	Sherwin- Williams	501056766	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.
63082	Kem-Flash® Ultra-Bond® Primer	Black	TXMAS-5- 51V010	TXMAS	29.19	PL	5	5.00	Sherwin- Williams	501213342	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.
63082	Kem-Flash® Ultra-Bond® Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	28.73	DR	53	###	Sherwin- Williams	501215297	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.
63082	Kem-Flash® Ultra-Bond® Primer	Gray	TXMAS-5- 51V010	TXMAS	28.73	DR	53	###	Sherwin- Williams	501210058	A high solids low VOC one-package epoxy ester primer offering excellent performance properties and topcoatability with a wide range of topcoats including two component polyurethanes, alkyd enamels, and acrylic enamels.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Knee Pads - Plastic Caps		TXMAS-5- 51V010	TXMAS	11.94	EA		1.00	Custom Leathercraft Mfg Co	5937479	Exclusive grooved cap design prevents thread abrasion Patent #5537689. Super tough, lightweight fabric covering. Comfortable foam padding for extra knee protection. One size fits all. Comfortable, double straps with hook and loop fasteners.
63543	Knife - Heavy Duty Utility Cutter 8 Point Blade		TXMAS-5- 51V010	TXMAS	7.66	EA		1.00	World Kitchen	1608512	Ergonomic soft grip handle. Ratchet blade lock knife.
63543	Knife - Professional Utility Knife Maxx Grip Snap Off Blades	13 Points	TXMAS-5- 51V010	TXMAS	2.54	EA		###	Hyde Tools	1626357	Auto-Lock holds blade in cutting position.
63543	Knife - Silver Stainless Steel Auto Lock SVR2		TXMAS-5- 51V010	TXMAS	6.82	EA		1.00	World Kitchen	9132390	Auto Lock blade that will not stick or slide. Built in pocket clip snapper.
63543	Knife Blades - 50 Pack Replacement Snap Blades For SVR2 Auto Lock Knife		TXMAS-5- 51V010	TXMAS	17.06	EA		1.00	World Kitchen	1617455	Multi purpose snap off spare blades.
63543	Duty Replacement Blades 10 Blade Pack For #9046/NOL-1		TXMAS-5- 51V010	TXMAS	6.02	EA		1.00	World Kitchen	7239775	Heavy duty 8 point blade.
63543	Knife Blades - Replacement Breakaway 13 Point Snap Off		TXMAS-5- 51V010	TXMAS	3.53	EA		1.00	American Safety Razor Co	2824985	Snap Off Replacement Blades
63543	Knife Blades - Ultra Maxx Blades	50 Pack	TXMAS-5- 51V010	TXMAS	17.51	EA		1.00	World Kitchen	9080599	Is the #1 choice of professional paperhangers, are exclusively designed for maximum cutting performance! 13 segments on each blade equals 650 cutting edges per 50 pack.
63543	Knife Blades - Utility Knife Replacement Blades For The 66-0334		TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	American Safety Razor Co	1632470	Precision made of high carbon knife steel. Fits all standard utility knives. Heavy gauge steel for rugged use.
63543	Knockdown Knife - Lightweight Knockdown Knife	24 Inch	TXMAS-5- 51V010	TXMAS	15.32	EA		6.00	Wallboard Tool Co	9565623	Lightweight 24 Inch Knockdown Knife
63082	Kromik® Metal Primer	Brown	TXMAS-5- 51V010	TXMAS	35.52	PL	5	1.00	Sherwin- Williams	6311146	A long oil, high quality, rust inhibitive, brown, steel primer. For use in industrial environments to protect steel against atmospheric corrosion. Recommended for use where marginal surface preparation requires a penetrating type primer.
63082	Kromik® Metal Primer	Brown	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	6311138	A long oil, high quality, rust inhibitive, brown, steel primer. For use in industrial environments to protect steel against atmospheric corrosion. Recommended for use where marginal surface preparation requires a penetrating type primer.
63543	Ladder Jacks - Aluminum 2 Rung Long Body	Pair	TXMAS-5- 51V010	TXMAS	98.09	EA		1.00	Werner, R. D.	2825479	Fits round or flat rungs. Mounts on inner or outer front ladder faces. Lightweight, sturdy, easy to use. Fast adjustments; locks in position. Folds down for easy handling.
63543	Ladder Jacks - Aluminum 2 Rung Short Body	Pair	TXMAS-5- 51V010	TXMAS	99.80	EA		1.00	Werner, R. D.	7974900	Lightweight, sturdy and easy to use. Designed for quick field adjustments. Mounts on either side of extension ladder.
63543	Ladder Leveler - Level Master		TXMAS-5- 51V010	TXMAS	91.27	EA		1.00	Werner, R. D.	1514090	Easily locks and levels. Reduces the need for temporary blocking. Increases ladder stability. Steel swivel shoe. Up to 8-1/2 inch of adjustment.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Ladder Leveler - PIVIT® Ladder Leveler Tool		TXMAS-5- 51V010	TXMAS	89.62	EA		1.00	Provision Tools	9029513	Built to conform to and level practically any surface. Non-Skid ramps provide a sure footed surface for any ladder.
63543	Ladder Stabilizers - Quick Click AC78 46 Inch Span 10 Inch Standoff		TXMAS-5- 51V010	TXMAS	42.63	EA		1.00	Werner, R. D.	4688081	Installs and removes in seconds - no tools required. Spring loaded locking latch. Non-marring rubber end caps protect work surface. Pre-assembled unit - 46 inch span, 10 inch stand-off from work.
14545	Lambskin Floor Applicator	10 Inch	TXMAS-5- 51V010	TXMAS	9.86	EA		1.00	Sherwin- Williams	1807106	100 percent Lambskin. Professional finish with urethanes, stains, varnishes, sealers and floor waxes. Naturally shed resistant. Threaded hardwood block for use with extension poles.
14545	Lambskin Floor Applicator	16 Inch	TXMAS-5- 51V010	TXMAS	13.71	EA		1.00	Sherwin- Williams	1807122	100 percent Lambskin. Professional finish with urethanes, stains, varnishes, sealers and floor waxes. Naturally shed resistant. Threaded hardwood block for use with extension poles.
14545	Lambskin Floor Applicator	12 Inch	TXMAS-5- 51V010	TXMAS	10.99	EA		1.00	Sherwin- Williams	1807114	100 percent Lambskin. Professional finish with urethanes, stains, varnishes, sealers and floor waxes. Naturally shed resistant. Threaded hardwood block for use with extension poles.
14545	Lambskin Floor Applicator Replacement Pad	16 Inch	TXMAS-5- 51V010	TXMAS	10.68	EA		1.00	Sherwin- Williams	1807155	100 percent Lambskin. Professional finish with urethanes, stains, varnishes, sealers and floor waxes. Naturally shed resistant. Threaded hardwood block for use with extension poles.
14545	Lambskin Floor Applicator Replacement Pad	12 Inch	TXMAS-5- 51V010	TXMAS	7.98	EA		1.00	Sherwin- Williams	1807148	100 percent Lambskin. Professional finish with urethanes, stains, varnishes, sealers and floor waxes. Naturally shed resistant. Threaded hardwood block for use with extension poles.
14545	Lambskin Floor Applicator Replacement Pad	10 Inch	TXMAS-5- 51V010	TXMAS	6.45	EA		1.00	Sherwin- Williams	1807130	100 percent Lambskin. Professional finish with urethanes, stains, varnishes, sealers and floor waxes. Naturally shed resistant. Threaded hardwood block for use with extension poles.
76572	Line Striper - Line Lazer IV 200HS	2 Gun	TXMAS-5- 51V010	TXMAS	7,683.25	EA		1.00	Graco Inc.	2208718	
76572	Line Striper - Line Lazer IV 200HS	1 Gun	TXMAS-5- 51V010	TXMAS	7,074.11	EA		1.00	Graco Inc.	2208700	
76572	Line Striper - Line Lazer IV 3900	2 Gun	TXMAS-5- 51V010	TXMAS	5,920.81	EA		1.00	Graco Inc.	2208676	
76572	Line Striper - Line Lazer IV 3900	1 Gun	TXMAS-5- 51V010	TXMAS	5,360.40	EA		1.00	Graco Inc.	2208668	
76572	Line Striper - Line Lazer IV 5900	2 Gun	TXMAS-5- 51V010	TXMAS	7,163.45	EA		1.00	Graco Inc.	2208692	
76572	Line Striper - Titan PowrLiner 9900 SP With Power Handler	Airless Sprayer	TXMAS-5- 51V010	TXMAS	9,678.50	EA		1.00	Titan Spray Tech	2208973	
76572	Line Striper - Titan ProMark II		TXMAS-5- 51V010	TXMAS	3,919.61	EA		1.00	Titan Spray Tech	9683681	0.75 GPM 3300 psi. Supports .026 tip. Supports 1 gun. Weighs 176 Lbs. Clutch piston pump type. 4 HP Honda motor.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Loxon Concrete And Masonry Int/Ext Latex Primer	White	TXMAS-5- 51V010	TXMAS	23.60	PL	5	5.00	Sherwin- Williams	1017276	An acrylic coating specifically engineered for exterior, above-grade masonry surfaces requiring a high performance primer. It is highly alkali and efflorescence resistant. May be applied to a surface with a pH of 6 to 13.
63082	Loxon Concrete And Masonry Int/Ext Latex Primer	White	TXMAS-5- 51V010	TXMAS	24.00	GL		4.00	Sherwin- Williams	1017268	An acrylic coating specifically engineered for exterior, above-grade masonry surfaces requiring a high performance primer. It is highly alkali and efflorescence resistant. May be applied to a surface with a pH of 6 to 13.
63082	Loxon® Block Surfacers	White	TXMAS-5- 51V010	TXMAS	16.77	PL	5	5.00	Sherwin- Williams	640315990	A lightweight technology, 100% acrylic resin surfacer for interior and exterior poured and pre-cast concrete, concrete block, cinder block, and stucco. Alkali resistant from 8 to 13 pH, use at temperatures down to 35°F.
63082	Loxon® Conditioner	Guide-Coat White	TXMAS-5- 51V010	TXMAS	15.30	GL		1.00	Sherwin- Williams	640315958	Are 100% acrylic emulsion conditioners which will penetrate and seal interior and exterior surfaces and bond light chalk to the surface. These sealers will adhere to new or existing concrete with a pH up to 13.
63082	Loxon® Conditioner	Clear	TXMAS-5- 51V010	TXMAS	15.16	PL	5	5.00	Sherwin- Williams	640315982	Are 100% acrylic emulsion conditioners which will penetrate and seal interior and exterior surfaces and bond light chalk to the surface. These sealers will adhere to new or existing concrete with a pH up to 13.
63082	Loxon® Conditioner	Guide-Coat White	TXMAS-5- 51V010	TXMAS	15.16	PL	5	5.00	Sherwin- Williams	640315966	Are 100% acrylic emulsion conditioners which will penetrate and seal interior and exterior surfaces and bond light chalk to the surface. These sealers will adhere to new or existing concrete with a pH up to 13.
63082	Loxon® Conditioner	Clear	TXMAS-5- 51V010	TXMAS	15.30	GL		1.00	Sherwin- Williams	640315974	Are 100% acrylic emulsion conditioners which will penetrate and seal interior and exterior surfaces and bond light chalk to the surface. These sealers will adhere to new or existing concrete with a pH up to 13.
63056	Loxon® Exterior Acrylic Masonry Coating	Extra White	TXMAS-5- 51V010	TXMAS	22.87	PL	5	5.00	Sherwin- Williams	640515763	An acrylic coating specifically engineered for exterior, above-grade, masonry surfaces requiring high performance protection. It is highly alkali and efflorescence resistant. May be applied to a surface with a pH of 6 to 13.
63056	Loxon® Exterior Acrylic Masonry Coating	Extra White	TXMAS-5- 51V010	TXMAS	23.02	GL		1.00	Sherwin- Williams	640515755	An acrylic coating specifically engineered for exterior, above-grade, masonry surfaces requiring high performance protection. It is highly alkali and efflorescence resistant. May be applied to a surface with a pH of 6 to 13.
63056	Loxon® Exterior Acrylic Masonry Coating	Light Yellow	TXMAS-5- 51V010	TXMAS	28.53	PL	5	5.00	Sherwin- Williams	640363016	An acrylic for exterior, above-grade, masonry surfaces requiring high performance protection. It is highly alkali and efflorescence resistant. This may be applied to a surface with a pH of 6 to 13.
63056	Loxon® Exterior Acrylic Masonry Coating	Light Yellow	TXMAS-5- 51V010	TXMAS	28.74	GL		1.00	Sherwin- Williams	640363008	An acrylic for exterior, above-grade, masonry surfaces requiring high performance protection. It is highly alkali and efflorescence resistant. This may be applied to a surface with a pH of 6 to 13.
63056	Loxon® Exterior Acrylic Masonry Coating	Deep Base	TXMAS-5- 51V010	TXMAS	23.02	GL		1.00	Sherwin- Williams	640512984	An acrylic for exterior, above-grade, masonry surfaces requiring high performance protection. It is highly alkali and efflorescence resistant. This may be applied to a surface with a pH of 6 to 13.
63056	Loxon® Exterior Acrylic Masonry Coating	Deep Base	TXMAS-5- 51V010	TXMAS	22.87	PL	5	5.00	Sherwin- Williams	640512992	An acrylic for exterior, above-grade, masonry surfaces requiring high performance protection. It is highly alkali and efflorescence resistant. This may be applied to a surface with a pH of 6 to 13.
63543	Loxon® XP Waterproofing System	Deep Base	TXMAS-5- 51V010	TXMAS	27.57	PL	5	5.00	Sherwin- Williams	640363883	A high build coating that provides excellent flexibility, durability and weather resistance. This product will protect against wind driven rain when used on tilt-up, precast, or poured in place concrete, CMU and stucco.
63543	Loxon® XP Waterproofing System	Extra White	TXMAS-5- 51V010	TXMAS	27.57	PL	5	5.00	Sherwin- Williams	640363842	A high build coating that provides excellent flexibility, durability and weather resistance. This product will protect against wind driven rain when used on tilt-up, precast, or poured in place concrete, CMU and stucco.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Loxon® XP Waterproofing System	Light Yellow	TXMAS-5- 51V010	TXMAS	27.57	PL	5	5.00	Sherwin- Williams	640363867	A high build coating that provides excellent flexibility, durability and weather resistance. This product will protect against wind driven rain when used on tilt-up, precast, or poured in place concrete, CMU and stucco.
63543	Loxon® XP Waterproofing System	Extra White	TXMAS-5- 51V010	TXMAS	27.69	GL		1.00	Sherwin- Williams	640363834	A high build coating that provides excellent flexibility, durability and weather resistance. This product will protect against wind driven rain when used on tilt-up, precast, or poured in place concrete, CMU and stucco.
63543	Loxon® XP Waterproofing System	Deep Base	TXMAS-5- 51V010	TXMAS	27.69	GL		1.00	Sherwin- Williams	640363875	A high build coating that provides excellent flexibility, durability and weather resistance. This product will protect against wind driven rain when used on tilt-up, precast, or poured in place concrete, CMU and stucco.
63082	Machine Finish Block Resistant Latex Primer	White	TXMAS-5- 51V010	TXMAS	21.70	EA		1.00	Sherwin- Williams	640382826	Provides a tough, durable, moisture resistant, mildew resistant coating system that demonstrates superior mar and blocking resistance.
63057	Macropoxy® 646 Fast Cure Epoxy	Mill White	TXMAS-5- 51V010	TXMAS	40.57	PL	5	1.00	Sherwin- Williams	640174686	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Black	TXMAS-5- 51V010	TXMAS	56.32	GL		1.00	Sherwin- Williams	640310280	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	40.57	PL	5	1.00	Sherwin- Williams	640174348	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	49.94	GL		1.00	Sherwin- Williams	640125027	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Mill White	TXMAS-5- 51V010	TXMAS	49.94	GL		1.00	Sherwin- Williams	640125001	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Safety Yellow	TXMAS-5- 51V010	TXMAS	51.57	GL		1.00	Sherwin- Williams	640330379	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	49.94	GL		1.00	Sherwin- Williams	640310298	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Black	TXMAS-5- 51V010	TXMAS	40.57	PL	5	1.00	Sherwin- Williams	640174355	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	40.57	PL	5	1.00	Sherwin- Williams	640173597	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 Fast Cure Epoxy	Safety Red	TXMAS-5- 51V010	TXMAS	51.57	GL		1.00	Sherwin- Williams	640330361	A high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications.
63057	Macropoxy® 646 PW Potable Water Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	56.62	GL		1.00	Sherwin- Williams	640344982	A high solids, high build, fast drying, polyamide epoxy certified by NSF to Standard 61 as a tank lining for potable water storage tanks.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Macropoxy® 646 PW Potable Water Epoxy	Light Blue	TXMAS-5- 51V010	TXMAS	70.89	GL		1.00	Sherwin- Williams	640345104	A high solids, high build, fast drying, polyamide epoxy certified by NSF to Standard 61 as a tank lining for potable water storag tanks.
63057	Macropoxy® 646 PW Potable Water Epoxy	Light Blue	TXMAS-5- 51V010	TXMAS	53.69	PL	5	1.00	Sherwin- Williams	640345112	A high solids, high build, fast drying, polyamide epoxy certified by NSF to Standard 61 as a tank lining for potable water storag tanks.
63057	Macropoxy® 646 PW Potable Water Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	53.69	PL	5	1.00	Sherwin- Williams	640344990	A high solids, high build, fast drying, polyamide epoxy certified by NSF to Standard 61 as a tank lining for potable water storag tanks.
63057	Macropoxy® 646 PW Potable Water Epoxy	Mill White	TXMAS-5- 51V010	TXMAS	53.69	PL	5	1.00	Sherwin- Williams	640345096	A high solids, high build, fast drying, polyamide epoxy certified by NSF to Standard 61 as a tank lining for potable water storag tanks.
63057	Macropoxy® 646 PW Potable Water Epoxy	Mill White	TXMAS-5- 51V010	TXMAS	56.62	GL		1.00	Sherwin- Williams	640345088	A high solids, high build, fast drying, polyamide epoxy certified by NSF to Standard 61 as a tank lining for potable water storag tanks.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Light Blue Part A	TXMAS-5- 51V010	TXMAS	70.89	GL		1.00	Sherwin- Williams	640345005	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Mill White	TXMAS-5- 51V010	TXMAS	47.36	GL		1.00	Sherwin- Williams	640320768	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Ultradeep	TXMAS-5- 51V010	TXMAS	56.71	GL		1.00	Sherwin- Williams	640375903	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	47.36	PL	5	1.00	Sherwin- Williams	640173860	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Ultradeep	TXMAS-5- 51V010	TXMAS	53.40	PL	5	5.00	Sherwin- Williams	640375911	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Light Blue Part A	TXMAS-5- 51V010	TXMAS	53.40	PL	5	1.00	Sherwin- Williams	640345013	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	47.36	GL		1.00	Sherwin- Williams	640320750	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	Macropoxy® 846 NSF Winter Grade Epoxy	Mill White	TXMAS-5- 51V010	TXMAS	47.36	PL	5	1.00	Sherwin- Williams	640173605	A high solids, fast drying polyamide epoxy designed to protect steel and concrete in industrial exposures. Recommended for use at temperatures as low 35 F. For severe exposures, a primer is recommended.
63057	PrePrime Rust Penetrating Epoxy Pre- Primer	Hardener Part B	TXMAS-5- 51V010	TXMAS	66.44	GL		1.00	Sherwin- Williams	640172813	A 100% solids, VOC compliant, rust penetrating epoxy pre-primer designed for use over marginally prepared surfaces when a thorough cleaning is not possible.
63057	PrePrime Rust Penetrating Epoxy Pre- Primer	Hardener Part B	TXMAS-5- 51V010	TXMAS	20.16	QT	1	1.00	Sherwin- Williams	501218713	A 100% solids, VOC compliant, rust penetrating epoxy pre-primer designed for use over marginally prepared surfaces when a thorough cleaning is not possible.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Macropoxy® HS High Solids Epoxy PrePrime Rust Penetrating Epoxy Pre-Primer	Transparent Part A	TXMAS-5-51V010	TXMAS	116.00	KT		1.00	Sherwin-Williams	640172805	A 100% solids, VOC compliant, rust penetrating epoxy pre-primer designed for use over marginally prepared surfaces when a thorough cleaning is not possible.
63057	Macropoxy® HS High Solids Epoxy PrePrime Rust Penetrating Epoxy Pre-Primer	Transparent Part A	TXMAS-5-51V010	TXMAS	35.45	GL		1.00	Sherwin-Williams	501218705	A 100% solids, VOC compliant, rust penetrating epoxy pre-primer designed for use over marginally prepared surfaces when a thorough cleaning is not possible.
63057	Macropoxy® HS High Solids Epoxy	Hardener	TXMAS-5-51V010	TXMAS	40.20	PL	5	1.00	Sherwin-Williams	640170783	A VOC compliant epoxy mastic designed for application to properly prepared steel surfaces. May be used as a one or two coat, direct-to-metal protective coating, or over Macropoxy Primer.
63057	Macropoxy® HS High Solids Epoxy	Hardener	TXMAS-5-51V010	TXMAS	40.97	GL		1.00	Sherwin-Williams	640119020	A VOC compliant epoxy mastic designed for application to properly prepared steel surfaces. May be used as a one or two coat, direct-to-metal protective coating, or over Macropoxy Primer.
63057	Macropoxy® HS High Solids Epoxy	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	40.79	GL		1.00	Sherwin-Williams	640320743	A VOC compliant epoxy mastic designed for application to properly prepared steel surfaces. May be used as a one or two coat, direct-to-metal protective coating, or over Macropoxy Primer.
63057	Macropoxy® HS High Solids Epoxy	Ultradeed/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	39.51	PL	5	1.00	Sherwin-Williams	640170775	A VOC compliant epoxy mastic designed for application to properly prepared steel surfaces. May be used as a one or two coat, direct-to-metal protective coating, or over Macropoxy Primer.
63057	Macropoxy® HS High Solids Epoxy	White/Tint Base Part A	TXMAS-5-51V010	TXMAS	40.79	GL		1.00	Sherwin-Williams	640123485	A VOC compliant epoxy mastic designed for application to properly prepared steel surfaces. May be used as a one or two coat, direct-to-metal protective coating, or over Macropoxy Primer.
63057	Macropoxy® HS High Solids Epoxy	White/Tint Base Part A	TXMAS-5-51V010	TXMAS	40.20	PL	5	1.00	Sherwin-Williams	640170767	A VOC compliant epoxy mastic designed for application to properly prepared steel surfaces. May be used as a one or two coat, direct-to-metal protective coating, or over Macropoxy Primer.
63543	Magnalux #304 FF Flake Filled Vinyl Ester	White	TXMAS-5-51V010	TXMAS	79.22	PL	5	5.00	General Polymers	600102974	A chemical resistant immersion coating. Utilizes a highly cross-linked vinyl ester resin with mica flakes for maximum chemical and temperature resistance. Can be applied to steel or concrete surfaces.
63543	MagnaPlate® Vinyl Ester Novolac Laminate System	Resin	TXMAS-5-51V010	TXMAS	4.99	DR	53	###	Dow Chemical Co	600102610	Used to line the bottoms of steel storage tanks. The highly chemical resistant vinyl ester will withstand a wide range of crude and refined petroleum products.
63543	Magnetic Paint Magic Wall		TXMAS-5-51V010	TXMAS	15.18	PT	1	1.00	Kling Magnetics	9352220	Eliminates installation of expensive bulletin or cork boards. Artwork, posters, plans, and drawings can all be hung with noninvasive magnets, saving the wear and tear that is normally associated with tape, tacks and glue.
63543	Masking Film - Contractor Masking Film	9 Ft. x 90 Ft.	TXMAS-5-51V010	TXMAS	12.83	EA		1.00	3M	1626381	Easily folds to cover small or large areas; windows, cabinets and floor to ceiling applications. High density, nonporous. Translucent.
63543	Masking Film - Contractor Masking Film	6 Ft. x 90 Ft.	TXMAS-5-51V010	TXMAS	9.29	EA		1.00	3M	1626373	Easily folds to cover small or large areas; windows, cabinets and floor to ceiling applications. High density, nonporous. Translucent.
63543	Masking Film - Folded Masking Film Rolls	24 Inch x 180 Ft.	TXMAS-5-51V010	TXMAS	7.53	EA		1.00	3M	7980931	Roll unfolds to cover large areas. Specially treated non porous film is strong, yet lightweight and translucent with "Wet Paint" imprint. Pre-folded to fit M3000 dispenser.
63543	Masking Film - Folded Masking Film Rolls	48 Inchx180 Ft.	TXMAS-5-51V010	TXMAS	16.82	EA		1.00	3M	1539998	Roll unfolds to cover large areas. Specially treated non porous film is strong, yet lightweight and translucent with "Wet Paint" imprint. Pre-folded to fit M3000 dispenser.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Masking Film Dispenser - 12 Inch Blade With Guard For Masking Film		TXMAS-5- 51V010	TXMAS	20.32	EA		1.00	3M	1541879	Specially designed for cutting masking film. Stainless steel cutting blade with new 90 degree cutting angle and blade guard for workers safety.
63543	Masking Paper - Masking Paper	15 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Trimaco	7508310	Masking Paper
63543	Masking Paper - Masking Paper	18 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Trimaco	7232135	Masking Paper
63543	Masking Paper - Masking Paper	3 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	1.21	EA		1.00	Trimaco	1181049	Masking Paper
63543	Masking Paper - Masking Paper	12 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	3.04	EA		1.00	Trimaco	4066411	Masking Paper
63543	Masking Paper - Masking Paper	6 Inch 60 Yards	TXMAS-5- 51V010	TXMAS	1.97	EA		1.00	Trimaco	4066437	Masking Paper
63543	Masking Paper - Masking Paper	9 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	2.27	EA		1.00	Trimaco	1182047	Masking Paper
63543	Masking Paper - Premium Green Masking Paper	12 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	2.81	EA		1.00	Trimaco	4730636	Premium Green Masking Paper
63543	Masking Paper - Premium Green Masking Paper	9 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	2.27	EA		1.00	Trimaco	9920588	Premium Green Masking Paper
63543	Masking Paper - Red Rosin Masking Paper	36 Inch x 166 Yards	TXMAS-5- 51V010	TXMAS	8.67	EA		1.00	Trimaco	7513666	Rosin Masking Paper
63543	Masking Tape - 2020	1 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	1.49	EA		1.00	3M	4501771	General purpose masking tape for production painting applications. High adhesion level.
63543	Masking Tape - 2020	1-1/2 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	2.13	EA		1.00	3M	8547002	General purpose masking tape for production painting applications. High adhesion level.
63543	Masking Tape - 2020	2 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	2.90	EA		1.00	3M	4501789	General purpose masking tape for production painting applications. High adhesion level.
63543	Masking Tape - 2050	1 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	2.54	EA		1.00	3M	6113880	Designed to release cleanly and easily from previously painted surfaces. Ideal for repaint applications. Medium high adhesion level.
63543	Masking Tape - 2050	1-1/2 Inch x 60 Yards	TXMAS-5- 51V010	TXMAS	4.15	EA		1.00	3M	4182630	Designed to release cleanly and easily from previously painted surfaces. Ideal for repaint applications. Medium high adhesion level.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Masking Tape - 2050	2 Inch	TXMAS-5-51V010	TXMAS	5.21	EA		1.00	3M	4149423	Designed to release cleanly and easily from previously painted surfaces. Ideal for repaint applications. Medium high adhesion level.
63543	Masking Tape - Consumer Grade CP102	2 Inch	TXMAS-5-51V010	TXMAS	2.38	EA		1.00	Shurtape Technologies	1601632	Sharp, clean paint lines. Easy, clean surface release. Easy to use by hand or with a masker. Good resistance to solvents and heat.
63543	Masking Tape - Contractor 6 Roll Pack Series 2020	1-1/2 Inch	TXMAS-5-51V010	TXMAS	11.80	EA		1.00	3M	9792367	Masking Tape - Contractor Pack Series 2020 1-1/2 Inch Pack With 6 Rolls
63543	Masking Tape - Contractor 6 Roll Pack Series 2090	1-1/2 Inch	TXMAS-5-51V010	TXMAS	32.27	EA		1.00	3M	9712001	Masking Tape - Contractor Pack Series 2090 1-1/2 Inch Pack With 6 Rolls
63543	Masking Tape - Easy Mask	2 Inch x 180 Ft.	TXMAS-5-51V010	TXMAS	4.06	EA		1.00	Trimaco	1613520	Easily removed adhesive, does not dry out, pull up finishes or leave a residue. Will not stretch - straight edges easy to achieve.
63543	Masking Tape - Lacquer Resistant 2060	1 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	2.64	EA		1.00	3M	1553874	Designed for use with/on lacquer coatings. High adhesion tape, ideal for rough or hard to stick to surfaces. Premium grade.
63543	Masking Tape - Painters Deluxe Green CP-20	1-1/2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	2.92	EA		1.00	Shurtape Technologies	1635440	UV Resistant. Flexible and conformable. High shear values for securing drop cloths. Resistant to paint bleed through. Consistent surface contact for secure holding power.
63543	Masking Tape - Painters Deluxe Green CP-20	2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	4.01	EA		1.00	Shurtape Technologies	1635432	UV Resistant. Flexible and conformable. High shear values for securing drop cloths. Resistant to paint bleed through. Consistent surface contact for secure holding power.
63543	Masking Tape - Painters Deluxe Green CP-20	1 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	2.09	EA		1.00	Shurtape Technologies	1635457	UV Resistant. Flexible and conformable. High shear values for securing drop cloths. Resistant to paint bleed through. Consistent surface contact for secure holding power.
63543	Masking Tape - Premium Grade 7-Day UV Resistant CP27	2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	6.35	EA		1.00	Shurtape Technologies	4218467	Professional grade, low tack acrylic adhesive. 7-day UV and sunlight resistant. Ideal for almost any surface including woodwork, glass, aluminum, steel, titanium and vinyl.
63543	Masking Tape - Premium Grade 7-Day UV Resistant CP27	1-1/2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	5.12	EA		1.00	Shurtape Technologies	1601590	Professional grade, low tack acrylic adhesive. 7-day UV and sunlight resistant. Ideal for almost any surface including woodwork, glass, aluminum, steel, titanium and vinyl.
63543	Masking Tape - Premium Grade 7-Day UV Resistant CP27	1 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	3.43	EA		1.00	Shurtape Technologies	1601582	Professional grade, low tack acrylic adhesive. 7-day UV and sunlight resistant. Ideal for almost any surface including woodwork, glass, aluminum, steel, titanium and vinyl.
63543	Masking Tape - Premium Grade C-99	2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	4.23	EA		1.00	Shurtape Technologies	1553643	Crepe paper masking tape designed for all critical applications. Prevents bleed through and paint build up.
63543	Masking Tape - Premium Grade C-99	1 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	2.20	EA		1.00	Shurtape Technologies	1553627	Crepe paper masking tape designed for all critical applications. Prevents bleed through and paint build up.
63543	Masking Tape - Premium Grade C-99	1-1/2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	3.35	EA		1.00	Shurtape Technologies	1553635	Crepe paper masking tape designed for all critical applications. Prevents bleed through and paint build up.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Masking Tape - Professional Grade CP-66	1 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	1.32	EA		1.00	Shurtape Technologies	1534916	Professional quality-engineered crepe paper tape for masking, splicing and holding. Ideal for professional paint masking. Use with hand maskers and apron tapers.
63543	Masking Tape - Professional Grade CP-66	3 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	4.41	EA		1.00	Shurtape Technologies	1534957	Professional quality-engineered crepe paper tape for masking, splicing and holding. Ideal for professional paint masking. Use with hand maskers and apron tapers.
63543	Masking Tape - Professional Grade CP-66	1-1/2 Inch x 60 Yards	TXMAS-5-51V010	TXMAS	2.02	EA		1.00	Shurtape Technologies	1534924	Professional quality-engineered crepe paper tape for masking, splicing and holding. Ideal for professional paint masking. Use with hand maskers and apron tapers.
63543	Metal Comb Set For Faux Finishing	1,2,3,4 Inch	TXMAS-5-51V010	TXMAS	13.86	EA		1.00	Bestt Liebco	5911094	Designed for a "cleaner" combing effect that cuts right through the glaze. Set includes four different width combs. Made of spring steel, durable and easy to clean.
63543	Metalastic® DTM Acrylic Modified Enamel	Deep Base	TXMAS-5-51V010	TXMAS	35.59	PL	5	1.00	Sherwin-Williams	640518858	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Black	TXMAS-5-51V010	TXMAS	36.90	GL		1.00	Sherwin-Williams	640312047	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Black	TXMAS-5-51V010	TXMAS	36.45	PL	5	5.00	Sherwin-Williams	640312054	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Deep Base	TXMAS-5-51V010	TXMAS	36.03	GL		1.00	Sherwin-Williams	640518841	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	36.03	GL		1.00	Sherwin-Williams	640312021	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	36.45	PL	5	1.00	Sherwin-Williams	640518833	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	35.59	PL	5	1.00	Sherwin-Williams	640312039	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalastic® DTM Acrylic Modified Enamel	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	36.90	GL		1.00	Sherwin-Williams	640518825	A VOC compliant, high-build acrylic modified enamel with rust-inhibitive properties for application directly to bare steel. Provides an economical alternative to many maintenance and new construction projects.
63543	Metalatex® Semi-Gloss Coating	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	27.52	PL	5	1.00	Sherwin-Williams	885599993	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Deep Base	TXMAS-5-51V010	TXMAS	27.52	PL	5	1.00	Sherwin-Williams	640518817	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	27.52	GL		1.00	Sherwin-Williams	640518783	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Metalatex® Semi-Gloss Coating	Black	TXMAS-5- 51V010	TXMAS	22.43	GL		1.00	Sherwin- Williams	6200505	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Safety Orange	TXMAS-5- 51V010	TXMAS	34.49	GL		1.00	Sherwin- Williams	6204044	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Safety Red	TXMAS-5- 51V010	TXMAS	34.49	GL		1.00	Sherwin- Williams	6204069	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Deep Base	TXMAS-5- 51V010	TXMAS	28.94	GL		1.00	Sherwin- Williams	640518809	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	28.94	GL		1.00	Sherwin- Williams	884199993	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Safety Yellow	TXMAS-5- 51V010	TXMAS	34.49	GL		1.00	Sherwin- Williams	6204051	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	Metalatex® Semi-Gloss Coating	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	26.27	PL	5	1.00	Sherwin- Williams	640518791	An interior/exterior 100% acrylic emulsion coating having outstanding gloss and color retention and durability. Designed for new construction and maintenance applications in light to moderate industrial environments.
63543	MIL 24441 Type 4 Epoxy Polyamide	Red	TXMAS-5- 51V010	TXMAS	28.37	PL	5	5.00	Sherwin- Williams	601313406	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Hardener	TXMAS-5- 51V010	TXMAS	32.20	PL	5	5.00	Sherwin- Williams	640123345	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Hardener	TXMAS-5- 51V010	TXMAS	22.84	PL	5	5.00	Sherwin- Williams	601313398	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Red	TXMAS-5- 51V010	TXMAS	30.66	GL		1.00	Sherwin- Williams	640329686	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Hardener	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182671	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Green	TXMAS-5- 51V010	TXMAS	38.63	GL		1.00	Sherwin- Williams	640182630	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack. For use where air pollution regulations are 340 g/l or 2.8 lb/gal or less.
63543	MIL 24441 Type 4 Epoxy Polyamide	Hardener	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182648	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack. For use where air pollution regulations are 340 g/l or 2.8 lb/gal or less.
63543	MIL 24441 Type 4 Epoxy Polyamide	Dark Gray	TXMAS-5- 51V010	TXMAS	33.30	PL	5	5.00	Sherwin- Williams	640327425	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL 24441 Type 4 Epoxy Polyamide	White	TXMAS-5-51V010	TXMAS	48.29	PL	5	5.00	Sherwin-Williams	640182317	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack. For use where air pollution regulations are 340 g/l or 2.8 lb/gal or less.
63543	MIL 24441 Type 4 Epoxy Polyamide	Dark Gray	TXMAS-5-51V010	TXMAS	30.86	PL	5	5.00	Sherwin-Williams	601128887	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Haze Gray	TXMAS-5-51V010	TXMAS	41.85	PL	5	5.00	Sherwin-Williams	640182309	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack. For use where air pollution regulations are 340 g/l or 2.8 lb/gal or less.
63543	MIL 24441 Type 4 Epoxy Polyamide	Green	TXMAS-5-51V010	TXMAS	38.63	PL	5	5.00	Sherwin-Williams	640123352	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Haze Gray	TXMAS-5-51V010	TXMAS	41.85	GL		1.00	Sherwin-Williams	640182655	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Hardener	TXMAS-5-51V010	TXMAS	23.35	GL		1.00	Sherwin-Williams	601129018	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack.
63543	MIL 24441 Type 4 Epoxy Polyamide	Hardener	TXMAS-5-51V010	TXMAS	32.20	PL	5	5.00	Sherwin-Williams	640182325	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack. For use where air pollution regulations are 340 g/l or 2.8 lb/gal or less.
63543	MIL 24441 Type 4 Epoxy Polyamide	White	TXMAS-5-51V010	TXMAS	51.51	GL		1.00	Sherwin-Williams	640182663	A VOC compliant, two coat, epoxy polyamide system for immersion service and to protect surfaces from environmental attack. For use where air pollution regulations are 340 g/l or 2.8 lb/gal or less.
63543	MIL C 22750F Epoxy Polyamide	Seafoam Green 24533 Part A	TXMAS-5-51V010	TXMAS	42.88	GL		1.00	Sherwin-Williams	640332094	A two component VOC compliant epoxy polyamide formulated for areas exposed to chemicals and solvents and to protect surfaces from environmental attack.
63543	MIL DTL 11195G, Type 2 Enamel, Lusterless, Fast Dry, 3.5 VOC, HAPS Free	White 37875	TXMAS-5-51V010	TXMAS	42.63	PL	5	5.00	Sherwin-Williams	501228845	A single component ammunition coating, HAPS free, corrosion-inhibiting coating for use as a topcoat on steel ammunition surfaces. For spray application. May be used direct to pretreated steel or with an epoxy primer.
63543	MIL DTL 11195G, Type 2 Enamel, Lusterless, Fast Dry, 3.5 VOC, HAPS Free	Green 34558	TXMAS-5-51V010	TXMAS	46.44	PL	5	5.00	Sherwin-Williams	501228308	A single component ammunition coating, HAPS free, corrosion-inhibiting coating for use as a topcoat on steel ammunition surfaces. For spray application. May be used direct to pretreated steel or with an epoxy primer.
63543	MIL DTL 11195G, Type 2 Enamel, Lusterless, Fast Dry, 3.5 VOC, HAPS Free	Olive Drab 34088	TXMAS-5-51V010	TXMAS	40.66	PL	5	5.00	Sherwin-Williams	501228860	A single component ammunition coating, HAPS free, corrosion-inhibiting coating for use as a topcoat on steel ammunition surfaces. For spray application. May be used direct to pretreated steel or with an epoxy primer.
63543	MIL DTL 11195G, Type 2 Enamel, Lusterless, Fast Dry, 3.5 VOC, HAPS Free	Blue 35109	TXMAS-5-51V010	TXMAS	43.98	PL	5	5.00	Sherwin-Williams	501228902	A single component ammunition coating, HAPS free, corrosion-inhibiting coating for use as a topcoat on steel ammunition surfaces. For spray application. May be used direct to pretreated steel or with an epoxy primer.
63543	MIL DTL 15090 Equipment Enamel Formula 111 Marine Paint	Light Gray 595b 26307	TXMAS-5-51V010	TXMAS	19.69	GL		1.00	Sherwin-Williams	640182978	A light gray equipment and machinery enamel for marine and industrial use. May be used on equipment such as furniture, machinery and switchboard installations. Complies with Mil Spec DTL-15090D, F-111.
63543	MIL DTL 15090 Equipment Enamel Formula 111 Marine Paint	Light Gray 595b 26307	TXMAS-5-51V010	TXMAS	18.99	PL	5	5.00	Sherwin-Williams	640182986	A light gray equipment and machinery enamel for marine and industrial use. May be used on equipment such as furniture, machinery and switchboard installations. Complies with Mil Spec DTL-15090D, F-111.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL DTL 24441/20A, Type 3, Formula 150 Epoxy Polyamide	Green 24272	TXMAS-5- 51V010	TXMAS	28.25	EA		1.00	Sherwin- Williams	9920505	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/21A, Type 3, Formula 151 Epoxy Polyamide	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	30.15	EA		1.00	Sherwin- Williams	9920513	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/21A, Type 3, Formula 151 Epoxy Polyamide	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	21.44	EA		1.00	Sherwin- Williams	9920448	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/22A, Type 3, Formula 152 Epoxy Polyamide	White, 27886	TXMAS-5- 51V010	TXMAS	21.11	EA		1.00	Sherwin- Williams	2227395	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/26A, Type 3, Formula 156 Epoxy Polyamide	Red	TXMAS-5- 51V010	TXMAS	21.78	EA		1.00	Sherwin- Williams	2227403	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/29A, Type 4, Formula 150 Epoxy Polyamide	Green 24272	TXMAS-5- 51V010	TXMAS	29.04	EA		1.00	Sherwin- Williams	9920489	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/29A, Type 4, Formula 150 Epoxy Polyamide	Green 24272	TXMAS-5- 51V010	TXMAS	21.22	EA		1.00	Sherwin- Williams	9920414	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity thro
63543	MIL DTL 24441/30A, Type 4, Formula 151 Epoxy Polyamide	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	28.92	EA		1.00	Sherwin- Williams	9920497	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/30A, Type 4, Formula 151 Epoxy Polyamide	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	21.22	EA		1.00	Sherwin- Williams	9920422	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/31A, Type 4, Formula 152 Epoxy Polyamide	White, 27886	TXMAS-5- 51V010	TXMAS	31.16	EA		1.00	Sherwin- Williams	2227502	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/32A, Type 4, Formula 153 Epoxy Polyamide	Dark Gray RO1.8	TXMAS-5- 51V010	TXMAS	29.04	EA		1.00	Sherwin- Williams	8729220	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/32A, Type 4, Formula 153 Epoxy Polyamide	Dark Gray RO1.8	TXMAS-5- 51V010	TXMAS	21.15	EA		1.00	Sherwin- Williams	2227411	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/35A, Type 4, Formula 156 Epoxy Polyamide	Red	TXMAS-5- 51V010	TXMAS	20.66	EA		1.00	Sherwin- Williams	2227437	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441/35A, Type 4, Formula 156 Epoxy Polyamide	Red	TXMAS-5- 51V010	TXMAS	24.29	EA		1.00	Sherwin- Williams	8689911	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL DTL 24441B Type III	White	TXMAS-5- 51V010	TXMAS	31.71	GL		1.00	Sherwin- Williams	640182200	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL DTL 24441B Type III	Hardener	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182283	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Hardener	TXMAS-5- 51V010	TXMAS	32.20	PL	5	5.00	Sherwin- Williams	640182267	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Haze Gray	TXMAS-5- 51V010	TXMAS	29.61	GL		1.00	Sherwin- Williams	640182184	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Red	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182622	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Green	TXMAS-5- 51V010	TXMAS	28.97	PL	5	5.00	Sherwin- Williams	640182150	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Hardener	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182168	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Hardener	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182259	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Dark Gray	TXMAS-5- 51V010	TXMAS	33.82	GL		1.00	Sherwin- Williams	640182598	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks.
63543	MIL DTL 24441B Type III	Dark Gray	TXMAS-5- 51V010	TXMAS	28.97	PL	5	5.00	Sherwin- Williams	640182226	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Green	TXMAS-5- 51V010	TXMAS	32.20	GL		1.00	Sherwin- Williams	640182580	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	White	TXMAS-5- 51V010	TXMAS	38.63	PL	5	5.00	Sherwin- Williams	640182218	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Haze Gray	TXMAS-5- 51V010	TXMAS	29.61	PL	5	5.00	Sherwin- Williams	640182192	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441B Type III	Hardener	TXMAS-5- 51V010	TXMAS	32.20	PL	5	5.00	Sherwin- Williams	640182176	A two component VOC compliant epoxy polyamide system, formulated for immersion service and to protect surfaces from environmental attacks. For use where restricted to a maximum of 340 g/l or 2.8 lb/gal.
63543	MIL DTL 24441C Type III, F-156 Epoxy Polyamide Coating	Hardener For N10R356	TXMAS-5- 51V010	TXMAS	23.35	PL	5	5.00	Sherwin- Williams	601130917	
63543	MIL DTL 24441C Type III, F-156 Epoxy Polyamide Coating	Red	TXMAS-5- 51V010	TXMAS	40.65	PL	5	5.00	Sherwin- Williams	601130925	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL DTL 64159 Type 1 and 2 Waterborne Polyurethane CARC Marine Paint (KIT)	Part B Catalyst	TXMAS-5-51V010	TXMAS	95.32	GL		1.00	Sherwin-Williams	601618077	(KIT REQUIRES 2 UNITS PART A to 1 UNIT PART B V93V502 BY VOLUME) Are two component waterborne polyurethane chemical agent resistant coatings (CARC) for military equipment.
63543	MIL DTL 64159 Type 1 Waterborne Polyurethane CARC Marine Paint (KIT)	383 Green 34094	TXMAS-5-51V010	TXMAS	70.44	GL		1.00	Sherwin-Williams	601617863	(KIT REQUIRES 2 UNITS PART A F93G501 to 1 UNIT PART B V93V502 BY VOLUME) Are two component waterborne polyurethane chemical agent resistant coatings (CARC) for military equipment.
63543	MIL DTL 64159 Type 1 Waterborne Polyurethane CARC Marine Paint (KIT)	37030 Black	TXMAS-5-51V010	TXMAS	13.03	QT	1	1.00	Sherwin-Williams	501227953	(KIT REQUIRES 2 UNITS PART A F93B504 to 1 UNIT PART B V93V502 BY VOLUME) Are two component waterborne polyurethane chemical agent resistant coatings (CARC) for military equipment.
63543	MIL DTL 64159 Type 1 Waterborne Polyurethane CARC Marine Paint (KIT)	686A Tan 33446	TXMAS-5-51V010	TXMAS	58.78	GL		1.00	Sherwin-Williams	501225965	(KIT REQUIRES 2 UNITS PART A F93H503 to 1 UNIT PART B V93V502 BY VOLUME) Are two component waterborne polyurethane chemical agent resistant coatings (CARC) for military equipment.
63543	MIL E 1115D Exterior And Interior White Alkyd Enamel Formula 30	White 17886	TXMAS-5-51V010	TXMAS	28.80	PL	5	5.00	Sherwin-Williams	601128168	Intended for general use on interior and exterior shipboard surfaces where fire-retardancy is not required. Complies with Military Specification MIL-E-1115D.
63543	MIL P 11414E Fast Dry HAPS Free Alkyd Marine Paint Primer		TXMAS-5-51V010	TXMAS	32.85	PL	5	5.00	Sherwin-Williams	601620545	A single component corrosion inhibiting primer for use on steel ammunition surfaces. This product may be topcoated or used without a topcoat. This product is for spray application.
63543	MIL P 23236 Type 4 Class 2 Grade B Marine Paint (Tankguard® Epoxy Polyamide)	Hardener Part B	TXMAS-5-51V010	TXMAS	32.20	PL	5	5.00	Sherwin-Williams	640182366	An epoxy polyamide formulated for application on surfaces subjected to fuel and salt water in shipboard fuel and salt water ballast tanks. Complies with Military spec Mil-P-23236B - 171, Type I, IV.
63543	MIL P 23236 Type 4 Class 2 Grade B Marine Paint (Tankguard® Epoxy Polyamide)	Hardener Part B	TXMAS-5-51V010	TXMAS	32.20	PL	5	5.00	Sherwin-Williams	640182341	An epoxy polyamide formulated for application on surfaces subjected to fuel and salt water in shipboard fuel and salt water ballast tanks. Complies with Military spec Mil-P-23236B - 171, Type I, IV.
63543	MIL PRF 22750F Epoxy Polyamide	White 17925 Part A	TXMAS-5-51V010	TXMAS	37.23	GL		1.00	Sherwin-Williams	640330734	A two component VOC compliant epoxy polyamide formulated for areas exposed to chemicals and solvents and to protect surfaces from environmental attack.
63543	MIL PRF 22750F Epoxy Polyamide	Hardener Part B	TXMAS-5-51V010	TXMAS	12.95	QT	1	1.00	Sherwin-Williams	640316550	A two component VOC compliant epoxy polyamide formulated for areas exposed to chemicals and solvents and to protect surfaces from environmental attacks.
63543	MIL PRF 23236 Type 4 Class 2 Grade B Marine Paint	Green 55 Gal. Drum	TXMAS-5-51V010	TXMAS	55.84	DR	53	###	Sherwin-Williams	640323432	A coating system having a maximum VOC content of 340 g/L (2.83 lb/gal) of coating, except for classes requiring use of an
63543	MIL PRF 23236C	Blue	TXMAS-5-51V010	TXMAS	26.58	EA		1.00	Sherwin-Williams	2227619	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C Type 7, Class 5, 7, 13, & 19, Grade C	Buff	TXMAS-5-51V010	TXMAS	24.68	EA		1.00	Sherwin-Williams	9920901	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Provides a cost-effective solution eliminating waste increasing productivity.
63543	MIL PRF 23236C Type 7, Class 5, 7, 13, & 19, Grade C Nova Plate UHS	Low Temp Grey	TXMAS-5-51V010	TXMAS	25.57	EA		1.00	Sherwin-Williams	2227627	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Provides a cost-effective solution eliminating waste increasing productivity.
63543	MIL PRF 23236C Type 7, Class 5, 7, 13, & 19, Grade C Nova-Plate UHS	Low Temp White	TXMAS-5-51V010	TXMAS	25.57	EA		1.00	Sherwin-Williams	2227643	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Provides a cost-effective solution eliminating waste increasing productivity.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL PRF 23236C Type 7, Classes 5 & 7, Grade C Fast Clad ER	Green Hardener For B62W230	TXMAS-5- 51V010	TXMAS	70.05	PL	5	5.00	Sherwin- Williams	640376265	HARDENER GREEN FOR: B62W230: Type VII - A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8685265	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8685232	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Moss Green 24272	TXMAS-5- 51V010	TXMAS	357.36	KT			Sherwin- - Williams	8685307	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8690778	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	White 27886	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8685356	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8685273	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Light Gray 26622	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8690711	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Light Gray 26622	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8690679	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	White 27886	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8690695	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	18.15	KT			Sherwin- - Williams	8690752	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Light Gray 26622	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8690703	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8685240	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade B	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8690760	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8690638	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	18.15	KT		1.00	Sherwin- Williams	8690612	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	18.15	KT		1.00	Sherwin- Williams	8690588	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	White 27886	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8685380	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Moss Green 24272	TXMAS-5- 51V010	TXMAS	72.03	KT		1.00	Sherwin- Williams	8690661	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Light Gray 26622	TXMAS-5- 51V010	TXMAS	18.15	KT			Sherwin- - Williams	8685398	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Moss Green 24272	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8690653	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Red Oxide 20109	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8690620	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Light Gray 26622	TXMAS-5- 51V010	TXMAS	357.36	KT		1.00	Sherwin- Williams	8685414	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Moss Green 24272	TXMAS-5- 51V010	TXMAS	18.15	KT			Sherwin- - Williams	8690646	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C Type 7, Classes 7,15b & 17, Grade C	Haze Gray 26270	TXMAS-5- 51V010	TXMAS	72.03	KT			Sherwin- - Williams	8690604	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL PRF 23236C, Type V, Class 5 & 9, Grade C TankGuard	Red	TXMAS-5- 51V010	TXMAS	30.38	EA		1.00	Sherwin- Williams	9920471	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type V, Class 5 & 9, Grade C TankGuard	Green	TXMAS-5- 51V010	TXMAS	28.81	EA		1.00	Sherwin- Williams	9920463	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5 & 7, Grade C Fast Cald ER	Gray	TXMAS-5- 51V010	TXMAS	28.48	EA		1.00	Sherwin- Williams	2227361	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5 & 7, Grade C Fast Cald ER Primer	Blue	TXMAS-5- 51V010	TXMAS	49.70	EA		1.00	Sherwin- Williams	2227460	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity.
63543	MIL PRF 23236C, Type VII, Class 5 & 7, Grade C Fast Cald ER Primer	Blue	TXMAS-5- 51V010	TXMAS	28.48	EA		1.00	Sherwin- Williams	2227353	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL PRF 23236C, Type VII, Class 5 & 7, Grade C Fast Clad ER	White	TXMAS-5-51V010	TXMAS	49.70	EA		1.00	Sherwin-Williams	8689671	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5 & 7, Grade C Fast Clad ER	White	TXMAS-5-51V010	TXMAS	28.48	EA		1.00	Sherwin-Williams	8689663	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5 & 7, Grade C Fast Clad ER	Green	TXMAS-5-51V010	TXMAS	49.70	EA		1.00	Sherwin-Williams	8689937	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5, 7, 13, & 19, Grade C Nova-Plate UHS	White	TXMAS-5-51V010	TXMAS	24.68	EA		1.00	Sherwin-Williams	9920919	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity.
63543	MIL PRF 23236C, Type VII, Class 5, 7, 13, & 19, Grade C Nova-Plate UHS	Gray	TXMAS-5-51V010	TXMAS	24.68	EA		1.00	Sherwin-Williams	9920927	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C	Green	TXMAS-5-51V010	TXMAS	22.89	EA		1.00	Sherwin-Williams	9920547	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C Dura-Plate UHS	Black	TXMAS-5-51V010	TXMAS	21.55	EA		1.00	Sherwin-Williams	2227585	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C Dura-Plate UHS	Blue	TXMAS-5-51V010	TXMAS	24.57	EA		1.00	Sherwin-Williams	2227593	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C Dura-Plate UHS	Light Gray	TXMAS-5-51V010	TXMAS	22.89	EA		1.00	Sherwin-Williams	2227569	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C Dura-Plate UHS	Haze Gray 26270	TXMAS-5-51V010	TXMAS	21.55	EA		1.00	Sherwin-Williams	2227577	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C	Blue	TXMAS-5-51V010	TXMAS	25.57	EA		1.00	Sherwin-Williams	2227551	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 23236C, Type VII, Class 5, Grade C	Gold	TXMAS-5-51V010	TXMAS	22.89	EA		1.00	Sherwin-Williams	9920521	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL PRF 24635B LSA Anti Static Marine Paint	Haze Gray 26270	TXMAS-5-51V010	TXMAS	73.04	PL	0		Sherwin-Williams	601128440	A high solids VOC compliant air drying silicone alkyd enamel. Formulated for use on primed metal GRP wood and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635B Type II Class 1 2 3 4.
63543	MIL PRF 24635B Type II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Bright White 17925	TXMAS-5-51V010	TXMAS	64.83	GL		1.00	Sherwin-Williams	601127921	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	MIL PRF 24635B Type II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Blue 15044	TXMAS-5-51V010	TXMAS	57.27	GL		1.00	Sherwin-Williams	601127202	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Black 17038	TXMAS-5- 51V010	TXMAS	40.61	GL		1.00	Sherwin- Williams	601127970	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Yellow 13538	TXMAS-5- 51V010	TXMAS	69.21	GL		1.00	Sherwin- Williams	601127178	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Blue 15123	TXMAS-5- 51V010	TXMAS	45.50	PL	5	5.00	Sherwin- Williams	601127343	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Blue White 17875	TXMAS-5- 51V010	TXMAS	32.59	PL	5	5.00	Sherwin- Williams	601127269	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Purple 17142	TXMAS-5- 51V010	TXMAS	68.05	GL		1.00	Sherwin- Williams	601127251	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Red 11105	TXMAS-5- 51V010	TXMAS	45.50	PL	5	5.00	Sherwin- Williams	601127319	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Orange 12197	TXMAS-5- 51V010	TXMAS	61.11	GL		1.00	Sherwin- Williams	601127186	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Black 17038	TXMAS-5- 51V010	TXMAS	35.82	PL	5	5.00	Sherwin- Williams	601127301	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Blue-White 17875	TXMAS-5- 51V010	TXMAS	27.89	GL		1.00	Sherwin- Williams	601127913	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 1, Grade A Enamel, Silicone Alkyd Copolymer Gloss	Red 11105	TXMAS-5- 51V010	TXMAS	99.74	GL		1.00	Sherwin- Williams	601127988	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 1, Grade A.
63543	II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Equipment Gray 26307	TXMAS-5- 51V010	TXMAS	32.99	GL		1.00	Sherwin- Williams	601127400	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Equipment Gray 26307	TXMAS-5- 51V010	TXMAS	29.57	PL	5	5.00	Sherwin- Williams	601127574	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Dark Gray 26008	TXMAS-5- 51V010	TXMAS	31.99	PL	5	5.00	Sherwin- Williams	601127541	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Off White 27886	TXMAS-5- 51V010	TXMAS	32.46	PL	5	5.00	Sherwin- Williams	601127533	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Blue White 27875	TXMAS-5- 51V010	TXMAS	31.60	GL		1.00	Sherwin- Williams	601127350	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Haze Gray 26270	TXMAS-5-51V010	TXMAS	27.04	GL		1.00	Sherwin-Williams	640182838	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Dark Gray 26008	TXMAS-5-51V010	TXMAS	30.91	GL		1.00	Sherwin-Williams	601127376	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Brown 20109	TXMAS-5-51V010	TXMAS	44.81	GL		1.00	Sherwin-Williams	601127483	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Gray 26231	TXMAS-5-51V010	TXMAS	32.26	PL	5	5.00	Sherwin-Williams	601127566	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Brown 26109	TXMAS-5-51V010	TXMAS	38.36	PL	5	5.00	Sherwin-Williams	640331245	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Haze Gray 26270	TXMAS-5-51V010	TXMAS	26.32	PL	5	5.00	Sherwin-Williams	640236774	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade A Enamel, Silicone Alkyd Copolymer Semi-Gloss	Blue White 27875	TXMAS-5-51V010	TXMAS	32.66	PL	5	5.00	Sherwin-Williams	601127525	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. For use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 2, Grade A.
63543	MIL-PRF-24635C Type II, Class 2, Grade B LSA, Silicone Alkyd Copolymer Semi-Gloss	Haze Gray 26270	TXMAS-5-51V010	TXMAS	37.33	PL	5	5.00	Sherwin-Williams	601128424	A High Solids VOC compliant air drying silicone alkyd enamel. Complies with Military Specification MIL-PRF-24635C Type II Class 2. Has a Low Solar Absorption (LSA) pigment package.
63543	MIL-PRF-24635C Type II, Class 3, Grade A Enamel, Silicone Alkyd Copolymer Low Gloss	Black 37038	TXMAS-5-51V010	TXMAS	32.92	PL	5	5.00	Sherwin-Williams	640350617	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 3, Grade A.
63543	MIL-PRF-24635C Type II, Class 3, Grade A Enamel, Silicone Alkyd Copolymer Low Gloss	Black 37038	TXMAS-5-51V010	TXMAS	30.43	GL		1.00	Sherwin-Williams	640350609	A high solids, VOC compliant (340 g/l), air drying, silicone alkyd enamel. Formulated for use on primed metal, GRP, wood, and plastic/composite surfaces. Complies with Military Specification MIL-PRF-24635C Type II, Class 3, Grade A.
63543	MIL PRF 24667 Primer	Primer Dark Gray 26008	TXMAS-5-51V010	TXMAS	161.07	KT		1.00	Sherwin-Williams	9106154	Covers non-skid coating systems for application to weathered decks, flight decks and hangar decks of air capable amphibious aviation and aviation ships. Applied to steel, aluminum, reinforced plastic and wood surfaces.
63543	MIL PRF 85285C Type 2 Marine Paint Green 24052		TXMAS-5-51V010	TXMAS	30.96	GL		1.00	Sherwin-Williams	601620305	A low VOC, high solids polyurethane topcoat designed as a finish coat for military ground support equipment. This product is on OPL for MIL-PRF-85285C Type 2.
63543	MIL-C-22750F	Catalyst	TXMAS-5-51V010	TXMAS	13.32	QT	1	1.00	Sherwin-Williams	601615768	A two component VOC compliant epoxy polyamide formulated for areas exposed to chemicals and solvents and to protect surfaces from environmental attacks. Complies with the performance specifications of Military Specification MIL-C-22750F.
63543	MIL-C-22750F	H.S. Epoxy - White	TXMAS-5-51V010	TXMAS	38.31	GL		1.00	Sherwin-Williams	601615503	A two component VOC compliant epoxy polyamide formulated for areas exposed to chemicals and solvents and to protect surfaces from environmental attacks.
63543	MIL-C-22750F	H.S. Epoxy - Green	TXMAS-5-51V010	TXMAS	34.16	GL		1.00	Sherwin-Williams	601618911	A two component VOC compliant epoxy polyamide formulated for areas exposed to chemicals and solvents and to protect surfaces from environmental attacks.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL-C-8514C PreTreatment Wash Primer	Catalyst For E90G16	TXMAS-5- 51V010	TXMAS	15.89	QT	1	1.00	Sherwin- Williams	501231104	CATALYST FOR E90G16: MIL-C-8514C is a two component pretreatment wash primer for use on clean metal surfaces of all types as a treatment prior to application of the coating system.
63543	MIL-C-8514C PreTreatment Wash Primer	Transparent Green	TXMAS-5- 51V010	TXMAS	82.96	GL		1.00	Sherwin- Williams	501231054	REQUIRES CATALYST V93V17: MIL-C-8514C is a two component pretreatment wash primer for use on clean metal surfaces of all types as a treatment prior to application of the coating system.
63543	MIL-DTL-24441/20A, Type III, Formula 150 Epoxy Polyamide	Green 24272	TXMAS-5- 51V010	TXMAS	20.88	EA		1.00	Sherwin- Williams	9920430	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MIL-DTL-53022B Type I 3.5 VOC Lead And Chromate Free Epoxy Primer	Catalyst	TXMAS-5- 51V010	TXMAS	26.53	GL		1.00	Sherwin- Williams	8246050	A two component 3.5 lb/gal VOC compliant, lead and chromate free epoxy primer. It meets MIL-DTL-53022B, Type II, composition and performance specification.
63543	MIL-DTL-53022B Type II 3.5 VOC Lead And Chromate Free Epoxy Primer	Epoxy Primer	TXMAS-5- 51V010	TXMAS	32.28	GL		1.00	Sherwin- Williams	8246092	A two component 3.5 lb/gal VOC compliant, lead and chromate free epoxy primer. It meets MIL-DTL-53022B, Type II, composition and performance specification.
63543	MIL-DTL-53022B Type II 3.5 VOC Lead And Chromate Free Epoxy Primer	Epoxy Primer	TXMAS-5- 51V010	TXMAS	130.02	KT		1.00	Sherwin- Williams	8246035	A two component 3.5 lb/gal VOC compliant, lead and chromate free epoxy primer. It meets MIL-DTL-53022B, Type II, composition and performance specification.
63543	MIL-DTL-53022B Type II 3.5 VOC Lead And Chromate Free Epoxy Primer	Catalyst	TXMAS-5- 51V010	TXMAS	7.21	QT	1	1.00	Sherwin- Williams	990110314	A two component 3.5 lb/gal VOC compliant, lead and chromate free epoxy primer. It meets MIL-DTL-53022B, Type II, composition and performance specification.
63543	MIL-DTL-53022C Type 1 Lead And Chromate Free Epoxy Primer	Catalyst	TXMAS-5- 51V010	TXMAS	8.46	QT	1	1.00	Sherwin- Williams	8246159	A conventional solid, two component, lead and chromate free, epoxy primer. It meets MIL-DTL- 53022C, Type I, composition and performance specification.
63543	MIL-DTL-53022C Type 1 Lead And Chromate Free Epoxy Primer	White	TXMAS-5- 51V010	TXMAS	27.21	GL		1.00	Sherwin- Williams	8246183	A conventional solid, two component, lead and chromate free, epoxy primer. It meets MIL-DTL- 53022C, Type I, composition and performance specification.
63543	MIL-DTL-53022C Type 1 Lead And Chromate Free Epoxy Primer	White	TXMAS-5- 51V010	TXMAS	106.56	KT		1.00	Sherwin- Williams	8246134	A conventional solid, two component, lead and chromate free, epoxy primer. It meets MIL-DTL- 53022C, Type I, composition and performance specification.
63543	MIL-DTL-53022C Type 1 Lead And Chromate Free Epoxy Primer	Catalyst	TXMAS-5- 51V010	TXMAS	32.60	GL		1.00	Sherwin- Williams	8246175	A conventional solid, two component, lead and chromate free, epoxy primer. It meets MIL-DTL- 53022C, Type I, composition and performance specification.
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	686A Tan 33446	TXMAS-5- 51V010	TXMAS	41.08	GL		1.00	Sherwin- Williams	8289092	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.nt.
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	383 Green 34094	TXMAS-5- 51V010	TXMAS	50.10	PL	5	5.00	Sherwin- Williams	8288946	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	Black 37030	TXMAS-5- 51V010	TXMAS	38.43	GL		4.00	Sherwin- Williams	8288854	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	Black 37030	TXMAS-5- 51V010	TXMAS	37.88	PL	5	5.00	Sherwin- Williams	8288839	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	383 Brown 30051	TXMAS-5- 51V010	TXMAS	46.04	GL		4.00	Sherwin- Williams	8288888	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	383 Green 34094	TXMAS-5- 51V010	TXMAS	50.58	GL		1.00	Sherwin- Williams	8288920	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.
63543	MIL-DTL-53039C Type I 1K Aliphatic Polyurethane Chemical Agent Resistant Coating	686A Tan 33446	TXMAS-5- 51V010	TXMAS	40.65	PL	5	5.00	Sherwin- Williams	8289068	QPL Approved Military Specification Product MIL-DTL-53039C CARC coating is a 3.5 VOC single component moisture cures aliphatic polyurethane camouflage chemical agent resistant coating for military equipment.
63543	MIL-DTL-53039C Type I Waterborne Polyurethane Chemical Resistant (CARC) Coating	Green 383, 34094	TXMAS-5- 51V010	TXMAS	96.19	GL		1.00	Sherwin- Williams	501234488	Is a two component camouflage topcoat. When properly mixed and reduced with deionized water may be spray applied to properly prepared surfaces.
63543	MIL-DTL-53039C Type I Waterborne Polyurethane Chemical Resistant (CARC) Coating	Tan 686A, 33446	TXMAS-5- 51V010	TXMAS	86.85	GL		1.00	Sherwin- Williams	501248108	MIL-DTL-64159 CARC coating are two component waterborne polyurethane chemical agent resistant coatings (CARC) for military equipment. Mix ratio is 2:1.
63543	MIL-DTL-53039C Type I Waterborne Polyurethane Chemical Resistant (CARC) Coating	Black 37030	TXMAS-5- 51V010	TXMAS	51.43	GL		1.00	Sherwin- Williams	601629942	Is a two component camouflage topcoat. The components when properly mixed and reduced with deionized water may be spray applied to properly prepared surfaces.
63543	MIL-DTL-53039C Type I Waterborne Polyurethane Chemical Resistant (CARC) Coating	383 Brown 30051	TXMAS-5- 51V010	TXMAS	84.02	GL		1.00	Sherwin- Williams	501236210	Is a two component camouflage topcoat. The components when properly mixed and reduced with deionized water may be spray applied to properly prepared surfaces.
63543	MIL-P-23377J, Class 2, 2.8 VOC Chromated Epoxy Polyamide Primer	Green	TXMAS-5- 51V010	TXMAS	34.25	GL		1.00	Sherwin- Williams	501231112	A two component 2.8 lb/gl VOC compliant, epoxy polyamide primer. It meets MIL-PRF-213377J, Class 2, composition and performance specification.
63543	MIL-P-23377J, Class 2, 2.8 VOC Chromated Epoxy Polyamide Primer	Catalyst	TXMAS-5- 51V010	TXMAS	7.69	QT	1	1.00	Sherwin- Williams	8295404	A two component 2.8 lb/gl VOC compliant, epoxy polyamide primer. It meets MIL-PRF-213377J, Class 2, composition and performance specification.
63543	MIL-P-23377J, Class 2, 2.8 VOC Chromated Epoxy Polyamide Primer	Yellow	TXMAS-5- 51V010	TXMAS	32.38	GL		4.00	Sw Mfg Paint,Brush es,Rollers	8245656	A two component 2.8 lb/gl VOC compliant, epoxy polyamide primer. It meets MIL-PRF-213377J, Class 2, composition and performance specification.
63543	MIL-PRF-23236C Type 7,Classes 7,15b & 17 Grade B	Moss Green, 24272	TXMAS-5- 51V010	TXMAS	72.03	KT			Sherwin- Williams	8685299	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63543	MIL-PRF-85285C Type I (3.5 VOC) Catalyst	High gloss white & pastel high gloss	TXMAS-5- 51V010	TXMAS	52.74	GL		1.00	Sherwin- Williams	501062970	Are multi-component (3K), ow VOC, high solids polyurethane topcoats designed as a finish coat for military aircraft and equipment.
63543	MIL-PRF-85285C Type I (3.5 VOC) Polyurethane Topcoat	Full Gloss White (full gal)	TXMAS-5- 51V010	TXMAS	53.26	GL		1.00	Sherwin- Williams	501062954	Are multi-component (3K), ow VOC, high solids polyurethane topcoats designed as a finish coat for military aircraft and equipment.
63543	MIL-PRF-85285C Type II Polyurethane Coating	Hardener For 1.25 Gal. Kit F92G601	TXMAS-5- 51V010	TXMAS	25.37	QT	1	1.00	Sherwin- Williams	601620495	
63543	MIL-PRF-85582C	Hardener	TXMAS-5- 51V010	TXMAS	36.69	GL		1.00	Sherwin- Williams	601622798	A two component, 2.8 VOC compliant, waterborne, chromated, high performance epoxy primer for aircraft.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	MIL-T-81772B, Amendment 1	Type II Reducer (for Epoxies)	TXMAS-5- 51V010	TXMAS	19.48	PL	5	5.00	Sherwin- Williams	530100759	A Product Thinner and Reducer for Type II (Epoxies)
63543	MIL-T-81772B, Amendment 1	Type I (for Urethanes)	TXMAS-5- 51V010	TXMAS	26.72	PL	5	5.00	Sherwin- Williams	530100726	A Product Thinner and Reducer for Type I (Urethanes)
63543	MIL-T-81772B, Amendment 1	Type II (for Epoxies)	TXMAS-5- 51V010	TXMAS	15.37	GL		6.00	Sherwin- Williams	8250789	A Product Thinner and Reducer for Type II (Epoxies)
63543	MIL-T-81772B, Amendment 1	Type II (for Epoxies)	TXMAS-5- 51V010	TXMAS	14.97	PL	5	5.00	Sherwin- Williams	8250763	A Product Thinner and Reducer for Type II (Epoxies)
63543	MIL-T-81772B, Amendment 1	Type I (for Urethanes)	TXMAS-5- 51V010	TXMAS	12.31	PL	5	5.00	Sherwin- Williams	8250813	A Product Thinner and Reducer for Type I (Urethanes)
63543	MIL-T-81772B, Amendment 1	Type I (for Urethanes)	TXMAS-5- 51V010	TXMAS	13.77	GL		1.00	Sherwin- Williams	8250839	A Product Thinner and Reducer for Type I (Urethanes)
63543	Minwax® Clear Brushing Lacquer Gloss	Clear	TXMAS-5- 51V010	TXMAS	12.17	QT	1	1.00	Minwax Co	1637669	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Gloss	Clear	TXMAS-5- 51V010	TXMAS	33.88	GL		1.00	Minwax Co	1637701	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Sanding Sealer		TXMAS-5- 51V010	TXMAS	10.59	QT	1	1.00	Minwax Co	1637693	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Sanding Sealer		TXMAS-5- 51V010	TXMAS	29.31	GL		1.00	Minwax Co	1637735	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Satin	Clear	TXMAS-5- 51V010	TXMAS	33.88	GL		1.00	Minwax Co	1637727	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Satin	Clear	TXMAS-5- 51V010	TXMAS	12.17	QT	1	1.00	Minwax Co	1637685	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Semi-Gloss	Clear	TXMAS-5- 51V010	TXMAS	12.17	QT	1	1.00	Minwax Co	1637677	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Clear Brushing Lacquer Semi-Gloss	Clear	TXMAS-5- 51V010	TXMAS	33.88	GL		1.00	Minwax Co	1637719	A beautiful, clear, durable protective wood finish. It is ideal for interior wood surfaces, and can be used over bare or stained wood. It dries to the touch in 30 minutes, ensuring a smooth, dust-free finish.
63543	Minwax® Fast Dry Floor Polyurethane Gloss	Clear	TXMAS-5- 51V010	TXMAS	36.72	GL		1.00	Minwax Co	1626563	Among the most durable protective coatings, Offers exceptionally long-lasting beauty on both finished and unfinished wood.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Minwax® Fast Dry Floor Polyurethane Satin	Clear	TXMAS-5-51V010	TXMAS	36.72	GL		1.00	Minwax Co	1626555	Among the most durable protective coatings, Offers exceptionally long-lasting beauty on both finished and unfinished wood.
63543	Minwax® Fast Dry Floor Polyurethane Semi-Gloss	Clear	TXMAS-5-51V010	TXMAS	36.72	GL		1.00	Minwax Co	1626571	Among the most durable protective coatings, Offers exceptionally long-lasting beauty on both finished and unfinished wood.
63543	Minwax® Fast-Drying Polyurethane Gloss	Clear	TXMAS-5-51V010	TXMAS	28.74	GL		1.00	Minwax Co	1543479	A clear, hard finish that dries fast to protect and beautify interior wood surfaces such as furniture, cabinets, moldings and doors.
63543	Minwax® Helmsman Spar Urethane Varnish Hi-Gloss	Clear	TXMAS-5-51V010	TXMAS	11.70	QT	1	1.00	Minwax Co	1541762	A durable, clear urethane topcoat for maintaining outdoor wood. Contain UV protectors to help prevent damage from the sun. Temperature sensitive, it expands and contracts with the wood to prevent cracking.
63543	Minwax® Helmsman Spar Urethane Varnish Hi-Gloss	Clear	TXMAS-5-51V010	TXMAS	33.60	GL		1.00	Minwax Co	1545110	A durable, clear urethane topcoat for maintaining outdoor wood. Contain UV protectors to help prevent damage from the sun. Temperature sensitive, it expands and contracts with the wood to prevent cracking.
63543	Minwax® Helmsman Spar Urethane Varnish Satin	Clear	TXMAS-5-51V010	TXMAS	33.60	GL		1.00	Minwax Co	1558634	A durable, clear urethane topcoat for maintaining outdoor wood. Contain UV protectors to help prevent damage from the sun. Temperature sensitive, it expands and contracts with the wood to prevent cracking.
63543	Minwax® Helmsman Spar Urethane Varnish Satin	Clear	TXMAS-5-51V010	TXMAS	11.70	QT	1	1.00	Minwax Co	1558626	A durable, clear urethane topcoat for maintaining outdoor wood. Contain UV protectors to help prevent damage from the sun. Temperature sensitive, it expands and contracts with the wood to prevent cracking.
63543	Minwax® Helmsman Spar Urethane Varnish Semi-Gloss	Clear	TXMAS-5-51V010	TXMAS	33.60	GL		1.00	Minwax Co	1545102	A durable, clear urethane topcoat for maintaining outdoor wood. Contain UV protectors to help prevent damage from the sun. Temperature sensitive, it expands and contracts with the wood to prevent cracking.
63543	Minwax® Helmsman Spar Urethane Varnish Semi-Gloss	Clear	TXMAS-5-51V010	TXMAS	11.70	QT	1	1.00	Minwax Co	1541697	A durable, clear urethane topcoat for maintaining outdoor wood. Contain UV protectors to help prevent damage from the sun. Temperature sensitive, it expands and contracts with the wood to prevent cracking.
63543	Minwax® High Performance Wood Filler		TXMAS-5-51V010	TXMAS	9.73	EA		1.00	Minwax Co	1542000	A stainable and paintable latex formula wood filler specially formulated to accept Minwax® penetrating wood stains. It is designed for use with oil-based and water-based wood stains.
63543	Minwax® Polycrylic® Protective Finish Gloss	Clear	TXMAS-5-51V010	TXMAS	14.61	QT	1	1.00	Minwax Co	1544725	A hard crystal clear, non-yellowing, extra fast drying protective finish.
63543	Minwax® Polycrylic® Protective Finish Gloss	Clear	TXMAS-5-51V010	TXMAS	39.51	GL		1.00	Minwax Co	1544733	A hard crystal clear, non-yellowing, extra fast drying protective finish.
63543	Minwax® Polycrylic® Protective Finish Satin	Clear	TXMAS-5-51V010	TXMAS	39.51	GL		1.00	Minwax Co	1544816	A hard crystal clear, non-yellowing, extra fast drying protective finish.
63543	Minwax® Polycrylic® Protective Finish Satin	Clear	TXMAS-5-51V010	TXMAS	15.05	QT	1	1.00	Minwax Co	1544808	A hard crystal clear, non-yellowing, extra fast drying protective finish.
63543	Minwax® Polycrylic® Protective Finish Semi-Gloss	Clear	TXMAS-5-51V010	TXMAS	15.05	QT	1	1.00	Minwax Co	1544766	A hard crystal clear, non-yellowing, extra fast drying protective finish.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Minwax® Polycrylic® Protective Finish Semi- Gloss	Clear	TXMAS-5- 51V010	TXMAS	39.51	GL		1.00	Minwax Co	1544774	A hard crystal clear, non-yellowing, extra fast drying protective finish.
63543	Minwax® Pre-Stain Wood Conditioner		TXMAS-5- 51V010	TXMAS	23.60	GL		1.00	Minwax Co	1548866	A companion product to Minwax Wood Finish, Minwax Pre-Stain Wood Conditioner helps ensure even stain penetration on softwoods such as pine, fir and spruce.
63543	Minwax® Pre-Stain Wood Conditioner		TXMAS-5- 51V010	TXMAS	7.96	QT	1	1.00	Minwax Co	1545094	A companion product to Minwax Wood Finish, Minwax Pre-Stain Wood Conditioner helps ensure even stain penetration on softwoods such as pine, fir and spruce.
63543	Minwax® Stainable Wood Filler		TXMAS-5- 51V010	TXMAS	6.82	PT	1	1.00	Sw Minwax Co Inc	9260779	A stainable, paintable latex formula wood filler specially formulated to accept Minwax® penetrating wood stains. It is designed for use with oil-based and and water-based wood stains.
63543	Minwax® Stainable Wood Filler	6 Oz. Tube	TXMAS-5- 51V010	TXMAS	5.30	EA		1.00	Sherwin- Williams	9260761	A stainable, paintable latex formula wood filler specially formulated to accept Minwax® penetrating wood stains. It is designed for use with oil-based and and water-based wood stains.
63543	Minwax® Wood Finish VOC Formula	Golden Oak	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543339	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Colonial Maple	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543255	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Golden Oak	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1543321	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Dark Walnut	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543263	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Provincial	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1543396	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Puritan Pine	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1543412	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Cherry	TXMAS-5- 51V010	TXMAS	21.25	GL		1.00	Sherwin- Williams	1545284	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Special Walnut	TXMAS-5- 51V010	TXMAS	7.95	QT	1	1.00	Minwax Co	1543420	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Pickled White	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1550904	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Pickled White	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1550912	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Minwax® Wood Finish VOC Formula	Dark Walnut	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Sherwin- Williams	1543271	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Early American	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1543297	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Natural	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543362	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Natural	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1543370	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Cherry	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1545300	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Red Oak	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Sherwin- Williams	1550870	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Special Walnut	TXMAS-5- 51V010	TXMAS	21.25	GL		1.00	Sherwin- Williams	1543438	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Golden Pecan	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1550888	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Provincial	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543388	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Fruitwod	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1543313	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Puritan Pine	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543404	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Red Mahogany	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1545318	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Early American	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543289	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Red Mahogany	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Minwax Co	1545292	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Fruitwood	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1543305	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Minwax® Wood Finish VOC Formula	Golden Pecan	TXMAS-5- 51V010	TXMAS	21.80	GL		1.00	Sherwin- Williams	1550896	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Finish VOC Formula	Red Oak	TXMAS-5- 51V010	TXMAS	7.51	QT	1	1.00	Minwax Co	1550862	An oil-based wood stain which provides long-lasting wood tone color. Minwax Wood Finish penetrates the wood pores to help seal and protect the wood.
63543	Minwax® Wood Putty	Golden Oak	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604255	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Natural Pine	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604222	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Cherry	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604297	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Colonial Maple	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604206	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	White	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604248	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Ebony	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604263	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Red Mahogany	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604271	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Early American	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604289	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Walnut	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604214	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Minwax® Wood Putty	Pickled Oak	TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Sherwin- Williams	1604230	A non-hardening, pre-mixed putty color-matched to Minwax Wood Finish stains, and intended to repair minor scratches, gouges, and nail holes.
63543	Mixer - 5 Gallon Power Mixer	For 5 Gallon Can	TXMAS-5- 51V010	TXMAS	8.37	EA		1.00	Hyde Tools	9989864	For heavy viscous fluids.
63543	Mixer - Power Mixer With Adjustable Wheels For Drywall Mud	5 Inch Diameter	TXMAS-5- 51V010	TXMAS	22.13	EA		1.00	Wallboard Tool Company	1604651	High quality steel mixers for paint or drywall mud. Fits 3/8 Inch or larger (500-700 rpm) variable speed drills or air drive with hex shaft. Protective ring prevents damage to plastic buckets. Shaft is 3/8 Inch x 24 Inch.
63082	Moisture Vapor Barrier Primer Finish	White	TXMAS-5- 51V010	TXMAS	9.13	PL	5	5.00	Sherwin- Williams	640354585	Designed to reduce the loss of moisture through walls and ceilings. Combines a primer and finish in one single fast drying coat. Is specially formulated for manufactured housing facilities.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Moisture Vapor Barrier Primer Finish	White	TXMAS-5- 51V010	TXMAS	15.43	EA		1.00	Sherwin- Williams	640355673	Designed to reduce the loss of moisture through walls and ceilings. Combines a primer and finish in one single fast drying coat. Is specially formulated for manufactured housing facilities.
63543	MPC300X300 24441 152	White, 27886	TXMAS-5- 51V010	TXMAS	20.55	EA		1.00	Sherwin- Williams	2227429	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	MPC750750F FC ER GRY	Gray	TXMAS-5- 51V010	TXMAS	49.70	EA		1.00	Baker Company	8689929	Packed in convenient disposable cartridges to improve quality, performance and ease of application. Cartridges provide a cost-effective solution that eliminates waste and increases productivity through mix-on-demand technology.
63543	Multi Colored Fine Fleck Coating - Multipurpose Clear Topcoat	Gloss	TXMAS-5- 51V010	TXMAS	38.86	GL		1.00	Multicolor Specialties Inc	1560432	Non-yellowing, Fast Drying, Crystal Clear, User and Enviromentally friendly. Soap and Water Clean-up. A general purpose clear protective top coat for wood and previously painted interior surfaces.
63543	Multi Colored Fine Fleck Coating - Multipurpose Clear Topcoat	Low Sheen	TXMAS-5- 51V010	TXMAS	38.86	GL		1.00	Multicolor Specialties Inc	1560440	Non-yellowing, Fast Drying, Crystal Clear, User and Enviromentally friendly. Soap and Water Clean-up. A general purpose clear protective top coat for wood and previously painted interior surfaces.
63082	Multi Purpose Interior Oil Based Primer	White	TXMAS-5- 51V010	TXMAS	20.55	GL		4.00	Sherwin- Williams	601226293	Assures uniform appearance of topcoats. Seals out water sensitive stains, dried water stains, smoke stains, related odors, grease, ink and pencil stains.
63082	Multi-Purpose Interior Oil Based Primer	White	TXMAS-5- 51V010	TXMAS	5.26	QT	1	6.00	Sherwin- Williams	6100044	Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease stains, ink stains and pencil stains. For: Drywall - Cured Plaster - Paneling - Nonporous Wallcovering - Previously Painted Surfaces - Wood - Ceiling Tiles.
63543	Muriatic Acid		TXMAS-5- 51V010	TXMAS	3.46	GL		1.00	Star Tex	1600287	An industrial strength (32%) hydrochloric acid. Its uses include cleaning masonry surfaces, glazed tile, vitreous enamels, brick and metals. It is available in 5 Gallon pails. Manufactured by Startex and E. E. Zimmerman.
63057	Nova-Plate® UHS Primer Ultra High Solids Epoxy	Part A Blue With OAP	TXMAS-5- 51V010	TXMAS	291.88	KT		1.00	Sherwin- Williams	640384913	An ultra high solids epoxy novolac amine formulated specifically for use under Nova-Plate UHS Topcoat. For use in immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads.
63057	Nova-Plate® UHS Primer Ultra High Solids Epoxy Part A	Part A Buff	TXMAS-5- 51V010	TXMAS	78.85	GL		1.00	Sherwin- Williams	640329371	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads. Plural Component Application.
63057	Nova-Plate® UHS Primer Ultra High Solids Epoxy Part A	Part A Buff	TXMAS-5- 51V010	TXMAS	281.12	KT		1.00	Sherwin- Williams	640327847	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads. Plural Component Application.
63057	Nova-Plate® UHS Ultra High Solids Epoxy	Part A White	TXMAS-5- 51V010	TXMAS	269.04	KT		1.00	Sherwin- Williams	640338471	A coating system having a maximum VOC content of 150 g/L (1.25 lb/gal) of coating, except for classes requiring use of an inorganic binder shop primer.
63057	Nova-Plate® UHS Ultra High Solids Epoxy	Part A White	TXMAS-5- 51V010	TXMAS	111.82	GL		1.00	Sherwin- Williams	640342374	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads.
63057	Nova-Plate® UHS Ultra High Solids Epoxy	Part A Light Gray	TXMAS-5- 51V010	TXMAS	255.56	KT		1.00	Sherwin- Williams	640328589	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads. Plural Component Application.
63057	Nova-Plate® UHS Ultra High Solids Epoxy	Fast Cure Hardener - Green	TXMAS-5- 51V010	TXMAS	105.19	GL		1.00	Sherwin- Williams	640338349	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Nova-Plate® UHS Ultra High Solids Epoxy	Standard Hardener - Clear	TXMAS-5-51V010	TXMAS	27.18	QT	1	1.00	Sherwin-Williams	640358701	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads.
63057	Nova-Plate® UHS Ultra High Solids Epoxy	Standard Hardener	TXMAS-5-51V010	TXMAS	76.97	GL		1.00	Sherwin-Williams	640329066	An ultra high solids epoxy novolac amine engineered specifically for immersion service in ballast tanks, oil tanks, refined fuel storage tanks, and for well deck overheads. Plural Component Application.
63057	Nova-Plate® UHS Ultra High Solids Epoxy Part B	Fast Cure Hardener	TXMAS-5-51V010	TXMAS	72.59	GL		1.00	Sherwin-Williams	640327862	Type VII, Classes 5, 7, 13 & 19, Grade C. HARDENER FOR B62L220 (Fast Cure), B62W220, B62L220 (Std. Cure): Novaplate UHS OAP Primer (Fast Cure).
63543	Opex® Acrylic Metal Lacquer	Clear	TXMAS-5-51V010	TXMAS	29.77	PL	5	5.00	Sherwin-Williams	5229612	Are designed for use on metal surfaces for industrial product finishing.
63543	Opex® Acrylic Metal Lacquer	Clear	TXMAS-5-51V010	TXMAS	30.74	GL		1.00	Sherwin-Williams	5229604	Are designed for use on metal surfaces for industrial product finishing.
63543	Opex® Black Lacquer	Dull Black	TXMAS-5-51V010	TXMAS	35.45	GL		1.00	Sherwin-Williams	5228309	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Semi-Gloss Black	TXMAS-5-51V010	TXMAS	33.19	GL		1.00	Sherwin-Williams	5228200	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Satin Black	TXMAS-5-51V010	TXMAS	26.57	PL	5	5.00	Sherwin-Williams	5228515	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Semi-Gloss Black	TXMAS-5-51V010	TXMAS	31.92	PL	5	5.00	Sherwin-Williams	5228218	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Flat Black	TXMAS-5-51V010	TXMAS	29.77	GL		1.00	Sherwin-Williams	5228408	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Satin Black	TXMAS-5-51V010	TXMAS	28.19	GL		1.00	Sherwin-Williams	5228507	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Flat Black	TXMAS-5-51V010	TXMAS	28.19	PL	5	5.00	Sherwin-Williams	5228416	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63543	Opex® Black Lacquer	Dull Black	TXMAS-5-51V010	TXMAS	34.21	PL	5	5.00	Sherwin-Williams	5228317	Are nitrocellulose alkyd lacquers for industrial product finishing. Fast air dry - Available in glosses from 0 to 45 - For interior and exterior use - No critical recoat time - USDA Accepted - Free of lead and chromate hazards.
63082	Opex® Primer Surfacer	White	TXMAS-5-51V010	TXMAS	35.45	PL	5	5.00	Sherwin-Williams	5229216	Are nitrocellulose alkyd lacquer coatings designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.
63082	Opex® Primer Surfacer	Gray	TXMAS-5-51V010	TXMAS	33.19	GL		1.00	Sherwin-Williams	5229000	Are nitrocellulose alkyd lacquer coatings designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Opex® Primer Surfacer	Black	TXMAS-5- 51V010	TXMAS	33.19	GL		1.00	Sherwin- Williams	5229109	Are nitrocellulose alkyd lacquer coatings designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.
63082	Opex® Primer Surfacer	White	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	5229208	Are nitrocellulose alkyd lacquer coatings designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.
63082	Opex® Primer Surfacer	Gray	TXMAS-5- 51V010	TXMAS	31.92	PL	5	5.00	Sherwin- Williams	5229018	Are nitrocellulose alkyd lacquer coatings designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.
63543	Opex® Production Lacquer	Flamboyant Aluminum	TXMAS-5- 51V010	TXMAS	28.19	GL		1.00	Sherwin- Williams	5225800	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Gloss Black	TXMAS-5- 51V010	TXMAS	31.92	PL	5	5.00	Sherwin- Williams	5223623	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Tinting White	TXMAS-5- 51V010	TXMAS	29.77	PL	5	5.00	Sherwin- Williams	5225925	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Semi-Gloss Soft White	TXMAS-5- 51V010	TXMAS	28.05	GL		1.00	Sherwin- Williams	5207535	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	White Mixing Lacquer	TXMAS-5- 51V010	TXMAS	29.77	DR	53	###	Sherwin- Williams	5231048	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Red	TXMAS-5- 51V010	TXMAS	37.59	GL		4.00	Sherwin- Williams	5225503	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Yellow	TXMAS-5- 51V010	TXMAS	39.86	GL		1.00	Sherwin- Williams	5226907	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Gloss White	TXMAS-5- 51V010	TXMAS	33.19	GL		1.00	Sherwin- Williams	5226105	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Tinting White	TXMAS-5- 51V010	TXMAS	30.81	GL		1.00	Sherwin- Williams	5225917	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Clear Mixing Lacquer	TXMAS-5- 51V010	TXMAS	28.19	DR	53	###	Sherwin- Williams	5231147	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Semi-Gloss Soft White	TXMAS-5- 51V010	TXMAS	26.57	PL	5	5.00	Sherwin- Williams	5207543	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer	Gloss Black	TXMAS-5- 51V010	TXMAS	33.19	GL		1.00	Sherwin- Williams	5223615	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Opex® Production Lacquer	Gloss White	TXMAS-5-51V010	TXMAS	31.92	PL	5	5.00	Sherwin-Williams	5226113	A nitrocellulose alkyd lacquer for industrial product finishing. Advantages: Fast air drying - Full gloss - Interior and exterior use - Non-photochemically reactive - No critical recoat time - Non-bleeding pigments.
63543	Opex® Production Lacquer Flatting Base	Flatting Base	TXMAS-5-51V010	TXMAS	40.98	GL		1.00	Sherwin-Williams	5000815	A very efficient flatting agent used for lowering the gloss of nitrocellulose type lacquers such as Opex® L61 line colors and the Sher-Wood® Clear Topcoat Lacquers.
63082	Opex® Shop Coat Primer	Red Oxide	TXMAS-5-51V010	TXMAS	26.67	PL	5	5.00	Sherwin-Williams	5229315	A fast drying lacquer for priming metal and wood substrates. Works well as a crankcase sealer to inhibit rusting and penetration of oil, cutting oil, and grease.
63082	Opex® Shop Coat Primer	Red Oxide	TXMAS-5-51V010	TXMAS	28.19	GL		1.00	Sherwin-Williams	5229307	A fast drying lacquer for priming metal and wood substrates. Works well as a crankcase sealer to inhibit rusting and penetration of oil, cutting oil, and grease.
63543	Opti-Bond Multi Surface Coating	White	TXMAS-5-51V010	TXMAS	29.94	PL	5	1.00	Sherwin-Williams	6202360	A one-coat, rust-inhibitive, interior, alkyd finish for ceilings and overhead expanses. Can be directly applied over a variety of surfaces in a single coat.
45018	Pail - 5 Gallon Sherwin-Williams Blue Pail		TXMAS-5-51V010	TXMAS	4.10	EA		1.00	Leaktite Corp	1650563	Sherwin-Williams Blue Pail.
45018	Pail - Handy Paint Pail		TXMAS-5-51V010	TXMAS	7.95	EA		1.00	Bercom	9371030	Easy to clean surfaces make washups fast and effort free. Solvent safe construction, works with any paint or stain. Brush scraper controls the amount of paint on the brush. Adjustable hand strap helps reduce fatigue. Built in magnetic brush holder.
45018	Pail - Paint And Project Pail		TXMAS-5-51V010	TXMAS	8.06	EA		1.00	Shurline	1635424	
45018	Pail Liners - Pro Series Disposable 4 Pack Paint Pail Liners		TXMAS-5-51V010	TXMAS	4.17	EA		1.00	Bercom	1639061	
45018	Paint Can - 2-1/2 Quart Paper Paint Pot		TXMAS-5-51V010	TXMAS	1.16	EA		1.00	Leaktite Corp	1522531	Paint Can - 2-1/2 Quart Paper Pot
45018	Paint Can - Lined Lid with Rienke Flex Spout For 5 Gallon Can		TXMAS-5-51V010	TXMAS	2.46	EA		1.00	Bway Corp	1613611	Lined Lid with Rienke Flex Spout For 5 Gallon Can
45018	Paint Can - Lined Lid Without Tint Bung For 5 Gallon Can		TXMAS-5-51V010	TXMAS	1.66	EA		1.00	Bway Corp	1560721	Lined Lid Without Tint Bung For 5 Gallon Can
45018	Paint Can - Plastic Pail 2 Gallon		TXMAS-5-51V010	TXMAS	2.64	EA		1.00	Leaktite Corp	1608769	Holds a 7 Inch bucket grid. Made of high desity polyethylene plastic. Reinforcing rib design for extra strength.
45018	Paint Can - Polysteel 10 Quart Plastic Pail		TXMAS-5-51V010	TXMAS	3.53	EA		1.00	Leaktite Corp	1502392	Visible quart and liter measure. Super strong solvent resistant. Reusable.
45018	Paint Can - Polysteel 5 Quart Plastic Pail		TXMAS-5-51V010	TXMAS	2.20	EA		1.00	Leaktite Corp	1502384	Visible quart and liter measure. Super strong solvent resistant. Reusable.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
45018	Paint Can - Steel 2-1/2 Quart		TXMAS-5- 51V010	TXMAS	2.64	EA		1.00	Leaktite Corp	1522481	Ears riveted for strength, not welded. Permanently embossed for accurate measures in pints and quarts.
45018	Paint Can - Steel 5 Quart		TXMAS-5- 51V010	TXMAS	3.10	EA		1.00	Leaktite Corp	1504240	Ears riveted for strength, not welded. Permanently embossed for accurate measures in pints and quarts.
45018	Paint Can - Unlined Lid with Rienke Flex Spout For 5 Gallon Can		TXMAS-5- 51V010	TXMAS	2.02	EA		1.00	Bway Corp	1613629	Unlined Lid with Rienke Flex Spout For 5 Gallon Can
45018	Paint Can - Unlined Lid With Tint Bung For 5 Gallon Can		TXMAS-5- 51V010	TXMAS	1.77	EA		1.00	Bway Corp	1560713	Unlined Lid With Tint Bung For 5 Gallon Can
45018	Paint Can - Unlined Lid Without Tint Bung For 5 Gallon Can		TXMAS-5- 51V010	TXMAS	1.49	EA		1.00	Bway Corp	1560705	Unlined Lid Without Tint Bung For 5 Gallon Can
45018	Paint Can Liner - 5 Gallon		TXMAS-5- 51V010	TXMAS	2.25	EA		1.00	Leaktite Corp	5987821	
45018	Paint Can Liner - Plastic 5 Quart Pot Liner		TXMAS-5- 51V010	TXMAS	1.32	EA		1.00	Leaktite Corp	1537620	Solvent resistant plastic pail liner fits #5 metal pail. Use with all types of paints. Disposable; keeps project time to a minimum.
45018	Paint Grid - Contractor Series® Gallon Paint Grid Screen		TXMAS-5- 51V010	TXMAS	1.14	EA		1.00	Sherwin- Williams	1553494	For use with Mini Roller system.
45018	Paint Lid - Painters Pal Paint And Pour Lid		TXMAS-5- 51V010	TXMAS	5.34	EA		1.00	Homax Corp	1635333	#####
45018	Paint Pot - Multi Mix 1 Quart Tub		TXMAS-5- 51V010	TXMAS	0.42	EA		1.00	Leaktite Corp	4604666	Calibrated mixing container.
45018	Paint Pot - Multi Mix 2- 1/2 Quart Plastic		TXMAS-5- 51V010	TXMAS	0.81	EA		1.00	Leaktite Corp	1604099	Calibrated mixing container.
63045	Paint Remover - Bix Spray On		TXMAS-5- 51V010	TXMAS	15.60	PL	5	1.00	Wm Barr & Co Inc	1580075	Removes multiple coats faster from wood, metal and masonry. Removes latex, oil and lead paint from commercial and residential construction. Spray On Stripper is a water wash.
63045	Paint Remover - Bix Spray On Aerosol		TXMAS-5- 51V010	TXMAS	5.21	EA		1.00	Wm Barr & Co Inc	4320198	Removes multiple coats faster from wood, metal and masonry. Removes latex, oil and lead paint from commercial and residential construction. Spray On Stripper is a water wash.
63045	Paint Remover - Bix Spray On Paint Stripper		TXMAS-5- 51V010	TXMAS	16.86	GL		1.00	Wm Barr & Co Inc	1580067	Removes multiple coats faster from wood, metal and masonry. Removes latex, oil and lead paint from commercial and residential construction. Spray On Stripper is a water wash.
63045	Paint Remover - Oops®		TXMAS-5- 51V010	TXMAS	17.26	GL		1.00	Homax Corp	1603927	The fast-working paint and project cleanup essential. Removes dried latex paint, tar, ballpoint pen ink, permanent marker, gum, adhesive residue, oil, grease, lipstick and much more.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63045	Paint Remover - Oops®		TXMAS-5-51V010	TXMAS	4.41	PT		1.00	Homax Corp	1603935	The fast-working paint and project cleanup essential. Removes dried latex paint, tar, ballpoint pen ink, permanent marker, gum, adhesive residue, oil, grease, lipstick and much more.
63045	Paint Remover - Oops® Paint Remover 4.5 oz.		TXMAS-5-51V010	TXMAS	2.46	EA		1.00	Homax Corp	1603919	The fast-working paint and project cleanup essential. Removes dried latex paint, tar, ballpoint pen ink, permanent marker, gum, adhesive residue, oil, grease, lipstick and much more.
63550	Paint Strainer - For 1 Gallon Can		TXMAS-5-51V010	TXMAS	0.58	EA		###	Reaves And Company	1513985	Fine 60 mesh polyester sheers strain the smallest foreign particles from paint. Finest quality, sewn with a locksmith seam. A must for airless spray.
63550	Paint Strainer - For 5 Gallon Can		TXMAS-5-51V010	TXMAS	1.03	EA		###	Reaves And Company	1513977	Fine 60 mesh polyester sheers strain the smallest foreign particles from paint. Finest quality, sewn with a locksmith seam. A must for airless spray.
63550	Paint Strainer - Garter Top For 1 Gallon Can		TXMAS-5-51V010	TXMAS	0.80	EA		###	Reaves And Company	4255360	Elastic top strainer. Trouble free time saver. No need for a string or another pair of hands to hold strainer in place.
63550	Paint Strainer - Garter Top For 5 Gallon Can		TXMAS-5-51V010	TXMAS	1.27	EA		1.00	Reaves And Company	1513969	Elastic top strainer. Trouble free time saver. No need for a string or another pair of hands to hold strainer in place.
63550	Paint Strainer - Strainer Pro		TXMAS-5-51V010	TXMAS	2.64	EA		1.00	Leaktite Corp	4357992	Rugged plastic, easy to use strainer. Heavy duty tip will not collapse. Will accomodate sprayer siphon tubes.
63045	Paint Stripper - Heavy Duty SuperStrip® Paint Remover		TXMAS-5-51V010	TXMAS	7.66	QT	1	1.00	Savogran Co.	1519925	A non-flammable, deep cutting stripper (minimized fire hazard for interior use). Softens extremely tough finishes, industrial enamels, varnishes, lacquers, etc.
63045	Paint Stripper - Peel Away® 1		TXMAS-5-51V010	TXMAS	22.09	PL	5	1.00	Dumond Chemicals	1061472	Includes Peel-Away cloth, spatula and gloves. It removes 30 coats of paint or more in one application. Available in 5 Gallon size and 1-1/4 Gallon kit.
63045	Paint Stripper - Peel Away® 1 Kit: Cloth Gloves, Tool, Instructions		TXMAS-5-51V010	TXMAS	26.51	EA		1.00	Dumond Chemicals	1608223	Includes Peel-Away cloth, spatula and gloves. Removes 30 coats of paint or more in one application. Available in 5 Gallon size and 1-1/4 Gallon kit.
63045	Paint Stripper - Peel Away® 7		TXMAS-5-51V010	TXMAS	57.52	PL	5	1.00	Dumond Chemicals	4480711	A safe remover because it does not contain Methylene Chloride. There is no need for paper. Peel Away 7 can remain wet on the surface for up to 7 hours. It will remove most chemically resistant coatings.
63045	Paint Stripper - Peel Away® 7		TXMAS-5-51V010	TXMAS	61.38	GL		1.00	Dumond Chemicals	4387825	A safe remover because it does not contain Methylene Chloride. There is no need for paper. Peel Away 7 can remain wet on the surface for up to 7 hours. It will remove most chemically resistant coatings.
63045	Paint Stripper - Peel Away® Neutralizer		TXMAS-5-51V010	TXMAS	16.77	GL		1.00	Dumond Chemicals	1061357	Prevents problems caused by alkaline residue such as unsightly white haze or interfere with performance of clear sealers or future paint coatings.
63045	Paint Stripper - Peel Away® Paper	2 Pack	TXMAS-5-51V010	TXMAS	3.77	EA		1.00	Dumond Chemicals	2207306	Use for any Peel Away Product. Seals in remover for more efficient coating removal. Remover and paint layers adhere to paper for easier disposal.
63045	Paint Stripper - Strypeeze® Paint Remover		TXMAS-5-51V010	TXMAS	6.82	QT	1	1.00	Savogran Co.	1527738	A general purpose, semi-paste stripper; clings to rounded and upright surfaces. Anti-evaporate "film" to minimize evaporation gives solvent more time to penetrate layers. For interior and exterior work.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Paint Tray - Contractor Series® Mini Roller Elite 7 Inch Plastic		TXMAS-5-51V010	TXMAS	1.66	EA		1.00	Sherwin-Williams	1806975	Contractor Series Mini Roller Elite 7 Inch Plastic Paint Tray
63547	Paint Tray - Value Line	18 inch	TXMAS-5-51V010	TXMAS	6.47	EA		1.00	Sherwin-Williams	2913739	
63543	Painters Mitt		TXMAS-5-51V010	TXMAS	4.23	EA		1.00	Reaves and Co	1735505	Ideal for painting fences, pipes, radiators and wrought iron. Comfortable to use.
63543	Paste Machine - Storage Case For 62 Inch		TXMAS-5-51V010	TXMAS	388.78	EA		1.00	Advance Equipment Mfg	1580505	For storage of 62 Inch pasting machine. Fiberboard core with 1/4 Inch top coated melamine panel.
63543	Paste Syringe		TXMAS-5-51V010	TXMAS	5.30	EA		1.00	Advance Equipment Mfg	1580430	Quality, reusable paste cylinder with twist lock stainless steel 14 gauge x 1-1/2 stainless steel needle and protective needle case. Injects paste under bubbles and loose spots in wallcovering. Permanently embossed for accurate measures.
63543	Paste Table - Basswood With Zinc Strip	6 Ft. x 32 Inch	TXMAS-5-51V010	TXMAS	300.21	EA		1.00	Advance Equipment Mfg	1589431	Top and frame made of clear basswood. Legs - yellow pine, reinforced race spreaders. Sturdy durable surface, moisture resistant. Folded dimension - 16 Inches x 6 Feet with carry case.
63543	Pasting Machine	30 Inch	TXMAS-5-51V010	TXMAS	441.91	EA		1.00	Advance Equipment Mfg	1580422	Qwik paster, 30 Inch table top pasting machine holds 1-1/2 gallons of paste. Stainless steel tank. Recommended for clear adhesive and prepasted activator.
63543	Pasting Machine - With Rolling Stand And Inch Meter	62 Inch	TXMAS-5-51V010	TXMAS	2,652.36	EA		1.00	Advance Equipment Mfg	1580414	Manual gear driven pasting machine for materials up to 62 Inch wide. Chromed adjustable height rolling stand with 4 Inch industrial casters. Stand with material supports folds under tank for fast setup.
63543	Peel Bond High Build Water Based Clear Bonding Sealer	White	TXMAS-5-51V010	TXMAS	28.16	GL		1.00	Xim Products Inc	9515602	A unique high-build, water-based, Bonding Primer/Sealer. Formulated to bond to and seal a wide range of construction surfaces. It can reduce cracking and peeling of the top coat paint by remaining flexible over the life of the paint.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Phthalo Green	TXMAS-5-51V010	TXMAS	63.74	PL	5	5.00	Sherwin-Williams	501010458	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Violet	TXMAS-5-51V010	TXMAS	54.48	PL	5	5.00	Sherwin-Williams	501007587	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Black	TXMAS-5-51V010	TXMAS	31.17	PL	5	5.00	Sherwin-Williams	501012066	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Silver	TXMAS-5-51V010	TXMAS	42.79	PL	5	5.00	Sherwin-Williams	501036180	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Bright Red	TXMAS-5-51V010	TXMAS	136.13	PL	5	5.00	Sherwin-Williams	501007595	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Phthalo Blue	TXMAS-5-51V010	TXMAS	64.78	PL	5	5.00	Sherwin-Williams	501010078	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Bon Red	TXMAS-5-51V010	TXMAS	57.93	PL	5	5.00	Sherwin-Williams	501008346	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Yellow Oxide	TXMAS-5-51V010	TXMAS	38.15	PL	5	5.00	Sherwin-Williams	501008155	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Lead Free Yellow-Red Shade	TXMAS-5-51V010	TXMAS	81.90	PL	5	5.00	Sherwin-Williams	501008163	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Black	TXMAS-5-51V010	TXMAS	30.64	DR	53	###	Sherwin-Williams	501008965	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Lead Free Orange	TXMAS-5-51V010	TXMAS	124.20	PL	5	5.00	Sherwin-Williams	501007975	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Low Gloss Clear	TXMAS-5-51V010	TXMAS	34.79	PL	5		Sherwin-Williams	501110936	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Gloss Clear	TXMAS-5-51V010	TXMAS	29.80	DR	53	###	Sherwin-Williams	501008320	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	White	TXMAS-5-51V010	TXMAS	46.19	DR	53	###	Sherwin-Williams	501008148	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Red Oxide	TXMAS-5-51V010	TXMAS	54.34	PL	5	5.00	Sherwin-Williams	501008338	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	White	TXMAS-5-51V010	TXMAS	48.39	PL	5	5.00	Sherwin-Williams	501056022	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Low Gloss Clear	TXMAS-5-51V010	TXMAS	33.48	DR	53	###	Sherwin-Williams	501008353	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Gloss Clear	TXMAS-5-51V010	TXMAS	30.71	PL	5	5.00	Sherwin-Williams	501056071	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Permaclad® 2400 High Solids Polyester Baking Enamel	Lead Free Yellow-Green Shade	TXMAS-5-51V010	TXMAS	119.24	PL	5	5.00	Sherwin-Williams	501008361	A 3.0 lb/gal VOC complying coating that meets the requirements of the exterior aluminum extrusion market. This is also recommended for exterior applications on iron or zinc phosphated steel.
63543	Phenicon® HS	Part A Light Gray	TXMAS-5-51V010	TXMAS	278.45	KT		1.00	Sherwin-Williams	600103121	A VOC-compliant epoxy phenolic coating formulated for use as an internal lining for tanks used to hold crude oil and most refined petroleum products.
63543	Phenicon® HS	Part B Standard Hardener	TXMAS-5-51V010	TXMAS	76.45	GL		1.00	Sherwin-Williams	600102032	A VOC-compliant epoxy phenolic coating formulated for use as an internal lining for tanks used to hold crude oil and most refined petroleum products.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Phenicon® HS	Part A Off White	TXMAS-5-51V010	TXMAS	196.49	KT		1.00	Sherwin-Williams	600102198	A VOC-compliant epoxy phenolic coating formulated for use as an internal lining for tanks used to hold crude oil and most refined petroleum products.
63543	Phenicon® HS	Part B Low Temp Hardener	TXMAS-5-51V010	TXMAS	80.84	GL		1.00	Sherwin-Williams	640171609	A VOC-compliant epoxy phenolic coating formulated for use as an internal lining for tanks used to hold crude oil and most refined petroleum products.
63543	Phenicon® HS Flake Filled	Part A Reddish Gray	TXMAS-5-51V010	TXMAS	213.15	KT		1.00	Sherwin-Williams	640311866	A VOC-compliant epoxy phenolic with micaceous iron oxide. Designed for use as part of a system for internal tank lining . The micaceous iron oxide provides improved abrasion and blister resistance.
63543	Plastic Film - High Density Plastic 0.31 Mil	12 Ft. x 400 Ft.	TXMAS-5-51V010	TXMAS	14.58	EA		1.00	Poly-America	1619345	High Density Painters Plastic 0.31 Mil 12 Feet x 400 Feet
63543	Plastic Film - High Density Plastic 0.31 Mil	9 Ft. x 400 Ft.	TXMAS-5-51V010	TXMAS	11.04	EA		1.00	Poly-America	1619337	Lightweight, high density sheeting with convenient dispenser box. Better tape adhesion.
63543	Plastic Film - Polyethylene Film 0.70 Mil	12 Ft. x 400 Ft.	TXMAS-5-51V010	TXMAS	21.22	EA		1.00	Poly-America	1523299	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63543	Plastic Film - Polyethylene Film 0.70 Mil	9 Ft. x 400 Ft.	TXMAS-5-51V010	TXMAS	14.12	EA		1.00	Poly-America	1523471	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63543	Plastic Film - Polyethylene Film 1.5 Mil	20 Ft. x 200 Ft.	TXMAS-5-51V010	TXMAS	31.83	EA		1.00	Poly-America	1523430	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63543	Plastic Film - Polyethylene Film 1.5 Mil	8 Ft. 4 Inch x 200 Ft.	TXMAS-5-51V010	TXMAS	13.24	EA		1.00	Poly-America	1523414	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63543	Plastic Film - Polyethylene Film 1.5 Mil	12 Ft. x 200 Ft.	TXMAS-5-51V010	TXMAS	19.89	EA		1.00	Poly-America	1523422	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63543	Plastic Film - Polyethylene Film 3 Mil	20 Ft. x 100 Ft.	TXMAS-5-51V010	TXMAS	26.51	EA		1.00	Poly-America	1523463	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63543	Plastic Film - Polyethylene Film 3 Mil	12 Ft. x 100 Ft.	TXMAS-5-51V010	TXMAS	17.66	EA		1.00	Poly-America	1523455	Uses: vapor barrier, drop cloth, under concrete, flashing for doors, windows, cover for pipes, ducts, etc.
63082	Polane® 2.8 Spray Fil	Beige	TXMAS-5-51V010	TXMAS	46.65	PL	5	5.00	Sherwin-Williams	5202593	A two package, 2.8 VOC, polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics and wood. It also promotes adhesion of topcoats to the substrate.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Flat Black	TXMAS-5-51V010	TXMAS	35.97	PL	5	5.00	Sherwin-Williams	5204938	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine computer and electronic enclosures industry.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Blending White	TXMAS-5-51V010	TXMAS	29.72	PL	5	5.00	Sherwin-Williams	601612914	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine computer and electronic enclosures industry.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Flat Black	TXMAS-5-51V010	TXMAS	49.19	GL		1.00	Sherwin-Williams	5204920	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine, computer and electronic enclosures industry.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Black	TXMAS-5-51V010	TXMAS	31.87	DR	53	###	Sherwin-Williams	5202049	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine, computer and electronic enclosures industry.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Blending White	TXMAS-5-51V010	TXMAS	29.34	DR	53	###	Sherwin-Williams	601612922	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine computer and electronic enclosures industry.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	29.16	PL	5	5.00	Sherwin-Williams	601612930	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine computer and electronic enclosures industry.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Flat Clear	TXMAS-5-51V010	TXMAS	29.16	PL	5	5.00	Sherwin-Williams	601612831	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine computer and electronic enclosures industry.
63543	Polane® 2.8T Plus High Solids Low Gloss Polyurethane Enamel	Black	TXMAS-5-51V010	TXMAS	32.35	PL	5	5.00	Sherwin-Williams	5201660	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine, computer and electronic enclosures industry.
63543	Polane® 2.8T Plus Polyurethane Enamel	Black	TXMAS-5-51V010	TXMAS	46.86	GL		1.00	Sherwin-Williams	501033674	A two component polyurethane coating meeting the 2.8 EPA regulations for solvent emissions and meeting the high performance properties required by the business machine, computer and electronic enclosures industry.
63543	Polane® 700T Water Reducible Enamel	Black	TXMAS-5-51V010	TXMAS	41.30	PL	5	5.00	Sherwin-Williams	501042022	A low VOC, one component water reducible, polyurethane-acrylic enamel intended for the Business Machine and Electronic Cabinetry market as a smooth or texture coating system.
63543	Polane® 700T Water Reducible Enamel	White	TXMAS-5-51V010	TXMAS	43.97	PL	5	5.00	Sherwin-Williams	501042576	Is a low VOC, one component water reducible, polyurethane-acrylic enamel intended for the Business Machine and Electronic Cabinetry market as a smooth or texture coating system.
63543	Polane® 700T Water Reducible Enamel	Clear	TXMAS-5-51V010	TXMAS	42.73	PL	5	5.00	Sherwin-Williams	501046940	A low VOC, one component water reducible, polyurethane-acrylic enamel intended for the Business Machine and Electronic Cabinetry market as a smooth or texture coating system.
63543	Polane® Accelerator		TXMAS-5-51V010	TXMAS	29.16	GL		1.00	Sherwin-Williams	501029623	For select Polane products.
63003	Polane® B Exterior Catalyst	Clear	TXMAS-5-51V010	TXMAS	128.42	GL		1.00	Sherwin-Williams	5001417	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63003	Polane® B Exterior Catalyst	Clear	TXMAS-5-51V010	TXMAS	127.38	PL	5	5.00	Sherwin-Williams	5001425	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63003	Polane® B Exterior Catalyst	Clear	TXMAS-5-51V010	TXMAS	39.02	QT	1	1.00	Sherwin-Williams	5001409	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Flatting Base		TXMAS-5-51V010	TXMAS	32.09	GL		1.00	Sherwin-Williams	5211107	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polane® B Flatting Base		TXMAS-5- 51V010	TXMAS	31.05	PL	5	5.00	Sherwin- Williams	5210026	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63003	Polane® B Interior Catalyst	Clear	TXMAS-5- 51V010	TXMAS	21.62	QT	1	1.00	Sherwin- Williams	5001300	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63003	Polane® B Interior Catalyst	Clear	TXMAS-5- 51V010	TXMAS	59.43	DR	53	###	Sherwin- Williams	5001334	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63003	Polane® B Interior Catalyst	Clear	TXMAS-5- 51V010	TXMAS	62.12	GL		1.00	Sherwin- Williams	5001318	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63003	Polane® B Interior Catalyst	Clear	TXMAS-5- 51V010	TXMAS	61.09	PL	5	5.00	Sherwin- Williams	5001326	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Mixing Base	Clear	TXMAS-5- 51V010	TXMAS	25.14	PL	5	5.00	Sherwin- Williams	501062152	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Mixing Base	Clear	TXMAS-5- 51V010	TXMAS	24.77	DR	53	###	Sherwin- Williams	501062160	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Ultrasonic Chrome	TXMAS-5- 51V010	TXMAS	43.43	GL		1.00	Sherwin- Williams	5211008	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Strobe White	TXMAS-5- 51V010	TXMAS	43.43	GL		1.00	Sherwin- Williams	5211404	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Bright Yellow	TXMAS-5- 51V010	TXMAS	86.08	GL		1.00	Sherwin- Williams	501053516	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Thermal Red	TXMAS-5- 51V010	TXMAS	55.37	GL		1.00	Sherwin- Williams	5210505	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Static Black	TXMAS-5- 51V010	TXMAS	35.63	GL		1.00	Sherwin- Williams	5208202	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Strobe White	TXMAS-5- 51V010	TXMAS	42.29	PL	5	5.00	Sherwin- Williams	5211412	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	ASA 61 Gray	TXMAS-5- 51V010	TXMAS	42.47	GL		1.00	Sherwin- Williams	5207907	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® B Polyurethane Enamel	Static Black	TXMAS-5- 51V010	TXMAS	34.44	PL	5	5.00	Sherwin- Williams	5208210	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polane® B Polyurethane Enamel	Strobe White	TXMAS-5-51V010	TXMAS	41.25	DR	53	###	Sherwin-Williams	5211438	A full gloss, two package coating for use where high performance is required. This is ideal for metal, structural materials such as FRP, structural foams, ABS Plastic, SMC, nylon, and many other plastics, and wood.
63543	Polane® Clear Topcoat		TXMAS-5-51V010	TXMAS	37.59	PL	5	5.00	Sherwin-Williams	5200043	A two component gloss polyurethane coating designed as a clear protective coating for metal, plastic and wood substrates. Excellent chemical and water resistance. Excellent mar and abrasion resistance.
63543	Polane® G Plus Polyurethane Enamel	Black	TXMAS-5-51V010	TXMAS	60.78	PL	5	5.00	Sherwin-Williams	601630064	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 3.37 VOC compliance.
63543	Polane® G Plus Polyurethane Enamel	White	TXMAS-5-51V010	TXMAS	59.11	PL	5	5.00	Sherwin-Williams	601630882	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 3.37 VOC compliance.
63543	Polane® G Plus Polyurethane Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	59.49	PL	5	5.00	Sherwin-Williams	601630486	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 3.37 VOC compliance.
63543	Polane® HS Plus Base	Blending Clear	TXMAS-5-51V010	TXMAS	42.51	PL	5	5.00	Sherwin-Williams	501056774	Is a two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Blue	TXMAS-5-51V010	TXMAS	86.08	GL		1.00	Sherwin-Williams	5205893	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Hi Hide Opaque Yellow	TXMAS-5-51V010	TXMAS	220.04	GL		1.00	Sherwin-Williams	501056113	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Mono Blending Clear	TXMAS-5-51V010	TXMAS	56.07	PL	5	5.00	Sherwin-Williams	5205968	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Orange	TXMAS-5-51V010	TXMAS	83.42	GL		1.00	Sherwin-Williams	601627870	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	White	TXMAS-5-51V010	TXMAS	61.87	DR	53	###	Sherwin-Williams	501036404	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Hi Hide Organic Red	TXMAS-5-51V010	TXMAS	230.71	GL		4.00	Sherwin-Williams	501055909	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	White	TXMAS-5-51V010	TXMAS	63.42	PL	5	5.00	Sherwin-Williams	5209465	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Blending Clear	TXMAS-5-51V010	TXMAS	53.42	PL	5	5.00	Sherwin-Williams	601616584	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Hi Hide Organic Yellow	TXMAS-5-51V010	TXMAS	183.60	GL		1.00	Sherwin-Williams	501055230	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Yellow Oxide	TXMAS-5- 51V010	TXMAS	56.07	PL	5	5.00	Sherwin- Williams	5205976	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Silver	TXMAS-5- 51V010	TXMAS	62.98	GL		1.00	Sherwin- Williams	5208160	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Black	TXMAS-5- 51V010	TXMAS	51.30	PL	5	5.00	Sherwin- Williams	5209473	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Red Oxide	TXMAS-5- 51V010	TXMAS	56.07	PL	5	5.00	Sherwin- Williams	5205935	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Magenta	TXMAS-5- 51V010	TXMAS	90.93	GL		1.00	Sherwin- Williams	5205943	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Green	TXMAS-5- 51V010	TXMAS	86.08	GL		1.00	Sherwin- Williams	5205885	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Brite Red	TXMAS-5- 51V010	TXMAS	90.93	GL		1.00	Sherwin- Williams	5205950	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63543	Polane® HS Plus Polyurethane Monochromatic Intermix	Orange	TXMAS-5- 51V010	TXMAS	172.12	GL		1.00	Sherwin- Williams	5205877	Is a two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63003	Polane® HS Plus Warm Weather System Catalyst		TXMAS-5- 51V010	TXMAS	104.31	GL		1.00	Sherwin- Williams	601616816	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63082	Polane® HS Plus Warm Weather System Reducer		TXMAS-5- 51V010	TXMAS	21.36	GL		1.00	Sherwin- Williams	601617210	A two component coating providing high gloss, excellent exterior durability and resistance properties along with high volume solids and 2.8 VOC compliance.
63003	Polane® HS Plus, SP & High Solids Clear Catalyst (Exterior)		TXMAS-5- 51V010	TXMAS	131.03	GL		4.00	Sherwin- Williams	5209440	A 3.5 VOC, HAPS free, two component exterior grade full gloss polyurethane enamel topcoat providing very good exterior durability and resistance properties.
63003	Polane® HS Plus, SP & High Solids Clear Catalyst (Exterior)		TXMAS-5- 51V010	TXMAS	90.69	PL	5	5.00	Sherwin- Williams	501117162	A 3.5 VOC, HAPS free, two component exterior grade full gloss polyurethane enamel topcoat providing very good exterior durability and resistance properties.
63003	Polane® HS Plus, SP & High Solids Clear Catalyst (Exterior)		TXMAS-5- 51V010	TXMAS	43.08	QT	1	1.00	Sherwin- Williams	5206644	A 3.5 VOC, HAPS free, two component exterior grade full gloss polyurethane enamel topcoat providing very good exterior durability and resistance properties.
63003	Polane® HS Plus, SP & High Solids Clear Catalyst (Exterior)		TXMAS-5- 51V010	TXMAS	89.62	DR	53	###	Sherwin- Williams	501032890	A 3.5 VOC, HAPS free, two component exterior grade full gloss polyurethane enamel topcoat providing very good exterior durability and resistance properties.
63543	Polane® HS Polyurethane Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	55.37	GL		1.00	Sherwin- Williams	5211701	A two component polyurethane coating providing high volume solids at the gun. Very good interior and exterior physical and chemical performance.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polane® HS Polyurethane Enamel	Black	TXMAS-5- 51V010	TXMAS	36.14	GL		1.00	Sherwin- Williams	5208400	A two component polyurethane coating providing high volume solids at the gun. Very good interior and exterior physical and chemical performance.
63543	Polane® HS Polyurethane Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	28.82	PL	5	5.00	Sherwin- Williams	501062129	A two component polyurethane coating providing high volume solids at the gun. The single pigment colors are designed for intermixing to achieve great versatility in color and sheen.
63543	Polane® HS Polyurethane Enamel	Flatting Agent	TXMAS-5- 51V010	TXMAS	41.04	GL		1.00	Sherwin- Williams	5211206	A two component polyurethane coating providing high volume solids at the gun. The single pigment colors are designed for intermixing to achieve great versatility in color and sheen.
63543	Polane® HS Polyurethane Enamel	Black	TXMAS-5- 51V010	TXMAS	35.06	PL	5	5.00	Sherwin- Williams	5208418	A two component polyurethane coating providing high volume solids at the gun. Very good interior and exterior physical and chemical performance.
63543	Polane® HS Polyurethane Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	54.25	PL	5	5.00	Sherwin- Williams	5211719	A two component polyurethane coating providing high volume solids at the gun. Very good interior and exterior physical and chemical performance.
63543	Polane® HS Polyurethane Enamel	Flatting Agent	TXMAS-5- 51V010	TXMAS	40.08	PL	5	5.00	Sherwin- Williams	5211214	A two component polyurethane coating providing high volume solids at the gun. The single pigment colors are designed for intermixing to achieve great versatility in color and sheen.
63543	Polane® Plus & Polane® T Plus	Catalyst	TXMAS-5- 51V010	TXMAS	65.08	DR	53	###	Sherwin- Williams	5200357	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus & Polane® T Plus	Catalyst	TXMAS-5- 51V010	TXMAS	66.24	PL	5	5.00	Sherwin- Williams	5200340	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus & Polane® T Plus	Catalyst	TXMAS-5- 51V010	TXMAS	67.42	GL		1.00	Sherwin- Williams	5200332	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus & Polane® T Plus	Catalyst	TXMAS-5- 51V010	TXMAS	20.94	QT	1	1.00	Sherwin- Williams	5206628	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus Enamel 3.5 VOC	Black	TXMAS-5- 51V010	TXMAS	45.44	PL	5	5.00	Sherwin- Williams	5201934	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus Enamel 3.5 VOC	Blending Clear	TXMAS-5- 51V010	TXMAS	45.44	PL	5	5.00	Sherwin- Williams	5201975	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus Enamel 3.5 VOC	White	TXMAS-5- 51V010	TXMAS	59.43	PL	5	5.00	Sherwin- Williams	5201959	A 3.5 VOC, two component, high gloss urethane coating providing physical and chemical properties as required for the machine tool industry and for product finishing of metal, plastic, and wood surfaces.
63543	Polane® Plus Sealer	Gray	TXMAS-5- 51V010	TXMAS	46.65	PL	5	5.00	Sherwin- Williams	5202528	A 3.5 lb/gal VOC complying two-package polyurethane coating suitable for use as a primer or as a primer sealer on metal, plastic and wood.
63082	Polane® Primer-Sealer	Gray	TXMAS-5- 51V010	TXMAS	34.21	GL		1.00	Sherwin- Williams	5000500	A two package polyurethane coating suitable for use as a primer over steel or as a primer-sealer over fillers and putties.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Polane® Primer-Sealer	Gray	TXMAS-5- 51V010	TXMAS	33.19	PL	5	5.00	Sherwin- Williams	5000518	A two package polyurethane coating suitable for use as a primer over steel or as a primer-sealer over fillers and putties.
63082	Polane® Primer-Sealer	Gray	TXMAS-5- 51V010	TXMAS	31.92	DR	53	###	Sherwin- Williams	5000526	A two package polyurethane coating suitable for use as a primer over steel or as a primer-sealer over fillers and putties.
63543	Polane® S Plus Polyurethane	Black	TXMAS-5- 51V010	TXMAS	40.63	PL	5	5.00	Sherwin- Williams	501053730	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Yellow Oxide	TXMAS-5- 51V010	TXMAS	45.88	PL	5	5.00	Sherwin- Williams	501054654	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Red Oxide	TXMAS-5- 51V010	TXMAS	45.88	PL	5	5.00	Sherwin- Williams	501054613	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Bright Red	TXMAS-5- 51V010	TXMAS	77.65	GL		1.00	Sherwin- Williams	501054621	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Clear	TXMAS-5- 51V010	TXMAS	45.88	PL	5	5.00	Sherwin- Williams	501054670	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Orange	TXMAS-5- 51V010	TXMAS	73.17	GL		1.00	Sherwin- Williams	601627862	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Blending White	TXMAS-5- 51V010	TXMAS	52.71	PL	5	5.00	Sherwin- Williams	501053755	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Blue	TXMAS-5- 51V010	TXMAS	73.33	GL		1.00	Sherwin- Williams	501054779	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Magenta	TXMAS-5- 51V010	TXMAS	77.65	GL		1.00	Sherwin- Williams	501054639	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	L.F. Yellow (R.S.)	TXMAS-5- 51V010	TXMAS	90.61	GL		1.00	Sherwin- Williams	501054662	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Green	TXMAS-5- 51V010	TXMAS	73.33	GL		1.00	Sherwin- Williams	501054605	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63543	Polane® S Plus Polyurethane	Orange	TXMAS-5- 51V010	TXMAS	148.64	GL		1.00	Sherwin- Williams	501054597	A low gloss, two component, acrylic polyurethane providing high volume solids, 2.8 lb/gal VOC compliance, and excellent exterior durability.
63082	Polane® Spray-Fil	White	TXMAS-5- 51V010	TXMAS	36.97	PL	5	5.00	Sherwin- Williams	5206362	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Polane® Spray-Fil	Light Gray	TXMAS-5- 51V010	TXMAS	36.45	PL	5	5.00	Sherwin- Williams	5206313	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.
63082	Polane® Spray-Fil	Gray	TXMAS-5- 51V010	TXMAS	37.59	GL		1.00	Sherwin- Williams	5206305	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.
63082	Polane® Spray-Fil	Light Gray	TXMAS-5- 51V010	TXMAS	35.45	DR	53	###	Sherwin- Williams	5206321	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.
63082	Polane® Spray-Fil	Black	TXMAS-5- 51V010	TXMAS	41.44	PL	5	5.00	Sherwin- Williams	501031330	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.
63082	Polane® Spray-Fil	White	TXMAS-5- 51V010	TXMAS	37.90	GL		1.00	Sherwin- Williams	5006515	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.
63082	Polane® Spray-Fil	Special Catalyst	TXMAS-5- 51V010	TXMAS	77.02	GL		1.00	Sherwin- Williams	501011100	A two package polyurethane filler designed to fill and/or hide profile and surface imperfections on metal, castings, structural foam plastics, and wood. It also promotes adhesion of topcoats to the substrate.
63543	Polane® T Low Gloss Phoenix Base	Low Gloss Clear	TXMAS-5- 51V010	TXMAS	20.40	DR	53	###	Sherwin- Williams	501213359	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Low Gloss Phoenix Base	White	TXMAS-5- 51V010	TXMAS	30.42	DR	53	###	Sherwin- Williams	501213367	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Monochromatic Intermix Color	White	TXMAS-5- 51V010	TXMAS	31.51	PL	5	5.00	Sherwin- Williams	501062913	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Monochromatic Intermix Color	Blending Clear	TXMAS-5- 51V010	TXMAS	21.25	PL	5	5.00	Sherwin- Williams	501062897	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Plus Polyurethane Enamel	Black	TXMAS-5- 51V010	TXMAS	41.19	PL	5	5.00	Sherwin- Williams	5200068	A two component coating meeting the strict EPA regulations for the solvent emissions and meeting then high performance properties required by the business machine,computer and electronic enclosure industry.
63543	Polane® T Plus Polyurethane Enamel	Black	TXMAS-5- 51V010	TXMAS	40.66	DR	53	###	Sherwin- Williams	5200076	A two component coating meeting the strict EPA regulations for the solvent emissions and meeting then high performance properties required by the business machine,computer and electronic enclosure industry.
63543	Polane® T Plus Polyurethane Enamel	Flatting Base	TXMAS-5- 51V010	TXMAS	51.57	PL	5	5.00	Sherwin- Williams	5200258	A two component coating meeting the strict EPA regulations for the solvent emissions and meeting then high performance properties required by the business machine,computer and electronic enclosure industry.
63543	Polane® T Polyurethane Enamel	Carbide Black	TXMAS-5- 51V010	TXMAS	36.67	GL		1.00	Sherwin- Williams	5208103	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Polyurethane Enamel	Profile Gray	TXMAS-5- 51V010	TXMAS	45.66	GL		1.00	Sherwin- Williams	5208004	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polane® T Polyurethane Enamel	Linear White	TXMAS-5-51V010	TXMAS	46.97	GL		1.00	Sherwin-Williams	5211305	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Polyurethane Enamel	Linear White	TXMAS-5-51V010	TXMAS	45.77	PL	5	5.00	Sherwin-Williams	5211313	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Polyurethane Enamel	Linear White	TXMAS-5-51V010	TXMAS	44.74	DR	53	###	Sherwin-Williams	5211321	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Polyurethane Enamel	Carbide Black	TXMAS-5-51V010	TXMAS	35.63	PL	5	5.00	Sherwin-Williams	5208111	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T Polyurethane Enamel	Carbide Black	TXMAS-5-51V010	TXMAS	34.44	DR	53	###	Sherwin-Williams	5208129	A two component, low gloss coating providing superior appearance and durability. Used as a smooth or textured finish. Its textured appearance camouflages imperfections left by production operations.
63543	Polane® T60 Polyurethane Enamel	Catalyst	TXMAS-5-51V010	TXMAS	70.97	GL		1.00	Sherwin-Williams	501056584	A low gloss two component polyurethane coating meeting the 2.8 VOC EPA regulations and the high performance properties required by the electronic enclosure markets.
63543	Polane® T60 Polyurethane Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	40.66	PL	5	5.00	Sherwin-Williams	601614431	A low gloss two component polyurethane coating meeting the 2.8 VOC EPA regulations and the high performance properties required by the electronic enclosure markets.
63543	Polane® T60 Polyurethane Enamel	Flattening Clear	TXMAS-5-51V010	TXMAS	41.50	PL	5	5.00	Sherwin-Williams	601614399	A low gloss two component polyurethane coating meeting the 2.8 VOC EPA regulations and the high performance properties required by the electronic enclosure markets.
63543	Polane® T60 Polyurethane Enamel	Blending White	TXMAS-5-51V010	TXMAS	45.93	PL	5	5.00	Sherwin-Williams	601614415	A low gloss two component polyurethane coating meeting the 2.8 VOC EPA regulations and the high performance properties required by the electronic enclosure markets.
63543	Polane® T60 Polyurethane Enamel	Carbide Black	TXMAS-5-51V010	TXMAS	32.20	PL	5	5.00	Sherwin-Williams	501055677	A low gloss two component polyurethane coating meeting the 2.8 VOC EPA regulations and the high performance properties required by the electronic enclosure markets.
63082	Polane® W2 Primer	Gray	TXMAS-5-51V010	TXMAS	31.89	PL	5	5.00	Sherwin-Williams	501004063	A one component, 2.3 lb/gal VOC complying, acrylic latex, water reducible primer for the business machine and general metals markets. It can be applied to structural foam plastics and iron phosphated metal surfaces.
63057	Poly-Epoxy® Semi-Gloss Electrostatic Coating	Pastel Base	TXMAS-5-51V010	TXMAS	30.47	GL		4.00	Sherwin-Williams	8244766	A two component catalyzed epoxy enamel offering high performance properties for the finishing and refinishing of metal office furniture. It is specifically designed for onsite electrostatic application.
63057	Poly-Epoxy® Semi-Gloss Electrostatic Coating	Mass Tone Base	TXMAS-5-51V010	TXMAS	23.63	GL		4.00	Sherwin-Williams	8244501	A two component catalyzed epoxy enamel offering high performance properties for the finishing and refinishing of metal office furniture. It is specifically designed for onsite electrostatic application.
63057	Poly-Epoxy® Semi-Gloss Electrostatic Coating	Mid Tone Base	TXMAS-5-51V010	TXMAS	26.91	GL		4.00	Sherwin-Williams	8244741	A two component catalyzed epoxy enamel offering high performance properties for the finishing and refinishing of metal office furniture. It is specifically designed for onsite electrostatic application.
63057	Poly-Epoxy® Semi-Gloss Electrostatic Coating	Epoxy Catalyst	TXMAS-5-51V010	TXMAS	27.95	GL		1.00	Sherwin-Williams	8249245	A two component catalyzed epoxy enamel offering high performance properties for the finishing and refinishing of metal office furniture. It is specifically designed for onsite electrostatic application.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Poly-Epoxy® Semi-Gloss Electrostatic Coating	Deep Tone Base	TXMAS-5-51V010	TXMAS	24.62	GL		4.00	Sherwin-Williams	8244758	A two component catalyzed epoxy enamel offering high performance properties for the finishing and refinishing of metal office furniture. It is specifically designed for onsite electrostatic application.
63057	Poly-Epoxy® Semi-Gloss Electrostatic Coating	Hi Hide White Base	TXMAS-5-51V010	TXMAS	33.83	GL		4.00	Sherwin-Williams	8244576	A two component catalyzed epoxy enamel offering high performance properties for the finishing and refinishing of metal office furniture. It is specifically designed for onsite electrostatic application.
63543	Poly-Glass Polyester Laminate System	Polyester Resin	TXMAS-5-51V010	TXMAS	3.81	DR	53	###	Cook Paint	600106504	A chemically resistant isophthalic polyester formulated specifically for lining the bottoms of steel storage tanks used to contain crude oil and a wide range of refined petroleum products.
63543	Poly-Glass Polyester Putty	Part A Dark Gray	TXMAS-5-51V010	TXMAS	48.93	PL	5	5.00	Cook Paint	600102651	A dark Gray flexible polyester putty formulated for tank laminating work. It is used over welded and riveted seams to form chine covers and to smooth floor structures.
63543	Poly-Lon® 1900 Polyester Polyurethane	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	195.00	KT		1.00	Sherwin-Williams	640119947	A heavy duty, high performance, two component, exterior/interior, VOC compliant, high solids, polyester-aliphatic urethane.
63543	Poly-Lon® 1900 Polyester Polyurethane	Hardener Part B	TXMAS-5-51V010	TXMAS	23.05	QT	6	1.00	Sherwin-Williams	640119970	A heavy duty, high performance, two component, exterior/interior, VOC compliant, high solids, polyester-aliphatic urethane.
63543	Poly-Lon® 1900 Polyester Polyurethane	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	49.83	GL		1.00	Sherwin-Williams	640119921	A heavy duty, high performance, two component, exterior/interior, VOC compliant, high solids, polyester-aliphatic urethane.
63543	Poly-Lon® 1900 Polyester Polyurethane	Extra White/Tint Base Part A	TXMAS-5-51V010	TXMAS	58.14	GL		1.00	Sherwin-Williams	640518866	A heavy duty, high performance, two component, exterior/interior, VOC compliant, high solids, polyester-aliphatic urethane.
63543	Poly-Lon® 1900 Polyester Polyurethane	Extra White/Tint Base Part A	TXMAS-5-51V010	TXMAS	225.90	KT		1.00	Sherwin-Williams	640518874	A heavy duty, high performance, two component, exterior/interior, VOC compliant, high solids, polyester-aliphatic urethane.
63543	Poly-Lon® 1900 Polyester Polyurethane	Hardener Part B	TXMAS-5-51V010	TXMAS	73.88	GL		1.00	Sherwin-Williams	640119988	A heavy duty, high performance, two component, exterior/interior, VOC compliant, high solids, polyester-aliphatic urethane.
63543	Polysiloxane XLE-80	Extra White	TXMAS-5-51V010	TXMAS	481.37	KT		1.00	Sherwin-Williams	640369070	A high performance, two-component, high solids epoxy siloxane that combines the properties of both a high performance epoxy and a polyurethane in one coat. Plus, it is free from isocyanates.
63543	Polysiloxane XLE-80	Hardener	TXMAS-5-51V010	TXMAS	23.24	QT	1	1.00	Sherwin-Williams	640369088	A high performance, two-component, high solids epoxy siloxane that combines the properties of both a high performance epoxy and a polyurethane in one coat. Plus, it is free from isocyanates.
63543	Polysiloxane XLE-80	Extra White	TXMAS-5-51V010	TXMAS	122.83	GL		1.00	Sherwin-Williams	640369062	A high performance, two-component, high solids epoxy siloxane that combines the properties of both a high performance epoxy and a polyurethane in one coat. Plus, it is free from isocyanates.
63543	Polysiloxane XLE-80	Hardener	TXMAS-5-51V010	TXMAS	73.04	GL		1.00	Sherwin-Williams	640369096	A high performance, two-component, high solids epoxy siloxane that combines the properties of both a high performance epoxy and a polyurethane in one coat. Plus, it is free from isocyanates.
63543	Polysiloxane XLE-80	Ultradeep Clear Tint Base	TXMAS-5-51V010	TXMAS	481.37	KT		1.00	Sherwin-Williams	640373759	A high performance, two-component, high solids epoxy siloxane that combines the properties of both a high performance epoxy and a polyurethane in one coat. Plus, it is free from isocyanates.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Polysiloxane XLE-80	Ultradeep Clear Tint Base	TXMAS-5- 51V010	TXMAS	122.83	GL		1.00	Sherwin- Williams	640373742	A high performance, two-component, high solids epoxy siloxane that combines the properties of both a high performance epoxy and a polyurethane in one coat. Plus, it is free from isocyanates.
63543	Polystyrene Barrier Coat	White	TXMAS-5- 51V010	TXMAS	34.11	PL	5	5.00	Sherwin- Williams	530180249	A low gloss acrylic lacquer intended as a primer or a barrier coat on polystyrene and other structural foam plastics including gas counter pressure types. Promotes adhesion, and prevents solvent attack from the topcoat.
63543	Polyvinyl Latex Flame Retardant Marine Paint	Bright White	TXMAS-5- 51V010	TXMAS	32.72	PL	5	5.00	Sherwin- Williams	601132244	A non-emissive water-based, nonintumescent, flame retardant, general purpose semi-gloss. Conforms to Navy Formula 25A, and meets flame resistance properties of DOD-C-24596
63543	Premium Foam Corner Roller	9 Inch	TXMAS-5- 51V010	TXMAS	3.98	EA		1.00	Sherwin- Williams	1805183	Pad painters and trim rollers.
63082	Premium Wall And Wood Interior Latex Primer	White	TXMAS-5- 51V010	TXMAS	6.37	QT	1	6.00	Sherwin- Williams	650051527	Our Finest Primer. Assures uniform color and gloss of topcoat on walls, doors and trim. Use on interior drywall, wood, cured plaster, pre-primed metal, textured walls, aluminum, galvanized metal, and Medium Density Overlay Trim and Board.
63082	Premium Wall And Wood Interior Latex Primer	White	TXMAS-5- 51V010	TXMAS	19.85	PL	5	5.00	Sherwin- Williams	650051543	Our Finest Primer. Assures uniform color and gloss of topcoat on walls, doors and trim. Use on interior drywall, wood, cured plaster, pre-primed metal, textured walls, aluminum, galvanized metal, and Medium Density Overlay Trim and Board.
63082	Premium Wall And Wood Interior Latex Primer	White	TXMAS-5- 51V010	TXMAS	20.00	GL		4.00	Sherwin- Williams	650051535	Our Finest Primer. Assures uniform color and gloss of topcoat on walls, doors and trim. Use on interior drywall, wood, cured plaster, pre-primed metal, textured walls, aluminum, galvanized metal, and Medium Density Overlay Trim and Board.
63543	PrepRite® Block Filler	White	TXMAS-5- 51V010	TXMAS	10.79	PL	5	5.00	Sherwin- Williams	6205637	Allows topcoat on concrete block to be smooth and uniform. Effective on above grade and unpainted masonry surfaces. Use on unpainted masonry, concrete, cement and flat surfaced concrete block.
63082	PrepRite® Interior Masonry Primer	White	TXMAS-5- 51V010	TXMAS	23.09	GL		4.00	Sherwin- Williams	640171179	Prevents topcoat from peeling from fresh, new, or old plaster and concrete with a pH up to 13. Resists concrete salt formation on topcoat. Use on fresh masonry, plaster, cement, cement Panels, stucco, concrete brick and mortar.
63082	PrepRite® Interior Masonry Primer	White	TXMAS-5- 51V010	TXMAS	22.92	PL	5	5.00	Sherwin- Williams	640171187	Prevents topcoat from peeling from fresh, new, or old plaster and concrete with a pH up to 13. Resists concrete salt formation on topcoat. Use on fresh masonry, plaster, cement, cement Panels, stucco, concrete brick and mortar.
63082	PrepRite® ProBlock® Interior Alkyd Primer Sealer	White	TXMAS-5- 51V010	TXMAS	13.59	PL	5	5.00	Sherwin- Williams	6100036	Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease stains, ink stains and pencil stains. For: Drywall - Cured Plaster - Paneling - Nonporous Wallcovering - Previously Painted Surfaces - Wood - Ceiling Tiles.
63082	PrepRite® ProBlock® Interior Alkyd Primer Sealer	White	TXMAS-5- 51V010	TXMAS	13.85	GL		1.00	Sherwin- Williams	6100028	Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease stains, ink stains and pencil stains. For: Drywall - Cured Plaster - Paneling - Nonporous Wallcovering - Previously Painted Surfaces - Wood - Ceiling Tiles.
63082	PrepRite® ProBlock® Interior Exterior Latex Primer Sealer	Deep Base	TXMAS-5- 51V010	TXMAS	18.52	PL	5	5.00	Sherwin- Williams	640336541	Seals in solvent sensitive stains, minor dried water stains, grease, ink, pencil, and crayon.
63082	PrepRite® ProBlock® Interior Exterior Latex Primer Sealer	Deep Base	TXMAS-5- 51V010	TXMAS	18.66	GL		4.00	Sherwin- Williams	640336624	Seals in solvent sensitive stains, minor dried water stains, grease, ink, pencil, and crayon.
63082	PrepRite® ProBlock® Interior Exterior Latex Primer Sealer	White	TXMAS-5- 51V010	TXMAS	6.92	QT	1	6.00	Sherwin- Williams	6006241	Seals in solvent sensitive stains, minor dried water stains, grease, ink, pencil, and crayon.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	PrepRite® ProBlock® Interior Exterior Latex Primer Sealer	White	TXMAS-5-51V010	TXMAS	19.39	PL	5	5.00	Sherwin-Williams	6006266	Seals in solvent sensitive stains, minor dried water stains, grease, ink, pencil, and crayon.
63082	PrepRite® ProBlock® Interior Exterior Latex Primer Sealer	White	TXMAS-5-51V010	TXMAS	19.65	GL		1.00	Sherwin-Williams	6006258	Seals in solvent sensitive stains, minor dried water stains, grease, ink, pencil, and crayon.
63082	PrepRite® ProBlock® Interior Exterior Latex Primer Sealer	Deep Base	TXMAS-5-51V010	TXMAS	5.88	QT	1	6.00	Sherwin-Williams	640336558	Seals in solvent sensitive stains, minor dried water stains, grease, ink, pencil, and crayon.
63082	PrepRite® ProBlock® Odorless Alkyd Primer Sealer	White	TXMAS-5-51V010	TXMAS	14.48	PL	5	5.00	Sherwin-Williams	640348256	Assures uniform appearance of topcoats. Seals out water sensitive stains, dried water stains, Smoke stains and related odors, grease ink and pencil stains. Is quick drying and odorless.
63082	PrepRite® ProBlock® Odorless Alkyd Primer Sealer	White	TXMAS-5-51V010	TXMAS	14.62	GL		1.00	Sherwin-Williams	640348249	Assures uniform appearance of topcoats. Seals out water sensitive stains, dried water stains, Smoke stains and related odors, grease ink and pencil stains. Is quick drying and odorless.
63082	PrepRite® Quick Seal Alkyd Primer	White	TXMAS-5-51V010	TXMAS	15.27	GL		4.00	Sherwin-Williams	640323358	Fast dry stain killing sealer. Topcoat with latex or oil paints. Can be applied down to 40-F. Use on these surfaces: Wood, Hardboard, PVC Piping and Previously Painted Surfaces. Seals stains from water, graffiti, smoke, tannin, knots/sap.
63082	PrepRite® Quick Seal Alkyd Primer	White	TXMAS-5-51V010	TXMAS	14.40	PL	5	5.00	Sherwin-Williams	640323424	Fast dry stain killing sealer. Topcoat with latex or oil paints. Can be applied down to 40-F. Use on these surfaces: Wood, Hardboard, PVC Piping and Previously Painted Surfaces. Seals stains from water, graffiti, smoke, tannin, knots/sap.
63082	PrepRite® SF-1 Int/Ext Quick Dry Pigmented Primer Sealer	White	TXMAS-5-51V010	TXMAS	15.21	PL	5	5.00	Sherwin-Williams	640348223	Designed to seal smoke stains, odors, and will spot prime tannin. SF-1 will provide an interior vapor barrier with a perm rating less than 1. Is excellent for use as a spot primer on exterior knots.
63082	PrepRite® SF-1 Int/Ext Quick Dry Pigmented Primer Sealer	White	TXMAS-5-51V010	TXMAS	15.36	GL		1.00	Sherwin-Williams	640348215	Designed to seal smoke stains, odors, and will spot prime tannin. SF-1 will provide an interior vapor barrier with a perm rating less than 1. Is excellent for use as a spot primer on exterior knots.
63082	PrepRite® SF-1 Int/Ext Quick Dry Pigmented Primer Sealer	White	TXMAS-5-51V010	TXMAS	5.80	QT	1	1.00	Sherwin-Williams	640348207	Designed to seal smoke stains, odors, and will spot prime tannin. SF-1 will provide an interior vapor barrier with a perm rating less than 1. Is excellent for use as a spot primer on exterior knots.
63082	PrepRite® Wall and Wood Alkyd Primer	White	TXMAS-5-51V010	TXMAS	19.80	GL		4.00	Sherwin-Williams	6102701	Quality oil undercoater for interior wood. Assures excellent gloss and color of enamel topcoats. A sealer under wallcovering. Use on interior: Wood, Cured Plaster, under Wallcovering and previously painted surfaces.
63082	PrepRite® Wall and Wood Alkyd Primer	White	TXMAS-5-51V010	TXMAS	9.04	QT	1	6.00	Sherwin-Williams	6102743	Quality oil undercoater for interior wood. Assures excellent gloss and color of enamel topcoats. A sealer under wallcovering. Use on interior: Wood, Cured Plaster, under Wallcovering and previously painted surfaces.
63082	PrepRite® Wall and Wood Alkyd Primer	White	TXMAS-5-51V010	TXMAS	19.46	PL	5	5.00	Sherwin-Williams	6102719	Quality oil undercoater for interior wood. Assures excellent gloss and color of enamel topcoats. A sealer under wallcovering. Use on interior: Wood, Cured Plaster, under Wallcovering and previously painted surfaces.
63543	Pressure Washer - 11 HP CA-3304-0 MHB		TXMAS-5-51V010	TXMAS	1,609.02	EA		1.00	MiTM Corp.	9839333	
63543	Pressure Washer - 13 HP CA-3004-0 MHB		TXMAS-5-51V010	TXMAS	1,809.98	EA		1.00	MiTM Corp.	9839317	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Pressure Washer - 13 HP CA-3504-0 MHB		TXMAS-5- 51V010	TXMAS	1,809.98	EA		1.00	MiTM Corp.	9839325	
63543	Pressure Washer - 5.5 HP CA24030 MHB		TXMAS-5- 51V010	TXMAS	1,022.20	EA		1.00	Manningto n	9839259	
63543	Pressure Washer - 6 HP CA-2403-0 MRB		TXMAS-5- 51V010	TXMAS	886.78	EA		1.00	Manningto n	9839267	
63543	Pressure Washer - 6.5 HP CA-2703-0 MHB		TXMAS-5- 51V010	TXMAS	1,132.87	EA		1.00	MiTM Corp.	9839275	
63543	Pressure Washer - 7 HP CA-2703-0 MRB		TXMAS-5- 51V010	TXMAS	968.32	EA		1.00	Manningto n	9839283	
63543	Pressure Washer - 9 HP CA-3003-0 MHB		TXMAS-5- 51V010	TXMAS	1,294.50	EA		1.00	Manningto n	9839291	
63543	Pressure Washer - 9 HP CA-3003-0 MRB		TXMAS-5- 51V010	TXMAS	1,061.52	EA		1.00	Manningto n	9839309	
63543	Pressure Washer - CV2400 SWIC Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	471.37	EA		1.00	MiTM Corp.	2203446	2.0 GPM at 2400 PSI. Direct Drive. 6 HP Briggs Intek motor. Weighs 62 lbs. Recommended for 2-5 hours usage per week.
63543	Pressure Washer - CW 2505 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	3,018.11	EA		1.00	MiTM Corp.	2203388	4.4 GPM at 2500 PSI. Belt Drive. 11 HP Honda motor. Weighs 212 lbs. Recommended for 20-50 hours usage per week.
63543	Pressure Washer - CW 3004 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	3,018.11	EA		1.00	MiTM Corp.	2203370	3.5 GPM at 3000 PSI. Belt Drive. 11 HP Honda mortor. Weighs 212 lbs. Recommended for 20-50 hours usage per week.
63543	Pressure Washer - CW 3504 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	3,258.99	EA		1.00	MiTM Corp.	2203354	3.5 GPM at 3500 PSI. Belt Drive. 13 HP Honda motor. Weighs 220 lbs. Recommended for 20-50 hours usage per week.
63543	Pressure Washer - CW 4004 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	3,880.76	EA		1.00	MiTM Corp.	2206548	4.0 GPM at 4000 PSI. Belt Drive. 16 HP Vanguard Electric Start motor. Weighs 236 lbs. Recommended for 20-50 gallons usage per week.
63543	Pressure Washer - CWC 5004 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	5,687.87	EA		1.00	MiTM Corp.	2206555	4.0 GPM at 5000 PSI. Belt Drive. 20 HP Honda Electric Start motor. Weighs 385 lbs. Recommended for 20-50 hours per week.
63543	Pressure Washer - G- Force 2730B Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,130.75	EA		1.00	Graco Inc.	9226440	2.4 GPM at 2700 PSI. Direct Drive. 6.5 HP Briggs. Weighs 95 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - G- Force 2750H Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,330.84	EA		1.00	Graco Inc.	9225566	2.4 GPM at 2700 PSI. Direct Drive. 6.5 HP Honda motor. Weighs 99 lbs. Recommended for 5-15 hours usage per week.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Pressure Washer - G- Force 3030 Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,600.73	EA		1.00	Graco Inc.	9215971	3.0 GPM at 3000 Psi. Direct Drive. 9 HP Honda motor. Weighs 135 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - G- Force 3040 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	2,380.41	EA		1.00	Graco Inc.	2206795	4.0 GPM at 3000 PSI. Belt Drive. 11 HP Honda OHV motor. Weighs 199 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - G- Force 3540 Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	2,668.10	EA		1.00	Graco Inc.	2206803	4.0 GPM at 3500 PSI. Belt Drive. 13 HP Honda OHV motor. Weighs 205 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - G- Force 3540 Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	2,140.52	EA		1.00	Graco Inc.	9229816	4.0 GPM at 3500 PSI. Direct Drive. 13 HP Honda motor. Weighs 149 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - G- Force Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,917.16	EA		1.00	Graco Inc.	9225558	3.5 GPM at 3300 PSI. Direct Drive. 11 HP Honda motor. Weighs 149 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - HSE1002 Hot Water	Direct Drive	TXMAS-5- 51V010	TXMAS	2,640.26	EA		1.00	Manningto n	2202380	2.0 GPM at 1000 PSI. Direct Drive. 1.5 HP Electric Motor. Weighs 245 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - HSP3004 Hot Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	6,135.42	EA		1.00	MiTM Corp.	2202406	3.5 GPM at 3000 PSI. Direct Drive. 11 HP Honda motor. Weighs 428 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - JCW 3004 OMHB Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	2,753.61	EA		1.00	MiTM Corp.	2202471	3.5 GPM at 3000 PSI. Belt Drive. 11 HP Honda. Weighs 159 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - JCW 3504 OMHB Cold Water Gas Operated	Belt Drive	TXMAS-5- 51V010	TXMAS	3,301.50	EA		1.00	MiTM Corp.	2202224	3.5 GPM at 3500 PSI. Belt Drive. 13 HP Honda motor. Weighs 167 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - JCW 4004 Cold Water Gas Powered	Belt Drive	TXMAS-5- 51V010	TXMAS	3,490.44	EA		1.00	MiTM Corp.	2202240	4.0 GPM at 4000 PSI, Belt Drive. 16 HP Vanguard motor. Weighs 200 lbs. Recommended for 15-20 hours usage per week.
63543	Pressure Washer - Job Pro 2703 OMHB Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,601.16	EA		1.00	MiTM Corp.	2202141	2.4 GPM at 2700 PSI. Direct Drive. 6.5 HP Honda motor. Weighs 85 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - Job Pro 2703 OMRB Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	971.32	EA		1.00	Manningto n	2206662	2.4 GPM at 2700 PSI. Direct Drive. 7 HP Robin motor. Weighs 85 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - Job Pro 3003 OMHB Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,884.55	EA		1.00	MiTM Corp.	2202489	3.0 GPM at 3000 PSI. Direct Drive. 9 HP Honda motor. Weighs 121 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - Job Pro 3003 OMRB Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,269.05	EA		1.00	MiTM Corp.	2206688	3.0 GPM at 3000 PSI. Direct Drive. 9 HP Robin Motor. Weighs 121 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer - Job Pro 3304 OMHB Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	2,435.08	EA		1.00	MiTM Corp.	2202166	3.3 GPM at 3300 PSI. Direct Drive. 11 HP Honda Motor. Weighs 134 lbs. Recommended for 5-15 hours usage per week.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Pressure Washer - Job Pro 3504 OMHB Cold Water Gas Operated	Direct Drive	TXMAS-5- 51V010	TXMAS	1,392.89	EA		1.00	Manningto n	9008053	3.5 GPM at 3500 PSI. Direct Drive. 13 HP Honda motor. Weighs 139 lbs. Recommended for 5-15 hours usage per week.
63543	Pressure Washer Accessory - Hose Reel	For 100 Ft. Hose	TXMAS-5- 51V010	TXMAS	121.86	EA		1.00	MiTM Corp.	2204691	Retro-fit to live system capability. Quick release from unit. Convenient transport handle.
63543	Pressure Washer Accessory - Hose Reel	For 50 Ft. Hose	TXMAS-5- 51V010	TXMAS	93.51	EA		1.00	MiTM Corp.	2204709	Retro-fit to live system capability. Quick release from unit. Convenient transport handle.
63543	Pressure Washer Accessory - Reel Retrofit Kit		TXMAS-5- 51V010	TXMAS	102.96	EA		1.00	MiTM Corp.	2204725	Converts storage only to a live system. Easy to install.
63082	PreWallcovering Interior Latex Primer	White	TXMAS-5- 51V010	TXMAS	14.94	PL	5	5.00	Sherwin- Williams	640323416	Primes, seals, and sizes in one coat. It is quick drying and promotes easy installation.. Allows removal of wallcovering and is tintable to disguise open seams. Protects sheetrock from damage when removing wallcovering.
63082	PreWallcovering Interior Latex Primer	White	TXMAS-5- 51V010	TXMAS	4.88	QT	1	1.00	Sherwin- Williams	640323325	Primes, seals, and sizes in one coat. It is quick drying and promotes easy installation.. Allows removal of wallcovering and is tintable to disguise open seams. Protects sheetrock from damage when removing wallcovering.
63082	PreWallcovering Interior Latex Primer	White	TXMAS-5- 51V010	TXMAS	15.77	GL		4.00	Sherwin- Williams	640323333	Primes, seals, and sizes in one coat. It is quick drying and promotes easy installation.. Allows removal of wallcovering and is tintable to disguise open seams. Protects sheetrock from damage when removing wallcovering.
63057	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	40.23	GL		1.00	Sherwin- Williams	640517637	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy is a high performance, interior/exterior, VOC compliant, low odor, high film build, two-component, water based acrylic epoxy.
63057	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy	Hardener - High Lustre	TXMAS-5- 51V010	TXMAS	10.52	QT	1	1.00	Sherwin- Williams	640311320	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy is a high performance, interior/exterior, VOC compliant, low odor, high film build, two-component, water based acrylic epoxy.
63057	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy	Hardener - High Lustre	TXMAS-5- 51V010	TXMAS	40.23	GL		1.00	Sherwin- Williams	640311338	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy is a high performance, interior/exterior, VOC compliant, low odor, high film build, two-component, water based acrylic epoxy.
63057	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy	Hardener - Low Lustre	TXMAS-5- 51V010	TXMAS	40.23	GL		1.00	Sherwin- Williams	640311353	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy is a high performance, interior/exterior, VOC compliant, low odor, high film build, two-component, water based acrylic epoxy.
63057	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy	Hardener - Low Lustre	TXMAS-5- 51V010	TXMAS	10.52	QT	1	1.00	Sherwin- Williams	640311346	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy is a high performance, interior/exterior, VOC compliant, low odor, high film build, two-component, water based acrylic epoxy.
63057	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	156.86	KT		1.00	Sherwin- Williams	640517645	Pro Industrial Hi-Bild Waterbased Catalyzed Epoxy is a high performance, interior/exterior, VOC compliant, low odor, high film build, two-component, water based acrylic epoxy.
63057	Pro Industrial High Performance Epoxy	Pure White/Tint Base Part A	TXMAS-5- 51V010	TXMAS	216.65	KT		1.00	Sherwin- Williams	909699993	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures- Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Deep Base Part A	TXMAS-5- 51V010	TXMAS	223.25	KT		1.00	Sherwin- Williams	640518932	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures- Lavatories-Power plants-Schools-Storage tanks.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Pro Industrial High Performance Epoxy	Deep Base Part A	TXMAS-5-51V010	TXMAS	61.04	GL		1.00	Sherwin-Williams	640518924	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Black Part A	TXMAS-5-51V010	TXMAS	57.25	GL		1.00	Sherwin-Williams	6178032	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Hardener Part B	TXMAS-5-51V010	TXMAS	64.78	GL		1.00	Sherwin-Williams	6178040	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	61.04	GL		1.00	Sherwin-Williams	933699993	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Safety Yellow Part A	TXMAS-5-51V010	TXMAS	113.97	GL		1.00	Sherwin-Williams	6178024	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	223.25	KT		1.00	Sherwin-Williams	904499993	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Safety Red Part A	TXMAS-5-51V010	TXMAS	113.97	GL		1.00	Sherwin-Williams	6178016	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Pure White/Tint Base Part A	TXMAS-5-51V010	TXMAS	56.54	GL		1.00	Industrial High Performan	930399993	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63057	Pro Industrial High Performance Epoxy	Hardener Part B	TXMAS-5-51V010	TXMAS	16.85	QT	1	1.00	Sherwin-Williams	6178057	For use over prepared steel and concrete in industrial environments. Structural and support steel-Laboratories-Institutional kitchens-Masonry surfaces-Offshore structures-Lavatories-Power plants-Schools-Storage tanks.
63082	Pro Industrial Pro-Cryl® Universal Primer	Gray(cirrus std)	TXMAS-5-51V010	TXMAS	37.44	GL		1.00	Sherwin-Williams	640322707	An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for new construction and maintenance applications. Use as a primer under water based or solvent based high performance topcoats
63082	Pro Industrial Pro-Cryl® Universal Primer	Off White	TXMAS-5-51V010	TXMAS	39.86	GL		1.00	Sherwin-Williams	640322681	An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for new construction and maintenance applications. Use as a primer under water based or solvent based high performance topcoats
63082	Pro Industrial Pro-Cryl® Universal Primer	Off White	TXMAS-5-51V010	TXMAS	39.15	PL	5	1.00	Sherwin-Williams	640322699	An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for new construction and maintenance applications. Use as a primer under water based or solvent based high performance topcoats
63082	Pro Industrial Pro-Cryl® Universal Primer	Red Oxide	TXMAS-5-51V010	TXMAS	37.06	PL	5	1.00	Sherwin-Williams	640322160	An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for new construction and maintenance applications. Use as a primer under water based or solvent based high performance topcoats
63082	Pro Industrial Pro-Cryl® Universal Primer	Gray(cirrus std)	TXMAS-5-51V010	TXMAS	37.06	PL	5	1.00	Sherwin-Williams	640322715	An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for new construction and maintenance applications. Use as a primer under water based or solvent based high performance topcoats
63082	Pro Industrial Pro-Cryl® Universal Primer	Red Oxide	TXMAS-5-51V010	TXMAS	37.44	GL		1.00	Sherwin-Williams	640322129	An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for new construction and maintenance applications. Use as a primer under water based or solvent based high performance topcoats

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProClassic XP Interior Alkyd Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	44.91	PL	5	5.00	Sherwin-Williams	640385050	Superior Flow and leveling characteristics result in a smooth and durable finish. A heavier bodied formulation that delivers outstanding hide and coverage.
63543	ProClassic XP Interior Alkyd Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	45.30	GL		1.00	Sherwin-Williams	640364741	Superior Flow and leveling characteristics result in a smooth and durable finish. A heavier bodied formulation that delivers outstanding hide and coverage.
63543	ProClassic XP Interior Alkyd Semi-Gloss	White	TXMAS-5-51V010	TXMAS	45.30	GL		1.00	Sherwin-Williams	640368841	Superior Flow and leveling characteristics result in a smooth and durable finish. A heavier bodied formulation that delivers outstanding hide and coverage.
63543	ProClassic® Interior Alkyd Satin Enamel VOC 3.72	Extra White	TXMAS-5-51V010	TXMAS	8.06	QT	1	1.00	Sherwin-Williams	640514014	Our finest quality alkyd satin product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Satin Enamel VOC 3.72	Extra White	TXMAS-5-51V010	TXMAS	24.89	PL	5	5.00	Sherwin-Williams	640510210	Our finest quality alkyd satin product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Satin Enamel VOC 3.72	Extra White	TXMAS-5-51V010	TXMAS	25.24	GL		4.00	Sherwin-Williams	640510202	Our finest quality alkyd satin product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Semi-Gloss VOC 3.85	Deep Base	TXMAS-5-51V010	TXMAS	26.84	GL		4.00	Sherwin-Williams	640516167	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Semi-Gloss VOC 3.85	Extra White	TXMAS-5-51V010	TXMAS	26.84	GL		4.00	Sherwin-Williams	640512604	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Semi-Gloss VOC 3.85	Extra White	TXMAS-5-51V010	TXMAS	8.51	QT	1	1.00	Sherwin-Williams	640513941	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Semi-Gloss VOC 3.85	Classic White	TXMAS-5-51V010	TXMAS	27.03	GL		4.00	Sherwin-Williams	6006449	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Semi-Gloss VOC 3.85	Extra White	TXMAS-5-51V010	TXMAS	26.53	PL	5	5.00	Sherwin-Williams	640512612	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Interior Alkyd Semi-Gloss VOC 3.85	Deep Base	TXMAS-5-51V010	TXMAS	8.51	QT	1	1.00	Sherwin-Williams	640516159	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Low VOC Interior Alkyd Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	25.14	GL		4.00	Sherwin-Williams	640336384	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Low VOC Interior Alkyd Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	7.63	QT	1	1.00	Sherwin-Williams	640336376	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.
63543	ProClassic® Low VOC Interior Alkyd Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	25.01	PL	5	5.00	Sherwin-Williams	640336392	Our finest quality alkyd semi-gloss product. The superior flow and leveling characteristics result in a smooth and durable finish.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProClassic® WaterBorne Interior Acrylic Gloss	Extra White	TXMAS-5-51V010	TXMAS	25.99	PL	5	5.00	Sherwin-Williams	640512596	A high quality water based enamel designed to provide service performance equal to high quality alkyd enamels.
63543	ProClassic® WaterBorne Interior Acrylic Gloss	Extra White	TXMAS-5-51V010	TXMAS	8.42	QT	1	1.00	Sherwin-Williams	640513933	A high quality water based enamel designed to provide service performance equal to high quality alkyd enamels.
63543	ProClassic® WaterBorne Interior Acrylic Gloss	Luminous White	TXMAS-5-51V010	TXMAS	8.42	QT	1	1.00	Sherwin-Williams	640333001	A high quality water based enamel designed to provide service performance equal to high quality alkyd enamels.
63543	ProClassic® WaterBorne Interior Acrylic Gloss	Extra White	TXMAS-5-51V010	TXMAS	26.12	GL		1.00	Sherwin-Williams	640512588	A high quality water based enamel designed to provide service performance equal to high quality alkyd enamels.
63543	ProClassic® WaterBorne Interior Acrylic Gloss	Luminous White	TXMAS-5-51V010	TXMAS	26.17	GL		4.00	Sherwin-Williams	640122800	A high quality water based enamel designed to provide service performance equal to high quality alkyd enamels.
63543	ProClassic® WaterBorne Interior Acrylic High Gloss Enamel	Extra White	TXMAS-5-51V010	TXMAS	36.92	GL		1.00	Sherwin-Williams	640383535	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish.
63543	ProClassic® WaterBorne Interior Acrylic High Gloss Enamel	Deep Base	TXMAS-5-51V010	TXMAS	36.92	GL		1.00	Sherwin-Williams	640383550	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish.
63543	ProClassic® WaterBorne Interior Acrylic Satin	Extra White	TXMAS-5-51V010	TXMAS	24.65	GL		1.00	Sherwin-Williams	640336442	Provides a durable, non-yellowing finish. The superior flow and leveling characteristics result in a smooth, rich finish equal to an alkyd enamel.
63543	ProClassic® WaterBorne Interior Acrylic Satin	Extra White	TXMAS-5-51V010	TXMAS	24.47	PL	5	5.00	Sherwin-Williams	640336459	Provides a durable, non-yellowing finish. The superior flow and leveling characteristics result in a smooth, rich finish equal to an alkyd enamel.
63543	ProClassic® WaterBorne Interior Acrylic Satin	Extra White	TXMAS-5-51V010	TXMAS	7.85	QT	1	1.00	Sherwin-Williams	640336434	Provides a durable, non-yellowing finish. The superior flow and leveling characteristics result in a smooth, rich finish equal to an alkyd enamel.
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	8.22	QT	1	1.00	Sherwin-Williams	640513925	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	25.36	GL		1.00	Sherwin-Williams	640512562	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Deep Base	TXMAS-5-51V010	TXMAS	25.36	GL		1.00	Sherwin-Williams	640516100	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	25.22	PL	5	5.00	Sherwin-Williams	640512570	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Luminous White	TXMAS-5-51V010	TXMAS	25.09	GL		4.00	Sherwin-Williams	640172979	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Deep Base	TXMAS-5-51V010	TXMAS	8.22	QT	1	1.00	Sherwin-Williams	640516092	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish
63543	ProClassic® WaterBorne Interior Acrylic Semi-Gloss	Luminous White	TXMAS-5-51V010	TXMAS	8.20	QT	1	1.00	Sherwin-Williams	640332995	Provides a durable, non-yellowing, finish equal to an alkyd enamel. The superior flow and leveling characteristics result in a smooth, rich finish
63543	Production Baking Enamel	Blending White	TXMAS-5-51V010	TXMAS	25.69	PL	5	5.00	Sherwin-Williams	5224357	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	22.56	PL	5	5.00	Sherwin-Williams	530100809	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Metallic Silver	TXMAS-5-51V010	TXMAS	30.18	PL	5	5.00	Sherwin-Williams	5206511	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	21.53	DR	53	###	Sherwin-Williams	530100817	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	20.48	PL	5	5.00	Sherwin-Williams	5224456	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	11.82	DR	53	###	Sherwin-Williams	501062202	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Blending White	TXMAS-5-51V010	TXMAS	24.66	DR	53	###	Sherwin-Williams	5224365	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63543	Production Baking Enamel	Blending Clear	TXMAS-5-51V010	TXMAS	12.18	PL	5	5.00	Sherwin-Williams	501062194	A full gloss, alkyd-amino baking enamel. Ideal for use on a wide range of metal products for both interior and exterior applications. High gloss. Lower glosses are available through intermixing with Textured Baking Enamel.
63082	ProMar 200 Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	14.76	GL		4.00	Sherwin-Williams	6007447	Best quality interior wall primer for general purpose use under flats and enamels. Covers dark colors and excellent for dramatic topcoat color changes. Use on interior drywall, masonry, concrete and previously painted surfaces.
63082	ProMar 200 Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	14.41	PL	5	5.00	Sherwin-Williams	6007454	Best quality interior wall primer for general purpose use under flats and enamels. Covers dark colors and excellent for dramatic topcoat color changes. Use on interior drywall, masonry, concrete and previously painted surfaces.
63082	ProMar 400 Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	12.70	GL		1.00	Sherwin-Williams	6007306	Good value wall primer for general use under flats and enamel wall paints. Ensures finish coat will cover when a moderate color change is required. Good drywall sealer for interior use on drywall, masonry, concrete and previously painted surfaces.
63082	ProMar 400 Interior Latex Primer	White	TXMAS-5-51V010	TXMAS	12.46	PL	5	5.00	Sherwin-Williams	6007298	Good value wall primer for general use under flats and enamel wall paints. Ensures finish coat will cover when a moderate color change is required. Good drywall sealer for interior use on drywall, masonry, concrete and previously painted surfaces.
63543	ProMar Masonry Conditioner VOC Complying	White	TXMAS-5-51V010	TXMAS	20.07	PL	5	5.00	Sherwin-Williams	1017227	A pigmented sealer and surface conditioner recommended for use on exterior masonry such as brick, concrete, block, and weathered or bare stucco.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar Masonry Conditioner VOC Complying	White	TXMAS-5- 51V010	TXMAS	20.46	GL		1.00	Sherwin- Williams	1017219	A pigmented sealer and surface conditioner recommended for use on exterior masonry such as brick, concrete, block, and weathered or bare stucco.
63543	ProMar® 200 Interior Alkyd Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	23.44	GL		4.00	Sherwin- Williams	640515292	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	23.30	PL	5	5.00	Sherwin- Williams	640512653	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	23.44	GL		4.00	Sherwin- Williams	640512646	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Eg-Shel	Luminous White	TXMAS-5- 51V010	TXMAS	24.43	GL		4.00	Sherwin- Williams	6006399	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	25.14	PL	5	5.00	Sherwin- Williams	640515326	Is our finest quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	25.28	GL		1.00	Sherwin- Williams	640515318	Is our finest quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Gloss	Extra White	TXMAS-5- 51V010	TXMAS	25.28	GL		4.00	Sherwin- Williams	640512687	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Gloss	Extra White	TXMAS-5- 51V010	TXMAS	25.14	PL	5	5.00	Sherwin- Williams	640512695	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	24.65	PL	5	5.00	Sherwin- Williams	640512679	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	24.79	GL		4.00	Sherwin- Williams	640512661	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	24.79	GL		4.00	Sherwin- Williams	640513289	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Alkyd Semi-Gloss	Luminous White	TXMAS-5- 51V010	TXMAS	26.15	GL		4.00	Sherwin- Williams	6006217	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Luminous White	TXMAS-5- 51V010	TXMAS	20.79	PL	5	1.00	Sherwin- Williams	640354817	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	19.08	PL	5	5.00	Sherwin- Williams	640354122	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® 200 Interior Latex Eg-Shel	Antique White	TXMAS-5- 51V010	TXMAS	19.08	PL	5	1.00	Sherwin- Williams	640354163	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	19.62	GL		4.00	Sherwin- Williams	640354130	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	19.08	PL	5	1.00	Sherwin- Williams	640354148	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	19.62	GL		1.00	Sherwin- Williams	640354114	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Luminous White	TXMAS-5- 51V010	TXMAS	21.22	GL		1.00	Sherwin- Williams	640354106	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Dover White	TXMAS-5- 51V010	TXMAS	19.62	GL		1.00	Sherwin- Williams	640354171	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Eg-Shel	Dover White	TXMAS-5- 51V010	TXMAS	19.08	PL	5	5.00	Sherwin- Williams	640354189	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Flat	Luminous White	TXMAS-5- 51V010	TXMAS	16.65	PL	5	1.00	Sherwin- Williams	640148615	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	19.12	GL		1.00	Sherwin- Williams	640512703	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Luminous White	TXMAS-5- 51V010	TXMAS	17.16	GL		1.00	Sherwin- Williams	501024814	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Antique White	TXMAS-5- 51V010	TXMAS	16.65	PL	5	1.00	Sherwin- Williams	412699993	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	18.97	PL	5	1.00	Sherwin- Williams	640515227	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	19.12	GL		1.00	Sherwin- Williams	640515219	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Dover White	TXMAS-5- 51V010	TXMAS	16.65	PL	5	1.00	Sherwin- Williams	414599993	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	18.97	PL	5	5.00	Sherwin- Williams	640512711	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® 200 Interior Latex Flat	Dover White	TXMAS-5- 51V010	TXMAS	17.16	GL		1.00	Sherwin- Williams	413199993	Our finest quality product designed for the professional. This product is recommended for interior application on drywall, primed plaster, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	21.37	GL		1.00	Sherwin- Williams	640515276	Our finest quality product designed for the professional. This product is recommended for interior application on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.37	GL		1.00	Sherwin- Williams	640512760	Our finest quality product designed for the professional. This product is recommended for interior application on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.25	PL	5	1.00	Sherwin- Williams	640512778	Our finest quality product designed for the professional. This product is recommended for interior application on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Gloss	Luminous White	TXMAS-5- 51V010	TXMAS	21.44	GL		1.00	Sherwin- Williams	501024863	Our finest quality product designed for the professional. This product is recommended for interior application on walls, ceilings, and trim of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 200 Interior Latex Low Sheen ES Enamel	Luminous White	TXMAS-5- 51V010	TXMAS	20.79	PL	5	5.00	Sherwin- Williams	640357950	Provides an elegant finish which helps minimize surface imperfections while providing durability in high traffic areas. Use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Low Sheen ES Enamel	Extra White	TXMAS-5- 51V010	TXMAS	19.08	PL	5	5.00	Sherwin- Williams	640357976	Provides an elegant finish which helps minimize surface imperfections while providing durability in high traffic areas. Use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Low Sheen ES Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	19.62	GL		1.00	Sherwin- Williams	640357984	Provides an elegant finish which helps minimize surface imperfections while providing durability in high traffic areas. Use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Low Sheen ES Enamel	Extra White	TXMAS-5- 51V010	TXMAS	19.62	GL		1.00	Sherwin- Williams	640357968	Provides an elegant finish which helps minimize surface imperfections while providing durability in high traffic areas. Use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Low Sheen ES Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	19.08	PL	5	5.00	Sherwin- Williams	640357992	Provides an elegant finish which helps minimize surface imperfections while providing durability in high traffic areas. Use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	20.91	PL	5	5.00	Sherwin- Williams	640354221	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Luminous White	TXMAS-5- 51V010	TXMAS	24.35	GL		4.00	Sherwin- Williams	640354197	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	20.91	PL	5	1.00	Sherwin- Williams	640354247	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Luminous White	TXMAS-5- 51V010	TXMAS	23.87	PL	5	5.00	Sherwin- Williams	640354205	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	21.57	GL		1.00	Sherwin- Williams	640354239	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® 200 Interior Latex Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.57	GL		1.00	Sherwin- Williams	640354213	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Dover White	TXMAS-5- 51V010	TXMAS	21.57	GL		1.00	Sherwin- Williams	640354254	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 Interior Latex Semi-Gloss	Dover White	TXMAS-5- 51V010	TXMAS	20.91	PL	5	1.00	Sherwin- Williams	640354262	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 200 XP Interior Latex Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	27.33	PL	5	5.00	Sherwin- Williams	640359550	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 200 XP Interior Latex Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	27.33	GL		1.00	Sherwin- Williams	640362059	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 200 XP Interior Latex Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	27.57	GL		1.00	Sherwin- Williams	640365664	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 200 XP Interior Latex Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	27.33	PL	5	5.00	Sherwin- Williams	640359535	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 200 XP Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	24.34	PL	5	5.00	Sherwin- Williams	640363891	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 200 XP Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	24.34	PL	5	5.00	Sherwin- Williams	640364709	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 200 XP Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	24.79	GL		1.00	Sherwin- Williams	640365656	A high quality product designed for the professional for interior use on unprimed wallboard. Delivers the same performance in one coat that two coats of conventional flats deliver.
63543	ProMar® 400 Interior Alkyd Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	21.88	GL		1.00	Sherwin- Williams	640513263	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Alkyd Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	22.02	GL		1.00	Sherwin- Williams	640512786	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Alkyd Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.88	PL	5	1.00	Sherwin- Williams	640512794	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Alkyd Semi-Gloss	Antique White	TXMAS-5- 51V010	TXMAS	20.13	PL	5	1.00	Sherwin- Williams	6006464	A quality product designed for the professional. This product is recommended for interior application on primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Eg-Shel	Dover White	TXMAS-5- 51V010	TXMAS	15.17	PL	5	5.00	Sherwin- Williams	640354346	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® 400 Interior Latex Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	15.17	PL	5	5.00	Sherwin- Williams	640354288	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	15.72	GL		1.00	Sherwin- Williams	640354296	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Eg-Shel	Antique White	TXMAS-5- 51V010	TXMAS	15.17	PL	5	5.00	Sherwin- Williams	640354320	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Eg-Shel	Deep Base	TXMAS-5- 51V010	TXMAS	15.17	PL	5	5.00	Sherwin- Williams	640354304	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Eg-Shel	Extra White	TXMAS-5- 51V010	TXMAS	15.72	GL		1.00	Sherwin- Williams	640354270	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Flat	Black	TXMAS-5- 51V010	TXMAS	12.39	PL	5	5.00	Sherwin- Williams	640181350	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	16.63	PL	5	5.00	Sherwin- Williams	640513693	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	16.77	GL		1.00	Sherwin- Williams	640513685	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	16.77	GL		1.00	Sherwin- Williams	640510111	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	16.63	PL	5	5.00	Sherwin- Williams	640510129	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Antique White	TXMAS-5- 51V010	TXMAS	12.70	GL		1.00	Sherwin- Williams	684299993	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Antique White	TXMAS-5- 51V010	TXMAS	12.39	PL	5	5.00	Sherwin- Williams	685699993	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Dover White	TXMAS-5- 51V010	TXMAS	12.70	GL		1.00	Sherwin- Williams	688099993	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Dover White	TXMAS-5- 51V010	TXMAS	12.39	PL	5	5.00	Sherwin- Williams	689999993	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Flat	Black	TXMAS-5- 51V010	TXMAS	12.70	GL		1.00	Sherwin- Williams	640181343	A durable, economical, interior vinyl acrylic paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry, and primed metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® 400 Interior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	18.27	PL		5.00	Sherwin- Williams	640335915	A durable, professional quality, interior vinyl acrylic paint for use on walls and trim of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	18.41	GL		1.00	Sherwin- Williams	640335907	A durable, professional quality, interior vinyl acrylic paint for use on walls and trim of primed plaster, wallboard, wood, masonry, and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	17.37	PL	5	5.00	Sherwin- Williams	640354387	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Dover White	TXMAS-5- 51V010	TXMAS	17.90	GL		1.00	Sherwin- Williams	640354411	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	17.37	PL	5	5.00	Sherwin- Williams	640354361	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	17.90	GL		1.00	Sherwin- Williams	640354353	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Antique White	TXMAS-5- 51V010	TXMAS	17.37	PL	5	5.00	Sherwin- Williams	640354403	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Antique White	TXMAS-5- 51V010	TXMAS	17.90	GL		1.00	Sherwin- Williams	640354395	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Dover White	TXMAS-5- 51V010	TXMAS	17.37	PL	5	5.00	Sherwin- Williams	640354429	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Interior Latex Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	17.90	GL		1.00	Sherwin- Williams	640354379	A durable, professional quality, interior vinyl acrylic finish for use on walls, ceilings and trim of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 400 Latex Interior Low Sheen ES Enamel	Extra White	TXMAS-5- 51V010	TXMAS	24.36	PL	5	5.00	Sherwin- Williams	640383758	Mid-level low sheen enamel. Helps to minimize surface imperfections. Good scrubability, burnish and block resistance. Maximized productivity and value.
63543	ProMar® 400 Latex Interior Low Sheen ES Enamel	Extra White	TXMAS-5- 51V010	TXMAS	23.98	PL		1.00	Sherwin- Williams	640383741	Mid-level low sheen enamel. Helps to minimize surface imperfections. Good scrubability, burnish and block resistance. Maximized productivity and value.
63543	ProMar® 700 Interior Latex Flat	Dover White	TXMAS-5- 51V010	TXMAS	9.62	PL		5.00	Sherwin- Williams	640354478	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Flat	White	TXMAS-5- 51V010	TXMAS	9.62	PL		5.00	Sherwin- Williams	640354445	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Flat	White	TXMAS-5- 51V010	TXMAS	12.00	GL		1.00	Sherwin- Williams	640354437	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® 700 Interior Latex Flat	Antique White	TXMAS-5- 51V010	TXMAS	9.84	PL	5	5.00	Sherwin- Williams	640354460	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Semi-Gloss	Antique White	TXMAS-5- 51V010	TXMAS	15.81	GL		1.00	Sherwin- Williams	640354502	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Semi-Gloss	Dover White	TXMAS-5- 51V010	TXMAS	14.49	PL	5	5.00	Sherwin- Williams	640356481	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Semi-Gloss	White	TXMAS-5- 51V010	TXMAS	14.49	PL		5.00	Sherwin- Williams	640354494	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Semi-Gloss	White	TXMAS-5- 51V010	TXMAS	15.81	GL		1.00	Sherwin- Williams	640354486	An economical interior latex flat wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63543	ProMar® 700 Interior Latex Semi-Gloss	Antique White	TXMAS-5- 51V010	TXMAS	14.49	PL	5	5.00	Sherwin- Williams	640354510	An economical interior latex semi-gloss wall paint for use on walls and ceilings of primed plaster, wallboard, wood, masonry and primed metal.
63066	ProMar® Alkyd Fast Dry Zone Marking Paint	Yellow	TXMAS-5- 51V010	TXMAS	20.48	PL	5	5.00	Sherwin- Williams	800052920	A fast-drying, medium oil alkyd in two colors, white and yellow, conforming to U.S. Bureau of Public Roads colors. Glass beads can be added for making reflective markings.
63066	ProMar® Alkyd Fast Dry Zone Marking Paint	White	TXMAS-5- 51V010	TXMAS	18.13	PL	5	5.00	Sherwin- Williams	800001299	A fast drying, medium oil alkyd in two colors, white and yellow, conforming to U.S. Bureau of Public Roads colors. Quick drying - High visibility colors - Ready to use - Durable.
63066	ProMar® Alkyd Zone Marking Paint	Yellow (Non- Leaded)	TXMAS-5- 51V010	TXMAS	22.82	GL		1.00	Sherwin- Williams	800051039	A fast-drying, medium oil alkyd in two colors, white and yellow, conforming to U.S. Bureau of Public Roads colors. Glass beads can be added for making reflective markings.
63066	ProMar® Alkyd Zone Marking Paint	Yellow (Non- Leaded)	TXMAS-5- 51V010	TXMAS	21.98	PL	5	5.00	Sherwin- Williams	800051047	A fast-drying, medium oil alkyd in two colors, white and yellow, conforming to U.S. Bureau of Public Roads colors. Glass beads can be added for making reflective markings.
63066	ProMar® Alkyd Zone Marking Paint	White	TXMAS-5- 51V010	TXMAS	20.27	GL		1.00	Sherwin- Williams	6311401	A fast-drying, medium oil alkyd in two colors, white and yellow, conforming to U.S. Bureau of Public Roads colors. Glass beads can be added for making reflective markings.
63066	ProMar® Alkyd Zone Marking Paint	White	TXMAS-5- 51V010	TXMAS	19.02	PL	5	1.00	Sherwin- Williams	6311419	A fast-drying, medium oil alkyd in two colors, white and yellow, conforming to U.S. Bureau of Public Roads colors. Glass beads can be added for making reflective markings.
63543	ProMar® Barn Paint - Latex Gloss	Red	TXMAS-5- 51V010	TXMAS	14.44	PL	5	1.00	Sherwin- Williams	640171526	An economical finish designed to protect exterior surfaces such as barns, silos, sheds, fences and garages.
63543	ProMar® Barn Paint - Latex Gloss	White	TXMAS-5- 51V010	TXMAS	15.94	PL	5	1.00	Sherwin- Williams	640171500	An economical finish designed to protect exterior surfaces such as barns, silos, sheds, fences and garages.
63543	ProMar® Exterior Latex Semi-Gloss	Tinting White	TXMAS-5- 51V010	TXMAS	24.20	PL	5	5.00	Sherwin- Williams	851599993	A mid-grade exterior latex paint in a true semi-gloss finish. This product is available in a wide range of pastel colors and is designed to be applied over all common exterior substrates.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	ProMar® Exterior Solid Color Acrylic Latex Stain	Deep Base	TXMAS-5-51V010	TXMAS	15.70	GL		1.00	Sherwin-Williams	640345625	Ideal for use on properly prepared wood, masonry, metal, rough sawn lumber, textured or abraded plywood, siding shakes and siding shingles.
63543	ProMar® Exterior Solid Color Acrylic Latex Stain	Ultradeep	TXMAS-5-51V010	TXMAS	15.51	PL	5	5.00	Sherwin-Williams	640345658	Ideal for use on properly prepared wood, masonry, metal, rough sawn lumber, textured or abraded plywood, siding shakes and siding shingles.
63543	ProMar® Exterior Solid Color Acrylic Latex Stain	Ultradeep	TXMAS-5-51V010	TXMAS	15.70	GL		1.00	Sherwin-Williams	640345641	Ideal for use on properly prepared wood, masonry, metal, rough sawn lumber, textured or abraded plywood, siding shakes and siding shingles.
63543	ProMar® Exterior Solid Color Acrylic Latex Stain	Extra White	TXMAS-5-51V010	TXMAS	15.51	PL	5	5.00	Sherwin-Williams	640515664	Ideal for use on properly prepared wood, masonry, metal, rough sawn lumber, textured or abraded plywood, siding shakes and siding shingles.
63543	ProMar® Exterior Solid Color Acrylic Latex Stain	Extra White	TXMAS-5-51V010	TXMAS	15.70	GL		1.00	Sherwin-Williams	640515656	Ideal for use on properly prepared wood, masonry, metal, rough sawn lumber, textured or abraded plywood, siding shakes and siding shingles.
63543	ProMar® Exterior Solid Color Acrylic Latex Stain	Deep Base	TXMAS-5-51V010	TXMAS	15.51	PL	5	5.00	Sherwin-Williams	640345633	Ideal for use on properly prepared wood, masonry, metal, rough sawn lumber, textured or abraded plywood, siding shakes and siding shingles.
63056	ProMar® Interior Exterior Semi-Gloss Fill and Finish	White	TXMAS-5-51V010	TXMAS	15.92	PL	5	1.00	Sherwin-Williams	6205660	Has excellent filling characteristics and is designed to provide a high build filling and finish system in one product.
63543	ProMar® Low VOC Acrylic Copolymer Traffic Paint	White	TXMAS-5-51V010	TXMAS	20.22	PL	5	5.00	Sherwin-Williams	800055931	A conventional dry (non-heat applied) acetone based paint. Acetone, as the main solvent, has Exempt Status under Federal law and does not contribute harmful VOC's. Faster dry and hardness development.
63543	ProMar® Low VOC Acrylic Copolymer Traffic Paint	Yellow	TXMAS-5-51V010	TXMAS	20.92	PL	5	5.00	Sherwin-Williams	800055923	A conventional dry (non-heat applied) acetone based paint. Acetone, as the main solvent, has Exempt Status under Federal law and does not contribute harmful VOC's. Faster dry and hardness development.
63543	ProTouch Interior Latex Flat	Deep Base	TXMAS-5-51V010	TXMAS	23.59	GL		1.00	Sherwin-Williams	640383584	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63543	ProTouch Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	23.44	PL	5	5.00	Sherwin-Williams	640383576	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63543	ProTouch Interior Latex Flat	Extra White	TXMAS-5-51V010	TXMAS	23.59	GL		1.00	Sherwin-Williams	640383568	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63543	ProTouch Interior Latex Flat	Deep Base	TXMAS-5-51V010	TXMAS	23.44	PL	5	5.00	Sherwin-Williams	640383592	A high quality product designed for the professional. This product has good washability and durability as well as excellent touch-up.
63056	PVA Interior Exterior	White	TXMAS-5-51V010	TXMAS	23.98	GL		1.00	Sherwin-Williams	640143459	A durable, economical, vinyl acrylic paint for use on interior walls and ceilings.
63056	PVA Interior Exterior	White	TXMAS-5-51V010	TXMAS	23.83	PL	5	5.00	Sherwin-Williams	640136438	A durable, economical, vinyl acrylic paint for use on interior walls and ceilings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Quick Dry 350 Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	29.94	PL	5	5.00	Sherwin- Williams	5232590	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Blending White	TXMAS-5- 51V010	TXMAS	35.88	PL	5	5.00	Sherwin- Williams	5232616	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	29.69	DR	53	###	Sherwin- Williams	5232517	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	29.94	PL	5	5.00	Sherwin- Williams	5232509	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Blending White	TXMAS-5- 51V010	TXMAS	35.59	DR	53	###	Sherwin- Williams	5232624	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	29.69	DR	53	###	Sherwin- Williams	5232608	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	30.18	PL	5	5.00	Sherwin- Williams	5232525	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry 350 Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	33.40	PL	5	5.00	Sherwin- Williams	5232632	A high gloss, fast air drying, VOC-complying coating intended for industrial product finishing applications. Ideal for use on a wide range of metal products including industrial OEM, maintenance, and construction applications.
63543	Quick Dry Enamel	Aluminum	TXMAS-5- 51V010	TXMAS	23.55	PL	5	5.00	Sherwin- Williams	501003172	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Motor Blue	TXMAS-5- 51V010	TXMAS	21.53	DR	53	###	Sherwin- Williams	530101872	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Safety Yellow	TXMAS-5- 51V010	TXMAS	33.19	GL		1.00	Sherwin- Williams	501003388	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	20.48	PL	5	5.00	Sherwin- Williams	501001812	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Safety Yellow	TXMAS-5- 51V010	TXMAS	30.81	DR	53	###	Sherwin- Williams	501004667	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Machine Tool Gray	TXMAS-5- 51V010	TXMAS	23.55	GL		1.00	Sherwin- Williams	530102060	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Caterpillar Yellow	TXMAS-5- 51V010	TXMAS	22.56	DR	53	###	Sherwin- Williams	501003446	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Quick Dry Enamel	Lead Free International Orange	TXMAS-5- 51V010	TXMAS	28.19	GL		1.00	Sherwin- Williams	501003339	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free International Orange	TXMAS-5- 51V010	TXMAS	25.69	DR	53	###	Sherwin- Williams	501004584	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Blending White	TXMAS-5- 51V010	TXMAS	23.66	DR	53	###	Sherwin- Williams	530102037	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Machine Tool Gray	TXMAS-5- 51V010	TXMAS	22.56	PL	5	5.00	Sherwin- Williams	530101799	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Machinery Red	TXMAS-5- 51V010	TXMAS	28.19	PL	5	5.00	Sherwin- Williams	501004634	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Machinery Red	TXMAS-5- 51V010	TXMAS	29.77	GL		1.00	Sherwin- Williams	501003370	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Motor Blue	TXMAS-5- 51V010	TXMAS	23.55	GL		1.00	Sherwin- Williams	530102128	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Caterpillar Yellow	TXMAS-5- 51V010	TXMAS	23.55	PL	5	5.00	Sherwin- Williams	501003438	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Equipment Green	TXMAS-5- 51V010	TXMAS	23.66	DR	53	###	Sherwin- Williams	501004626	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Gloss Clear	TXMAS-5- 51V010	TXMAS	21.53	DR	53	###	Sherwin- Williams	530101963	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Container Blue	TXMAS-5- 51V010	TXMAS	21.53	PL	5	5.00	Sherwin- Williams	501003974	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Container Blue	TXMAS-5- 51V010	TXMAS	20.48	DR	53	###	Sherwin- Williams	501003982	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	24.66	GL		1.00	Sherwin- Williams	530102169	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	22.56	DR	53	###	Sherwin- Williams	530102052	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	21.53	GL		1.00	Sherwin- Williams	530102078	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Quick Dry Enamel	Lead Free Machinery Red	TXMAS-5-51V010	TXMAS	26.67	DR	53	###	Sherwin-Williams	501004642	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free International Orange	TXMAS-5-51V010	TXMAS	26.67	PL	5	5.00	Sherwin-Williams	501004576	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Regal Yellow	TXMAS-5-51V010	TXMAS	31.92	PL	5	5.00	Sherwin-Williams	501004675	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Safety Yellow	TXMAS-5-51V010	TXMAS	31.92	PL	5	5.00	Sherwin-Williams	501004659	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Gloss White	TXMAS-5-51V010	TXMAS	23.55	GL		1.00	Sherwin-Williams	530102144	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Motor Blue	TXMAS-5-51V010	TXMAS	22.56	PL	5	5.00	Sherwin-Williams	530101864	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Container Brown	TXMAS-5-51V010	TXMAS	21.53	PL	5	5.00	Sherwin-Williams	501004089	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Flat Black	TXMAS-5-51V010	TXMAS	20.48	PL	5	5.00	Sherwin-Williams	530101773	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Caterpillar Yellow	TXMAS-5-51V010	TXMAS	24.66	GL		1.00	Sherwin-Williams	501003420	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Regal Yellow	TXMAS-5-51V010	TXMAS	33.19	GL		1.00	Sherwin-Williams	501003396	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Regal Yellow	TXMAS-5-51V010	TXMAS	30.81	DR	53	###	Sherwin-Williams	501004683	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Aluminum	TXMAS-5-51V010	TXMAS	22.56	DR	53	###	Sherwin-Williams	501003180	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Gloss Black	TXMAS-5-51V010	TXMAS	21.53	GL		1.00	Sherwin-Williams	501003297	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Packer Green	TXMAS-5-51V010	TXMAS	21.32	PL	5	5.00	Sherwin-Williams	501053375	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Blending White	TXMAS-5-51V010	TXMAS	24.66	PL	5	5.00	Sherwin-Williams	530102029	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Quick Dry Enamel	Aluminum	TXMAS-5- 51V010	TXMAS	24.66	GL		1.00	Sherwin- Williams	501003347	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Blending White	TXMAS-5- 51V010	TXMAS	25.69	GL		1.00	Sherwin- Williams	530102151	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Gloss White	TXMAS-5- 51V010	TXMAS	22.56	PL	5	5.00	Sherwin- Williams	530101955	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Blending Clear	TXMAS-5- 51V010	TXMAS	23.66	PL	5	5.00	Sherwin- Williams	530102045	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Equipment Green	TXMAS-5- 51V010	TXMAS	25.69	GL		1.00	Sherwin- Williams	501003354	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Lead Free Equipment Green	TXMAS-5- 51V010	TXMAS	24.66	PL	5	5.00	Sherwin- Williams	501004618	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Flat Black	TXMAS-5- 51V010	TXMAS	19.17	DR	53	###	Sherwin- Williams	530101781	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Gloss Black	TXMAS-5- 51V010	TXMAS	19.17	DR	53	###	Sherwin- Williams	501001820	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63543	Quick Dry Enamel	Machine Tool Gray	TXMAS-5- 51V010	TXMAS	21.53	DR	53	###	Sherwin- Williams	530101815	A fast drying industrial finishing enamel intended for coating various metal products. It is ideal for industrial, OEM, maintenance, and new construction applications.
63057	Quik-Kick® Epoxy Accelerator	Additive	TXMAS-5- 51V010	TXMAS	121.32	GL		1.00	Sherwin- Williams	640321923	Designed for use in select Sherwin-Williams epoxy coatings to enhance drying times.
63057	Quik-Kick® Epoxy Accelerator	Additive	TXMAS-5- 51V010	TXMAS	37.90	QT	1	1.00	Sherwin- Williams	640321915	Designed for use in select Sherwin-Williams epoxy coatings to enhance drying times.
63543	Quik-Thane® Urethane Accelerator	Additive	TXMAS-5- 51V010	TXMAS	10.52	QT	1	1.00	Sherwin- Williams	640310025	Designed for use in select Sherwin-Williams two component urethanes to enhance drying times.
63543	Racks - Steel Truck Rack Removeable 250 Lb. Capacity	Black Color	TXMAS-5- 51V010	TXMAS	161.38	EA		1.00	Werner, R. D.	7958358	Removable. Adjusts from 24 inch to 36 inch wide. Two layers of glossy black powder coat finish. 250 lb. load capacity.
63543	Racks - Steel Van Rack Gutter Mounted 600 Lb. Capacity	White Color	TXMAS-5- 51V010	TXMAS	104.88	EA		1.00	Werner, R. D.	9162462	600 Lb. load capacity. Made of welded 14gauge square tubular steel.
63543	Rags - Ash White Road Runners 10 Lb.		TXMAS-5- 51V010	TXMAS	22.13	EA		1.00	B And H Rag Co.	1510981	Road Runner Ash White Rags 10 Pounds

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Rags - Boomerag Premium White Knit 10 Lb. Large Bag		TXMAS-5- 51V010	TXMAS	20.97	EA		1.00	B And H Rag Co.	1637099	Boomerag Premium White Knit 10 Pound Bag
63543	Rags - Boomerag Premium White Knit 5 Lb. Medium Bag		TXMAS-5- 51V010	TXMAS	11.29	EA		1.00	B And H Rag Co.	7817786	Boomerag Premium White Knit 5 Lb. Bag
63543	Rags - Brick Of Washed White Rags 5 Lb.		TXMAS-5- 51V010	TXMAS	10.06	EA		1.00	Intex	5944731	Washed white knit rags. Zipper lock packaging. Soft, absorbent, reusable. For painting, staining, polishing and cleaning.
63543	Rags - In A Box		TXMAS-5- 51V010	TXMAS	14.50	EA		1.00	Scott	1545383	Lint free. Absorbs paints, stains and coatings. 200 per box.
63543	Rags - New White Knit 10 Lbs.		TXMAS-5- 51V010	TXMAS	22.13	EA		1.00	B And H Rag Co.	1535293	New White Knit Rags - 10 Pounds
63543	Rags - Washed White Knit 10 Lbs.		TXMAS-5- 51V010	TXMAS	17.06	EA		1.00	Intex	1618263	Washed White Knit Rags 10 Pounds
63543	Rags - Washed White Knit 5 Lb. Box		TXMAS-5- 51V010	TXMAS	10.04	EA		1.00	Bedford Precision Parts Corp	1644699	Wiping Rags - Washed White Knit 5 Lb. Box
63543	Rags - Washed White Knit 5 Lbs.		TXMAS-5- 51V010	TXMAS	10.23	EA		1.00	Intex	1618255	Washed White Knit Rags 5 Pound Box
63543	Rags - White Knit Rags 10 Lb. Brick		TXMAS-5- 51V010	TXMAS	16.13	EA		1.00	Intex	1637818	White Knit Rags 10 Lb. Brick
63543	Rags - White Washed Knit 10 Lbs.		TXMAS-5- 51V010	TXMAS	17.06	EA		1.00	B And H Rag Co.	1527878	White Washed Knit Rags 10 Pounds
63057	Recoatable Epoxy Primer	Hardener	TXMAS-5- 51V010	TXMAS	31.41	GL		1.00	Sherwin- Williams	6304265	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63057	Recoatable Epoxy Primer	Hardener	TXMAS-5- 51V010	TXMAS	30.17	PL	5	1.00	Sherwin- Williams	6304273	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63057	Recoatable Epoxy Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	31.41	GL		1.00	Sherwin- Williams	6309892	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63057	Recoatable Epoxy Primer	Gray	TXMAS-5- 51V010	TXMAS	37.44	GL		1.00	Sherwin- Williams	640329702	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63057	Recoatable Epoxy Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	30.17	PL	5	1.00	Sherwin- Williams	6300990	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Recoatable Epoxy Primer	Tan	TXMAS-5- 51V010	TXMAS	30.17	PL	5	1.00	Sherwin- Williams	6304257	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63057	Recoatable Epoxy Primer	Tan	TXMAS-5- 51V010	TXMAS	31.41	GL		1.00	Sherwin- Williams	6304240	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63057	Recoatable Epoxy Primer	Gray	TXMAS-5- 51V010	TXMAS	30.17	PL	5	1.00	Sherwin- Williams	640145165	A rust inhibitive high build catalyzed polyamide/bisphenol A epoxy primer designed for fast dry and quick or extended recoatability. Meets Class A requirements for ASTM A490 Slip Coefficient and Creep Resistance, .50.
63082	Reducer - (Toluol) Toluene R2K1		TXMAS-5- 51V010	TXMAS	5.93	DR	55	1.00	Sherwin- Williams	1542364	A colorless medium strength solvent with medium drying characteristics. For thinning specified paints, varnishes and enamels; general cleaning and degreasing solvent.
63082	Reducer - Acetone R6K9		TXMAS-5- 51V010	TXMAS	7.60	PL	5	1.00	Sherwin- Williams	1548783	A colorless very high strength solvent with fast dry characteristics. For thinning many epoxy and fiberglass resins, lacquers and adhesives. Excellent for dissolving waxes and grease.
63082	Reducer - Acetone R6K9		TXMAS-5- 51V010	TXMAS	7.21	DR	55	1.00	Sherwin- Williams	1548718	A colorless very high strength solvent with fast dry characteristics. For thinning many epoxy and fiberglass resins, lacquers and adhesives. Excellent for dissolving waxes and grease.
63082	Reducer - High Flash Naphtha 100 R2K5		TXMAS-5- 51V010	TXMAS	7.48	PL	5	1.00	Sherwin- Williams	1544576	A slow evaporating aromatic. Used as retarder to improve flow or as part of a solvent blend. Not HAPS Complying.
63082	Reducer - High Flash Naphtha 100 R2K5		TXMAS-5- 51V010	TXMAS	6.60	DR	55	1.00	Sherwin- Williams	1544584	A slow evaporating aromatic. Used as retarder to improve flow or as part of a solvent blend. Not HAPS Complying.
63082	Reducer - High Flash Naphtha 100 R2K5		TXMAS-5- 51V010	TXMAS	8.37	GL		1.00	Sherwin- Williams	1548767	A slow evaporating aromatic. Used as retarder to improve flow or as part of a solvent blend. Not HAPS Complying.
63082	Reducer - High Flash Naphtha 150 R2KT4		TXMAS-5- 51V010	TXMAS	9.26	DR	55	1.00	Sherwin- Williams	1544592	A slow evaporating aromatic solvent. Use as a retarder to improve flow.
63082	Reducer - High Flash Naphtha 150 R2KT4		TXMAS-5- 51V010	TXMAS	10.14	PL	5	1.00	Sherwin- Williams	1544600	A slow evaporating aromatic solvent. Use as a retarder to improve flow.
63082	Reducer - High Flash Naphtha 150 R2KT4		TXMAS-5- 51V010	TXMAS	11.04	GL		1.00	Sherwin- Williams	1548809	A slow evaporating aromatic solvent. Use as a retarder to improve flow.
63082	Reducer - Lacquer Thinner K119		TXMAS-5- 51V010	TXMAS	7.48	GL		1.00	Sw Automotive Finishes	1548791	Very economical lacquer thinner blend with fast evaporation and drying speed. Typically suited for use where rapid flash off is desired or where the temperature range is low. Can be used as a utility thinner for cleanup or virtually all coatings.
63082	Reducer - Lacquer Thinner K119		TXMAS-5- 51V010	TXMAS	6.60	PL	5	5.00	Sw Automotive Finishes	1544709	Very economical lacquer thinner blend with fast evaporation and drying speed. Typically suited for use where rapid flash off is desired or where the temperature range is low. Can be used as a utility thinner for cleanup or virtually all coatings.
63082	Reducer - Lacquer Thinner K119		TXMAS-5- 51V010	TXMAS	5.72	DR	55	1.00	Sw Automotive Finishes	1544691	Very economical lacquer thinner blend with fast evaporation and drying speed. Typically suited for use where rapid flash off is desired or where the temperature range is low. Can be used as a utility thinner for cleanup or virtually all coatings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Reducer - Lacquer Thinner K120		TXMAS-5-51V010	TXMAS	7.48	PL	5	1.00	Sw Automotive Finishes	1542315	Is a very economical lacquer thinner blend with fast evaporation and drying speed. Excellent solvent strength with tinted opex lacquers. Good flow leveling quality for industrial usage with excellent blush resistance.
63082	Reducer - Lacquer Thinner K120		TXMAS-5-51V010	TXMAS	6.60	DR	55	1.00	Sw Automotive Finishes	1542307	Is a very economical lacquer thinner blend with fast evaporation and drying speed. Excellent solvent strength with tinted opex lacquers. Good flow leveling quality for industrial usage with excellent blush resistance.
63082	Reducer - Lacquer Thinner K120		TXMAS-5-51V010	TXMAS	8.37	GL		1.00	Sw Automotive Finishes	1548726	Is a very economical lacquer thinner blend with fast evaporation and drying speed. Excellent solvent strength with tinted opex lacquers. Good flow leveling quality for industrial usage with excellent blush resistance.
63082	Reducer - Lacquer Thinner K22		TXMAS-5-51V010	TXMAS	16.35	GL		1.00	Sherwin-Williams	5308556	Stronger solvent strength lacquer thinner. Excellent for use with claear and pigmented lacquers.
63082	Reducer - Lacquer Thinner K22		TXMAS-5-51V010	TXMAS	15.45	PL	5	5.00	Sherwin-Williams	5308564	Stronger solvent strength lacquer thinner. Excellent for use with claear and pigmented lacquers.
63082	Reducer - Lacquer Thinner K22		TXMAS-5-51V010	TXMAS	14.58	DR	55	###	Sherwin-Williams	5308572	Stronger solvent strength lacquer thinner. Excellent for use with claear and pigmented lacquers.
63082	Reducer - MEK Methyl Ethyl Ketone R6K10		TXMAS-5-51V010	TXMAS	11.91	GL		1.00	Sherwin-Williams	1548734	A colorless high strength solvent with slower drying characteristics. Used for thinning most types of lacquers, nitrocellulose, acrylic, butyrate and coatings based on vinyl solution and epoxy resins.
63082	Reducer - MEK Methyl Ethyl Ketone R6K10		TXMAS-5-51V010	TXMAS	11.04	PL	5	1.00	Sherwin-Williams	1542414	A colorless high strength solvent with slower drying characteristics. Used for thinning most types of lacquers, nitrocellulose, acrylic, butyrate and coatings based on vinyl solution and epoxy resins.
63082	Reducer - MEK Methyl Ethyl Ketone R6K10		TXMAS-5-51V010	TXMAS	10.14	DR	55	1.00	Sherwin-Williams	1542406	A colorless high strength solvent with slower drying characteristics. Used for thinning most types of lacquers, nitrocellulose, acrylic, butyrate and coatings based on vinyl solution and epoxy resins.
63082	Reducer - Mineral Spirits		TXMAS-5-51V010	TXMAS	8.37	GL		1.00	Packaging Services	1184209	For use in reducing artist oil colors and most brush applied alkyd and oil type paints, varnishes, and enamels. Improves brushing qualities. Cleans brushes, rollers and spray equipment. Removes dirt and greases from surfaces before painting.
63082	Reducer - Mineral Spirits R1K4		TXMAS-5-51V010	TXMAS	5.02	DR	55	1.00	Sherwin-Williams	1542323	A proprietary blend of low odor petroleum distillation. It is used for thinning oil-based paints and general cleaning purposes. This product is non photochemically reactive.
63082	Reducer - Mineral Spirits R1K4		TXMAS-5-51V010	TXMAS	7.05	GL		1.00	Sherwin-Williams	1548759	A proprietary blend of low odor petroleum distillation. It is used for thinning oil-based paints and general cleaning purposes. This product is non photochemically reactive.
63082	Reducer - Mineral Spirits R1K4		TXMAS-5-51V010	TXMAS	5.37	PL	5	5.00	Sherwin-Williams	1542331	A proprietary blend of low odor petroleum distillation. It is used for thinning oil-based paints and general cleaning purposes. This product is non photochemically reactive.
63082	Reducer - Paint Thinner In Metal Container		TXMAS-5-51V010	TXMAS	4.40	GL		1.00	Star Tex	1600162	Our various paint thinners are a proprietary blend of low odor petroleum distillates for thinning oil-based paints. Used for general cleaning. Available in 1 Quart, 1 Gallon, 2-1/2 Gallon and 5 Gallon metal containers.
63082	Reducer - Paint Thinner In Metal Container		TXMAS-5-51V010	TXMAS	4.77	GL		1.00	Star Tex	1600972	Our various paint thinners are a proprietary blend of low odor petroleum distillates for thinning oil-based paints. Used for general cleaning. Available in 1 Quart, 1 Gallon, 2-1/2 Gallon and 5 Gallon metal containers.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Reducer - Polane® Reducer K84		TXMAS-5- 51V010	TXMAS	13.69	PL	5	5.00	Sherwin- Williams	5302153	A non-photochemically reactive general purpose reducer.
63082	Reducer - Polane® Reducer K84		TXMAS-5- 51V010	TXMAS	12.80	DR	55	###	Sherwin- Williams	5302161	A non-photochemically reactive general purpose reducer.
63082	Reducer - Polane® Reducer K84		TXMAS-5- 51V010	TXMAS	14.58	GL		4.00	Sherwin- Williams	5302658	A non-photochemically reactive general purpose reducer.
63082	Reducer - Polane® Reducer K94		TXMAS-5- 51V010	TXMAS	13.69	PL	5	5.00	Sherwin- Williams	5302179	For use with Polane HS and HS T enamels for both gloss and low gloss. Polane 94 is a non-photochemically reactive reducer.
63082	Reducer - Polane® Reducer K94		TXMAS-5- 51V010	TXMAS	12.80	DR	55	###	Sherwin- Williams	5302187	For use with Polane HS and HS T enamels for both gloss and low gloss. Polane 94 is a non-photochemically reactive reducer.
63082	Reducer - Polane® Reducer K94		TXMAS-5- 51V010	TXMAS	14.58	GL		4.00	Sherwin- Williams	5302666	For use with Polane HS and HS T enamels for both gloss and low gloss. Polane 94 is a non-photochemically reactive reducer.
63082	Reducer - Polane® Reducer R7K69		TXMAS-5- 51V010	TXMAS	11.04	PL	5	5.00	Sherwin- Williams	5302138	A general purpose, photochemically reactive reducer for use with Polane T and Polane B enamel.
63082	Reducer - Polane® Reducer R7K69		TXMAS-5- 51V010	TXMAS	10.14	DR	55	###	Sherwin- Williams	5302146	A general purpose, photochemically reactive reducer for use with Polane T and Polane B enamel.
63082	Reducer - Polane® Reducer R7K69		TXMAS-5- 51V010	TXMAS	11.91	GL		4.00	Sherwin- Williams	5302641	A general purpose, photochemically reactive reducer for use with Polane T and Polane B enamel.
63082	Reducer - R2K4 Xylene		TXMAS-5- 51V010	TXMAS	3.10	QT	1	1.00	Star Tex	1600717	A colorless medium strength solvent with slow drying characteristics. Used for thinning specified paints, varnishes and enamels. Used as a general cleaning and degreasing solvent.
63082	Reducer - R7K130 For MIL Seaguard Products		TXMAS-5- 51V010	TXMAS	19.32	GL		1.00	Sherwin- Williams	640312914	Thinner for Seaguard Mil Spec Coatings.
63082	Reducer - R7K130 For MIL Seaguard Products		TXMAS-5- 51V010	TXMAS	21.25	PL	5	1.00	Sherwin- Williams	640312922	Thinner for Seaguard Mil Spec Coatings.
63082	Reducer - Retarder Thinner R7K27		TXMAS-5- 51V010	TXMAS	18.99	PL	5	5.00	Sherwin- Williams	5308655	A slower evaporating lacquer thinner intended for use in warm weather to improve flow and leveling and to eliminate blushing.
63082	Reducer - Retarder Thinner R7K27		TXMAS-5- 51V010	TXMAS	19.89	GL		1.00	Sherwin- Williams	5308614	A slower evaporating lacquer thinner intended for use in warm weather to improve flow and leveling and to eliminate blushing.
63082	Reducer - Retarder Thinner R7K27		TXMAS-5- 51V010	TXMAS	17.13	DR	55	###	Sherwin- Williams	5308663	A slower evaporating lacquer thinner intended for use in warm weather to improve flow and leveling and to eliminate blushing.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	Reducer - Toluene (Toluol) R2K1		TXMAS-5- 51V010	TXMAS	6.85	PL	5	5.00	Sherwin- Williams	1542372	A colorless medium strength solvent with medium drying characteristics. For thinning specified paints, varnishes and enamels; general cleaning and degreasing solvent.
63082	Reducer - VM and P Naphtha R1K3		TXMAS-5- 51V010	TXMAS	7.05	PL	5	1.00	Sherwin- Williams	1542356	A fast drying solvent: thin paints, varnishes, enamels where aliphatic hydrocarbons are of sufficient strength. Higher solvency than mineral spirits.
63082	Reducer - VM and P Naphtha R1K3		TXMAS-5- 51V010	TXMAS	7.92	GL		1.00	Sherwin- Williams	1548700	A fast drying solvent: thin paints, varnishes, enamels where aliphatic hydrocarbons are of sufficient strength. Higher solvency than mineral spirits.
63082	Reducer - VM and P Naphtha R1K3		TXMAS-5- 51V010	TXMAS	6.60	DR	55	1.00	Sherwin- Williams	1542349	A fast drying solvent: thin paints, varnishes, enamels where aliphatic hydrocarbons are of sufficient strength. Higher solvency than mineral spirits.
63082	Reducer - Xylene		TXMAS-5- 51V010	TXMAS	5.71	QT	1	1.00	Packaging Services	1183557	Used for thinning paints, varnishes and alkyd resins. Often specified as a thinner for specialty paints and coatings. Similar to Toluene, but the evaporation rate is about 5 times slower.
63082	Reducer - Xylene (Xylol) R2K4		TXMAS-5- 51V010	TXMAS	5.47	DR	55	1.00	Sherwin- Williams	1542380	A colorless medium strength solvent with slow drying characteristics. Used for thinning specified paints, varnishes and enamels. Used as a general cleaning and degreasing solvent.
63082	Reducer - Xylene (Xylol) R2K4		TXMAS-5- 51V010	TXMAS	6.39	PL	5	1.00	Sherwin- Williams	1542398	A colorless medium strength solvent with slow drying characteristics. Used for thinning specified paints, varnishes and enamels. Used as a general cleaning and degreasing solvent.
63082	Reducer - Xylene (Xylol) R2K4		TXMAS-5- 51V010	TXMAS	7.32	GL		1.00	Sherwin- Williams	1548684	A colorless medium strength solvent with slow drying characteristics. Used for thinning specified paints, varnishes and enamels. Used as a general cleaning and degreasing solvent.
63543	Repair Tape - Fibra Tape Self Adhesive Glass Mesh For Wall Repair	2 Inch x 50 Ft.	TXMAS-5- 51V010	TXMAS	3.43	EA		1.00	Permaglas Mesh	1620699	Ideal for crack and hole repair. For small joint finishing projects. Will tape three to four drywall sheets.
63543	Respirator - 3M 7000 Series Professional Dual Cartridge Respirator R7512ES	Large	TXMAS-5- 51V010	TXMAS	45.76	EA		1.00	3M	9379678	Cool flow exhalation valve reduces heat and moisture buildup. Lower exhalation breathing resistance with valve located in front versus bottom. Advanced silicone material for softer feel on the face and less tension on the nose. Increased durability.
63543	Respirator - 3M 7000 Series Professional Dual Cartridge Respirator R7513ES	Medium	TXMAS-5- 51V010	TXMAS	45.76	EA		1.00	3M	9379686	Cool flow exhalation valve reduces heat and moisture buildup. Lower exhalation breathing resistance with valve located in front versus bottom. Advanced silicone material for softer feel on the face and less tension on the nose.
63543	Respirator - 3M 8210+CP Respirator		TXMAS-5- 51V010	TXMAS	10.00	EA		1.00	3M	1650381	Building on all of the features that have made the 3M Particulate Respirator 8210 the most widely used N95 in industry, the PLUS offers new comfortable braided headbands and staple free attachment. Helps provide a custom and secure fit.
63543	Respirator - 3M Latex Paint And Odor Respirator 8656		TXMAS-5- 51V010	TXMAS	5.21	EA		1.00	3M	7428790	Ideal protection against sanding and fiberglass insulation dust when odor is present. Meets NIOSH 42 CFR 84 N95 requirements. 95% efficient against solid and liquid aerosols that do not contain oil. Lightweight and comfortable.
63543	Respirator - 3M N95 Particle Respirator 9211	Flat Fold	TXMAS-5- 51V010	TXMAS	2.99	EA		1.00	3M	5940176	Folds easily for pocket storage. Crush resistant. Convenient.
63543	Particle Filter for 5000, 6000,And 7000 Series Respirators 5P71		TXMAS-5- 51V010	TXMAS	2.00	EA		1.00	3M	9039934	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Respirator - 3M Respirator Assembly 68P71	Full Face	TXMAS-5- 51V010	TXMAS	147.59	EA		1.00	3M	4751491	Low maintenance. Replaceable filters. Includes 6001 OV cartridges, 5P71 P95 filters, 501 filter retainers and 6885 face shield covers.
63543	Respirator - 3M Sanding And Fiberglass Insulation Respirator 8654		TXMAS-5- 51V010	TXMAS	5.21	EA		1.00	3M	1603901	Lightweight. Contour fit. Easy breathing. Maintenance free.
63543	Respirator - 3M Spray Pack R6023 For 6000 And 7000 Series Respirator		TXMAS-5- 51V010	TXMAS	16.74	EA		1.00	3M	1650407	Spray Pack R6023 For 6000 And 7000 Series
63543	Respirator - 3M With Replaceable Cartridges And Filters R6211	Medium Size	TXMAS-5- 51V010	TXMAS	30.89	EA		1.00	3M	1546068	Lightweight, reusable facepiece. Low maintenance - cost efficient. NIOSH/MSHA approved. Easy to breath through. Provides eye protection.
63543	Respirator - 3M With Replaceable Cartridges And Filters R6311	Large Size	TXMAS-5- 51V010	TXMAS	30.65	EA		1.00	3M	4035028	Lightweight, reusable facepiece. Low maintenance - cost efficient. NIOSH/MSHA approved. Easy to breath through. Provides eye protection.
63543	Respirator - Dual Cartridge Respirator 40- 128	Medium	TXMAS-5- 51V010	TXMAS	43.02	EA		1.00	Itw Industrial Finishing	2867034	Made from a soft, durable rubber compound. Comfortable and stable fit. Not to be used with urethane paints or paints containing di-isocyanates.
63543	Respirator - Respirator Pre Filter 10 Pack For 40- 128 Respirator		TXMAS-5- 51V010	TXMAS	20.77	EA		1.00	Itw Industrial Finishing	1608231	Protect painters from paint particles. Oil resistant. Must be used with Binks cartridges.
63543	Respirator - Respirator Replacement Cartridge 2 Pack For 40-128 Respirator		TXMAS-5- 51V010	TXMAS	12.52	EA		1.00	Itw Industrial Finishing	4635561	Protects painters from organic vapors of paints. Replace chemical cartridges when you detect odor, taste vapors or experience eye, nose or throat irritation.
63547	Roller Cover - Contractor Series Soft Woven 4 Inch Trim	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Sherwin- Williams	1803337	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Mohair 2 Pack	6-1/2 Inch 2 Pack. 12 Pack	TXMAS-5- 51V010	TXMAS	6.45	EA		1.00	Sherwin- Williams	1806843	
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Pink Knit 12 Pack	6-1/2 Inch 12 Pack. 12 Pack	TXMAS-5- 51V010	TXMAS	15.98	EA		1.00	Sherwin- Williams	1806918	
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Pink Knit 2 Pack	6-1/2 Inch 2 Pack. 12 Pack	TXMAS-5- 51V010	TXMAS	4.17	EA		1.00	Sherwin- Williams	1806835	
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Woven 2 Pack	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	5.32	EA		1.00	Sherwin- Williams	1806876	
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Woven 2 Pack	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	5.71	EA		1.00	Sherwin- Williams	1806884	
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Woven 2 Pack	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	4.94	EA		1.00	Sherwin- Williams	1806868	

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Cover - Contractor Series® 6-1/2 Inch Mini Roller Elite Woven 2 Pack	1/4 Inch Nap	TXMAS-5-51V010	TXMAS	4.56	EA		1.00	Sherwin-Williams	1806850	
63547	Roller Cover - Contractor Series® Mini Rollers High Absorbancy Microfiber	6 Inch	TXMAS-5-51V010	TXMAS	5.70	EA		1.00	Sherwin-Williams	1806694	Apply paint to both sides of a corner at the same time due to wrap around naps. Ideal for high gloss coatings.
63547	Roller Cover - Contractor Series® Mini Rollers High Absorbancy Microfiber	4 Inch	TXMAS-5-51V010	TXMAS	4.92	EA		1.00	Sherwin-Williams	1806686	Apply paint to both sides of a corner at the same time due to wrap around naps. Ideal for high gloss coatings.
63547	Roller Cover - Contractor Series® Mini Rollers Woven Large Diameter 2 Pack	6 Inch	TXMAS-5-51V010	TXMAS	11.30	EA		1.00	Sherwin-Williams	1802545	Apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Cover - Contractor Series® Mini Rollers Woven Large Diameter 2 Pack	4 Inch	TXMAS-5-51V010	TXMAS	8.46	EA		1.00	Sherwin-Williams	1802511	Sherwin-Williams mini-rollers apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing.
63547	Roller Cover - Contractor Series® Mini Rollers Woven Small Diameter 2 Pack	6 Inch	TXMAS-5-51V010	TXMAS	6.03	EA		1.00	Sherwin-Williams	1802537	Apply paint to both sides of a corner at the same time due to wrap around naps. Ideal for high gloss coatings.
63547	Roller Cover - Contractor Series® Mini Rollers Woven Small Diameter 2 Pack	4 Inch	TXMAS-5-51V010	TXMAS	4.43	EA		1.00	Sherwin-Williams	1802503	Apply paint to both sides of a corner at the same time due to wrap around naps. Ideal for high gloss coatings.
63547	Roller Cover - Contractor Series® Mini Sheepskin	4 Inch	TXMAS-5-51V010	TXMAS	6.02	EA		1.00	Sherwin-Williams	1802560	Sherwin-Williams mini-rollers apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Cover - Contractor Series® Mini-Rollers Woven Small Diameter 6 Pack	4 Inch	TXMAS-5-51V010	TXMAS	9.86	EA		1.00	Sherwin-Williams	1806660	Apply paint to both sides of a corner at the same time due to wrap around naps. Ideal for high gloss coatings.
63547	Roller Cover - Contractor Series® Poly Wool Blend 9 Inch	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	6.02	EA		1.00	Sherwin-Williams	1803022	Combine the benefits of wool with the durability of polyester. Naturally absorbant wool picks up and releases more paint while the polyester adds longer service and less matting than 100% wool.
63547	Roller Cover - Contractor Series® Poly Wool Blend 9 Inch	1-1/4 Inch Nap	TXMAS-5-51V010	TXMAS	7.21	EA		1.00	Sherwin-Williams	1803048	Combine the benefits of wool with the durability of polyester. Naturally absorbant wool picks up and releases more paint while the polyester adds longer service and less matting than 100% wool.
63547	Roller Cover - Contractor Series® Poly Wool Blend 9 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	6.84	EA		1.00	Sherwin-Williams	1803030	combine the benefits of wool with the durability of polyester. Naturally absorbant wool picks up and releases more paint while the polyester adds longer service and less matting than 100% wool.
63547	Roller Cover - Contractor Series® Poly Wool Blend 9 Inch	3/8 Inch Nap	TXMAS-5-51V010	TXMAS	5.64	EA		1.00	Sherwin-Williams	1803014	Combine the benefits of wool with the durability of polyester. Naturally absorbant wool picks up and releases more paint while the polyester adds longer service and less matting than 100% wool.
63547	Roller Cover - Contractor Series® Polyester Knit 14 Inch	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	6.45	EA		1.00	Sherwin-Williams	1806405	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 18 Inch	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	9.63	EA		1.00	Sherwin-Williams	1803386	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Cover - Contractor Series® Polyester Knit 18 Inch	1-1/4 Inch Nap	TXMAS-5-51V010	TXMAS	10.43	EA		1.00	Sherwin-Williams	1802362	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 18 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	10.09	EA		1.00	Sherwin-Williams	1803394	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 18 Inch	3/8 Inch Nap	TXMAS-5-51V010	TXMAS	9.29	EA		1.00	Sherwin-Williams	1803378	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 4 Inch	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	4.00	EA		1.00	Sherwin-Williams	1705938	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 4 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	4.41	EA		1.00	Sherwin-Williams	1734953	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 4 Inch	3/8 Inch Nap	TXMAS-5-51V010	TXMAS	3.80	EA		1.00	Sherwin-Williams	1554658	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 7 Inch	3/8 Inch Nap	TXMAS-5-51V010	TXMAS	2.81	EA		1.00	Sherwin-Williams	1804640	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 7 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	3.20	EA		1.00	Sherwin-Williams	1804665	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 7 Inch	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	2.98	EA		1.00	Sherwin-Williams	1804657	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 9 Inch	1-1/4 Inch Nap	TXMAS-5-51V010	TXMAS	5.64	EA		1.00	Sherwin-Williams	1734326	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 9 Inch	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	4.82	EA		1.00	Sherwin-Williams	1734300	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 9 Inch	1 Inch Nap	TXMAS-5-51V010	TXMAS	5.21	EA		1.00	Sherwin-Williams	1734409	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Polyester Knit 9 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	5.08	EA		1.00	Sherwin-Williams	1734318	Unique blend of durable polyester. Dense fabric blend specially formulated for good pickup and even release. High-crimp, resilient fibers offers best protection from fabric matting.
63547	Roller Cover - Contractor Series® Sheepskin 14 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	14.52	EA		1.00	Sherwin-Williams	1806413	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.
63547	Roller Cover - Contractor Series® Sheepskin 18 Inch	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	19.98	EA		1.00	Sherwin-Williams	1806769	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Cover - Contractor Series® Sheepskin 9 Inch	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	9.63	EA		1.00	Sherwin- Williams	1551456	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.
63547	Roller Cover - Contractor Series® Sheepskin 9 Inch	1-1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	11.29	EA		1.00	Sherwin- Williams	1551498	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.
63547	Roller Cover - Contractor Series® Sheepskin 9 Inch	1 Inch Nap	TXMAS-5- 51V010	TXMAS	9.51	EA		1.00	Sherwin- Williams	1806488	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.
63547	Roller Cover - Contractor Series® Sheepskin 9 Inch	1-1/4 Inch Nap	TXMAS-5- 51V010	TXMAS	10.43	EA		1.00	Sherwin- Williams	1551480	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.
63547	Roller Cover - Contractor Series® Sheepskin 9 Inch	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	9.91	EA		1.00	Sherwin- Williams	1551464	Merino Sheepskin pelt for maximum performance with oil and latex coatings. Natural pelts shed less than knitted wool covers. Naturally absorbent wool for maximum pickup and release. Excellent cleanability.
63547	Roller Cover - Contractor Series® Soft Woven 14 Inch	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	7.25	EA		1.00	Sherwin- Williams	1806397	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 18 Inch	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	8.71	EA		1.00	Sherwin- Williams	1806736	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 18 Inch	1/4 Inch Nap	TXMAS-5- 51V010	TXMAS	7.43	EA		1.00	Sherwin- Williams	1806728	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 18 Inch	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	10.43	EA		1.00	Sherwin- Williams	1802370	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 4 Inch Trim	1/4 Inch Nap	TXMAS-5- 51V010	TXMAS	4.23	EA		1.00	Sherwin- Williams	1805423	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 7 Inch	1/4 Inch Nap	TXMAS-5- 51V010	TXMAS	2.66	EA		1.00	Sherwin- Williams	1806058	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 7 Inch	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	2.92	EA		1.00	Sherwin- Williams	1805639	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 9 Inch	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	6.47	EA		1.00	Sherwin- Williams	1731710	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 9 Inch	1/4 Inch Nap	TXMAS-5- 51V010	TXMAS	5.21	EA		1.00	Sherwin- Williams	1731769	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 9 Inch	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	6.02	EA		1.00	Sherwin- Williams	1731785	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Cover - Contractor Series® Soft Woven 9 Inch	3/8 Inch Nap	TXMAS-5-51V010	TXMAS	5.64	EA		1.00	Sherwin-Williams	1731777	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Contractor Series® Soft Woven 9 Inch 3 Pack	3/8 Inch Nap	TXMAS-5-51V010	TXMAS	7.98	EA		1.00	Sherwin-Williams	1805670	Tightly woven fabric delivers virtually lint-free performance with latex and oil coatings. Extra-dense weave offers the smoothest finish. Duracore polypropylene cores provide the most durable, reusable and solvent resistant core.
63547	Roller Cover - Faux Finishing Check Design	4 Inch	TXMAS-5-51V010	TXMAS	15.95	EA		1.00	Bestt Liebco	1801844	Will apply a realistic background check mark to complete woodgrain patterns. Also used in complementing strie patterns.
63547	Roller Cover - Foam Contractor Series® Mini 2 Pack	6 Inch	TXMAS-5-51V010	TXMAS	6.47	EA		1.00	Sherwin-Williams	1802552	Sherwin-Williams mini-rollers apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Cover - Foam Contractor Series® Mini 2 Pack	4 Inch	TXMAS-5-51V010	TXMAS	4.25	EA		1.00	Sherwin-Williams	1802529	Sherwin-Williams mini-rollers apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Cover - General Purpose Twin Pack	1/2 Inch	TXMAS-5-51V010	TXMAS	3.21	EA		1.00	Sherwin-Williams	1803360	High density fabric. Economy grade.
63547	Roller Cover - Illusions® Specialty Edge Roller	4 Inch	TXMAS-5-51V010	TXMAS	4.92	EA		1.00	Sherwin-Williams	1806439	Recommended for application of Sherwin-Williams Illusions® SoftSuede and SandScapes finishes.
63547	Roller Cover - Illusions® Specialty Edge Roller Replacement	4 Inch	TXMAS-5-51V010	TXMAS	3.34	EA		1.00	Sherwin-Williams	1806538	Recommended for application of Sherwin-Williams Illusions® SoftSuede and SandScapes finishes.
63547	Roller Cover - Illusions® Specialty Roller Replacement	9 Inch	TXMAS-5-51V010	TXMAS	4.17	EA		1.00	Sherwin-Williams	1806546	Recommended for application of Sherwin-Williams Illusions® SoftSuede and SandScapes faux finishes.
63547	Roller Cover - Illusions® Specialty Roller With Spatter Guard	9 Inch	TXMAS-5-51V010	TXMAS	7.98	EA		1.00	Sherwin-Williams	1806421	Recommended for application of Sherwin-Williams Illusions® SoftSuede and SandScapes faux finishes.
63547	Roller Cover - Poly Foam	9 Inch	TXMAS-5-51V010	TXMAS	1.76	EA		1.00	Sherwin-Williams	1803204	Foam Roller Cover 9 inch
63547	Roller Cover - Premium	3/8 Inch	TXMAS-5-51V010	TXMAS	4.87	EA		1.00	Sherwin-Williams	1552868	Polyester knit roller covers.
63547	Roller Cover - Premium	1/4 Inch	TXMAS-5-51V010	TXMAS	4.87	EA		1.00	Sherwin-Williams	1552850	Polyester knit roller covers.
63547	Roller Cover - Pro Six Pack	3/4 Inch Nap	TXMAS-5-51V010	TXMAS	10.43	EA		1.00	Sherwin-Williams	1803352	Professional roller cover value pack - 6 Pack 9 Inch roller cover. Polypropylene core.
63547	Roller Cover - Pro Six Pack	1/2 Inch Nap	TXMAS-5-51V010	TXMAS	9.63	EA		1.00	Sherwin-Williams	1731660	Professional roller cover value pack - 6 Pack 9 Inch roller cover. Polypropylene core.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Cover - Purdy® Golden Eagle Roller Cover	9x3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	5.93	EA		1.00	Purdy	2432649	Using only quality fabrics, our covers are specially blended to the proper density, right percentage of under piling, right percentage of long fibers. This assures the cover will "load" well and release evenly.
63547	Roller Cover - Purdy® Golden Eagle Roller Cover	9x1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	5.47	EA		1.00	Purdy	2432631	Using only quality fabrics, our covers are specially blended to the proper density, right percentage of under piling, right percentage of long fibers. This assures the cover will "load" well and release evenly.
63547	Roller Cover - Purdy® White Dove Roller Cover	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	6.84	EA	24	1.00	Purdy	4922712	Using only quality fabrics, our covers are specially blended to the proper density (right percentage of under piling, right percentage of long fibers). This assures the cover will "load" well and release evenly.
63547	Roller Cover - Purdy® White Dove Roller Cover	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	7.03	EA		1.00	Purdy	4985453	Using only quality fabrics, our covers are specially blended to the proper density (right percentage of under piling, right percentage of long fibers). This assures the cover will "load" well and release evenly.
63547	Roller Cover - Purdy® White Dove Roller Cover	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	6.39	EA	24	1.00	Purdy	2432599	Using only quality fabrics, our covers are specially blended to the proper density (right percentage of under piling, right percentage of long fibers). This assures the cover will "load" well and release evenly.
63547	Roller Cover - Red Mohair Tru-Pro	1/4 Inch Nap 9 Inch Width	TXMAS-5- 51V010	TXMAS	4.25	EA		1.00	Sw Bestt Liebco	8135527	Tru-Pro 1/4 Inch Nap red mohair roller cover 9 Inch width.
63547	Roller Cover - Sher-Fab Nylon Polyester Knit 9 Inch	3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	4.52	EA		1.00	Sherwin- Williams	1551332	Nylon fibers make this our most durable cover for latex and oil coatings. Softer crimp for painters who prefer to roll with a lighter touch. The best choice for rough, abrasive surfaces. Solvent resistant core.
63547	Roller Cover - Sher-Fab Nylon Polyester Knit 9 Inch	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	9.37	EA		1.00	Sherwin- Williams	1806751	Nylon fibers make this our most durable cover for latex and oil coatings. Softer crimp for painters who prefer to roll with a lighter touch. The best choice for rough, abrasive surfaces. Solvent resistant core.
63547	Roller Cover - Sher-Fab Nylon Polyester Knit 9 Inch	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	5.08	EA		1.00	Sherwin- Williams	1551357	Nylon fibers make this our most durable cover for latex and oil coatings. Softer crimp for painters who prefer to roll with a lighter touch. The best choice for rough, abrasive surfaces. Solvent resistant core.
63547	Roller Cover - Sher-Fab Nylon Polyester Knit 9 Inch	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	4.65	EA		1.00	Sherwin- Williams	1551340	Nylon fibers make this our most durable cover for latex and oil coatings. Softer crimp for painters who prefer to roll with a lighter touch. The best choice for rough, abrasive surfaces. Solvent resistant core.
63547	Roller Cover - Sher-Fab Nylon Polyester Knit 9 Inch	1-1/4 Inch	TXMAS-5- 51V010	TXMAS	5.85	EA		1.00	Sherwin- Williams	1551373	Nylon fibers make this our most durable cover for latex and oil coatings. Softer crimp for painters who prefer to roll with a lighter touch. The best choice for rough, abrasive surfaces. Solvent resistant core.
63547	Roller Cover - Sher-Fab Nylon Polyester Knit 9 Inch	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	8.71	EA		1.00	Sherwin- Williams	1806744	Nylon fibers make this our most durable cover for latex and oil coatings. Softer crimp for painters who prefer to roll with a lighter touch. The best choice for rough, abrasive surfaces. Solvent resistant core.
63547	Roller Cover - Sher-Lamb Woven Wool 9 Inch	1/2 Inch Nap	TXMAS-5- 51V010	TXMAS	7.46	EA		1.00	Sherwin- Williams	1739515	Offers the performance of lambskin with longer life at a value price. Naturally absorbant wool is the choice of production painters to maximize paint delivery per dip.
63547	Roller Cover - Sher-Lamb Woven Wool 9 Inch	1-1/4 Inch Nap	TXMAS-5- 51V010	TXMAS	9.29	EA		1.00	Sherwin- Williams	1739549	Offers the performance of lambskin with longer life at a value price. Naturally absorbant wool is the choice of production painters to maximize paint delivery per dip.
63547	Roller Cover - Sher-Lamb Woven Wool 9 Inch	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	15.63	EA		1.00	Sherwin- Williams	1802388	Offers the performance of lambskin with longer life at a value price. Naturally absorbant wool is the choice of production painters to maximize paint delivery per dip.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Cover - Sher-Lamb Woven Wool 9 Inch	3/4 Inch Nap	TXMAS-5- 51V010	TXMAS	7.63	EA		1.00	Sherwin- Williams	1739523	Offers the performance of lambskin with longer life at a value price. Naturally absorbant wool is the choice of production painters to maximize paint delivery per dip.
63547	Roller Cover - Tiny Covers 2 Pack		TXMAS-5- 51V010	TXMAS	2.27	EA		1.00	Sherwin- Williams	1807007	Roller Covers - Tiny Covers 2 Pack
63547	Roller Frame - 14 Inch Heavy Duty		TXMAS-5- 51V010	TXMAS	10.65	EA		1.00	Sherwin- Williams	1806389	Professional Model.
63547	Roller Frame - 14 Inch Toughee Frame		TXMAS-5- 51V010	TXMAS	12.17	EA		1.00	Sw Bestt Liebco	9562067	90 Degree Powder Coated Rod. The handle is grained polypropylene threaded with a metal ferrule.
63547	Roller Frame - 4 Inch Kwik Release		TXMAS-5- 51V010	TXMAS	6.02	EA		1.00	Sherwin- Williams	1804632	Tap shank and roller covers come off quick and easy. Manufactured with heavy duty chromed steel rods and Teflon bearings. Ergonomic workhorse grip reduces hand and arm fatigue.
63547	Roller Frame - 7 Inch 5 Wire Cage Heavy Duty		TXMAS-5- 51V010	TXMAS	4.17	EA		1.00	Sherwin- Williams	1801513	Heavy Duty Roller Frame.
63547	Roller Frame - 7 Inch Kwik Release®		TXMAS-5- 51V010	TXMAS	6.45	EA		1.00	Sherwin- Williams	1806470	Tap shank and roller covers come off quick and easy. Manufactured with heavy duty chromed steel rods and Teflon bearings. Ergonomic workhorse grip reduces hand and arm fatigue.
63547	Roller Frame - 9 Inch Kwik Release®		TXMAS-5- 51V010	TXMAS	8.45	EA		1.00	Sherwin- Williams	1712660	Tap shank and roller covers come off quick and easy. Manufactured with heavy duty chromed steel rods and Teflon bearings. Ergonomic workhorse grip reduces hand and arm fatigue.
63547	Roller Frame - 9-18Y Roller Frame	18 Inch	TXMAS-5- 51V010	TXMAS	17.50	EA		1.00	Sw Bestt Liebco	4036232	Adjustable Frame Fits 9" Thru 18" Covers. Includes Adaptor to Accept All Threaded Poles.
63547	Roller Frame - Consumer Quality	9 Inch	TXMAS-5- 51V010	TXMAS	3.20	EA		1.00	Sherwin- Williams	1801489	Consumer Quality Roller Frame
63547	Roller Frame - Contractor Series® Mini Elite	14 Inch	TXMAS-5- 51V010	TXMAS	6.47	EA		1.00	Sherwin- Williams	1806983	Compatible with all Mini Roller ELITE roller covers. Heavy-duty metal frames for professional use. Ergonomic comfort grip handle.
63547	Roller Frame - Contractor Series® Mini Elite	24 Inch	TXMAS-5- 51V010	TXMAS	5.32	EA		1.00	Sherwin- Williams	1806827	Compatible with all Mini Roller ELITE roller covers. Heavy-duty metal frames for professional use. Ergonomic comfort grip handle.
63547	Roller Frame - Contractor Series® Mini Roller Frame	12 Inch	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1802628	Apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Frame - Contractor Series® Mini Roller Frame	16 Inch	TXMAS-5- 51V010	TXMAS	2.00	EA		1.00	Sherwin- Williams	1806678	Apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Frame - Contractor Series® Mini Roller Frame 12 Inch	And 4 Inch Foam Cover	TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Sherwin- Williams	1802594	Apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63547	Roller Frame - Contractor Series® Mini Roller Frame 16 Inch	And 4 Inch Foam Cover	TXMAS-5-51V010	TXMAS	4.41	EA		1.00	Sherwin-Williams	1802578	Apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Frame - Contractor Series® Mini Roller Frame 26 Inch	And 6 Inch Foam Cover	TXMAS-5-51V010	TXMAS	5.21	EA		1.00	Sherwin-Williams	1802586	Apply paint to both sides of a corner at the same time due to the wrap around nap. The fabrics are excellent for production work saving time vs. conventional brushing. Ideal for high-gloss coatings.
63547	Roller Frame - Contractor Series® With Wood Handle 9 Inch		TXMAS-5-51V010	TXMAS	9.29	EA		1.00	Sherwin-Williams	1715150	Heavy duty Contractor Series frame. No streak bearings. Beech wood handle.
63547	Roller Frame - Heavy Duty 9 Inch 5 Wire Cage		TXMAS-5-51V010	TXMAS	3.98	EA		1.00	Sherwin-Williams	1801497	Heavy Duty Roller Frame.
63547	Roller Frame - Heavy Duty 9 Inch Long Shank		TXMAS-5-51V010	TXMAS	6.47	EA		1.00	Sherwin-Williams	1715143	Heavy Duty Roller Frame.
63547	Roller Frame - Heavy Duty Professional 9 Inch 4 Wire Cage		TXMAS-5-51V010	TXMAS	5.21	EA		1.00	Sherwin-Williams	1715135	Heavy Duty Professional Roller Frame.
63547	Roller Frame - Value Line 18 Inch		TXMAS-5-51V010	TXMAS	10.09	EA		1.00	Sherwin-Williams	2913721	18 Inch roller frame.
63543	Roller Kit Classic Multi Use		TXMAS-5-51V010	TXMAS	5.75	EA	###		Sherwin-Williams	1803345	Classic roller cover 3/8 inch nap. Consumer quality roller frame. Plastic tray.
63547	Roller Trays - 4 Quart Heavy Duty Metal		TXMAS-5-51V010	TXMAS	8.45	EA		1.00	Sherwin-Williams	1735380	9 Inch width 4 quart tray.
63547	Roller Trays - Big Blue Roller Bucket	18 Inch	TXMAS-5-51V010	TXMAS	32.12	EA		1.00	Sherwin-Williams	1804624	Larger working capacity, 5 gallon versus 3. One piece plastic with grid molded into the side.
63547	Roller Trays - Metal 9 Inch	9 Inch 2 Quart	TXMAS-5-51V010	TXMAS	3.10	EA		1.00	Sherwin-Williams	1735349	
63547	Roller Trays - Premium 9 Inch		TXMAS-5-51V010	TXMAS	4.41	EA		1.00	Sherwin-Williams	1709385	Premium plastic tray 3 quart.
63543	Safety Equipment - Chemical Safety Goggles		TXMAS-5-51V010	TXMAS	3.42	EA	###		Aearo Safety Products	9112384	
63543	Safety Equipment - Ice Blue Safety Glasses		TXMAS-5-51V010	TXMAS	5.49	EA		5.00	3M	9568742	Polycarbonate lense. Contemporary wrap around design. 99.9% UV protection.
63543	Safety Goggles - Advanz		TXMAS-5-51V010	TXMAS	7.36	EA		1.00	Safety America	1554021	Keeps vision clear when goggle film is advanced.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sanding Block - Professional Rubber Block		TXMAS-5-51V010	TXMAS	3.04	EA		1.00	Hyde Tools	2821155	All purpose wet or dry sanding block. Flexible rubber construction holds sandpaper securely. Use 1/4 sheet of sandpaper.
63543	Sanding Pad - For Lacquers	220 Grit	TXMAS-5-51V010	TXMAS	0.58	EA		1.00	Glit Inc	1632355	In between sanding of lacquer coats. Compatible with water borne lacquer systems. Will not abrade through lacquer into the finish. Aluminum oxide grit directly coated on a dense foam cell sponge. Firm yet flexible.
63543	Sanding Pole - Universal Sanding Pole Adapter		TXMAS-5-51V010	TXMAS	3.43	EA		1.00	Wallboard Tool Co	4461307	
63543	Sanding Sponge - 3M Angled	Medium	TXMAS-5-51V010	TXMAS	3.50	EA		1.00	3M	4528816	Use either wet or dry and when finished, rinse and reuse. Sand wood, paint, metal, plastic or drywall. Designed to sand corners without affecting adjacent wall or "Pop corn" textured ceilings.
63543	Sanding Sponge - 3M Contour Surface	Fine Grit	TXMAS-5-51V010	TXMAS	1.49	EA		1.00	3M	1557420	Ideal for moldings, spindles, raised panel doors. More durable, faster cutting and less material loss. Use either wet or dry and when finished rinse and reuse. Sand wood, paint, metal, plastic or drywall. Extremely flexible.
63543	Sanding Sponge - 3M Contour Surface	Medium Grit	TXMAS-5-51V010	TXMAS	1.49	EA		1.00	3M	1552124	Ideal for moldings, spindles, raised panel doors. More durable, faster cutting and less material loss. Use either wet or dry and when finished rinse and reuse. Sand wood, paint, metal, plastic or drywall. Extremely flexible.
63543	Sanding Sponge - 3M Extra Large Area Medium And Fine Grit	Medium/Fine Dual Grit	TXMAS-5-51V010	TXMAS	3.59	EA		1.00	3M	9278268	Large sanding surface makes it easier to cover more area. Can be used on drywall, wood, paint, metal or plastic. Dual grit makes sponge a versatile sanding tool. Can be used wet or dry. Washable and reusable.
63543	Sanding Sponge By 3M	Fine Grit	TXMAS-5-51V010	TXMAS	2.20	EA		1.00	3M	1541846	Use either wet or dry and when finished rinse and reuse. Sand wood, paint, metal, plastic or drywall. Two sanding grades on one sponge.
63543	Sanding Sponge By 3M	Medium Grit	TXMAS-5-51V010	TXMAS	2.20	EA		1.00	3M	1535400	Use either wet or dry and when finished rinse and reuse. Sand wood, paint, metal, plastic or drywall. Two sanding grades on one sponge.
63543	Sandpaper - 3M Aluminum Oxide Retail Pack	Fine Grit	TXMAS-5-51V010	TXMAS	2.91	EA		1.00	3M	1539899	Ideal for hand or machine sanding of wood, metal, plastic, and fiberglass, and for removing old paint. A very tough, durable and sharp abrasive.
63543	Sandpaper - 3M Aluminum Oxide Retail Pack	Medium Grit	TXMAS-5-51V010	TXMAS	2.91	EA		1.00	3M	1539907	Ideal for hand or machine sanding of wood, metal, plastic, and fiberglass, and for removing old paint. A very tough, durable and sharp abrasive.
63543	Sandpaper - 3M Aluminum Oxide Retail Pack	Extra Fine Grit	TXMAS-5-51V010	TXMAS	2.91	EA		1.00	3M	1539881	Ideal for hand or machine sanding of wood, metal, plastic, and fiberglass, and for removing old paint. A very tough, durable and sharp abrasive.
63543	Sandpaper - 3M Aluminum Oxide Retail Pack	Assorted Grits	TXMAS-5-51V010	TXMAS	2.91	EA		1.00	3M	1539923	Ideal for hand or machine sanding of wood, metal, plastic, and fiberglass, and for removing old paint. A very tough, durable and sharp abrasive.
63543	Sandpaper - 3M Aluminum Oxide Retail Pack	Coarse Grit	TXMAS-5-51V010	TXMAS	2.91	EA		1.00	3M	1539915	Ideal for hand or machine sanding of wood, metal, plastic, and fiberglass, and for removing old paint. A very tough, durable and sharp abrasive.
63543	Production Aluminum Oxide Pro Pak 9 Inch x 11 Inch	120C Grit	TXMAS-5-51V010	TXMAS	0.66	EA		1.00	3M	1632587	Excellent for wood, metal, plastic, drywall and fiberglass painted surfaces.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sandpaper - 3M Production Aluminum Oxide Pro Pak 9 Inch x 11 Inch	220A Grit	TXMAS-5- 51V010	TXMAS	0.49	EA		1.00	3M	1632561	Excellent for wood, metal, plastic, drywall and fiberglass painted surfaces.
63543	Sandpaper - 3M Production Aluminum Oxide Pro Pak 9 Inch x 11 Inch	80D Grit	TXMAS-5- 51V010	TXMAS	0.75	EA		1.00	3M	1632603	Excellent for wood, metal, plastic, drywall and fiberglass painted surfaces.
63543	Sandpaper - 3M Production Aluminum Oxide Pro Pak 9 Inch x 11 Inch	100C Grit	TXMAS-5- 51V010	TXMAS	0.66	EA	25	1.00	3M	1632595	Excellent for wood, metal, plastic, drywall and fiberglass painted surfaces.
63543	Sandpaper - 3M Production Aluminum Oxide Pro Pak 9 Inch x 11 Inch	50D Grit	TXMAS-5- 51V010	TXMAS	0.91	EA		1.00	3M	1632611	Excellent for wood, metal, plastic, drywall and fiberglass painted surfaces.
63543	Sandpaper - Drywall Sandscreen 4-3/8 Inch x 11 Inch 5 Pack	120 Grit	TXMAS-5- 51V010	TXMAS	5.76	EA		1.00	Glit Inc	1552421	For sanding drywall joint compound, plaster, spackling and other patching compounds. Compatible with lightweight mud. Tough silicone carbide grit outlasts drywall paper. Die cut to fit pole sanders. Five per pack.
63543	Sandpaper - Drywall Sandscreen 4-3/8 Inch x 11 Inch 5 Pack	220 Grit	TXMAS-5- 51V010	TXMAS	5.76	EA		1.00	Glit Inc	1619204	For sanding drywall joint compound, plaster, spackling and other patching compounds. Compatible with lightweight mud. Tough silicone carbide grit outlasts drywall paper. Die cut to fit pole sanders. Five per pack.
63543	Sandpaper For Drywall - 3M Tri-M-Ite Drywall Sanding Sheets	80C	TXMAS-5- 51V010	TXMAS	0.22	EA		1.00	3M	1539816	Specially die cut to 4-3/16 Inch x 11 Inch.
63543	Sandpaper For Drywall - 3M Tri-M-Ite Drywall Sanding Sheets	100C	TXMAS-5- 51V010	TXMAS	0.22	EA		1.00	3M	1539808	Specially die cut to 4-3/16 Inch x 11 Inch.
63543	Sandpaper For Drywall - 3M Tri-M-Ite Wet Or Dry 4-3/16 Inch x 11 Inch	220 Grit	TXMAS-5- 51V010	TXMAS	1.52	EA		1.00	3M	1534080	Wey or dry "Fabricut". Screen prevents loading. Precut to 4-3/16 Inch x 11 Inch to fit most drywall sanding tools. For fast drying sanding of soft, quick drying compounds.
63543	Sandpaper Roll - For Floors 8 Inch x 50 Yards	100 Grit	TXMAS-5- 51V010	TXMAS	2.61	EA		1.00	Glit Inc	1552090	Silicone carbide grit, F weight. Ideal for any heavy duty sanding project. Long lasting for drywall.
63543	Sandpaper Roll - For Floors 8 Inch x 50 Yards	80 Grit	TXMAS-5- 51V010	TXMAS	2.79	EA		1.00	Glit Inc	1552108	Silicone carbide grit, F weight. Ideal for any heavy duty sanding project. Long lasting for drywall.
63543	Scraper - Heavy Duty Window Scraper And 5 Single Edge Blades 66- 0445		TXMAS-5- 51V010	TXMAS	2.20	EA		1.00	American Safety Razor Co	1530823	All metal retractable blade. Window scraper and 5 blades.
63543	Scraper - Wide Blade Scraper With 1 Blade 66- 0452		TXMAS-5- 51V010	TXMAS	3.98	EA		1.00	American Safety Razor Co.	2824902	4" blade speeds the job. Blade change easier and safer. Sturdy design, for professional use.
63543	Scraper Blades - For Wide Blade Scraper 5 Pack For The 66-0452		TXMAS-5- 51V010	TXMAS	2.20	EA		1.00	American Safety Razor Co.	2824894	Fits wide blade scraper listed above.
63543	Scratch Fix Pens	Black Brown	TXMAS-5- 51V010	TXMAS	2.66	EA		1.00	K J Miller Corp	2863371	Felt touch-up pen. Covers and hides scratches, nicks and mars in furniture, paneling, cabinets, doors, woodwork, or any finished wood surface. Simply apply to scratch and wipe off excess immediately. Repeat for darker finish. Dries in 5 minutes.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Scratch Fix Pens	Medium Brown	TXMAS-5-51V010	TXMAS	2.66	EA		1.00	K J Miller Corp	9271172	Felt touch-up pen. Covers and hides scratches, nicks and mars in furniture, paneling, cabinets, doors, woodwork, or any finished wood surface. Simply apply to scratch and wipe off excess immediately. Repeat for darker finish. Dries in 5 minutes.
63543	Scratch Fix Pens	Red Brown	TXMAS-5-51V010	TXMAS	2.66	EA		1.00	K J Miller Corp	2863389	Felt touch-up pen. Covers and hides scratches, nicks and mars in furniture, paneling, cabinets, doors, woodwork, or any finished wood surface. Simply apply to scratch and wipe off excess immediately. Repeat for darker finish. Dries in 5 minutes.
63543	Scratch Fix Pens	Dark Brown	TXMAS-5-51V010	TXMAS	2.66	EA		1.00	K J Miller Corp	2863363	Felt touch-up pen. Covers and hides scratches, nicks and mars in furniture, paneling, cabinets, doors, woodwork, or any finished wood surface. Simply apply to scratch and wipe off excess immediately. Repeat for darker finish. Dries in 5 minutes.
63543	Scratch Fix Pens	Light Brown	TXMAS-5-51V010	TXMAS	2.66	EA		1.00	K J Miller Corp	2863355	Felt touch-up pen. Covers and hides scratches, nicks and mars in furniture, paneling, cabinets, doors, woodwork, or any finished wood surface. Simply apply to scratch and wipe off excess immediately. Repeat for darker finish. Dries in 5 minutes.
63057	Seaguard® 5000 HS Epoxy	Gray	TXMAS-5-51V010	TXMAS	30.96	PL	5	5.00	Sherwin-Williams	640356689	A high performance, low VOC, high solids coating that is designed to be used as a part of an anticorrosive system for marine applications.
63057	Seaguard® 5000 HS Epoxy	Red	TXMAS-5-51V010	TXMAS	30.46	PL	5	5.00	Sherwin-Williams	640351367	A high performance, low VOC, high solids coating that is designed to be used as a part of an anticorrosive system for marine applications.
63057	Seaguard® 5000 HS Epoxy	Hardener	TXMAS-5-51V010	TXMAS	22.34	PL	5	5.00	Sherwin-Williams	640350815	A high performance, low VOC, high solids coating that is designed to be used as a part of an anticorrosive system for marine applications.
63057	Seaguard® 5000 HS Epoxy	Black	TXMAS-5-51V010	TXMAS	29.44	PL	5	5.00	Sherwin-Williams	640350807	A high performance, low VOC, high solids coating that is designed to be used as a part of an anticorrosive system for marine applications.
63057	Seaguard® 5000 HS Epoxy	Off White	TXMAS-5-51V010	TXMAS	32.49	PL	5	5.00	Sherwin-Williams	640351375	A high performance, low VOC, high solids coating that is designed to be used as a part of an anticorrosive system for marine applications.
63057	Seaguard® 6000 Marine Epoxy Part A	White	TXMAS-5-51V010	TXMAS	137.97	KT		1.00	Sherwin-Williams	640350104	A modified epoxy phenalkamine, formulated specifically for immersion and atmospheric service in marine and industrial environments. Can be applied at temperatures as low as 20 F.
63057	Seaguard® 6000 Marine Epoxy Part A	Red	TXMAS-5-51V010	TXMAS	117.26	KT		1.00	Sherwin-Williams	640354866	A modified epoxy phenalkamine, formulated specifically for immersion and atmospheric service in marine and industrial environments. Can be applied at temperatures as low as 20 F.
63057	Seaguard® 6000 Marine Epoxy Part A	Gray	TXMAS-5-51V010	TXMAS	117.26	KT		1.00	Sherwin-Williams	640354841	A modified epoxy phenalkamine, formulated specifically for immersion and atmospheric service in marine and industrial environments. Can be applied at temperatures as low as 20 F.
63057	Seaguard® 6000 Marine Epoxy Part A	Black	TXMAS-5-51V010	TXMAS	121.83	KT		1.00	Sherwin-Williams	640358990	A modified epoxy phenalkamine, formulated specifically for immersion and atmospheric service in marine and industrial environments. Can be applied at temperatures as low as 20 F.
63057	Seaguard® 6000 Marine Epoxy Part B	Hardener	TXMAS-5-51V010	TXMAS	32.99	GL		1.00	Sherwin-Williams	640350112	A modified epoxy phenalkamine, formulated specifically for immersion and atmospheric service in marine and industrial environments.
63057	Seaguard® MP Multi Purpose Epoxy Primer	Hardener	TXMAS-5-51V010	TXMAS	38.63	PL	5	5.00	Sherwin-Williams	640332508	A high performance VOC compliant primer that is designed to be used over a variety of substrates. Provides outstanding anti-corrosive and dielectric properties. May be used in immersion service with recommended topcoats.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Seaguard® MP Multi-Purpose Epoxy Primer	Yellow Oxide	TXMAS-5-51V010	TXMAS	38.63	PL	5	5.00	Sherwin-Williams	640332482	A high performance VOC compliant primer that is designed to be used over a variety of substrates. Provides outstanding anti-corrosive and dielectric properties. May be used in immersion service with recommended topcoats.
63543	Sealant - White Lightning® Storm Blaster All Season	Clear	TXMAS-5-51V010	TXMAS	5.27	EA		1.00	Sherwin-Williams	1632041	Can be applied to wet surfaces. Wide application Temperature range: down to 0 degrees and up to 120 degrees. Paintable in 24 hours. Lifetime durability.
63543	Seam Roller - Flat Plastic	2 Inch	TXMAS-5-51V010	TXMAS	4.89	EA		1.00	Advance Equipment Mfg	1589456	General purpose seam roller. Long wear, case hardened bearings. Washable; machine turned to eliminate wobble. Plastic roller, hardwood handle.
63066	SetFast® Acrylic Aisle Marking Paint	Yellow (Lead Free)	TXMAS-5-51V010	TXMAS	25.75	PL	5	5.00	Sherwin-Williams	800003766	A conventional dry industrial grade water based acrylic product. Designed for use on interior surfacres where floor markings are necessary.
63066	SetFast® Acrylic Aisle Marking Paint	White	TXMAS-5-51V010	TXMAS	25.75	PL	5	5.00	Sherwin-Williams	800003923	A conventional dry industrial grade water based acrylic product. Designed for use on interior surfacres where floor markings are necessary.
63066	SetFast® Acrylic Latex Traffic Marking Paint	White	TXMAS-5-51V010	TXMAS	18.61	PL	5	5.00	Sherwin-Williams	800003238	A conventional dry (non-heated application) water based paint intended for use in marking parking lots, airports, and roads. TM2159, TM2160, and TM2161 conform to current VOC regulations.
63066	SetFast® Acrylic Latex Traffic Marking Paint	Yellow (Lead Free)	TXMAS-5-51V010	TXMAS	18.97	PL	5	5.00	Sherwin-Williams	800003246	A conventional dry (non-heated application) water based paint intended for use in marking parking lots, airports, and roads. TM2159, TM2160, and TM2161 conform to current VOC regulations.
63066	SetFast® Acrylic Waterborne Traffic Marking Paint	White	TXMAS-5-51V010	TXMAS	20.27	PL	5	5.00	Sherwin-Williams	800001786	A conventional dry, waterborne acrylic product available in two colors, white and yellow, which conform to U.S. Bureau of Public Roads colors and meets Federal Specifications TT-P-1952B, Type 1.
63066	SetFast® Acrylic Waterborne Traffic Marking Paint	Lead Free Yellow	TXMAS-5-51V010	TXMAS	20.27	PL	5	5.00	Sherwin-Williams	800052904	A conventional dry, waterborne acrylic product available in two colors, white and yellow, which conform to U.S. Bureau of Public Roads colors and meets Federal Specifications TT-P-1952B, Type 1.
63066	Setfast® Acrylic Zone Marking Paint	White	TXMAS-5-51V010	TXMAS	24.43	PL	5	5.00	Sherwin-Williams	800004848	A conventional dry (non-heat applied) solvent based paint. It offers the following outstanding properties: Fast dry and hardness development. Excellent dirt pick-up resistance. High durability on concrete and asphalt surfaces.
63066	Setfast® Acrylic Zone Marking Paint	Yellow	TXMAS-5-51V010	TXMAS	23.73	PL	5	5.00	Sherwin-Williams	800051070	A conventional dry (non-heat applied) solvent based paint. It offers the following outstanding properties: Fast dry and hardness development. Excellent dirt pick-up resistance. High durability on concrete and asphalt surfaces.
63066	SetFast® Chlorinated Rubber Zone Marking Paint	White	TXMAS-5-51V010	TXMAS	20.27	PL	5	5.00	Sherwin-Williams	800001877	A fast drying, ready to use, chlorinated rubber product available in two colors, white and yellow. Quick drying - High visibility colors - Ready to use - Durable.
63066	SetFast® Chlorinated Rubber Zone Marking Paint	Lead Free Yellow	TXMAS-5-51V010	TXMAS	22.88	PL	5	5.00	Sherwin-Williams	800053472	A fast drying, ready to use, chlorinated rubber product available in two colors, white and yellow. Quick drying - High visibility colors - Ready to use - Durable.
63066	SetFast® Chlorinated Rubber Zone Marking Paint	Yellow (Leaded)	TXMAS-5-51V010	TXMAS	18.43	PL	5	5.00	Sherwin-Williams	800001927	A fast drying, ready to use, chlorinated rubber product available in two colors, white and yellow. Quick drying - High visibility colors - Ready to use - Durable.
63066	SetFast® Latex Traffic Marking Paint	Blue	TXMAS-5-51V010	TXMAS	22.37	PL	5	5.00	Sherwin-Williams	640114641	Are conventional dry (non-heated application) water based paints intended for use in marking parking lots, airports, and roads.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63066	SetFast® Latex Traffic Marking Paint	Black	TXMAS-5-51V010	TXMAS	22.15	PL	5	1.00	Sherwin-Williams	640114682	Are conventional dry (non-heated application) water based paints intended for use in marking parking lots, airports, and roads.
63066	SetFast® Latex Traffic Marking Paint	Red	TXMAS-5-51V010	TXMAS	30.52	PL	5	5.00	Sherwin-Williams	640114666	Are conventional dry (non-heated application) water based paints intended for use in marking parking lots, airports, and roads.
63066	SetFast® Low VOC Acrylic Traffic Marking Paint	Yellow TM5635	TXMAS-5-51V010	TXMAS	25.05	PL	5	5.00	Sherwin-Williams	800050320	A conventional dry (non-heat applied) acetone based paint. Acetone, as the main solvent, has Exempt Status under Federal law and does not contribute harmful VOC's. This is 100% acrylic.
63066	SetFast® Low VOC Acrylic Traffic Marking Paint	White TM5626	TXMAS-5-51V010	TXMAS	25.05	PL	5	5.00	Sherwin-Williams	800050312	A conventional dry (non-heat applied) acetone based paint. Acetone, as the main solvent, has Exempt Status under Federal law and does not contribute harmful VOC's. This is 100% acrylic.
63066	SetFast® Low VOC Acrylic Traffic Marking Paint	Yellow TM5637	TXMAS-5-51V010	TXMAS	26.60	PL	5	5.00	Sherwin-Williams	800050718	A conventional dry (non-heat applied) acetone based paint. Acetone, as the main solvent, has Exempt Status under Federal law and does not contribute harmful VOC's. This is 100% acrylic.
63066	SetFast® Low VOC Acrylic Traffic Marking Paint	Yellow TM5627	TXMAS-5-51V010	TXMAS	31.80	PL	5	5.00	Sherwin-Williams	800051484	A conventional dry (non-heat applied) acetone based paint. Acetone, as the main solvent, has Exempt Status under Federal law and does not contribute harmful VOC's. This is 100% acrylic.
63066	SetFast® Premium Alkyd Zone Marking Paint	Red A302	TXMAS-5-51V010	TXMAS	41.23	PL	5	5.00	Sherwin-Williams	800002099	A conventional dry (non-heat applied) solvent based zone marking paint. Abrasion resistant - Fast dry - High visibility - Glass beads can be added for making reflective markings.
63066	SetFast® Premium Alkyd Zone Marking Paint	Yellow (Lead Free) A303	TXMAS-5-51V010	TXMAS	26.10	PL	5	5.00	Sherwin-Williams	800003006	A conventional dry (non-heat applied) solvent based zone marking paint. Abrasion resistant - Fast dry - High visibility - Glass beads can be added for making reflective markings.
63066	SetFast® Premium Alkyd Zone Marking Paint	Black A305	TXMAS-5-51V010	TXMAS	24.34	PL	5	5.00	Sherwin-Williams	800002016	A conventional dry (non-heat applied) solvent based zone marking paint. Abrasion resistant - Fast dry - High visibility - Glass beads can be added for making reflective markings.
63066	SetFast® Premium Alkyd Zone Marking Paint	White A300	TXMAS-5-51V010	TXMAS	21.56	PL	5	5.00	Sherwin-Williams	800002172	A conventional dry (non-heat applied) solvent based zone marking paint. Abrasion resistant - Fast dry - High visibility - Glass beads can be added for making reflective markings.
63543	Sharpener - Accu Knife Sharpener		TXMAS-5-51V010	TXMAS	8.67	EA		1.00	Fortune Products Inc	1637107	Finally, a Knife Sharpener anyone can use! No more messy oils or stones. In about 10 seconds, sharpen knives, cleavers, axes, machetes, and many other cutting tools. The large ergonomic handle fits either hand safely and securely.
63057	Shelcote® II Epoxy	Off White Part A	TXMAS-5-51V010	TXMAS	147.90	KT		1.00	Sherwin-Williams	600102123	A high-solids, amine cured epoxy coating designed for resistance to a broad range of aqueous and petroleum-based chemicals including MTBE. It is recommended principally as an internal lining for storage tanks
63543	Shelcote® II Flake Filled	Reddish Gray	TXMAS-5-51V010	TXMAS	160.90	KT		1.00	General Polymers	640311874	A high-solids, amine cured epoxy with micaceous iron oxide. Designed for use as part of a system for internal tank lining. The micaceous iron oxide provides improved abrasion and blister resistance
63543	Shelcote® II Flake Filled	Hardener Part B	TXMAS-5-51V010	TXMAS	50.66	GL		1.00	General Polymers	600102024	A high-solids, amine cured epoxy coating designed for resistance to a broad range of aqueous and petroleum-based chemicals including MTBE. It is recommended principally as an internal lining for storage tanks
63543	Shelcote® II Flake Filled	Low Temp Hardener Part B	TXMAS-5-51V010	TXMAS	63.24	GL		1.00	General Polymers	640172193	A high-solids, amine cured epoxy coating designed for resistance to a broad range of aqueous and petroleum-based chemicals including MTBE. It is recommended principally as an internal lining for storage tanks

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Shelf - Universal Automatic Closing Pail Shelf	4 Pack	TXMAS-5-51V010	TXMAS	12.71	EA		1.00	R D Werner	5638952	Pail shelf.
63543	Sher-Clear 1K Acrylic Clear Coat	Flat	TXMAS-5-51V010	TXMAS	43.09	GL		1.00	Sherwin-Williams	640365789	A single component, high gloss, low VOC, UV resistant, acrylic clear coat. It provides color and gloss protection over newly applied waterborne coatings and select solvent based coatings.
63543	Sher-Clear 1K Acrylic Clear Coat	Gloss	TXMAS-5-51V010	TXMAS	43.15	GL		1.00	Sherwin-Williams	640360111	A single component, high gloss, low VOC, UV resistant, acrylic clear coat. It provides color and gloss protection over newly applied waterborne coatings and select solvent based coatings.
63543	Sher-Clear 1K Acrylic Clear Coat	Semi-Gloss	TXMAS-5-51V010	TXMAS	43.09	GL		1.00	Sherwin-Williams	640365771	A single component, high gloss, low VOC, UV resistant, acrylic clear coat. It provides color and gloss protection over newly applied waterborne coatings and select solvent based coatings.
63543	SherCrete® Acrylic Concrete Stain	Ultradeep Base	TXMAS-5-51V010	TXMAS	17.51	PL	5	5.00	Sherwin-Williams	640363610	Provides superior protection and beauty on exterior concrete surfaces. Fortified with silicone, it is ideal for pool decks, patios, walkways, block and stucco walls.
63543	SherCrete® Acrylic Concrete Stain	Deep Base	TXMAS-5-51V010	TXMAS	17.51	PL	5	5.00	Sherwin-Williams	640363602	Provides superior protection and beauty on exterior concrete surfaces. Fortified with silicone, it is ideal for pool decks, patios, walkways, block and stucco walls.
63543	SherCrete® Acrylic Concrete Stain	Extra White	TXMAS-5-51V010	TXMAS	17.51	PL	5	5.00	Sherwin-Williams	640363594	Provides superior protection and beauty on exterior concrete surfaces. Fortified with silicone, it is ideal for pool decks, patios, walkways, block and stucco walls.
63543	SherCrete® Knockdown Coating		TXMAS-5-51V010	TXMAS	15.23	EA		1.00	Litex Products	9829714	A proprietary mixture of polymer-modified Portland cement and various sized sand aggregates. Used to create a decorative texture finish.
63543	SherCrete® Rebar Coating And Bonding Agent	Part B	TXMAS-5-51V010	TXMAS	23.23	EA		1.00	Sto Corp	9844895	A unique combination of portland cement, microsilica, epoxy, and acrylic resin. Use it for bonding new concrete or mortar to old and for protecting reinforcing steel against rust and corrosion.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Extra White	TXMAS-5-51V010	TXMAS	38.59	PL	5	1.00	Sherwin-Williams	640518916	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	38.97	GL		1.00	Sherwin-Williams	640174215	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Extra White	TXMAS-5-51V010	TXMAS	38.97	GL		1.00	Sherwin-Williams	640518908	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Ultra White	TXMAS-5-51V010	TXMAS	39.15	PL	5	1.00	Sherwin-Williams	640174140	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Ultra White	TXMAS-5-51V010	TXMAS	39.86	GL		1.00	Sherwin-Williams	640174132	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Safety Red	TXMAS-5-51V010	TXMAS	44.00	GL		1.00	Sherwin-Williams	640331922	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Safety Yellow	TXMAS-5-51V010	TXMAS	44.00	GL		1.00	Sherwin-Williams	640331930	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Safety Black	TXMAS-5-51V010	TXMAS	44.00	GL		1.00	Sherwin-Williams	640331906	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Gloss	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	38.59	PL	5	1.00	Sherwin-Williams	640174223	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Semi-Gloss	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	38.59	PL	5	1.00	Sherwin-Williams	640347985	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Semi-Gloss	Ultra White	TXMAS-5-51V010	TXMAS	39.79	GL		1.00	Sherwin-Williams	640347936	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Semi-Gloss	Ultra White	TXMAS-5-51V010	TXMAS	39.40	PL	5	1.00	Sherwin-Williams	640347944	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	38.59	PL	5	1.00	Sherwin-Williams	640347969	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Semi-Gloss	Extra White	TXMAS-5-51V010	TXMAS	38.97	GL		1.00	Sherwin-Williams	640347951	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63543	Sher-Cryl HPA High Performance Acrylic Semi-Gloss	Ultradeep/Clear Tint Base	TXMAS-5-51V010	TXMAS	38.97	GL		1.00	Sherwin-Williams	640347977	A new technology, ambient cured, one component acrylic coating with superior exterior performance properties. Provides performance comparable to high performance solvent based systems such as urethanes and epoxies.
63057	Sher-Glass Glass Flake Reinforced Epoxy	Red	TXMAS-5-51V010	TXMAS	165.99	KT		1.00	Sherwin-Williams	640365862	A glass flake reinforced epoxy coating formulated for immersion service, or where steel protection is desired, in a wide range of harsh industrial environments. The use of pre-wetted glass flake allows for consistent mixing and application.
63057	Sher-Glass Glass Flake Reinforced Epoxy	Low Temp Hardener	TXMAS-5-51V010	TXMAS	76.36	GL		1.00	Sherwin-Williams	640365813	A glass flake reinforced epoxy coating formulated for immersion service, or where steel protection is desired, in a wide range of harsh industrial environments. The use of pre-wetted glass flake allows for consistent mixing and application.
63057	Sher-Glass Glass Flake Reinforced Epoxy	Standard Hardener	TXMAS-5-51V010	TXMAS	73.04	GL		1.00	Sherwin-Williams	640365805	A glass flake reinforced epoxy coating formulated for immersion service, or where steel protection is desired, in a wide range of harsh industrial environments. The use of pre-wetted glass flake allows for consistent mixing and application.
63057	Sher-Glass Glass Flake Reinforced Epoxy	Black	TXMAS-5-51V010	TXMAS	165.99	KT		1.00	Sherwin-Williams	640365821	A glass flake reinforced epoxy coating formulated for immersion service, or where steel protection is desired, in a wide range of harsh industrial environments. The use of pre-wetted glass flake allows for consistent mixing and application.
63057	Sher-Glass Glass Flake Reinforced Epoxy	Haze Gray	TXMAS-5-51V010	TXMAS	165.99	KT		1.00	General Polymers	640375978	A glass flake reinforced epoxy coating formulated for immersion service, or where steel protection is desired, in a wide range of harsh industrial environments. The use of pre-wetted glass flake allows for consistent mixing and application.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Ultradeep Base	TXMAS-5-51V010	TXMAS	30.02	PL	5	5.00	Sherwin-Williams	601650948	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Extra White	TXMAS-5- 51V010	TXMAS	32.50	GL		1.00	Sherwin- Williams	601649387	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Jet Black	TXMAS-5- 51V010	TXMAS	31.18	PL	5	5.00	Sherwin- Williams	601650971	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	International Red	TXMAS-5- 51V010	TXMAS	35.94	GL		1.00	Sherwin- Williams	601649429	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Jet Black	TXMAS-5- 51V010	TXMAS	31.62	GL		1.00	Sherwin- Williams	601649403	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Extra White	TXMAS-5- 51V010	TXMAS	32.05	PL	5	5.00	Sherwin- Williams	601650955	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Enviro Green	TXMAS-5- 51V010	TXMAS	37.35	GL		1.00	Sherwin- Williams	601649361	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Equipment Blue	TXMAS-5- 51V010	TXMAS	35.87	GL		1.00	Sherwin- Williams	601649411	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	32.09	GL		1.00	Sherwin- Williams	601649395	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Ultradeep Base	TXMAS-5- 51V010	TXMAS	30.46	GL		1.00	Sherwin- Williams	601649379	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Implement Orange	TXMAS-5- 51V010	TXMAS	37.18	GL		1.00	Sherwin- Williams	601649452	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Deep Base	TXMAS-5- 51V010	TXMAS	31.65	PL	5	5.00	Sherwin- Williams	601650963	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Equipment Yellow	TXMAS-5- 51V010	TXMAS	44.96	GL		1.00	Sherwin- Williams	601649437	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	Implement Yellow	TXMAS-5- 51V010	TXMAS	33.42	GL		1.00	Sherwin- Williams	601649445	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	Sher-Kem® High Gloss Metal Finishing Enamel	International Red	TXMAS-5- 51V010	TXMAS	34.87	PL	5	5.00	Sherwin- Williams	601651722	A direct-to-metal coating designed to give a factory applied finish and provide the brilliant color and performance required by the large agricultural and construction equipment and trailer manufacturers.
63543	SherLastic® Elastomeric Coating	Extra White	TXMAS-5- 51V010	TXMAS	19.54	PL	5	5.00	Sherwin- Williams	650103138	A coating that provides excellent flexibility, durability, and weather resistance. This product will protect against wind-driven rain when used on tilt-up, pre-cast, or poured-in-place concrete, CMU, and stucco.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	SherLastic® Elastomeric Coating	Deep Base	TXMAS-5-51V010	TXMAS	19.54	PL	5	5.00	Sherwin-Williams	650103146	Provides excellent flexibility, durability, and weather resistance. This product will protect against wind-driven rain when used on tilt-up, pre-cast, or poured-in-place concrete, CMU, and stucco.
63543	Sher-MAX Ultra Urethanized Elastomeric Sealant	Clear	TXMAS-5-51V010	TXMAS	3.50	EA		1.00	Sherwin-Williams	1632017	Is a one component urethanized premium acrylic latex sealant which withstands up to 50% total joint movement and can be painted in four hours.
63543	Sherthane® 2K Urethane Gloss	Clear Tint Base	TXMAS-5-51V010	TXMAS	61.68	GL		1.00	Sherwin-Williams	640347589	A two component, VOC compliant, aliphatic acrylic modified polyurethane designated for use in industrial environments. A chemical and abrasion resistant urethane enamel.
63543	Sherthane® 2K Urethane Gloss	Hardener	TXMAS-5-51V010	TXMAS	21.33	QT	1	1.00	Sherwin-Williams	640347605	A two component, VOC compliant, aliphatic acrylic modified polyurethane designated for use in industrial environments. A chemical and abrasion resistant urethane enamel.
63543	Sherthane® 2K Urethane Gloss	Hardener	TXMAS-5-51V010	TXMAS	63.45	GL		1.00	Sherwin-Williams	640347613	A two component, VOC compliant, aliphatic acrylic modified polyurethane designated for use in industrial environments. A chemical and abrasion resistant urethane enamel.
63543	Sherthane® 2K Urethane Gloss	Clear Tint Base	TXMAS-5-51V010	TXMAS	232.39	KT		1.00	Sherwin-Williams	640347597	A two component, VOC compliant, aliphatic acrylic modified polyurethane designated for use in industrial environments. A chemical and abrasion resistant urethane enamel.
63543	Sherthane® 2K Urethane Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	223.38	KT		1.00	Sherwin-Williams	640347571	A two component, VOC compliant, aliphatic acrylic modified polyurethane designated for use in industrial environments. A chemical and abrasion resistant urethane enamel.
63543	Sherthane® 2K Urethane Gloss	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	59.08	GL		1.00	Sherwin-Williams	640347563	A two component, VOC compliant, aliphatic acrylic modified polyurethane designated for use in industrial environments. A chemical and abrasion resistant urethane enamel.
63543	Sher-Wood® 24 Percent Solids Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	23.48	DR	53	###	Sherwin-Williams	5203260	A HAPS compliant fast drying vinyl sealer. It offers better moisture resistance than nitrocellulose lacquer sealers. This is intended for use under all solvent based Sher-Wood finishing clears.
63543	Sher-Wood® 24 Percent Solids Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	23.99	PL	5	5.00	Sherwin-Williams	5203252	A HAPS compliant fast drying vinyl sealer. It offers better moisture resistance than nitrocellulose lacquer sealers. This is intended for use under all solvent based Sher-Wood finishing clears.
63543	Sher-Wood® 24 Percent Solids Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	24.42	GL		1.00	Sherwin-Williams	5203997	A HAPS compliant fast drying vinyl sealer. It offers better moisture resistance than nitrocellulose lacquer sealers. This is intended for use under all solvent based Sher-Wood finishing clears.
63082	Sher-Wood® 2400 Millwork Primer For Interior	White	TXMAS-5-51V010	TXMAS	20.79	PL	5	5.00	Sherwin-Williams	501044176	A fast drying latex primer intended for interior and exterior millwork applications. Factory applied millwork primers on soft woods such as pine, fir and hemlock are designed to protect millwork prior to installation
63082	Sher-Wood® 2400 Millwork Primer For Interior Exterior	White	TXMAS-5-51V010	TXMAS	20.27	DR	53	###	Sherwin-Williams	501044168	A fast drying latex primer intended for interior and exterior millwork applications. Factory applied millwork primers on soft woods such as pine, fir and hemlock are designed to protect millwork prior to installation
63082	Sher-Wood® 2400 Millwork Primer For Interior Exterior	White	TXMAS-5-51V010	TXMAS	20.79	PL	5	5.00	Sherwin-Williams	501044150	A fast drying latex primer intended for interior and exterior millwork applications. Factory applied millwork primers on soft woods such as pine, fir and hemlock are designed to protect millwork prior to installation
63543	Sher-Wood® Acrylic Conversion Coating	DRE Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	24.19	DR	53	###	Sherwin-Williams	501225726	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Acrylic Conversion Coating	BRE Bright Rubbed Effect	TXMAS-5-51V010	TXMAS	23.78	DR	53	###	Sherwin-Williams	501225684	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Acrylic Conversion Coating	BRE Bright Rubbed Effect	TXMAS-5-51V010	TXMAS	20.97	PL	5	5.00	Sherwin-Williams	501225676	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Acrylic Conversion Coating	Gloss	TXMAS-5-51V010	TXMAS	24.49	DR	53	###	Sherwin-Williams	501225700	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Acrylic Conversion Coating	MRE Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	20.23	PL	5	5.00	Sherwin-Williams	601620578	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Acrylic Conversion Coating	MRE Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	19.85	DR	53	###	Sherwin-Williams	501226096	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Acrylic Conversion Coating	DRE Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	21.15	PL	5	5.00	Sherwin-Williams	501225718	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Acrylic Conversion Coating	Gloss	TXMAS-5-51V010	TXMAS	21.15	PL	5	5.00	Sherwin-Williams	501225692	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® BAC Wiping Stain	Deep Cherry	TXMAS-5-51V010	TXMAS	35.75	GL		1.00	Sherwin-Williams	501246417	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® BAC Wiping Stain	Chestnut	TXMAS-5-51V010	TXMAS	23.36	GL		1.00	Sherwin-Williams	501246219	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® BAC Wiping Stain	Clear Tint Base	TXMAS-5-51V010	TXMAS	19.06	PL	5	5.00	Sherwin-Williams	501249353	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® BAC Wiping Stain	Chestnut	TXMAS-5-51V010	TXMAS	23.02	PL	5	5.00	Sherwin-Williams	501249361	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® BAC Wiping Stain	Clear Tint Base	TXMAS-5-51V010	TXMAS	19.38	GL		1.00	Sherwin-Williams	501245518	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® BAC Wiping Stain	Ebony	TXMAS-5-51V010	TXMAS	22.73	GL		1.00	Sherwin-Williams	501248165	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® BAC Wiping Stain	White Ash	TXMAS-5-51V010	TXMAS	27.15	GL		1.00	Sherwin-Williams	501246425	Are pigmented, oil-based stains designed for coloring interior woodwork, cabinetry, furniture, millwork, and other interior wood products.
63543	Sher-Wood® CAB Acrylic Lacquer	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	24.05	DR	53	###	Sherwin-Williams	5204292	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® CAB Acrylic Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.05	DR	53	###	Sherwin- Williams	5204342	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.52	PL	5	5.00	Sherwin- Williams	5204268	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	25.02	GL		1.00	Sherwin- Williams	501037873	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.05	DR	53	###	Sherwin- Williams	5204276	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.52	PL	5	5.00	Sherwin- Williams	5204334	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Gloss	TXMAS-5- 51V010	TXMAS	25.02	GL		1.00	Sherwin- Williams	501037881	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.52	PL	5	5.00	Sherwin- Williams	5204284	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	25.02	GL		1.00	Sherwin- Williams	501037899	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Gloss	TXMAS-5- 51V010	TXMAS	24.05	DR	53	###	Sherwin- Williams	5204250	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Gloss	TXMAS-5- 51V010	TXMAS	24.52	PL	5	5.00	Sherwin- Williams	5204243	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	25.02	GL		1.00	Sherwin- Williams	501037865	Formulated to meet the water white and non-yellowing demands of the furniture, kitchen cabinet, and wood finishing markets. It is intended as a clear topcoat over white, "pickled" or light pastel stains.
63543	Sher-Wood® CAB Acrylic Lacquer Pigmented	Low Gloss Warm White	TXMAS-5- 51V010	TXMAS	28.13	PL	5	5.00	Sherwin- Williams	501051809	Are designed for interior wood finishing where light stable, non-yellowing whites and pastels are required. These white lacquers can be used for finishing kitchen cabinetry, furniture, and other interior woodworking.
63543	Sher-Wood® CAB Acrylic Lacquer Pigmented	Gloss Warm White	TXMAS-5- 51V010	TXMAS	27.24	PL	5	5.00	Sherwin- Williams	501051825	Are designed for interior wood finishing where light stable, non-yellowing whites and pastels are required. These white lacquers can be used for finishing kitchen cabinetry, furniture, and other interior woodworking.
63543	Sher-Wood® CAB Acrylic Lacquer Pigmented	Low Gloss Blending White	TXMAS-5- 51V010	TXMAS	28.13	PL	5	5.00	Sherwin- Williams	501053284	Are designed for interior wood finishing where light stable, non-yellowing whites and pastels are required. These white lacquers can be used for finishing kitchen cabinetry, furniture, and other interior woodworking.
63543	Sher-Wood® CAB Acrylic Lacquer Pigmented	Gloss Blending White	TXMAS-5- 51V010	TXMAS	27.24	PL	5	5.00	Sherwin- Williams	501053276	Are designed for interior wood finishing where light stable, non-yellowing whites and pastels are required. These white lacquers can be used for finishing kitchen cabinetry, furniture, and other interior woodworking.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63003	Sher-Wood® Catalyst	V66V26	TXMAS-5- 51V010	TXMAS	30.74	GL		1.00	Sherwin- Williams	5001227	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63003	Sher-Wood® Catalyst	V66V21	TXMAS-5- 51V010	TXMAS	14.60	QT	1	1.00	Sherwin- Williams	501003560	
63003	Sher-Wood® Catalyst	V66V21	TXMAS-5- 51V010	TXMAS	38.75	GL		1.00	Sherwin- Williams	501045926	
63003	Sher-Wood® Catalyst	V66V26	TXMAS-5- 51V010	TXMAS	11.51	QT	1	1.00	Sherwin- Williams	5001219	A HAPS Free CAB-Acrylic catalyzed wood finishing system. A water white clear finish with excellent non-yellowing properties and a 6 month working pot life.
63543	Sher-Wood® Catalyzed Lacquer	Gloss	TXMAS-5- 51V010	TXMAS	22.70	PL	5	5.00	Sherwin- Williams	5203278	Combines the toughness and chemical resistance of catalyzed varnishes and the depth and appearance properties associated with high quality nitrocellulose lacquers.
63543	Sher-Wood® Catalyzed Lacquer	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	22.21	DR	53	###	Sherwin- Williams	5203336	Combines the toughness and chemical resistance of catalyzed varnishes and the depth and appearance properties associated with high quality nitrocellulose lacquers.
63543	Sher-Wood® Catalyzed Lacquer	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	22.70	PL	5	5.00	Sherwin- Williams	5203328	Combines the toughness and chemical resistance of catalyzed varnishes and the depth and appearance properties associated with high quality nitrocellulose lacquers.
63543	Sher-Wood® Catalyzed Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	22.70	PL	5	5.00	Sherwin- Williams	5203344	Combines the toughness and chemical resistance of catalyzed varnishes and the depth and appearance properties associated with high quality nitrocellulose lacquers.
63543	Sher-Wood® Catalyzed Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	22.70	PL	5	5.00	Sherwin- Williams	5203369	Combines the toughness and chemical resistance of catalyzed varnishes and the depth and appearance properties associated with high quality nitrocellulose lacquers.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	20.23	PL	5	5.00	Sherwin- Williams	501054100	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	20.76	DR	53	###	Sherwin- Williams	501055776	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	19.38	PL	5	5.00	Sherwin- Williams	501054142	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Gloss	TXMAS-5- 51V010	TXMAS	20.64	DR	53	###	Sherwin- Williams	501057202	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	19.38	GL		1.00	Sherwin- Williams	640312203	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	20.51	DR	53	###	Sherwin- Williams	501055784	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Catalyzed Lacquer PreCat	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	19.80	DR	53	###	Sherwin- Williams	501054126	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Gloss	TXMAS-5- 51V010	TXMAS	20.23	PL	5	5.00	Sherwin- Williams	501054118	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Gloss	TXMAS-5- 51V010	TXMAS	21.10	GL		1.00	Sherwin- Williams	640312195	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Catalyst	TXMAS-5- 51V010	TXMAS	49.66	GL		1.00	Sherwin- Williams	501054159	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	20.23	GL		1.00	Sherwin- Williams	640312187	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	20.23	PL	5	5.00	Sherwin- Williams	501054175	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Catalyst	TXMAS-5- 51V010	TXMAS	18.39	QT	1	1.00	Sherwin- Williams	501054167	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Catalyzed Lacquer PreCat	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	23.22	GL		1.00	Sherwin- Williams	640312179	A fast drying, high performance, conversion lacquer for the general wood finishing market. After catalyzation, it provides 6 months pot life as a precat lacquer.
63543	Sher-Wood® Compliant Water White Conversion Varnish	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	27.66	PL	5	5.00	Sherwin- Williams	501055164	A low HAPS/VOC complying catalyzed wood finishing system providing water white color and excellent non yellowing properties. It is recommended for use over white pickled and light color stains where non-yellowing is required.
63543	Sher-Wood® Compliant Water White Conversion Varnish	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	27.21	DR	53	###	Sherwin- Williams	501056931	A low HAPS/VOC complying catalyzed wood finishing system providing water white color and excellent non yellowing properties. It is recommended for use over white pickled and light color stains where non-yellowing is required.
63543	Sher-Wood® Compliant Water White Conversion Varnish	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	27.66	PL	5	5.00	Sherwin- Williams	501056089	A low HAPS/VOC complying catalyzed wood finishing system providing water white color and excellent non yellowing properties. It is recommended for use over white pickled and light color stains where non-yellowing is required.
63543	Sher-Wood® Compliant Water White Conversion Varnish	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	27.21	DR	53	###	Sherwin- Williams	501056170	A low HAPS/VOC complying catalyzed wood finishing system providing water white color and excellent non yellowing properties. It is recommended for use over white pickled and light color stains where non-yellowing is required.
63543	Sher-Wood® Compliant Water White Conversion Varnish	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	27.21	DR	53	###	Sherwin- Williams	501058424	A low HAPS/VOC complying catalyzed wood finishing system providing water white color and excellent non yellowing properties. It is recommended for use over white pickled and light color stains where non-yellowing is required.
63543	Sher-Wood® Compliant Water White Conversion Varnish	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	27.66	PL	5	5.00	Sherwin- Williams	501056097	A low HAPS/VOC complying catalyzed wood finishing system providing water white color and excellent non yellowing properties. It is recommended for use over white pickled and light color stains where non-yellowing is required.
63543	Sher-Wood® Fast Dry Vinyl Sealer	Clear	TXMAS-5- 51V010	TXMAS	16.73	PL	5	5.00	Sherwin- Williams	501225056	A vinyl modified nitrocellulose sanding sealer with fast dry and good sanding characteristics. HAPS free as packaged. VOC compliant. Fast dry to sand and re-coat.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Fast Dry Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	16.09	DR	53	###	Sherwin-Williams	501226864	A vinyl modified nitrocellulose sanding sealer with fast dry and good sanding characteristics. HAPS free as packaged. VOC compliant. Fast dry to sand and re-coat.
63543	Sher-Wood® Glaze	White	TXMAS-5-51V010	TXMAS	25.72	GL		1.00	Sherwin-Williams	601615834	Are pigmented wiping type stains to be applied over sealed or painted wood to accent, highlight, or provide uniform color. These glazes can be used for ragging, sponging, stippling and marbling.
63543	Sher-Wood® Glaze	Natural	TXMAS-5-51V010	TXMAS	22.24	GL		1.00	Sherwin-Williams	601615867	Are pigmented wiping type stains to be applied over sealed or painted wood to accent, highlight, or provide uniform color. These glazes can be used for ragging, sponging, stippling and marbling.
63543	Sher-Wood® Glaze	VanDyke Brown	TXMAS-5-51V010	TXMAS	24.77	GL		1.00	Sherwin-Williams	601615842	Are pigmented wiping type stains to be applied over sealed or painted wood to accent, highlight, or provide uniform color. These glazes can be used for ragging, sponging, stippling and marbling.
63543	Sher-Wood® Hi Bild Sanding Sealer	Clear	TXMAS-5-51V010	TXMAS	17.03	PL	5	5.00	Sherwin-Williams	530115310	A HAPS compliant general purpose, nitrocellulose type sealer for wood furniture and cabinetry.
63543	Sher-Wood® Hi Bild Sanding Sealer	Clear	TXMAS-5-51V010	TXMAS	16.05	DR	53	###	Sherwin-Williams	530115328	A HAPS compliant general purpose, nitrocellulose type sealer for wood furniture and cabinetry.
63543	Sher-wood® Hi-Bild Lacquer	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	16.05	DR	53	###	Sherwin-Williams	530117217	Are HAPS Compliant, high quality, pale, nitrocellulose, clear lacquers for finishing interior wood products.
63543	Sher-wood® Hi-Bild Lacquer	Hi Bild Gloss	TXMAS-5-51V010	TXMAS	15.98	DR	53	###	Sherwin-Williams	530117019	Are HAPS Compliant, high quality, pale, nitrocellulose, clear lacquers for finishing interior wood products.
63543	Sher-wood® Hi-Bild Lacquer	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	17.03	PL	5	5.00	Sherwin-Williams	530117209	Are HAPS Compliant, high quality, pale, nitrocellulose, clear lacquers for finishing interior wood products.
63543	Sher-wood® Hi-Bild Lacquer	Hi Bild Gloss	TXMAS-5-51V010	TXMAS	17.03	PL	5	5.00	Sherwin-Williams	530117001	Are HAPS Compliant, high quality, pale, nitrocellulose, clear lacquers for finishing interior wood products.
63543	Sher-Wood® HomoClad® Sealer	Pale Color	TXMAS-5-51V010	TXMAS	20.48	PL	5	5.00	Sherwin-Williams	5305214	A tough, moisture resistant, synthetic sealer for use under both solvent and water reducible topcoats.
63543	Sher-Wood® HS Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	24.42	PL	5	5.00	Sherwin-Williams	501055180	A high solids vinyl sealer meeting current Federal EPA regulations for wood finishing. It offers better moisture resistance than nitrocellulose lacquer sealers.
63543	Sher-Wood® HS Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	24.42	DR	53	###	Sherwin-Williams	501056188	A high solids vinyl sealer meeting current Federal EPA regulations for wood finishing. It offers better moisture resistance than nitrocellulose lacquer sealers.
63543	Sher-Wood® Kem Aqua® Lacquer	Bright Rubbed Effect	TXMAS-5-51V010	TXMAS	23.91	DR	53	###	Sherwin-Williams	501055396	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer	Bright Rubbed Effect	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	501055388	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Kem Aqua® Lacquer	Gloss	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	501054530	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	501054522	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer	Gloss	TXMAS-5-51V010	TXMAS	23.91	DR	53	###	Sherwin-Williams	501055404	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	23.91	DR	53	###	Sherwin-Williams	501055420	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer	Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	24.52	PL	5	5.00	Sherwin-Williams	501055297	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer	Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	23.91	DR	53	###	Sherwin-Williams	501055412	A water reducible, acrylic latex, clear system for finishing furniture, cabinets and a wide variety of wood and novelty items without the hazards associated with nitrocellulose lacquer and highly flammable solvents.
63543	Sher-Wood® Kem Aqua® Lacquer Sanding Sealer		TXMAS-5-51V010	TXMAS	25.20	PL	5	5.00	Sherwin-Williams	601122229	A water reducible sealer to be used in conjunction with Kem Aqua Lacquer topcoat. This system minimizes yellowing over pickled finishes. It can also improve the film build of Kem Aqua Lacquer where desired
63543	Sher-Wood® Kem Aqua® Lacquer Sanding Sealer		TXMAS-5-51V010	TXMAS	24.77	DR	53	###	Sherwin-Williams	601122211	A water reducible sealer to be used in conjunction with Kem Aqua Lacquer topcoat. This system minimizes yellowing over pickled finishes. It can also improve the film build of Kem Aqua Lacquer where desired
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Low Gloss Warm White	TXMAS-5-51V010	TXMAS	25.83	PL	5	5.00	Sherwin-Williams	601617459	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Gloss Black	TXMAS-5-51V010	TXMAS	21.14	PL	5	5.00	Sherwin-Williams	601617392	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Low Gloss Clear	TXMAS-5-51V010	TXMAS	23.57	PL	5	5.00	Sherwin-Williams	601617426	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Low Gloss Black	TXMAS-5-51V010	TXMAS	21.45	PL	5	5.00	Sherwin-Williams	601617616	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Gloss Clear	TXMAS-5-51V010	TXMAS	21.27	PL	5	5.00	Sherwin-Williams	601617400	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Low Gloss Blending White	TXMAS-5-51V010	TXMAS	26.22	PL	5	5.00	Sherwin-Williams	601614977	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Gloss Warm White	TXMAS-5-51V010	TXMAS	23.86	PL	5	5.00	Sherwin-Williams	601617178	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Kem Aqua® Pigmented Lacquer	Gloss Blending White	TXMAS-5-51V010	TXMAS	24.16	PL	5	5.00	Sherwin-Williams	601614985	A fast drying waterborne topcoat designed for use on a wide variety of interior wood finishing applications. This quality topcoat provides an excellent appearance over Sher-Wood® Kem Aqua® Pigmented Lacquer Primer.
63082	Sher-Wood® Kem Aqua® Pigmented Lacquer Primer	White	TXMAS-5-51V010	TXMAS	22.31	PL	5	5.00	Sherwin-Williams	601614993	A fast drying waterborne primer designed for priming interior woods. When used under Sher-Wood® Kem Aqua® Pigmented Lacquer, it also functions as a barrier to tannins which may be extracted from the wood.
63543	Sher-Wood® KemVar® Conversion Varnish	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	24.66	PL	5	5.00	Sherwin-Williams	5202155	A high solids catalyzed wood finishing system offering a superior quality for furniture, cabinets and interior wood product.
63543	Sher-Wood® KemVar® Conversion Varnish	Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	24.66	PL	5	5.00	Sherwin-Williams	5202171	A high solids catalyzed wood finishing system offering a superior quality for furniture, cabinets and interior wood product.
63543	Sher-Wood® KemVar® Conversion Varnish	Gloss	TXMAS-5-51V010	TXMAS	24.66	PL	5	5.00	Sherwin-Williams	5202114	A high solids catalyzed wood finishing system offering a superior quality for furniture, cabinets and interior wood product.
63543	Sher-Wood® KemVar® Conversion Varnish	Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	23.66	DR	53	###	Sherwin-Williams	5202189	A high solids catalyzed wood finishing system offering a superior quality for furniture, cabinets and interior wood product.
63543	Sher-Wood® KemVar® Conversion Varnish	Bright Rubbed Effect	TXMAS-5-51V010	TXMAS	24.66	PL	5	5.00	Sherwin-Williams	5202130	A high solids catalyzed wood finishing system offering a superior quality for furniture, cabinets and interior wood product.
63543	Sher-Wood® KemVar® Conversion Varnish	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	23.66	DR	53	###	Sherwin-Williams	5202163	A high solids catalyzed wood finishing system offering a superior quality for furniture, cabinets and interior wood product.
63082	Sher-Wood® KemVar® Primer Surfacer	White	TXMAS-5-51V010	TXMAS	30.18	PL	5	5.00	Sherwin-Williams	501038558	A high solids, acid catalyzed, primer surfacer designed for application on particle board, medium density fiberboard, veneers and solid hardwood and softwood surfaces.
63543	Sher-Wood® KemVar® Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	15.94	PL	5	5.00	Sherwin-Williams	501232151	A fast drying vinyl sealer. Intended for use under Sher-Wood KemVar Conversion Varnish, Water White Conversion Varnish, Compliant WW Conversion Varnish and CAB Acrylic Lacquer.
63543	Sher-Wood® KemVar® Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	17.63	GL		1.00	Sherwin-Williams	501232177	A fast drying vinyl sealer. Intended for use under Sher-Wood KemVar Conversion Varnish, Water White Conversion Varnish, Compliant WW Conversion Varnish and CAB Acrylic Lacquer.
63543	Sher-Wood® KemVar® Vinyl Sealer	Clear	TXMAS-5-51V010	TXMAS	15.82	DR	53	###	Sherwin-Williams	501232169	A fast drying vinyl sealer. Intended for use under Sher-Wood KemVar Conversion Varnish, Water White Conversion Varnish, Compliant WW Conversion Varnish and CAB Acrylic Lacquer.
63543	Sher-Wood® Lovoc Lacquer	Gloss	TXMAS-5-51V010	TXMAS	15.59	PL	5	5.00	Sherwin-Williams	601618259	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	15.59	PL	5	5.00	Sherwin-Williams	601618291	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer	Dull Rubbed Effect	TXMAS-5-51V010	TXMAS	14.98	DR	53	###	Sherwin-Williams	601618325	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Lovoc Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	19.56	GL		1.00	Sherwin- Williams	501227003	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	14.98	DR	53	###	Sherwin- Williams	601618309	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	15.59	PL	5	5.00	Sherwin- Williams	601618317	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	15.59	PL	5	5.00	Sherwin- Williams	601618275	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	19.56	GL		1.00	Sherwin- Williams	501227011	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer Sealer		TXMAS-5- 51V010	TXMAS	18.80	GL		1.00	Sherwin- Williams	501225429	A nitrocellulose lacquer formulated to meet federal HAPS regulations and proposed VOC limitations of 1.8 lbs/lb solids. Ready To Spray. Meets KCMA requirements when applied over Sher-Wood Vinyl Sealers T67F3 or T67F6.
63543	Sher-Wood® Lovoc Lacquer Sealer		TXMAS-5- 51V010	TXMAS	14.95	PL	5	5.00	Sherwin- Williams	601618226	Is a two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish. Resists yellowing-Chemical resistant-Impact and abrasion resistant-Low odor-Nonflammable. USDA accepted.
63543	Sher-Wood® Moisture Resistant Lacquer	Gloss	TXMAS-5- 51V010	TXMAS	24.66	PL	5	5.00	Sherwin- Williams	5303086	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Moisture Resistant Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	23.66	DR	53	###	Sherwin- Williams	5303193	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Moisture Resistant Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	25.69	GL		1.00	Sherwin- Williams	5303276	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Moisture Resistant Lacquer	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.66	PL	5	5.00	Sherwin- Williams	5303284	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Moisture Resistant Lacquer	Gloss	TXMAS-5- 51V010	TXMAS	25.69	GL		1.00	Sherwin- Williams	5303078	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Moisture Resistant Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.66	PL	5	5.00	Sherwin- Williams	5303185	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Moisture Resistant Lacquer	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	25.69	GL		1.00	Sherwin- Williams	5303177	Are self sealing general purpose topcoats specially designed for resistance to moisture and household chemicals. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Natural Wood Filler	Natural	TXMAS-5- 51V010	TXMAS	29.77	GL		1.00	Sherwin- Williams	5300413	Fills the pores of open grain woods such as oak, walnut, mahogany, etc. It is supplied in semi-paste form to achieve maximum filling.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Pigmented Conversion Varnish	Mono Organic Red	TXMAS-5-51V010	TXMAS	58.36	GL		1.00	Sherwin-Williams	501045777	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Gloss Black	TXMAS-5-51V010	TXMAS	30.18	PL	5	5.00	Sherwin-Williams	501045710	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Gloss Clear	TXMAS-5-51V010	TXMAS	27.91	PL	5	5.00	Sherwin-Williams	501045801	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Gloss Blending White	TXMAS-5-51V010	TXMAS	34.79	PL	5	5.00	Sherwin-Williams	501038566	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Low Gloss Black	TXMAS-5-51V010	TXMAS	30.18	PL	5	5.00	Sherwin-Williams	501045769	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Mono Red Oxide	TXMAS-5-51V010	TXMAS	34.79	GL		1.00	Sherwin-Williams	501045728	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Gloss Warm White	TXMAS-5-51V010	TXMAS	34.79	PL	5	5.00	Sherwin-Williams	501038756	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Low Gloss Blending White	TXMAS-5-51V010	TXMAS	35.39	PL	5	5.00	Sherwin-Williams	501038525	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Low Gloss Warm White	TXMAS-5-51V010	TXMAS	34.79	PL	5	5.00	Sherwin-Williams	501038764	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Mono Yellow Oxide	TXMAS-5-51V010	TXMAS	34.79	GL		1.00	Sherwin-Williams	501045785	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Mono Organic Yellow	TXMAS-5-51V010	TXMAS	58.36	GL		1.00	Sherwin-Williams	501045819	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Mono P.C. Green	TXMAS-5-51V010	TXMAS	39.79	GL		1.00	Sherwin-Williams	501045751	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Mono P.C. Blue	TXMAS-5-51V010	TXMAS	39.79	GL		1.00	Sherwin-Williams	501045744	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Pigmented Conversion Varnish	Low Gloss Clear	TXMAS-5-51V010	TXMAS	27.91	PL	5	5.00	Sherwin-Williams	501045793	A high solids catalyzed wood finishing system with full hiding opaque colors. It offers superior quality for furniture, cabinets and other interior woods products.
63543	Sher-Wood® Super KemVar® "C"	Penetrating Oil	TXMAS-5-51V010	TXMAS	25.69	PL	5	5.00	Sherwin-Williams	5305511	A penetrating oil finish and as a mixing vehicle to make stains and glazes.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Super KemVar® C	Dull Sheen	TXMAS-5- 51V010	TXMAS	26.67	PL	5	5.00	Sherwin- Williams	5304712	A clear catalyzed coating designed for that close-to-the wood look.
63543	Sher-Wood® Super KemVar® M	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.80	PL	5	5.00	Sherwin- Williams	5203385	A clear converting vinyl finishing system for wood. It is fast drying and has excellent chemical resistance making it ideal for institutional and laboratory furniture.
63543	Sher-Wood® Super KemVar® M	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.80	PL	5	5.00	Sherwin- Williams	5203393	A clear converting vinyl finishing system for wood. It is fast drying and has excellent chemical resistance making it ideal for institutional and laboratory furniture.
63543	Sher-Wood® Universal Dye Stain Concentrate	Yellow	TXMAS-5- 51V010	TXMAS	78.47	QT	1	1.00	Sherwin- Williams	501053888	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Universal Dye Stain Concentrate	Bordeaux	TXMAS-5- 51V010	TXMAS	48.43	QT	1	1.00	Sherwin- Williams	640311734	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Universal Dye Stain Concentrate	Blue	TXMAS-5- 51V010	TXMAS	52.85	QT	1	1.00	Sherwin- Williams	640311759	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Universal Dye Stain Concentrate	Black	TXMAS-5- 51V010	TXMAS	72.19	QT	1	1.00	Sherwin- Williams	501053920	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Universal Dye Stain Concentrate	Orange	TXMAS-5- 51V010	TXMAS	79.49	QT	1	1.00	Sherwin- Williams	501053912	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Universal Dye Stain Concentrate	Red	TXMAS-5- 51V010	TXMAS	104.40	QT	1	1.00	Sherwin- Williams	501053896	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Universal Dye Stain Concentrate	Brown	TXMAS-5- 51V010	TXMAS	82.65	QT	1	1.00	Sherwin- Williams	501053904	Are high strength monochromatic dye solutions for formulating color systems for interior wood. C an be used to make solvent and water dye type stains, dye toners, shade stains and water reducible dye wiping stains
63543	Sher-Wood® Vinyl Basecoat System	Mono Scarlet	TXMAS-5- 51V010	TXMAS	104.01	GL		1.00	Sherwin- Williams	640311833	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Quinacridone Red	TXMAS-5- 51V010	TXMAS	89.57	GL		1.00	Sherwin- Williams	640316220	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Ferrite Yellow	TXMAS-5- 51V010	TXMAS	44.09	GL		1.00	Sherwin- Williams	640316261	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Black	TXMAS-5- 51V010	TXMAS	39.98	GL		1.00	Sherwin- Williams	640311635	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Orange	TXMAS-5- 51V010	TXMAS	78.81	GL		1.00	Sherwin- Williams	640311791	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Vinyl Basecoat System	Mono Green	TXMAS-5- 51V010	TXMAS	42.64	GL		1.00	Sherwin- Williams	640311809	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Red Oxide	TXMAS-5- 51V010	TXMAS	29.08	GL		1.00	Sherwin- Williams	640316238	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono White	TXMAS-5- 51V010	TXMAS	45.25	GL		1.00	Sherwin- Williams	640316246	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Burnt Umber	TXMAS-5- 51V010	TXMAS	42.34	GL		1.00	Sherwin- Williams	640311825	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Brite Yellow	TXMAS-5- 51V010	TXMAS	46.67	GL		1.00	Sherwin- Williams	640316253	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63543	Sher-Wood® Vinyl Basecoat System	Mono Blue	TXMAS-5- 51V010	TXMAS	40.58	GL		1.00	Sherwin- Williams	640311817	A HAPS compliant Monochromatic Intermix System designed for the custom blending of spray stains, ground coats, basecoats, toners, shading stains, and edging lacquers.
63082	Sher-Wood® Vinyl Primer Surfacer	White	TXMAS-5- 51V010	TXMAS	26.53	PL	5	5.00	Sherwin- Williams	501052575	A white vinyl lacquer designed as a priming and surfacing coating for interior wood applications. P65W4 offers better moisture resistance than conventional nitrocellulose type wood primers.
63082	Sher-Wood® Vinyl Primer Surfacer	White	TXMAS-5- 51V010	TXMAS	28.84	GL		1.00	Sherwin- Williams	501052567	A white vinyl lacquer designed as a priming and surfacing coating for interior wood applications. P65W4 offers better moisture resistance than conventional nitrocellulose type wood primers.
63543	Sher-Wood® Vinyl Sealer	White	TXMAS-5- 51V010	TXMAS	27.59	PL	5	5.00	Sherwin- Williams	5206982	A white opaque vinyl sealer for furniture, cabinetry and interior wood products. To be topcoated with Sher-Wood Water White Conversion Varnish or Sher-Wood CAB-Acrylic Lacquer for improved non-yellowing properties.
63543	Sher-Wood® Vinyl Sealer	White	TXMAS-5- 51V010	TXMAS	24.52	DR	53	###	Sherwin- Williams	501030530	A white opaque vinyl sealer for furniture, cabinetry and interior wood products. To be topcoated with Sher-Wood Water White Conversion Varnish or Sher-Wood CAB-Acrylic Lacquer for improved non-yellowing properties.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Burnt Sienna	TXMAS-5- 51V010	TXMAS	42.86	GL		1.00	Sherwin- Williams	5232731	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Clear	TXMAS-5- 51V010	TXMAS	32.23	GL		1.00	Sherwin- Williams	5232756	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Deep Red	TXMAS-5- 51V010	TXMAS	32.23	GL		1.00	Sherwin- Williams	5232723	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Burnt Umber	TXMAS-5- 51V010	TXMAS	42.86	GL		1.00	Sherwin- Williams	5232749	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Red Oxide	TXMAS-5- 51V010	TXMAS	32.23	GL		1.00	Sherwin- Williams	5232715	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Black	TXMAS-5-51V010	TXMAS	32.23	GL		1.00	Sherwin-Williams	5232699	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Gilsonite	TXMAS-5-51V010	TXMAS	51.61	GL		1.00	Sherwin-Williams	501041156	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	White	TXMAS-5-51V010	TXMAS	48.11	GL		1.00	Sherwin-Williams	5232764	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stain Concentrate	Yellow Oxide	TXMAS-5-51V010	TXMAS	32.23	GL		1.00	Sherwin-Williams	5232707	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Mahogany	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205661	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Cordovan	TXMAS-5-51V010	TXMAS	35.39	GL		1.00	Sherwin-Williams	5205695	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Cinnamon	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205596	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	White	TXMAS-5-51V010	TXMAS	25.83	GL		1.00	Sherwin-Williams	5205687	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Cherry	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205653	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Dark Oak	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205638	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Dark Walnut	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205646	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Wheat	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205588	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Clear	TXMAS-5-51V010	TXMAS	21.96	GL		1.00	Sherwin-Williams	5205679	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water Reducible Wiping Stains	Fruitwood	TXMAS-5-51V010	TXMAS	22.13	GL		1.00	Sherwin-Williams	5209226	Are low VOC, ready-to-use, pigmented stains intended to accent and highlight grain definition and the natural beauty of wood products.
63543	Sher-Wood® Water White Conversion Varnish	Medium Rubbed Effect	TXMAS-5-51V010	TXMAS	23.55	DR	53	###	Sherwin-Williams	5204441	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Water White Conversion Varnish	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.23	GL		1.00	Sherwin- Williams	501037808	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.05	PL	5	5.00	Sherwin- Williams	5204433	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Medium Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.23	GL		1.00	Sherwin- Williams	501037816	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Gloss	TXMAS-5- 51V010	TXMAS	24.23	GL		1.00	Sherwin- Williams	501037857	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.05	PL	5	5.00	Sherwin- Williams	5204375	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Gloss	TXMAS-5- 51V010	TXMAS	24.05	PL	5	5.00	Sherwin- Williams	5204359	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.23	GL		1.00	Sherwin- Williams	501037824	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Gloss	TXMAS-5- 51V010	TXMAS	23.55	DR	53		Sherwin- Williams	5204367	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	24.05	PL	5	5.00	Sherwin- Williams	5204458	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Bright Rubbed Effect	TXMAS-5- 51V010	TXMAS	23.55	DR	53	###	Sherwin- Williams	5204383	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Water White Conversion Varnish	Dull Rubbed Effect	TXMAS-5- 51V010	TXMAS	23.55	DR	53	###	Sherwin- Williams	5204466	A catalyzed wood finishing system offering water white color and good resistance to yellowing. For use over white "pickled" and light color stains where good resistance to yellowing is required
63543	Sher-Wood® Wiping Stain	Autumn Oak	TXMAS-5- 51V010	TXMAS	23.66	GL		1.00	Sherwin- Williams	601615255	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Golden Hickory	TXMAS-5- 51V010	TXMAS	23.66	GL		1.00	Sherwin- Williams	601615263	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Dark Walnut	TXMAS-5- 51V010	TXMAS	23.66	GL		1.00	Sherwin- Williams	5201066	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	White	TXMAS-5- 51V010	TXMAS	26.74	GL		1.00	Sherwin- Williams	5204037	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Wiping Stain	Traditional Cherry	TXMAS-5-51V010	TXMAS	43.44	GL		1.00	Sherwin-Williams	601615321	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Cherry	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201074	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Dark Oak	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201058	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Fruitwood	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201041	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Cinnamon	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201033	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Clear	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201090	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Cordorvan	TXMAS-5-51V010	TXMAS	36.09	GL		1.00	Sherwin-Williams	5204045	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Mahogany	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201082	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain	Wheat	TXMAS-5-51V010	TXMAS	23.66	GL		1.00	Sherwin-Williams	5201025	Are ready- to-use pigmented stain intended to accent and highlight grain definition and the natural beauty of wood products. Meets the Federal HAPS rule for wood finishes as packaged.
63543	Sher-Wood® Wiping Stain Concentrate	Burnt Umber	TXMAS-5-51V010	TXMAS	36.45	GL		1.00	Sherwin-Williams	5204698	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Brite Yellow	TXMAS-5-51V010	TXMAS	70.53	GL		1.00	Sherwin-Williams	5232806	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Blue	TXMAS-5-51V010	TXMAS	51.61	GL		1.00	Sherwin-Williams	5232780	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Yellow Oxide	TXMAS-5-51V010	TXMAS	36.45	GL		1.00	Sherwin-Williams	5202858	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Burnt Sienna	TXMAS-5-51V010	TXMAS	36.45	GL		1.00	Sherwin-Williams	5204680	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Raw Sienna	TXMAS-5-51V010	TXMAS	36.06	GL		1.00	Sherwin-Williams	601615222	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Sher-Wood® Wiping Stain Concentrate	Raw Umber	TXMAS-5- 51V010	TXMAS	42.22	GL		1.00	Sherwin- Williams	5232814	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Deep Red	TXMAS-5- 51V010	TXMAS	95.75	GL		1.00	Sherwin- Williams	5204672	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	White	TXMAS-5- 51V010	TXMAS	40.63	GL		1.00	Sherwin- Williams	5202841	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Clear	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	5201181	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Brite Red	TXMAS-5- 51V010	TXMAS	63.48	GL		1.00	Sherwin- Williams	5232798	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Van Dyke Brown	TXMAS-5- 51V010	TXMAS	23.63	GL		1.00	Sherwin- Williams	601615248	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Gilsonite	TXMAS-5- 51V010	TXMAS	18.53	GL		1.00	Sherwin- Williams	501063119	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Fruitwood	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	5201132	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Red Oxide	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	5202866	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Green	TXMAS-5- 51V010	TXMAS	51.61	GL		1.00	Sherwin- Williams	5232772	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wiping Stain Concentrate	Black	TXMAS-5- 51V010	TXMAS	36.45	GL		1.00	Sherwin- Williams	5202833	Are highly pigmented stains intended to accent and highlight grain definition and natural beauty of wood products after being reduced with solvent.
63543	Sher-Wood® Wood Surfacer And Flat Lacquer	Flat White	TXMAS-5- 51V010	TXMAS	33.19	GL		1.00	Sherwin- Williams	5300801	Designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.
63543	Sher-Wood® Wood Surfacer And Flat Lacquer	Flat White	TXMAS-5- 51V010	TXMAS	31.92	PL	5	5.00	Sherwin- Williams	5300819	Designed for general industrial use on metal, wood, and some plastics to provide filling, corrosion protection, and fast build.
63543	Shoes - Polypropylene Spiked Shoes With 25MM Spikes #46106		TXMAS-5- 51V010	TXMAS	20.45	EA		1.00	Midwest Rake	9107244	Appropriate for all thin film and self leveling floor finishes. 13-25 cm. spikes. Polypropylene base. One size fits all.
63082	ShopCoat Primer	Gray	TXMAS-5- 51V010	TXMAS	18.07	PL	5	5.00	Sherwin- Williams	501065734	Are economical, fast drying primers offering field corrosion protection on iron and steel. Advantages: Fast drying - Fast recoat with aliphatic solvent alkyd enamels - Free of lead and chromate hazards - Apply by spray or dip.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63082	ShopCoat Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	18.07	PL	5	5.00	Sherwin- Williams	501089031	Are economical, fast drying primers offering field corrosion protection on iron and steel. Advantages: Fast drying - Fast recoat with aliphatic solvent alkyd enamels - Free of lead and chromate hazards - Apply by spray or dip.
63082	ShopCoat Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	19.17	GL		1.00	Sherwin- Williams	501009971	Are economical, fast drying primers offering field corrosion protection on iron and steel. Advantages: Fast drying - Fast recoat with aliphatic solvent alkyd enamels - Free of lead and chromate hazards - Apply by spray or dip.
63082	ShopCoat Primer	Gray	TXMAS-5- 51V010	TXMAS	17.03	DR	53	###	Sherwin- Williams	501065742	Are economical, fast drying primers offering field corrosion protection on iron and steel. Advantages: Fast drying - Fast recoat with aliphatic solvent alkyd enamels - Free of lead and chromate hazards - Apply by spray or dip.
63082	ShopCoat Primer	Red Oxide	TXMAS-5- 51V010	TXMAS	17.03	DR	53	###	Sherwin- Williams	501089049	Are economical, fast drying primers offering field corrosion protection on iron and steel. Advantages: Fast drying - Fast recoat with aliphatic solvent alkyd enamels - Free of lead and chromate hazards - Apply by spray or dip.
63543	Silver-Brite® Aluminum Paint		TXMAS-5- 51V010	TXMAS	22.60	PL	5	1.00	Sherwin- Williams	6311344	A superior quality, one package, interior/exterior, general purpose aluminum paint formulated with 325-mesh leafing aluminum pigment, petroleum resin, and select oils producing a chrome-like uniform appearance.
63543	Silver-Brite® Aluminum Paint		TXMAS-5- 51V010	TXMAS	23.87	GL		1.00	Sherwin- Williams	6311336	A superior quality, one package, interior/exterior, general purpose aluminum paint formulated with 325-mesh leafing aluminum pigment, petroleum resin, and select oils producing a chrome-like uniform appearance.
63543	Silver-Brite® Heavy Duty Rust Resistant Aluminum Paint		TXMAS-5- 51V010	TXMAS	37.62	GL		1.00	Sherwin- Williams	6302509	A superior quality, one package, interior/exterior, general purpose aluminum paint formulated with 325-mesh leafing aluminum pigment, petroleum resin, and select oils producing a chrome-like uniform appearance.
63543	Silver-Brite® Heavy Duty Rust Resistant Aluminum Paint		TXMAS-5- 51V010	TXMAS	38.36	PL	5	1.00	Sherwin- Williams	6302517	A superior quality, one package, interior/exterior, general purpose aluminum paint formulated with 325-mesh leafing aluminum pigment, petroleum resin, and select oils producing a chrome-like uniform appearance.
63543	Silver-Brite® Hi Heat Resisting Aluminum Paint		TXMAS-5- 51V010	TXMAS	20.97	GL		1.00	Sherwin- Williams	6102909	A ready-to-use high heat resisting paint for interior exposures providing heat resistance up to 700 F. Heat reflective - Maintains Sheen - Resists discoloration.
63543	Silver-Brite® Hi Heat Resisting Aluminum Paint		TXMAS-5- 51V010	TXMAS	20.58	PL	5	1.00	Sherwin- Williams	6102917	A ready-to-use high heat resisting paint for interior exposures providing heat resistance up to 700 F. Heat reflective - Maintains Sheen - Resists discoloration.
63543	Silver-Brite® Hi-Heat Silicone Alkyd Aluminum Paint		TXMAS-5- 51V010	TXMAS	56.79	GL		1.00	Sherwin- Williams	6103006	A superior quality, one package, interior/exterior aluminum paint formulated with 325 mesh leafing aluminum pigment to give excellent rust inhibition and heat resistance up to 400 F.
63543	Spackling - Shrink Free	White	TXMAS-5- 51V010	TXMAS	4.41	QT	1	1.00	Sherwin- Williams	1510619	Lightweight, fast drying, excellent adhesion, paintable and water resistant, will not shrink or crack.
63543	Spackling - Shrink Free	White	TXMAS-5- 51V010	TXMAS	15.05	GL		1.00	Sherwin- Williams	1510817	Lightweight, fast drying, excellent adhesion, paintable and water resistant, will not shrink or crack.
63543	Spackling - Shrink Free	White	TXMAS-5- 51V010	TXMAS	2.46	EA		1.00	Sherwin- Williams	1510627	Lightweight, fast drying, excellent adhesion, paintable and water resistant, will not shrink or crack.
63543	Spackling Paste	White	TXMAS-5- 51V010	TXMAS	1.57	EA		1.00	Sherwin- Williams	1516426	Great for use on heavy duty jobs. Smooth, easy application. Excellent adhesion with minimal shrinking. Easy cleanup with water.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Spackling Paste	White	TXMAS-5- 51V010	TXMAS	3.98	QT	1	1.00	Sherwin- Williams	1516442	Great for use on heavy duty jobs. Smooth, easy application. Excellent adhesion with minimal shrinking. Easy cleanup with water.
63543	SpeedRoller		TXMAS-5- 51V010	TXMAS	151.52	EA		1.00	Trac Tools Inc.	8733867	Speed Rollers is a revolutionary accessory for pump and airless paint systems. It dramatically outperforms all other paint applicators on the market today. Easy to assemble, light-weight, and amazingly simple to operate.
63543	Sponge - Duro Cel Cellulose Wallcovering Sponge	Rectangular	TXMAS-5- 51V010	TXMAS	2.54	EA		1.00	Acme Sponge	1626241	Highly absorbent and textured for superior cleaning. Two sided use fore large jobs extends product life and minimizes rinsing. Sizes to fit comfortably in the hand.
63543	Sponge - Natural	4 Inch x 5 Inch	TXMAS-5- 51V010	TXMAS	7.66	EA		6.00	Acme Sponge	1611755	Use for faux finishing and general purpose cleaning.
63543	Sponge - Natural Sea Sponge	7 Inch	TXMAS-5- 51V010	TXMAS	9.37	EA		1.00	Acme Sponge	1619006	Great for cleaning. Outperforms grass or synthetic sponges.
63543	Sponge - Sea Wool	6 Inch	TXMAS-5- 51V010	TXMAS	9.12	EA		1.00	Acme Sponge	1620475	Soft, pliable and absorbent. Performs very well for paint sundry use, faux finishing and general cleaning.
63575	Spray Accessory - Airless Spray Tip Guard		TXMAS-5- 51V010	TXMAS	22.26	EA		1.00	Graco Inc.	5883889	Seals when hand tightened. No tools required. Aerodynamic design directs the material flow. Design creates a tighter and more consistent spray pattern. Overspray is minimized. Ideal for fine finish applications.
63575	Spray Accessory - Airless Spray Whip - Flex Pro Hose Whip	3/16 Inch x 3 Feet	TXMAS-5- 51V010	TXMAS	12.47	EA		1.00	Graco Inc.	2209351	Flex Pro Hose Whip 3/16 Inch x 3 Feet
63575	Spray Accessory - Airless Spray Whip - Flex Pro Hose Whip	3/16 Inch x 5 Inch	TXMAS-5- 51V010	TXMAS	14.16	EA		1.00	Graco Inc.	2209344	Flex Pro Hose Whip 3/16 Inch x 5 Ft.
63575	Spray Accessory - Female Hose Connector Adaptor Union	3/8 Inch x 3/8 Inch	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Furon/Synf lex Division	1732601	Airless spray hose conector.
63575	Spray Accessory - Flex Pro Hose	1/4 Inch x 50 Feet	TXMAS-5- 51V010	TXMAS	43.03	EA		1.00	Graco Inc.	2209229	Flex Pro Hose 1/4 Inch x 50 Feet
63575	Spray Accessory - Flex Pro Hose	3/8 Inch x 50 Feet	TXMAS-5- 51V010	TXMAS	101.75	EA		1.00	Graco Inc.	2209237	Flex Pro Hose 3/8 Inch x 50 Feet
63575	Spray Accessory - SherWorks Hydraulic Fluid	32 oz.	TXMAS-5- 51V010	TXMAS	10.39	EA		1.00	Delta First Corp.	2204279	A high quality fluid that prevents rust, corrosion and wear. Resists foaming, emulsifying and chemical breakdown. Meets or exceeds OEM specifications.
63575	Spray Accessory - SherWorks Hydraulic Fluid		TXMAS-5- 51V010	TXMAS	20.25	GL		1.00	Delta First Corp.	2204287	A high quality fluid that prevents rust, corrosion and wear. Resists foaming, emulsifying and chemical breakdown. Meets or exceeds OEM specifications.
63575	Spray Accessory - SherWorks Packing Saver Lube	8 Oz.	TXMAS-5- 51V010	TXMAS	6.74	EA		1.00	Delta First Corp.	2204253	Is especially formulated to prevent paint from drying on the piston rod. Prevents wear, abrasion, or permanent damage to the upper packings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63575	Spray Accessory - SherWorks Packing Saver Lube	32 Oz.	TXMAS-5-51V010	TXMAS	17.64	EA		1.00	Delta First Corp.	2204261	Is especially formulated to prevent paint from drying on the piston rod. Prevents wear, abrasion, or permanent damage to the upper packings.
63575	Spray Accessory - SherWorks Pump Protector	32 oz.	TXMAS-5-51V010	TXMAS	8.82	EA		1.00	Delta First Corp.	2204246	Cleans and protects your spray system against rust, corrosion and premature wear so commonly seen with today's use of water-based products such as latex paints.
63575	Spray Accessory - Spray Tech G-10 XL Spray Gun	2 Finger	TXMAS-5-51V010	TXMAS	184.20	EA		1.00	Titan Spray Tech	4143814	Dual trigger lock, built in swivel and quick change filters. Accomodates standard size flat and reversible spray tips. Includes 50 mesh filter, replacement filter and tip guard. 3600 PSI maximum fluid pressure.
63575	Spray Accessory - Titan Airless Spray Gun Extension	12 Inch	TXMAS-5-51V010	TXMAS	24.79	EA		1.00	Titan Spray Tech	2209310	12 Inch Airless Spray Gun Extension
63575	Spray Accessory - Titan Airless Spray Gun Extension	6 Inch	TXMAS-5-51V010	TXMAS	23.37	EA		1.00	Titan Spray Tech	2209302	6 Inch Airless Spray Gun Extension
63575	Spray Accessory - Titan LX 80 II Gun Hose And Tip Kit		TXMAS-5-51V010	TXMAS	228.12	EA		1.00	Titan Spray Tech	2865376	LX 80 II Gun Hose And Tip Kit
63575	Spray Accessory - Titan LX 80 II Professional Airless Spray Gun		TXMAS-5-51V010	TXMAS	178.53	EA		1.00	Titan Spray Tech	1732908	Available with 4 finger or adjustable 2 finger trigger. All metal construction. Tungsten carbide ball valve, seat and stainless steel swivel insures wear resistance and durability. In handle filter reduces clogging and increases tip life.
63575	Spray Accessory - Titan Performer Airless Spray Gun		TXMAS-5-51V010	TXMAS	229.87	EA		1.00	Titan Spray Tech	2202703	Reversible tungsten carbide seat offers twice the life of standard diffusers. Unique two piece seal assembly design allows for removal of just the ball for easy maintenance.
63575	Spray Accessory - Titan Performer Gun Hose And Tip Kit		TXMAS-5-51V010	TXMAS	268.72	EA		1.00	Titan Spray Tech	2202695	Performer Airless Spray Gun and Hose and Tip Kit
63575	Spray Accessory - Titan Reversible Airless Spray Tip	Size 211	TXMAS-5-51V010	TXMAS	29.71	EA		1.00	Titan Spray Tech	2204311	
63575	Spray Accessory - Titan Reversible Airless Spray Tip Guard		TXMAS-5-51V010	TXMAS	18.85	EA		1.00	Titan Spray Tech	2204485	
63064	Spray Aerosol - Appliance Epoxy	White	TXMAS-5-51V010	TXMAS	4.23	EA		1.00	Sherwin-Williams	1414416	Appliance Spray Aerosol
63064	Spray Aerosol - Easy Touch Knockdown Texture	White	TXMAS-5-51V010	TXMAS	13.24	EA		1.00	Homax Corp	1557370	Patch knockdown, "Mediterranean" and splatter style textures. Sprays heavy and medium pattern. Two different size straws provide medium to heavy pattern.
63064	Spray Aerosol - Easy Touch Spray Texture 20 Oz.	White	TXMAS-5-51V010	TXMAS	13.24	EA		1.00	Homax Corp	1557495	Patch splatter or "orange peel" type drywall textures. Fast drying oil based spray texture. Different size spray patterns achieved by using one of three color coded straws. Up to 50 square Feet per can.
63064	Spray Aerosol - Easy Touch Texture Touch-Up 10 oz.	White	TXMAS-5-51V010	TXMAS	7.95	EA		1.00	Homax Corp	1554039	Patch splatter or "orange peel" type drywall textures. Fast drying oil based spray texture. Different size spray patterns achieved by using one of three color coded straws. Up to 50 square Feet per can.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Easy Touch Water Based Texture 20 oz.	White	TXMAS-5- 51V010	TXMAS	12.62	EA		1.00	Homax Corp	9027210	New water based allows use in occupiees areas. Matches "orange peel" and splatter effects. Easy water cleanup.
63064	Spray Aerosol - Krylon® Barbeque Spray Enamel	Aluminum	TXMAS-5- 51V010	TXMAS	4.23	EA		1.00	Sherwin- Williams	1415231	Paint protects sufaces up to 1,200 F. Restores appearance of grills, outdoor barbecues, and wood-burning stoves. Helps prevent the formation of new rust.
63064	Spray Aerosol - Krylon® BBQ And Stove	Stove Black	TXMAS-5- 51V010	TXMAS	4.23	EA		1.00	Sherwin- Williams	1415223	Restores, beautifies and protects against rust and corrosion. Protects up to 1200 F. Dries tack free in 5 minutes.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Gray	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440353	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Almond	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440189	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Gloss White	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440338	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Ultra Flat Black	TXMAS-5- 51V010	TXMAS	3.64	EA		1.00	Sherwin- Williams	1440346	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Gloss Black	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440361	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Flat White	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440379	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	White Semi- Gloss	TXMAS-5- 51V010	TXMAS	3.64	EA		1.00	Sherwin- Williams	1440312	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Semi-Flat Black	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440320	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Decorator 5 Ball 12 Oz.	Clear	TXMAS-5- 51V010	TXMAS	3.21	EA		1.00	Sherwin- Williams	1440197	Highest quality, fast dry Lacquer Spray Paint for a smooth, professional finish. Wide variety of established colors for interior and exterior projects.
63064	Spray Aerosol - Krylon® Lacquer Enamel	Clear Gloss	TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Sherwin- Williams	1415165	Creates a smooth, lustrous, professional finish on metal or wood instantly.
63064	Spray Aerosol - Krylon® Metallics Spray	Brass	TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Sherwin- Williams	1415132	A durable acrylic lacquer equipped with EZ touch Fan-spray nozzle. Dries in 12 minutes and can be recoated anytime.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Burgundy	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	1415843	No-Prep, superbond paint for plastic.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Hunter Green	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	1415835	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Spring Grass	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	1415827	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	River Rock	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	9569872	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Gloss Black	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	1415785	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Red Pepper	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	1415793	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Sunbeam	TXMAS-5- 51V010	TXMAS	5.40	EA		6.00	Sherwin- Williams	1415819	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Gloss White	TXMAS-5- 51V010	TXMAS	5.40	EA		6.00	General Polymers	1415777	No-Prep, superbond paint for plastic.
63064	Spray Aerosol - Krylon® Plastic Fusion 12 oz.	Patriotic Blue	TXMAS-5- 51V010	TXMAS	5.40	EA		1.00	Sherwin- Williams	1415801	No-Prep, superbond paint for plastic.
63082	PrepRite® ProBlock® Interior Quick Drying Alkyd Primer Sealer 12	White	TXMAS-5- 51V010	TXMAS	3.35	EA		1.00	Sherwin- Williams	1411669	Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease stains, ink stains and pencil stains. For: Drywall - Cured Plaster - Paneling - Nonporous Wallcovering - Previously Painted Surfaces - Wood - Ceiling Tiles.
63082	Spray Aerosol - PrepRite® ProBlock® Vertical Primer Aerosol	White	TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Sherwin- Williams	1612175	Seals out water sensitive stains, dried water stains, smoke stains and related odors, grease stains, ink stains and pencil stains. For: Drywall - Cured Plaster - Paneling - Nonporous Wallcovering - Previously Painted Surfaces - Wood - Ceiling Tiles.
63082	PrepRite® SF-1 Interior Exterior Quick Drying Alkyd Primer Sealer	White	TXMAS-5- 51V010	TXMAS	2.81	EA		1.00	Sherwin- Williams	1415710	Designed to seal smoke stains, odors, and will spot prime tannin. SF-1 will provide an interior vapor barrier with a perm rating less than 1. Is excellent for use as a spot primer on exterior knots.
63064	Spray Aerosol - Pro Industrial 16 oz. Welders Anti-Spatter		TXMAS-5- 51V010	TXMAS	5.85	EA		1.00	Sherwin- Williams	1440056	A nonflammable powder formula that dries to a white film preventing weld spatter from sticking to the metal surface. Residue can be brushed or wiped off after welding. Surface may be painted after use.
63064	Spray Aerosol - Pro Industrial 16 oz. Zinc Clad Cold Galvanizing		TXMAS-5- 51V010	TXMAS	5.85	EA		1.00	Sherwin- Williams	1430255	A 97% pure zinc-dust pigment blended with epoxy resin that provides maximum protection to steel exposed to severe corrosive environments. Is equal to or better than hot-dipped galvanizing.
63064	Spray Aerosol - Pro Industrial 20 oz. Class 1 - Safety Solvent		TXMAS-5- 51V010	TXMAS	7.44	EA		1.00	Sherwin- Williams	1430354	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Gray (Medium Gray)	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430065	Ideal for almost any industrial project either indoors or outdoors.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4003 Pallet Tan	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430099	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4001 Bolt Brown	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430081	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4018 Tower Gray (Dark Gray)	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430073	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Box Car Yellow/New Cat.Yellow	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430149	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4084 Safety Yellow	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430156	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4072 Cedar Green	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430164	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Gloss White	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430024	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Flat Black	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430016	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4082 International Orange	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430123	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4020 Zephyr Gray (Light)	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430057	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4081 Safety Red	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430107	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4083 Safety Orange	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430131	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Flat White	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430032	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Aluminum	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430040	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4070 Generator Green	TXMAS-5- 51V010	TXMAS	5.36	EA		1.00	Sherwin- Williams	1430172	Ideal for almost any industrial project either indoors or outdoors.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4086 Safety Blue	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430214	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4056 Blueprint (Dark Blue)	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430206	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4063 Robotic Blue (Light Blue)	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430198	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Gloss Black	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430008	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	SW4085 Safety Green	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430180	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 15 oz.	Box Car Red	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430115	Ideal for almost any industrial project either indoors or outdoors.
63082	Spray Aerosol - Pro Industrial Aerosol 15 oz. Primer	Off White	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430248	Ideal for almost any industrial project either indoors or outdoors.
63082	Spray Aerosol - Pro Industrial Aerosol 15 oz. Primer	Gray	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430230	Ideal for almost any industrial project either indoors or outdoors.
63082	Spray Aerosol - Pro Industrial Aerosol 15 oz. Primer	Red Oxide	TXMAS-5-51V010	TXMAS	5.36	EA		1.00	Sherwin-Williams	1430222	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol 19 oz. General Purpose Cleaner		TXMAS-5-51V010	TXMAS	2.96	EA		1.00	Sherwin-Williams	1430412	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol Fluorescent 14.5 oz.	Red/Orange Fluorescent	TXMAS-5-51V010	TXMAS	6.38	EA		1.00	Sherwin-Williams	1430289	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol Fluorescent 14.5 oz.	Yellow Fluorescent	TXMAS-5-51V010	TXMAS	6.38	EA		1.00	Sherwin-Williams	1430263	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Pro Industrial Aerosol Fluorescent 14.5 oz.	Orange Fluorescent	TXMAS-5-51V010	TXMAS	6.38	EA		1.00	Sherwin-Williams	1430271	Ideal for almost any industrial project either indoors or outdoors.
63064	Spray Aerosol - Rescue Wasp And Hornet Killer Spray		TXMAS-5-51V010	TXMAS	3.53	EA		1.00	Sherwin-Williams	1442433	20 Foot blast. Instant knockout.
63064	Spray Aerosol - Sherliner® Striping Paint Spray 17 oz.	Handicap Blue	TXMAS-5-51V010	TXMAS	5.76	EA		1.00	Sherwin-Williams	1600022	Long lasting durability on high traffic concrete and asphalt.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Sherliner® Striping Paint Spray 17 oz.	Highway White	TXMAS-5-51V010	TXMAS	5.76	EA		1.00	Sherwin-Williams	1600006	Long lasting durability on high traffic concrete and asphalt.
63064	Spray Aerosol - Sherliner® Striping Paint Spray 17 oz.	Cover Up Black	TXMAS-5-51V010	TXMAS	5.76	EA		1.00	Sherwin-Williams	1600329	Long lasting durability on high traffic concrete and asphalt.
63064	Spray Aerosol - Sherliner® Striping Paint Spray 17 oz.	Highway Yellow	TXMAS-5-51V010	TXMAS	5.76	EA		1.00	Sherwin-Williams	1600014	Long lasting durability on high traffic concrete and asphalt.
63066	Shermark Upside Down Marking Paint Spray 17 oz.	Orange Fluorescent	TXMAS-5-51V010	TXMAS	4.69	EA		1.00	Sherwin-Williams	1420017	Faster drying, lead free, solvent based formula works at lower temperatures, lengthens marking season. Semi permanent, will weather away; adheres to grass, soil, gravel, asphalt, cement and cables.
63066	Shermark Upside Down Marking Paint Spray 17 oz.	Red-Orange Fluorescent	TXMAS-5-51V010	TXMAS	4.69	EA		1.00	Sherwin-Williams	1420009	Faster drying, lead free, solvent based formula works at lower temperatures, lengthens marking season. Semi permanent, will weather away; adheres to grass, soil, gravel, asphalt, cement and cables.
63066	Shermark Upside Down Marking Paint Spray 17 oz.	Caution Blue	TXMAS-5-51V010	TXMAS	4.69	EA		1.00	Sherwin-Williams	1420025	Faster drying, lead free, solvent based formula works at lower temperatures, lengthens marking season. Semi permanent, will weather away; adheres to grass, soil, gravel, asphalt, cement and cables.
63066	Shermark Upside Down Marking Paint Spray 17 oz.	White	TXMAS-5-51V010	TXMAS	4.69	EA		1.00	Sherwin-Williams	1420041	Faster drying, lead free, solvent based formula works at lower temperatures, lengthens marking season. Semi permanent, will weather away; adheres to grass, soil, gravel, asphalt, cement and cables.
63066	Shermark Upside Down Marking Paint Spray 17 oz.	High Visibility Yellow	TXMAS-5-51V010	TXMAS	4.69	EA		1.00	Sherwin-Williams	1420033	Faster drying, lead free, solvent based formula works at lower temperatures, lengthens marking season. Semi permanent, will weather away; adheres to grass, soil, gravel, asphalt, cement and cables.
63066	Shermark Upside Down Water Based Marking Paint Spray	Safety Yellow	TXMAS-5-51V010	TXMAS	5.40		12	1.00	Sherwin-Williams	1415892	Durable, water based formula can be used in adverse weather. Adheres to soil, gravel, grass, asphalt, cement and cables. Available in bright colors for high visibility marking. Easy to spray for quick one stroke marking.
63066	Shermark Upside Down Water Based Marking Paint Spray	Orange Fluorescent	TXMAS-5-51V010	TXMAS	5.40			1.00	Sherwin-Williams	1415884	Durable, water based formula can be used in adverse weather. Adheres to soil, gravel, grass, asphalt, cement and cables. Available in bright colors for high visibility marking. Easy to spray for quick one stroke marking.
63066	Shermark Upside Down Water Based Marking Paint Spray	Brilliant White	TXMAS-5-51V010	TXMAS	5.40			1.00	Sherwin-Williams	1415900	Durable, water based formula can be used in adverse weather. Adheres to soil, gravel, grass, asphalt, cement and cables. Available in bright colors for high visibility marking. Easy to spray for quick one stroke marking.
63066	Shermark Upside Down Water Based Marking Paint Spray	Red Fluorescent	TXMAS-5-51V010	TXMAS	6.23			1.00	Sherwin-Williams	1415918	Durable, water based formula can be used in adverse weather. Adheres to soil, gravel, grass, asphalt, cement and cables. Available in bright colors for high visibility marking. Easy to spray for quick one stroke marking.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Antique White	TXMAS-5-51V010	TXMAS	3.80	EA		1.00	Sherwin-Williams	1402486	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Gloss Yellow	TXMAS-5-51V010	TXMAS	3.80	EA		1.00	Sherwin-Williams	1400571	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Red Metal Primer	TXMAS-5-51V010	TXMAS	3.80	EA		1.00	Sherwin-Williams	1400589	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Gloss Black	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400506	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Gloss Orange	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1402452	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Grey Metal Primer	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400613	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Wrough Iron Flat Black	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400514	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Wrought Iron Flat White	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400597	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Hunter Green	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1415348	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Machinery Gray	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400621	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Chrome Aluminum	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400530	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	High Visibility Red	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400548	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Gloss White	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400522	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Safety Green	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1402023	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Gloss Brown	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1400563	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Super Acrylic Control Rust 12 oz.	Safety Blue	TXMAS-5- 51V010	TXMAS	3.80	EA		1.00	Sherwin- Williams	1402031	Highest quality, alkyd based rust preventative spray paint. A variety of established colors commonly used in rust prevention applications.
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Wrought Iron Flat Black	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415082	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Bold Blue	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415066	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Gloss White	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415090	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Gloss Black	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415108	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Grey	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415116	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Chrome Aluminum	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415058	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.
63064	Spray Aerosol - Weekend® Spray Enamel 11 oz.	Cherry Red	TXMAS-5- 51V010	TXMAS	1.76	EA		1.00	Sherwin- Williams	1415009	An economical all purpose enamel paint. Recommended for touch-up, maintenance and general marking applications. Equipped with standard spray valve. Dries tack free in 15 minutes.
63575	Spray Cup - Binks® Siphon Feed 1 Qt. Aluminum Cup		TXMAS-5- 51V010	TXMAS	45.44	EA		1.00	ITW Industrial Finishing	2865475	Part# 81-800. No more drips to spoil your work. Strong quart cup made of 18 gauge aluminum. Polished surface wipes clean easily. Smooth easy to clean internal surfaces.
63580	Spray Equipment HVLP - Cap Spray® SW 8100 HVLP		TXMAS-5- 51V010	TXMAS	897.67	EA		1.00	Titan Spray Tech	1765072	3-Stage Turbine, 6 PSI, 80 CFM. Weighs 23 lbs. Otional cart. 1 quart cup capacity. Sprays stains, lacquers and thinned alkyd based paints. Complete unit includes gun, hose and tip. Recommended for medium applications.
63580	Spray Equipment HVLP - Cap Spray® SW 9100 HVLP		TXMAS-5- 51V010	TXMAS	1,167.38	EA		1.00	Titan Spray Tech	1765080	4-Stage Turbine, 8.5 PSI, 80 CFM. Weighs 32 lbs. Optional cart. 1 quart cup capacity. Sprays stains, lacquers, thinned alkyd based paints and thinned latex base paints. Recommended for heavy applications.
63580	Spray Equipment HVLP - HVLP Cap Spray® 10000 Sprayer		TXMAS-5- 51V010	TXMAS	2,125.43	EA		1.00	Titan Spray Tech	2203974	2 HP Compressor, 10 PSI. Weighs 110 lbs. Upright cart. 2.5 gallon pot capacity. Twin head compressor. Sprays stains, lacquers, alkyd base paints and latex base paints. Recommended for high production.
63580	Spray Equipment HVLP - SprayTech HVLP 3100 Air Gun		TXMAS-5- 51V010	TXMAS	196.27	EA		1.00	Titan Spray Tech	9819400	SprayTech HVLP 3100 AIR GUN
63580	Spray Equipment HVLP - SprayTech HVLP CS 3100C 1.1mm NNK		TXMAS-5- 51V010	TXMAS	196.27	EA		1.00	Titan Spray Tech	2208809	SprayTech HVLP CS 3100C 1.1mm NNK
63580	Spray Equipment HVLP - SprayTech HVLP CS 3100C 1.8mm NNK		TXMAS-5- 51V010	TXMAS	196.27	EA		1.00	Titan Spray Tech	2208825	SprayTech HVLP CS 3100C 1.8mm NNK
63580	Spray Equipment HVLP - SprayTech HVLP CS 3100C 0.08mm NNK		TXMAS-5- 51V010	TXMAS	196.27	EA		1.00	Titan Spray Tech	2208791	SprayTech HVLP CS 3100C 0.08mm NNK
63580	Spray Equipment HVLP - SprayTech HVLP CS3100 2.0mm NNK		TXMAS-5- 51V010	TXMAS	257.19	EA		1.00	Titan Spray Tech	2208866	SprayTech HVLP CS 3100C 0.08mm NNK
63580	Spray Equipment HVLP - SprayTech HVLP CS3100HVLP 1.2mm NNK		TXMAS-5- 51V010	TXMAS	257.19	EA		1.00	Titan Spray Tech	2208833	SprayTech HVLP CS3100HVLP 1.2mm NNK

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63580	Spray Equipment HVLP - SprayTech HVLP CS3100HVLP 1.7mm NNK		TXMAS-5- 51V010	TXMAS	257.19	EA		1.00	Titan Spray Tech	2208858	SprayTech HVLP CS3100HVLP 1.7mm NNK
63580	Spray Equipment HVLP - SprayTech HVLP Gun		TXMAS-5- 51V010	TXMAS	257.19	EA		1.00	Titan Spray Tech	9841966	SprayTech HVLP Gun
63580	Spray Equipment HVLP - System 2500		TXMAS-5- 51V010	TXMAS	750.98	EA		1.00	Graco Inc.	2204576	2-stage Turbine, 5 PSI, 58 CFM. Weighs 21 lbs. Optional cart. 1 quart cup capacity. Sprays stains, lacquers and thinned alkyd based paints. Recommended for light applications.
63580	Spray Equipment HVLP - System 3800		TXMAS-5- 51V010	TXMAS	1,034.38	EA		1.00	Graco Inc.	2204584	3-stage turbine, 6 PSI, 80 CFM. Weighs 23 lbs. Optional cart. 1 quart cup capacity. Sprays stains, lacquers, thinned alkyd based paints and thinned latex based paints. Complete unit includes gun, hose and cup.
63580	Spray Equipment HVLP - System 3800 Pro	Complete Unit	TXMAS-5- 51V010	TXMAS	1,348.94	EA		1.00	Graco Inc.	2204592	3-Stage Turbine with Compressor, 20 PSI, 80 CFM. Weighs 27 lbs. Otional cart. 2 quart cup capacity. Single head compressor. Sprays stains, lacquers, alkyd based paints and latex based paints. Complete unit includes gun, hose and pot.
63580	Spray Equipment HVLP - System 4900		TXMAS-5- 51V010	TXMAS	1,412.23	EA		1.00	Graco Inc.	2204618	System 4900 HVLP -2001
63580	Spray Equipment HVLP - System 4900 Pro With 2 quart Cup	Complete Unit	TXMAS-5- 51V010	TXMAS	1,686.18	EA		1.00	Graco Inc.	2204626	System 4900 ProComp w/2 quart Cup
63575	Spray Gun - PreVal Replacement Power Unit		TXMAS-5- 51V010	TXMAS	3.53	EA		1.00	Precision Valve Corp	1544659	Sprays all paints, lacquers, enamels, acrylics, custom colors, primers and other liquids. To be used with Peval Portable Sprayer.
63575	Spray Gun - PreVal Spray Gun Complete Unit		TXMAS-5- 51V010	TXMAS	4.41	EA		1.00	Precision Valve Corp	1543164	Professional, portable disposable sprayer. Sprays up to 16 oz. of paint and other liquids.
63575	Spray Gun - Silver Gun Hose And Tip Kit		TXMAS-5- 51V010	TXMAS	346.16	EA		1.00	Graco Inc.	2205003	Silver Gun Hose Tip Kit with 330 psi Hose
63575	Spray Gun - Silver Plus Manual Airless Gun		TXMAS-5- 51V010	TXMAS	266.82	EA		1.00	Graco Inc.	2205029	Silver Gun w/517 Rac 5 Tip
63575	Spray Pole - Anglemaster Spray Pole	5 Ft.	TXMAS-5- 51V010	TXMAS	148.69	EA		1.00	Hyde Tools	1638998	Spray Pole - Anglemaster 5 Ft. Spray Pole
63575	Spray Pole - Anglemaster Spray Pole	3 Ft.	TXMAS-5- 51V010	TXMAS	136.27	EA		1.00	Hyde Tools	1638980	Spray Pole - Anglemaster 3 Ft. Spray Pole
63575	Spray Pressure Pot - Binks® 2.8 Gal. Zinc Plated With 2 Regulators		TXMAS-5- 51V010	TXMAS	391.79	EA		1.00	ITW Industrial Finishing	9070459	ASME certified - can use up to 110 PSI vs. 80 PSI for Non-ASME. Meets NFPSA standards. Complies with safety codes. Part# 83C-220.
63575	Spray Shield - Cardboard	10 Inch x 31 Inch	TXMAS-5- 51V010	TXMAS	0.38	EA		1.00	Trimaco	4181756	10 Inch x 31 Inch Cardboard Spray Shield.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY Per UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63575	Spray Shield - Proshield Flex Aluminum	24 Inch	TXMAS-5-51V010	TXMAS	12.84	EA		1.00	Hyde Tools	7328966	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield - Proshield Flex Aluminum With Swivel	36 Inch with 18 Inch Handle	TXMAS-5-51V010	TXMAS	16.37	EA		1.00	Hyde Tools	2866515	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield - Proshield High Impact Styrene Plastic	24 Inch	TXMAS-5-51V010	TXMAS	10.87	EA		1.00	Hyde Tools	4024337	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield - Proshield Rigid Aluminum	24 Inch	TXMAS-5-51V010	TXMAS	12.84	EA		1.00	Hyde Tools	4340329	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield - Proshield Stiff Aluminum With Swivel	48 Inch with 18 Inch Handle	TXMAS-5-51V010	TXMAS	23.86	EA		1.00	Hyde Tools	2866523	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield - Proshield Stiff Aluminum With Swivel	36 Inch with 18 Inch Handle	TXMAS-5-51V010	TXMAS	16.37	EA		3.00	Hyde Tools	2866507	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield - Proshield Styrene High Impact Plastic With Swivel	36 Inch with 18 Inch Handle	TXMAS-5-51V010	TXMAS	14.52	EA		1.00	Hyde Tools	2866531	The only spray shield that adjusts to any angle and attaches to your extension pole.
63575	Spray Shield Holder For the 10 Inch x 31 Inch Cardboard Spray Shield		TXMAS-5-51V010	TXMAS	4.79	EA		1.00	Trimaco	4972840	Spray Shield Holder.
63575	Spray Sock		TXMAS-5-51V010	TXMAS	1.27	EA		1.00	Reaves And Company	1538644	Three way stretch spray sock. Fabric head protection.
63580	Sprayer - Multi-Purpose Trigger Sprayer		TXMAS-5-51V010	TXMAS	2.05	EA		1.00	Hudson Manufacturing Co	1635309	Multi-Purpose Trigger Sprayer.
63543	Spraylastic® Exterior Semi-Gloss Waterborne Dryfall	Extra White	TXMAS-5-51V010	TXMAS	31.24	PL	5	1.00	Sherwin-Williams	640518940	An acrylic, direct-to-metal coating designed for exterior use where overspray dries to a removable dust within 10 feet.
63543	Spraylastic® Exterior Semi-Gloss Waterborne Dryfall	Clear Tint Base	TXMAS-5-51V010	TXMAS	29.19	PL	5	1.00	Sherwin-Williams	640334587	An acrylic, direct-to-metal coating designed for exterior use where overspray dries to a removable dust within 10 feet.
63543	Stain Pad - Lambskin With Wood Handle	4 Inch x 5 Inch	TXMAS-5-51V010	TXMAS	8.43	EA		1.00	Sherwin-Williams	1709864	Professional Series Stain Pad With Wood Handle 4 inch x 5 inch
63543	Staining Pads - Staining Pads 2 Pack		TXMAS-5-51V010	TXMAS	1.66	EA		1.00	Reaves And Company	4188421	Staining Pads.
63543	Steel Master 9500 30% Silicone Alkyd	Black	TXMAS-5-51V010	TXMAS	41.30	GL		1.00	Sherwin-Williams	640119541	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Steel Master 9500 30% Silicone Alkyd	Black	TXMAS-5- 51V010	TXMAS	40.57	PL	5	5.00	Sherwin- Williams	640119558	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.
63543	Steel Master 9500 30% Silicone Alkyd	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	41.30	GL		1.00	Sherwin- Williams	640119319	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.
63543	Steel Master 9500 30% Silicone Alkyd	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	48.11	GL		1.00	Sherwin- Williams	640518957	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.
63543	Steel Master 9500 30% Silicone Alkyd	Safety Yellow	TXMAS-5- 51V010	TXMAS	42.86	GL		1.00	Sherwin- Williams	640131405	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.
63543	Steel Master 9500 30% Silicone Alkyd	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	47.36	PL	5	5.00	Sherwin- Williams	640518965	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.
63543	Steel Master 9500 30% Silicone Alkyd	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	40.57	PL	5	5.00	Sherwin- Williams	640119533	A heavy duty, exterior/interior, VOC compliant, 30% silicone alkyd, protective topcoat. The ultimate in gloss and color retention and long term exterior durability for a single component alkyd product.
63057	Steel Spec Epoxy Primer	Hardener Part B	TXMAS-5- 51V010	TXMAS	44.28	PL	5	5.00	Sherwin- Williams	640360350	The industrial coatings market's first non-zinc containing, Class B rated coating for slip coefficient performance and bolted connections per ASTM and AISC specifications. Fast dry with fast handle time. Corrosion resistant. Fast recoat.
63057	Steel Spec Epoxy Primer	Red Oxide Part A	TXMAS-5- 51V010	TXMAS	45.03	GL		1.00	Sherwin- Williams	640360368	The industrial coatings market's first non-zinc containing, Class B-rated coating for slip coefficient performance and bolted connections per ASTM and AISC specifications.
63057	Steel Spec Epoxy Primer	Red Oxide Part A	TXMAS-5- 51V010	TXMAS	44.28	PL	5	5.00	Sherwin- Williams	640360376	The industrial coatings market's first non-zinc containing, Class B rated coating for slip coefficient performance and bolted connections per ASTM and AISC specifications. Fast dry with fast handle time. Corrosion resistant. Fast recoat.
63057	Steel Spec Epoxy Primer	Hardener Part B	TXMAS-5- 51V010	TXMAS	45.03	GL		1.00	Sherwin- Williams	640360343	The industrial coatings market's first non-zinc containing, Class B rated coating for slip coefficient performance and bolted connections per ASTM and AISC specifications. Fast dry with fast handle time. Corrosion resistant. Fast recoat.
63543	Steel Spec Fast Dry Alkyd Topcoat	Clear Tint Base	TXMAS-5- 51V010	TXMAS	19.13	GL		1.00	Sherwin- Williams	640334645	A one component modified alkyd formulated for fast drying and curing. Allows multiple coats to be applied during 1 shift.
63543	Steel Spec Fast Dry Alkyd Topcoat	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	19.13	GL		1.00	Sherwin- Williams	640334629	A one component modified alkyd formulated for fast drying and curing. Allows multiple coats to be applied during 1 shift.
63543	Steel Spec Fast Dry Alkyd Topcoat	Black	TXMAS-5- 51V010	TXMAS	20.90	PL	5	5.00	Sherwin- Williams	640349825	A one component modified alkyd formulated for fast drying and curing. Allows multiple coats to be applied during 1 shift.
63543	Steel Spec Fast Dry Alkyd Topcoat	Black	TXMAS-5- 51V010	TXMAS	21.73	GL		1.00	Sherwin- Williams	640349817	A one component modified alkyd formulated for fast drying and curing. Allows multiple coats to be applied during 1 shift.
63543	Steel Spec Fast Dry Alkyd Topcoat	Clear Tint Base	TXMAS-5- 51V010	TXMAS	18.42	PL	5	5.00	Sherwin- Williams	640342457	A one component modified alkyd formulated for fast drying and curing. Allows multiple coats to be applied during 1 shift.

EXHIBIT C
CONTRACTOR'S PRICING

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Steel Spec Fast Dry Alkyd Topcoat	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	18.42	PL	5	5.00	Sherwin- Williams	640334637	A one component modified alkyd formulated for fast drying and curing. Allows multiple coats to be applied during 1 shift.
63543	Stepladder - Aluminum Stepladder 300 Lb. Rated Type 1A	10 Ft.	TXMAS-5- 51V010	TXMAS	157.38	EA		1.00	Werner, R. D.	4002424	Type1A duty rating. Extra heavy duty professional use. 300 Lb. load capacity. Molded blue Tool-Tra-Top Double riveted construction. Full 3 Inch side rail, 1-1/4 Inch rear rail. Heavy guage deep flanged steps.
63543	Stepladder - Aluminum Type 1	6 Ft.	TXMAS-5- 51V010	TXMAS	62.24	EA		1.00	Werner, R. D.	2822195	Type 1 duty rating. Heavy duty industrial use. 250 Lb. load capacity. Twist-Proof due to the patented Alflo rung joints. Traction-Tred deeply serrated flat steps. Larger, stronger modified "I"-beam side rails.
63543	Stepladder - Aluminum Type 1A	6 Ft.	TXMAS-5- 51V010	TXMAS	85.30	EA		1.00	Werner, R. D.	2822211	Molded blue Tool-Tra-Top Double riveted construction. Full 3 Inch side rail, 1-1/4 Inch rear rail. Heavy guage deep flanged steps. Spill-Proof pail shelf with rag rack.
63543	Stepladder - Aluminum Type 1A	8 Ft.	TXMAS-5- 51V010	TXMAS	115.17	EA		1.00	Werner, R. D.	2822229	Type1A duty rating. Extra heavy duty professional use. 300 Lb. load capacity. Molded blue Tool-Tra-Top Double riveted construction. Full 3 Inch side rail, 1-1/4 Inch rear rail. Heavy guage deep flanged steps. Spill-Proof® pail shelf with rag rack.
63543	Stepladder - Aluminum Type 1A	4 Ft.	TXMAS-5- 51V010	TXMAS	68.22	EA		1.00	Werner, R. D.	4004107	Type1A duty rating. Extra heavy duty professional use. 300 Lb. load capacity. Molded blue Tool-Tra-Top Double riveted construction. Full 3 Inch side rail, 1-1/4 Inch rear rail. Heavy guage deep flanged steps. Spill-Proof® pail shelf with rag rack.
63543	Stepladder - Blue Fiberglass Type 1 With Pail Shelf	8 Ft.	TXMAS-5- 51V010	TXMAS	130.53	EA		1.00	Werner, R. D.	2824605	Pail shelf automatically closes with stepladder Traction-Tred 3 Inch deeply serrated aluminum steps. Plated steel, double bracing on bottom step. Ribbed slip-resistant rubber foot pads protected by aluminum shoe.
63543	Stepladder - Blue Fiberglass Type 1 With Pail Shelf	6 Ft.	TXMAS-5- 51V010	TXMAS	102.37	EA		1.00	Werner, R. D.	2824449	Pail shelf automatically closes with stepladder Traction-Tred 3 Inch deeply serrated aluminum steps. Plated steel, double bracing on bottom step. Ribbed slip-resistant rubber foot pads protected by aluminum shoe.
63543	Stepladder - Blue Fiberglass Type 1 With Pail Shelf	4 Ft.	TXMAS-5- 51V010	TXMAS	74.20	EA		1.00	Werner, R. D.	4024444	Pail shelf automatically closes with stepladder Traction-Tred 3 Inch deeply serrated aluminum steps. Plated steel, double bracing on bottom step. Ribbed slip-resistant rubber foot pads protected by aluminum shoe.
63543	Stepladder - Green Fiberglass Type 2	4 Ft.	TXMAS-5- 51V010	TXMAS	62.28	EA		1.00	Werner, R. D.	4002473	Type 2 duty rating Medium duty commercial use 225 lb. load capacity. Tool-Tra-Top is slotted for paint roller tray, milded for tools, quart can and convenient small parts tray. Slip resistant flexible vinyl foot pads.
63543	Stepladder - Orange Fiberglass Type 1A	10 Ft.	TXMAS-5- 51V010	TXMAS	202.21	EA		1.00	Werner, R. D.	6117816	Type 1A duty rating extra heavy duty professional use 300 Lb. load capacity. Orange fiberglass rails. Top step is knee braced. Pinch-Proof spreaders. Tool-Tra-Top® with drill holster, tool holders and small parts tray.
63543	Stepladder - Orange Fiberglass Type 1A	4 Ft.	TXMAS-5- 51V010	TXMAS	81.03	EA		1.00	Werner, R. D.	4557781	Type 1A duty rating extra heavy duty professional use 300 Lb. load capacity. Orange fiberglass rails. Top step is knee braced. Pinch-Proof spreaders. Tool-Tra-Top® with drill holster, tool holders and small parts tray.
63543	Stepladder - Orange Fiberglass Type 1A	8 Ft.	TXMAS-5- 51V010	TXMAS	136.50	EA		1.00	Werner, R. D.	6117923	Type 1A duty rating extra heavy duty professional use 300 Lb. load capacity. Orange fiberglass rails. Top step is knee braced. Pinch-Proof spreaders. Tool-Tra-Top® with drill holster, tool holders and small parts tray.
63543	Stepladder - Orange Fiberglass Type 1A	6 Ft.	TXMAS-5- 51V010	TXMAS	102.37	EA		1.00	Werner, R. D.	4035101	Type 1A duty rating extra heavy duty professional use 300 Lb. load capacity. Orange fiberglass rails. Top step is knee braced. Pinch-Proof spreaders. Tool-Tra-Top® with drill holster, tool holders and small parts tray.
63543	Stepladder - Orange Fiberglass Type 1A	12 Ft,	TXMAS-5- 51V010	TXMAS	247.45	EA		1.00	Werner, R. D.	4002440	Type 1A duty rating extra heavy duty professional use 300 Lb. load capacity. Orange fiberglass rails. Top step is knee braced. Pinch-Proof spreaders. Tool-Tra-Top® with drill holster, tool holders and small parts tray.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Stilts - Adjustable Stilts	18 Inches To 28 Inches	TXMAS-5- 51V010	TXMAS	270.29	EA		1.00	Wallboard Tool Company	7241920	Adjustable heights 18 Inch to 28 Inch. Load weight 225 Lbs. High strength aluminum alloy with zinc plated steel working parts. Rubber soles to prevent slipping.
63543	Straight Edge - Aluminum	6 Ft.	TXMAS-5- 51V010	TXMAS	43.35	EA		1.00	Advance Equipment Mfg	1589449	Precision guide for razor knife. Double track accommodates standard wallpaper trimmers.
63543	Straight Edge - Professional Mini Guide	11-1/2 Inch Long	TXMAS-5- 51V010	TXMAS	3.04	EA		1.00	Hyde Tools	2823425	Smoothing tool and straight edge. Stainless steel blade extends beyond handle to reach corners. Smaller version of the super guide.
63543	Straight Edge - Professional Super Guide	24 Inch	TXMAS-5- 51V010	TXMAS	4.98	EA		1.00	Hyde Tools	2820793	24 Inch long plastic tool. 24 Inch stainless steel edge. Acts as paint shield, smoothing device, straight edge, etc.
63550	Strainers - For Pressure Pump	3 Per Bag	TXMAS-5- 51V010	TXMAS	1.76	EA	###		Reaves And Company	1539410	60 mesh bag with tie string. Tied over intake shaft or valve as a primary or secondary strainer. Guards against trash and foreign matter that falls into pot while operating spray unit.
63538	Strippable Spray Booth Coating	White	TXMAS-5- 51V010	TXMAS	24.66	PL	5	5.00	Sherwin- Williams	5000914	A fast dry vinyl coating designed to keep spray booths cleaner, brighter, and safer, and for temporary protection of polished or plated surfaces.
63538	Strippable Spray Booth Coating	White	TXMAS-5- 51V010	TXMAS	25.69	GL		1.00	Sherwin- Williams	5000906	A fast dry vinyl coating designed to keep spray booths cleaner, brighter, and safer, and for temporary protection of polished or plated surfaces.
63543	Strippers - Strypeeze Paint Remover		TXMAS-5- 51V010	TXMAS	16.19	GL		1.00	Savogran Co.	1527720	A general purpose, semi-paste stripper; clings to rounded and upright surfaces. Anti-evaporate "film" to minimize evaporation gives solvent more time to penetrate layers. For interior and exterior work.
63543	Strippers - Super Strip Paint Remover		TXMAS-5- 51V010	TXMAS	19.40	GL		1.00	Savogran Co.	1527712	A non-flammable, deep cutting stripper (minimized fire hazard for interior use). Softens extremely tough finishes, industrial enamels, varnishes, lacquers, etc.
63543	Super Save-Lite® Dryfall Flat	Brilliant White	TXMAS-5- 51V010	TXMAS	15.46	PL	5	1.00	Sherwin- Williams	640104071	A modified alkyd, intense white paint for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity.
63543	Super Save-Lite® Dryfall Semi-Gloss	Brilliant White	TXMAS-5- 51V010	TXMAS	14.71	DR	53	1.00	Sherwin- Williams	640104022	A modified alkyd, intense white paint for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity.
63543	Super Save-Lite® Dryfall Semi-Gloss	Brilliant White	TXMAS-5- 51V010	TXMAS	15.50	PL	5	1.00	Sherwin- Williams	640104014	A modified alkyd, intense white paint for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity.
63543	Super Save-Lite® Dryfall VOC Complying Gloss	White	TXMAS-5- 51V010	TXMAS	27.91	PL	5	1.00	Sherwin- Williams	640312070	A modified gloss alkyd white coating for interior use. Overspray dries to a removable dust within eight feet @ 77 F and 50% relative humidity. VOC Compliant - Gloss finish
63543	Super Save-Lite® Hi Tech Dryfall Eg-Shel	White	TXMAS-5- 51V010	TXMAS	34.72	DR	53	###	Sherwin- Williams	640325536	An advanced alkyd formulation. Provide optimum wet and dry hiding at reduced film thickness. Significantly reduces material consumption and equipment wear while increasing productivity and reducing cost.
63543	Super Save-Lite® Hi Tech Dryfall Eg-Shel	White	TXMAS-5- 51V010	TXMAS	20.94	PL	5	1.00	Sherwin- Williams	640312062	An advanced alkyd formulation. Provide optimum wet and dry hiding at reduced film thickness. Significantly reduces material consumption and equipment wear while increasing productivity and reducing cost.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Super Save-Lite® Hi Tech Dryfall Flat	White	TXMAS-5- 51V010	TXMAS	20.30	PL	5	1.00	Sherwin- Williams	640174397	An advanced alkyd formulation. Provide optimum wet and dry hiding at reduced film thickness. Significantly reduces material consumption and equipment wear while increasing productivity and reducing cost.
63056	SuperPaint® Exterior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	20.21	PL	5	5.00	Sherwin- Williams	640413738	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	7.78	QT	1	6.00	Sherwin- Williams	640413712	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	Sherwin- Williams	640413720	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Super White	TXMAS-5- 51V010	TXMAS	9.23	QT	1	6.00	Sherwin- Williams	640393286	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Ultradeep	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	Sherwin- Williams	640392213	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	Sherwin- Williams	640392247	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	7.78	QT	1	6.00	Sherwin- Williams	640392239	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Ultradeep	TXMAS-5- 51V010	TXMAS	7.78	QT	1	6.00	Sherwin- Williams	640392205	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Super White	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	Sherwin- Williams	640393294	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Super White	TXMAS-5- 51V010	TXMAS	22.15	PL	5	5.00	Sherwin- Williams	640393302	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Flat	Light Yellow	TXMAS-5- 51V010	TXMAS	20.36	GL		1.00	Sherwin- Williams	601549280	Our finest quality exterior flat finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Super White	TXMAS-5- 51V010	TXMAS	22.43	GL		4.00	Sherwin- Williams	650047533	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Light Yellow	TXMAS-5- 51V010	TXMAS	8.59	QT	1	6.00	Sherwin- Williams	650047657	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	22.43	GL		4.00	Sherwin- Williams	650047574	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	SuperPaint® Exterior Latex Gloss	Ultra White	TXMAS-5- 51V010	TXMAS	21.74	PL	5	5.00	Sherwin- Williams	650047640	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.74	PL	5	5.00	Sherwin- Williams	650047582	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Ultra White	TXMAS-5- 51V010	TXMAS	22.43	GL		1.00	Sherwin- Williams	650047632	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Super White	TXMAS-5- 51V010	TXMAS	10.14	QT	1	6.00	Sherwin- Williams	650047541	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Light Yellow	TXMAS-5- 51V010	TXMAS	22.43	GL		4.00	Sherwin- Williams	650047665	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Gloss	Super White	TXMAS-5- 51V010	TXMAS	21.74	PL	5	5.00	Sherwin- Williams	650047558	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex High Gloss	Extra White	TXMAS-5- 51V010	TXMAS	23.95	GL		1.00	Sherwin- Williams	640514782	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	23.95	GL		1.00	Sherwin- Williams	640334058	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	8.87	QT	1	1.00	Sherwin- Williams	640334066	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Extra White	TXMAS-5- 51V010	TXMAS	8.87	QT	1	1.00	Sherwin- Williams	640514774	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Super White	TXMAS-5- 51V010	TXMAS	24.35	GL		1.00	Sherwin- Williams	640120747	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Super White	TXMAS-5- 51V010	TXMAS	24.18	PL	5	5.00	Sherwin- Williams	640236972	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Ultradeep	TXMAS-5- 51V010	TXMAS	23.95	GL		1.00	Sherwin- Williams	640334074	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	8.87	QT	1	1.00	Sherwin- Williams	640334041	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex High Gloss	Super White	TXMAS-5- 51V010	TXMAS	9.91	QT	1	1.00	Sherwin- Williams	640120739	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	SuperPaint® Exterior Latex High Gloss	Extra White	TXMAS-5- 51V010	TXMAS	23.84	PL	5	5.00	Sherwin- Williams	640514790	Recommended for: Doors, Windows, Trim, and Shutters. Superior Performance for Block Resistance, Moisture Resistance, Gloss Retention and Flow and Leveling.
63056	SuperPaint® Exterior Latex Satin	Super White	TXMAS-5- 51V010	TXMAS	10.14	QT	1	6.00	Sherwin- Williams	640398327	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Super White	TXMAS-5- 51V010	TXMAS	21.16	GL		1.00	Sherwin- Williams	640398335	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Super White	TXMAS-5- 51V010	TXMAS	22.67	PL	5	5.00	Sherwin- Williams	640398343	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	21.02	PL	5	5.00	Sherwin- Williams	640392387	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	8.27	QT	1	6.00	Sherwin- Williams	640392338	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	21.02	PL	5	5.00	Sherwin- Williams	640413779	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	8.27	QT	1	6.00	Sherwin- Williams	640392361	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Ultradeep	TXMAS-5- 51V010	TXMAS	21.16	GL		1.00	Sherwin- Williams	640392379	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Light Yellow	TXMAS-5- 51V010	TXMAS	8.27	QT	1	6.00	Sherwin- Williams	640411948	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Light Yellow	TXMAS-5- 51V010	TXMAS	21.16	GL		1.00	Sherwin- Williams	640411955	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	8.27	QT	1	6.00	Sherwin- Williams	640413753	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	21.02	PL	5	5.00	Sherwin- Williams	640392353	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	21.16	GL		1.00	Sherwin- Williams	640413761	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63056	SuperPaint® Exterior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	21.16	GL		1.00	Sherwin- Williams	640392346	Our finest quality exterior satin finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	SuperPaint® Interior Latex Flat	High Reflective White	TXMAS-5- 51V010	TXMAS	23.14	GL		4.00	Sherwin- Williams	650045271	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	24.08	PL	5	5.00	Sherwin- Williams	650046261	For use on primed plaster, wallboard, wood, masonry, and primed metal. Provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	19.60	PL	5	5.00	Sherwin- Williams	650041270	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Flat	Deep Base	TXMAS-5- 51V010	TXMAS	18.15	GL		4.00	Sherwin- Williams	650046253	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Flat	Extra White	TXMAS-5- 51V010	TXMAS	20.01	GL		4.00	Sherwin- Williams	650041254	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Satin	Luminous White	TXMAS-5- 51V010	TXMAS	23.05	GL		4.00	Sherwin- Williams	650045313	Our finest quality exterior gloss finish. This product is recommended for use on aluminum and vinyl siding, wood siding, clapboard, shakes, shingles, plywood, masonry, and metal.
63543	SuperPaint® Interior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	21.27	GL		4.00	Sherwin- Williams	650041361	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	26.15	PL	5	5.00	Sherwin- Williams	650046337	For use on primed plaster, wallboard, wood, masonry, and primed metal. Provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Satin	Extra White	TXMAS-5- 51V010	TXMAS	21.04	PL	5	5.00	Sherwin- Williams	650041387	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Satin	Deep Base	TXMAS-5- 51V010	TXMAS	21.27	GL		4.00	Sherwin- Williams	650046329	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.81	PL	5	5.00	Sherwin- Williams	640412748	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Semi-Gloss	Extra White	TXMAS-5- 51V010	TXMAS	21.94	GL		4.00	Sherwin- Williams	640412730	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63543	SuperPaint® Interior Latex Semi-Gloss	Deep Base	TXMAS-5- 51V010	TXMAS	21.94	GL		4.00	Sherwin- Williams	640412763	For use on primed plaster, wallboard, wood, masonry, and primed metal. SuperPaint provides one coat hiding over any color on smooth surfaces and will provide a durable, scrubbable, and washable finish.
63082	SuperPaint® Machine Finish Latex Primer	White	TXMAS-5- 51V010	TXMAS	23.59	DR	53	###	Sherwin- Williams	640361960	Formulated specifically for machine applications, SuperPaint Machine Finish System provides a tough, durable, moisture resistant and mildew resistant coating system that demonstrates superior mar and blocking resistance.
63056	SWP® Exterior Oil Gloss House and Trim	Tinting White	TXMAS-5- 51V010	TXMAS	25.36	GL		1.00	Sherwin- Williams	271699993	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63056	SWP® Exterior Oil Gloss House and Trim	Tinting White	TXMAS-5-51V010	TXMAS	25.22	PL	5	1.00	Sherwin-Williams	275999993	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	Tinting White	TXMAS-5-51V010	TXMAS	8.49	QT	1	1.00	Sherwin-Williams	270299993	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	White	TXMAS-5-51V010	TXMAS	25.48	GL		1.00	Sherwin-Williams	1010487	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	Deep Base	TXMAS-5-51V010	TXMAS	8.49	QT	1	1.00	Sherwin-Williams	640345690	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	Ultradeep	TXMAS-5-51V010	TXMAS	8.49	QT	1	1.00	Sherwin-Williams	640345716	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	Deep Base	TXMAS-5-51V010	TXMAS	25.36	GL		1.00	Sherwin-Williams	640345708	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	Ultradeep	TXMAS-5-51V010	TXMAS	25.36	GL		1.00	Sherwin-Williams	640345724	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63056	SWP® Exterior Oil Gloss House and Trim	White	TXMAS-5-51V010	TXMAS	10.43	QT	1	1.00	Sherwin-Williams	1019488	Our best quality oil base house and trim product. This product is recommended for use on wood siding, clapboard, shakes, shingles, plywood, rough sawn lumber, masonry, and metal.
63543	Tack Cloth - Bleached Tack Rags Individually Wrapped	18 Inch x 36 Inch	TXMAS-5-51V010	TXMAS	0.66	EA		1.00	Sherwin-Williams	1805829	Bleached Tack Cloth
63543	Tank Clad HS	Hardener Part B	TXMAS-5-51V010	TXMAS	77.70	GL		1.00	Sherwin-Williams	640170742	A VOC compliant, 80% solids epoxy coating formulated specifically as an interior lining for pipes and tanks containing potable water, fresh water, and salt water. May also be used as part of a system for tank exteriors.
63543	Tank Clad HS	Low Temp Hardener	TXMAS-5-51V010	TXMAS	108.07	GL		1.00	Sherwin-Williams	640355483	A VOC compliant, 80% solids epoxy coating formulated specifically as an interior lining for pipes and tanks containing potable water, fresh water, and salt water. May also be used as part of a system for tank exteriors.
63543	Tank Clad HS	Sanitary White Part A	TXMAS-5-51V010	TXMAS	184.42	KT		1.00	Sherwin-Williams	640170726	A VOC compliant, 80% solids epoxy coating formulated specifically as an interior lining for pipes and tanks containing potable water, fresh water, and salt water. May also be used as part of a system for tank exteriors.
63543	Tank Clad HS	Light Blue Part A	TXMAS-5-51V010	TXMAS	184.42	KT		1.00	Sherwin-Williams	640170734	A VOC compliant, 80% solids epoxy coating formulated specifically as an interior lining for pipes and tanks containing potable water, fresh water, and salt water. May also be used as part of a system for tank exteriors.
63543	Tank Liner - 2 Gal. Tank Liner For Binks Tank 83-5668		TXMAS-5-51V010	TXMAS	1.86	EA		1.00	Hedwin	2204865	Fits Binks/DeVilbiss tank 83-C-220. Safer to use. Fits most popular tank sizes. Anti-static.
63543	Tank Liner - 2 Gal. Tank Liner For Binks/DeVilbiss Tank 83-C-220		TXMAS-5-51V010	TXMAS	1.64	EA		1.00	Hedwin	9090747	Fits Binks tank 83-5668. Anti-static. Fits most popular tank sizes. Safer to use.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Tankguard® Epoxy Polyamide	Green Part A	TXMAS-5-51V010	TXMAS	28.97	PL	5	5.00	Sherwin-Williams	640123238	An epoxy polyamide coating formulated for application on steel surfaces in shipboard fuel and salt water ballast tanks. This product complies with Military Specification MIL-PRF-23236B(SH) Type 1 and 4 and MIL-P 23236B(SH) Type 1 and 4.
63057	Tankguard® Epoxy Polyamide	Hardener Part B	TXMAS-5-51V010	TXMAS	41.85	PL	5	5.00	Sherwin-Williams	640123246	An epoxy polyamide coating formulated for application on steel surfaces in shipboard fuel and salt water ballast tanks. This product complies with Military Specification MIL-PRF-23236B(SH) Type 1 and 4 and MIL-P 23236B(SH) Type 1 and 4.
63057	Tankguard® Epoxy Polyamide	Gray Part A	TXMAS-5-51V010	TXMAS	32.20	PL	5	5.00	Sherwin-Williams	640182374	An epoxy polyamide coating formulated for application on steel surfaces in shipboard fuel and salt water ballast tanks. This product complies with Military Specification MIL-PRF-23236B(SH) Type 1 and 4 and MIL-P 23236B(SH) Type 1 and 4.
63057	Tankguard® Epoxy Polyamide	White Part A	TXMAS-5-51V010	TXMAS	38.63	PL	5	5.00	Sherwin-Williams	640182390	An epoxy polyamide coating formulated for application on steel surfaces in shipboard fuel and salt water ballast tanks. This product complies with Military Specification MIL-PRF-23236B(SH) Type 1 and 4 and MIL-P 23236B(SH) Type 1 and 4.
63057	Tankguard® Epoxy Polyamide	Blue Part A	TXMAS-5-51V010	TXMAS	38.63	PL	5	5.00	Sherwin-Williams	640182333	An epoxy polyamide coating formulated for application on steel surfaces in shipboard fuel and salt water ballast tanks. This product complies with Military Specification MIL-PRF-23236B(SH) Type 1 and 4 and MIL-P 23236B(SH) Type 1 and 4.
63543	Tape - Wet Paint Yellow Barrier Tape		TXMAS-5-51V010	TXMAS	4.34	EA		1.00	Reaves And Company	1620517	Wet Paint Yellow Barrier Tape
63543	Tape Knife - For Drywall	10 Inch	TXMAS-5-51V010	TXMAS	6.62	EA		1.00	Wallboard Tool Company	1604701	Aluminum blade mounting. Professional quality, blue spring steel blades. Gray foam molded handle with textured finish.
63543	Tape Knife - For Drywall	6 Inch	TXMAS-5-51V010	TXMAS	5.10	EA		1.00	Wallboard Tool Company	1604685	Aluminum blade mounting. Professional quality, blue spring steel blades. Gray foam molded handle with textured finish.
63543	Tape Knife - For Drywall	12 Inch	TXMAS-5-51V010	TXMAS	7.53	EA		1.00	Wallboard Tool Company	1604735	Aluminum blade mounting. Professional quality, blue spring steel blades. Gray foam molded handle with textured finish.
63543	Tape Knife - For Drywall	8 Inch	TXMAS-5-51V010	TXMAS	5.81	EA		1.00	Wallboard Tool Company	1604693	Aluminum blade mounting. Professional quality, blue spring steel blades. Gray foam molded handle with textured finish.
63543	Tape Measure - Monster Tape Measure	1 Inch x 25 Foot	TXMAS-5-51V010	TXMAS	4.49	EA		1.00	Royal United Corp	1630284	Monster Tape Measure
63057	TarGuard® Coal Tar Epoxy	Hardener Part B	TXMAS-5-51V010	TXMAS	28.94	GL		1.00	Sherwin-Williams	640323838	A high build, polyamide epoxy coal tar coating. Targuard meets the following specifications: Corps of Engineers Formula C-200 and SSPC Paint 16-91T Specification.
63057	TarGuard® Coal Tar Epoxy	Black Part A	TXMAS-5-51V010	TXMAS	111.65	KT		1.00	Sherwin-Williams	640323820	A high build, polyamide epoxy coal tar coating. Targuard meets the following specifications: Corps of Engineers Formula C-200 and SSPC Paint 16-91T Specification.
63057	TarGuard® Coal Tar Epoxy	Red Part A	TXMAS-5-51V010	TXMAS	136.00	KT		1.00	Sherwin-Williams	640339255	A high build, polyamide epoxy coal tar coating. Targuard meets the following specifications: Corps of Engineers Formula C-200 and SSPC Paint 16-91T Specification.
63543	Textured Cotton Cloth		TXMAS-5-51V010	TXMAS	3.03	EA		1.00	Bestt Liebco	1618545	A ragging specialty tool. Made of pure cotton. Good for the multitude of ragging or rag rolling techniques. Made with a clean lint-free material for a clean finish.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Tile Doc Kit by X-I-M	White	TXMAS-5- 51V010	TXMAS	25.64	EA		1.00	Xim Products Inc	4504635	Tough and durable. Porcelain-like. Gloss white finish. Can be tinted to pastel colors. For refinishing ceramic tile, porcelain, glazed block, formica, fiberglass, etc.
63057	Tile-Clad® High Solids Epoxy	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	42.62	PL	5	1.00	Sherwin- Williams	640519005	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	44.60	PL	5	1.00	Sherwin- Williams	640153409	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Ultra White	TXMAS-5- 51V010	TXMAS	43.53	PL	5	1.00	Sherwin- Williams	6170997	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Safety Red	TXMAS-5- 51V010	TXMAS	67.08	GL		1.00	Sherwin- Williams	6171011	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Gloss Hardener	TXMAS-5- 51V010	TXMAS	34.27	GL		1.00	Sherwin- Williams	6304174	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Extra White/Tint Base	TXMAS-5- 51V010	TXMAS	43.12	GL		1.00	Sherwin- Williams	640518999	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Eg-Shel Hardener	TXMAS-5- 51V010	TXMAS	33.81	PL	5	1.00	Sherwin- Williams	640335659	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Safety Yellow	TXMAS-5- 51V010	TXMAS	67.08	GL		1.00	Sherwin- Williams	6171029	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Eg-Shel Hardener	TXMAS-5- 51V010	TXMAS	34.27	GL		1.00	Sherwin- Williams	640334561	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Gloss Hardener	TXMAS-5- 51V010	TXMAS	33.81	PL	5	1.00	Sherwin- Williams	6304182	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Deep Base	TXMAS-5- 51V010	TXMAS	44.60	PL	5	1.00	Sherwin- Williams	640519021	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Deep Base	TXMAS-5- 51V010	TXMAS	44.87	GL		1.00	Sherwin- Williams	640519013	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Ultra White	TXMAS-5- 51V010	TXMAS	43.93	GL		1.00	Sherwin- Williams	6170989	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63057	Tile-Clad® High Solids Epoxy	Ultradeep/Cle ar Tint Base	TXMAS-5- 51V010	TXMAS	44.87	GL		1.00	Sherwin- Williams	928099993	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63057	Tile-Clad® High Solids Epoxy	Safety Orange	TXMAS-5-51V010	TXMAS	67.08	GL		1.00	Sherwin-Williams	640357117	For use over prepared substrates such as steel, galvanizing, and concrete in industrial environments.
63057	Tile-Clad® High Solids Epoxy	Black	TXMAS-5-51V010	TXMAS	43.93	GL		1.00	Sherwin-Williams	6171003	A VOC compliant, two-package, epoxy-polyamide coating for use in industrial maintenance environments and high performance architectural applications. Chemical resistant - Dry film resists bacterial attack - Abrasion resistant.
63543	Tool - Brush and Roller Spinner Cleaner		TXMAS-5-51V010	TXMAS	17.35	EA		1.00	Shurline	1632009	Brush and Roller Spinner cleaning device.
63575	Tool - Glittermaster Gun		TXMAS-5-51V010	TXMAS	63.96	EA		1.00	Wallboard Tool Co	1606599	Cranking of handle dispenses steady flow; requires no compressor or trailing hose. Compact, hand-held; made from hard plastic.
63543	Tool - Paint Brush Extender		TXMAS-5-51V010	TXMAS	12.78	EA		1.00	Shurline	4214680	Adjusts to any position. Fits all standard extension poles. Fits all brush handles.
63543	Tool - Paint Edger For Ceiling and Trim		TXMAS-5-51V010	TXMAS	3.43	EA		1.00	Shurline	5986054	For use with all paints for a straight, clean edge along ceilings, doors, windows, chair rails or baseboards. Swivels to provide greater comfort and control even around tough angles.
63543	Tool - Paint Edger For Ceiling and Trim Refill		TXMAS-5-51V010	TXMAS	2.16	EA		1.00	Shurline	4507828	For use with all paints for a straight, clean edge along ceilings, doors, windows, chair rails or baseboards. Swivels to provide greater comfort and control even around tough angles.
63543	Tool - Plastic Mud Pan	12 Inch	TXMAS-5-51V010	TXMAS	4.69	EA		1.00	Wallboard Tool Company	1604552	Polyethylene plastic pan. Resists chemicals and breakage due to temperature change. Textured sides for sure gripping.
63543	Tool - Professional Swivel Paint Hook		TXMAS-5-51V010	TXMAS	1.76	EA		1.00	Hyde Tools	1608454	Use to hang paint pails to ladder, windows sills, etc. Plated steel construction. Sharp pointed hook with swivel. Snap catch to hold pail handle.
63543	Tool - Quick Mud Mixer For Drywall Mud	24 Inch	TXMAS-5-51V010	TXMAS	12.34	EA		1.00	Wallboard Tool Company	1604644	All steel construction. Properly designed blades fold and mix materials quickly.
63543	Tool - Stainless Steel Mud Pan	12 Inch	TXMAS-5-51V010	TXMAS	14.04	EA		1.00	Wallboard Tool Company	1604545	Professional quality; water tight construction. Tapered ends and sides. Heavy gauge, stainless steel with HELI-ARC welded corners.
63543	Tool Bag - Masonry Tool Bag	20 Inch x 16 Inch	TXMAS-5-51V010	TXMAS	51.19	EA		1.00	Custom Leathercraft Mfg Co	1619857	Top Grain leather handles and straps. Large 9" x 11" canvas pocket inside. Heavy guage hinged steel frame for tight closure. Fiber board bottom shelf retains bag shape. 20" x 16" deep with suede leather bottom.
63543	Tote Bag	32 Pocket	TXMAS-5-51V010	TXMAS	45.68			1.00	Custom Leathercraft Mfg. Co.	5947494	8 multi use pockets inside and 24 outside. Internal metal frame holds bag open. Large interior for tools, hard hats, etc. Padded handles and adjustable shoulder strap. 24 Inch long x 11 Inch wide x 12 Inch height.
63543	Towels - Krew® 200 Multi Purpose		TXMAS-5-51V010	TXMAS	14.03	EA		1.00	Scott International	1619063	Two ply absorbent sheets. Center row dispensing. Perforated sheets to control usage. Economical. Dispenser sold separately.
63543	Towels - Krew® 500 Heavy Duty		TXMAS-5-51V010	TXMAS	24.67	EA		1.00	Scott International	1619055	Highly absorbent and durable. Resists tearing. Cloth like, low lint.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	TPD-1000A Aluminum Heat Resistant Marine Paint		TXMAS-5- 51V010	TXMAS	55.68	GL		1.00	Sherwin- Williams	601128101	A low VOC, aluminum pigmented, heat resistant paint hat after curing at 400 F. will withstand solvents, normal weather exposure and temperatures up to 1000 F.
63547	Tray - Less Mess Disposable Trim Tray		TXMAS-5- 51V010	TXMAS	0.90	EA		1.00	Trade Products Inc	9288846	Designed for painting trim, cutting in around doors and windows, touch-ups and craft projects. It is also ideal for various faux finishing techniques. Features a patented "wipe & rest" snap-in crossbar and EZ grip tray bottom.
63547	Traytote	12 Pocket	TXMAS-5- 51V010	TXMAS	34.13	EA		1.00	Custom Leathercraf t Mfg Co	5937545	Two pockets inside, 10 outside. 11 Inch x 6 Inch multi compartment plastic tray slides securely into bottom of the bag. Reinforced web carrying handles. 12 Inch long x 8 Inch wide x 12 Inch height.
63543	Trim Rollers - Premium XL Polyester Knit Trim Roller Twin Pack	3 Inch 3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	2.50	EA		1.00	Sherwin- Williams	1807536	Trim Roller - Polyester Knit Trim Roller Twin Pack 3 Inch 3/8 Inch Nap
63547	Trim Rollers - Premium XL Trim Roller Cover	3 Inch 3/8 Inch Nap	TXMAS-5- 51V010	TXMAS	2.50	EA		1.00	Sherwin- Williams	1807528	Trim Roller - Premium XL Trim Roller Cover 3 Inch 3/8 Inch Nap
63543	Trowel - Magic Trowel	18 Inch	TXMAS-5- 51V010	TXMAS	17.06	EA		1.00	Texmaster Tools	4595583	Use to erase trowel lines, finish drywall, skincoat walls, knockdown textures.
63543	TT-P-28G MOD High Heat Aluminum		TXMAS-5- 51V010	TXMAS	29.35	GL		1.00	Sherwin- Williams	640182937	A one component, modified silicone, heat resistant coating formulated to withstand normal weather exposure and temperures up to 1200 F.
63543	TT-P-28G MOD High Heat Aluminum		TXMAS-5- 51V010	TXMAS	29.35	PL	5	5.00	Sherwin- Williams	640182945	A one component, modified silicone, heat resistant coating formulated to withstand normal weather exposure and temperures up to 1200 F.
63082	TT-P-645B Primer Zinc Molybate Alkyd F-84 Marine Paint	Yellow 33793	TXMAS-5- 51V010	TXMAS	37.81	PL	5	5.00	Sherwin- Williams	640182929	A zinc molybdate, alkyd primer formulated for use as a general primer for applications on steel and aluminum. Complies with Military Spec TT-P-645B Formula 84.
63082	TT-P-645B Primer Zinc Molybate Alkyd F-84 Marine Paint	Yellow 33793	TXMAS-5- 51V010	TXMAS	38.72	GL		1.00	Sherwin- Williams	640182911	A zinc molybdate, alkyd primer formulated for use as a general primer for applications on steel and aluminum. Complies with Military Spec TT-P-645B Formula 84.
63543	TT-P-664D (3.5 VOC)	Alkyd Brown Oxide Primer	TXMAS-5- 51V010	TXMAS	30.67	PL	5	5.00	Sherwin- Williams	501067995	A quick drying high solids corrosion inhibiting alkyd primer designed for use on ferrous and non-ferrous metals. Lead and chromate free and contains no more than 3.5 lb/gal VOC
63543	TT-P-664D (3.5 VOC)	Alkyd Brown Oxide Primer	TXMAS-5- 51V010	TXMAS	33.83	GL		1.00	Sherwin- Williams	501103303	A quick drying high solids corrosion inhibiting alkyd primer designed for use on ferrous and non-ferrous metals. Lead and chromate free and contains no more than 3.5 lb/gal VOC
63543	Turbo Sander		TXMAS-5- 51V010	TXMAS	162.21	EA		1.00	Love Less Ash	1620756	The vacuum draws the sanded drywall dust over the turbine, through the extension pole and is contained in the Vacuum. Weighs only 3 ½ pounds, lessening the fatigue associated with sanding drywall.
63543	Type M Mortar Aggregate		TXMAS-5- 51V010	TXMAS	83.26	EA		1.00	General Polymers	640353066	Aggregate for floor coatings.
63543	Type S Sand Aggregate		TXMAS-5- 51V010	TXMAS	22.84	EA		1.00	General Polymers	640353074	Aggregate for floor coatings.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Type T Mortar Topping Aggregate		TXMAS-5- 51V010	TXMAS	20.32	EA		1.00	General Polymers	640353454	Aggregate for floor coatings.
63543	UltraCrete Solvent Borne Texture Coating Extra Coarse	Extra White	TXMAS-5- 51V010	TXMAS	19.29	PL	5	1.00	Sherwin- Williams	640354551	A waterproof sealer designed for use on new construction tilt-up, precast and poured in place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Extra Coarse	Deep Base	TXMAS-5- 51V010	TXMAS	24.94	PL	5	5.00	Sherwin- Williams	640358891	A waterproof sealer designed for use on new construction tilt-up, precast, and poured-in-place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Fine	Deep Base	TXMAS-5- 51V010	TXMAS	24.94	PL	5	5.00	Sherwin- Williams	640358917	A waterproof sealer designed for use on new construction tilt-up, precast, and poured-in-place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Fine	Extra White	TXMAS-5- 51V010	TXMAS	19.29	PL	5	5.00	Sherwin- Williams	640354536	A waterproof sealer designed for use on new construction tilt-up, precast and poured in place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Medium	Deep Base	TXMAS-5- 51V010	TXMAS	24.94	PL	5	5.00	Sherwin- Williams	640358909	A waterproof sealer designed for use on new construction tilt-up, precast, and poured-in-place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Medium	Extra White	TXMAS-5- 51V010	TXMAS	19.29	PL	5	5.00	Sherwin- Williams	640354544	A waterproof sealer designed for use on new construction tilt-up, precast and poured in place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Smooth	Deep Base	TXMAS-5- 51V010	TXMAS	24.94	PL	5	5.00	Sherwin- Williams	640358925	A waterproof sealer designed for use on new construction tilt-up, precast, and poured-in-place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Solvent Borne Texture Coating Smooth	Extra White	TXMAS-5- 51V010	TXMAS	19.29	PL	5	5.00	Sherwin- Williams	640354528	A waterproof sealer designed for use on new construction tilt-up, precast, and poured-in-place concrete to improve the aesthetics of large commercial buildings.
63543	UltraCrete Texture Coating Extra Coarse	Extra White	TXMAS-5- 51V010	TXMAS	16.77	PL	5	1.00	Sherwin- Williams	640515797	A 100% acrylic aggregate-filled coating to produce a textured finish on prepared interior or exterior surfaces. Minimizes defects and irregularities found on poured cement aggregate block and sheetrock joints.
63543	UltraCrete Texture Coating Fine	Extra White	TXMAS-5- 51V010	TXMAS	16.77	PL	5	1.00	Sherwin- Williams	640515771	A 100% acrylic aggregate-filled coating to produce a textured finish on prepared interior or exterior surfaces. Minimizes defects and irregularities found on poured cement aggregate block and sheetrock joints.
63543	UltraCrete Texture Coating Medium	Extra White	TXMAS-5- 51V010	TXMAS	16.77	PL	5	1.00	Sherwin- Williams	640515789	A 100% acrylic aggregate-filled coating to produce a textured finish on prepared interior or exterior surfaces. Minimizes defects and irregularities found on poured cement aggregate block and sheetrock joints.
63057	Underwater Hull HS Epoxy	Red	TXMAS-5- 51V010	TXMAS	82.49	EA		-	Hempel	1613454	A two-component, high solids, polyamide adduct cured, anti-corrosive primer that provides excellent surface wetting properties.
63057	Underwater Hull HS Epoxy	Gray	TXMAS-5- 51V010	TXMAS	82.49	EA		1.00	Hempel	1613447	A two-component, high solids, polyamide adduct cured, anti-corrosive primer that provides excellent surface wetting properties.
63057	Underwater Hull HS Epoxy	Hardener	TXMAS-5- 51V010	TXMAS	82.49	EA		-	Hempel	1613462	A two-component, high solids, polyamine adduct cured, anti-corrosive primer that provides excellent surface wetting properties.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Uniflex® 300 Aluminum Roof Coating		TXMAS-5-51V010	TXMAS	11.94	PL	5	5.00	KST Coatings	9921057	A standard-grade fibered aluminum reflective coating manufactured from quality aluminum leafing pigments, quality refined asphalt, reinforcing fibers and petroleum distillates.
63543	Uniflex® 300 Commercial Grade Roof Coating	Aluminum	TXMAS-5-51V010	TXMAS	11.51	DR	53	###	KST Coatings	8942385	Uniflex® 300 Commercial Grade Aluminum Roof Coating provides a durable, reflective coating over most types of surfaces including metal, smooth built-up, and modified bitumen roofs.
63543	Uniflex® 500 Premium Roof Coating	Aluminum	TXMAS-5-51V010	TXMAS	14.86	PL	5	5.00	KST Coatings	9921032	Premium grade, fibered aluminum roof coating. Provides a durable reflective coating. Use on metal, smooth BUR, modified bitumen and other approved surfaces.
63543	Uniflex® 500 Premium Roof Coating	Aluminum	TXMAS-5-51V010	TXMAS	14.38	DR	53	###	KST Coatings	9921040	Premium grade, fibered aluminum roof coating. Provides a durable reflective coating. Use on metal, smooth BUR, modified bitumen and other approved surfaces.
63543	Uniflex® Acrylic Patching Cement	White	TXMAS-5-51V010	TXMAS	18.34	PL	5	5.00	KST Coatings	9921149	Uniflex® Acrylic Patching Cement is ideal for repairing metal roof seams, penetration and wall flashings, small holes, splits, cracks, blisters in built-up, modified bitumen, polyurethane foam and concrete.
63082	Uniflex® Asphalt Primer	Black	TXMAS-5-51V010	TXMAS	8.47	PL	5	5.00	KST Coatings	9921008	Uniflex® Black Asphalt Primer restores oils and rejuvenates dried out asphalt surfaces such as smooth surface built-up and modified bitumen roofs prior to coating with Uniflex Aluminum Coatings.
63082	Uniflex® Asphalt Primer	Black	TXMAS-5-51V010	TXMAS	7.74	DR	53	###	KST Coatings	9921016	Uniflex® Black Asphalt Primer restores oils and rejuvenates dried out asphalt surfaces such as smooth surface built-up and modified bitumen roofs prior to coating with Uniflex Aluminum Coatings.
63082	Uniflex® Bond-It Wash Primer	Clear	TXMAS-5-51V010	TXMAS	25.91	PL	5	5.00	KST Coatings	9921115	Uniflex® Bond-It Wash Primer is designed to act as a cleaner primer for EPDM membranes by breaking the chemical bond of the inorganics on the surface of the rubber membrane preparing the surface for the Uniflex® Elastomeric coating system.
63543	Uniflex® Commercial Grade Elastomeric Roof Coating	White	TXMAS-5-51V010	TXMAS	17.06	PL	5	5.00	KST Coatings	9921248	Uniflex® Commercial Grade White Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.
63543	Uniflex® Commercial Grade Elastomeric Roof Coating	White	TXMAS-5-51V010	TXMAS	16.39	DR	53	###	KST Coatings	9921255	Uniflex® Commercial Grade White Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.
63543	Uniflex® Commercial Grade Elastomeric Roof Coating	Gray	TXMAS-5-51V010	TXMAS	15.72	DR	53	###	KST Coatings	9921297	Uniflex® Commercial Grade Gray Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.
63543	Uniflex® Commercial Grade Elastomeric Roof Coating	Gray	TXMAS-5-51V010	TXMAS	16.81	PL	5	5.00	KST Coatings	9921289	Uniflex® Commercial Grade Gray Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.
63543	Uniflex® Elastomeric MB Base Coat	White	TXMAS-5-51V010	TXMAS	20.71	PL	5	5.00	KST Coatings	9921263	Uniflex® Elastomeric MB Base Coat will provide a highly elastic, weatherproofing barrier over smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63543	Uniflex® Elastomeric MB Base Coat	White	TXMAS-5-51V010	TXMAS	20.10	DR	53	###	KST Coatings	9921271	Uniflex® Elastomeric MB Base Coat will provide a highly elastic, weatherproofing barrier over smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63543	Uniflex® Industrial Elastomeric Roof Coating	Deep Base	TXMAS-5-51V010	TXMAS	22.29	PL	5	5.00	KST Coatings	9921347	Uniflex® Premium Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Uniflex® Industrial Elastomeric Roof Coating	Pastel Base	TXMAS-5-51V010	TXMAS	22.29	PL	5	5.00	KST Coatings	9921362	Uniflex® Premium Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63543	Uniflex® Industrial Premium Elastomeric Industrial Roof Coating	White	TXMAS-5-51V010	TXMAS	21.26	DR	53	###	KST Coatings	9921164	Is formulated using a 100 Percent Acrylic Polymer that provides outstanding adhesion and superior reflectivity. Formulated to resist cracking and peeling. Provides excellent waterproofing capabilities.
63543	Uniflex® Non-Fibered Asphalt Emulsion	Black	TXMAS-5-51V010	TXMAS	4.87	DR	53	###	KST Coatings	9921131	Uniflex® Non-Fibered Asphalt Emulsion is recommended for resurfacing extremely dried out or heavily alligatored surfaces on smooth built-up and modified bitumen roofs. Surface can then be coated with Uniflex® Elastomeric or Aluminum Coating systems.
63543	Uniflex® Non-Fibered Asphalt Emulsion	Black	TXMAS-5-51V010	TXMAS	5.48	PL	5	5.00	KST Coatings	9921123	Uniflex® Non-Fibered Asphalt Emulsion is recommended for resurfacing extremely dried out or heavily alligatored surfaces on smooth built-up and modified bitumen roofs. Surface can then be coated with Uniflex® Elastomeric or Aluminum Coating systems.
63543	Uniflex® Polyester Fabric	40 Inch x 324 Feet	TXMAS-5-51V010	TXMAS	208.14	EA		1.00	KST Coatings	9920992	Uniflex® Polyester Fabric is an exceptionally strong material that offers an excellent combination of high strength and excellent elongation.
63543	Uniflex® Polyester Fabric	6 Inch x 324 Feet	TXMAS-5-51V010	TXMAS	61.04	EA		1.00	KST Coatings	9921339	Uniflex® Polyester Fabric is an exceptionally strong material that offers an excellent combination of high strength and excellent elongation.
63543	Uniflex® Premium Elastomeric Roof Coating	Accent Base	TXMAS-5-51V010	TXMAS	22.29	PL	5	5.00	KST Coatings	1128453	Uniflex® Premium Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63543	Uniflex® Premium Elastomeric Roof Coating	White	TXMAS-5-51V010	TXMAS	21.69	PL	5	5.00	KST Coatings	9921156	Is formulated using a 100 Percent Acrylic Polymer that provides outstanding adhesion and superior reflectivity. Formulated to resist cracking and peeling. Provides excellent waterproofing capabilities.
63543	Uniflex® Premium Elastomeric Roof Coating	Gray	TXMAS-5-51V010	TXMAS	19.01	DR	53	###	KST Coatings	9921214	Is formulated using a 100 Percent Acrylic Polymer that provides outstanding adhesion and superior reflectivity. Formulated to resist cracking and peeling. Provides excellent waterproofing capabilities.
63543	Uniflex® Premium Elastomeric Roof Coating	Gray	TXMAS-5-51V010	TXMAS	19.43	PL	5	5.00	KST Coatings	9921206	Is formulated using a 100 Percent Acrylic Polymer that provides outstanding adhesion and superior reflectivity. Formulated to resist cracking and peeling. Provides excellent waterproofing capabilities.
63543	Uniflex® Premium Fibered Elastomeric Roof Coating	White	TXMAS-5-51V010	TXMAS	20.53	DR	53	###	KST Coatings	9921198	Uniflex® Premium White Fibered Elastomeric Roof Coating will provide a highly elastic weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63543	Uniflex® Premium Fibered Elastomeric Roof Coating	White	TXMAS-5-51V010	TXMAS	21.08	PL	5	5.00	KST Coatings	9921180	Uniflex® Premium White Fibered Elastomeric Roof Coating will provide a highly elastic weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63543	Uniflex® Premium High Viscosity Elastomeric Roof Coating	White	TXMAS-5-51V010	TXMAS	19.68	PL	5	5.00	KST Coatings	9921172	Uniflex® Premium White High Viscosity Elastomeric Roof Coating will provide a highly elastic, weatherproofing barrier over metal, urethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
63082	Uniflex® Rust Inhibitive Metal Primer	Red	TXMAS-5-51V010	TXMAS	30.52	PL	5	5.00	KST Coatings	9921107	Uniflex® Rust Inhibitive Metal Primer is a high-quality primer for all types of metal surfaces, including iron and steel, where corrosion is a problem. Provides an excellent adhesion base for Uniflex® finish coats.
63543	Uniflex® Seam Tape	6 Inch x 50 Feet	TXMAS-5-51V010	TXMAS	41.11	EA		1.00	KST Coatings	9921099	Uniflex® Seam Tape is a self-adhering, modified butyl rubber waterproofing tape. A strong polyester fabric facing has been added for additional strength.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Uniflex® Seam Tape	4 Inch x 50 Feet	TXMAS-5- 51V010	TXMAS	27.40	EA		1.00	KST Coatings	9921081	Uniflex® Seam Tape is a self-adhering, modified butyl rubber waterproofing tape. A strong polyester fabric facing has been added for additional strength.
63543	Uniflex® Seam Tape	2 Inch x 50 Feet	TXMAS-5- 51V010	TXMAS	13.71	EA		1.00	KST Coatings	9921073	Uniflex® Seam Tape is a self-adhering, modified butyl rubber waterproofing tape. A strong polyester fabric facing has been added for additional strength.
63543	Uniflex® Skylight Coating	Clear	TXMAS-5- 51V010	TXMAS	18.15	PL	5	5.00	KST Coatings	9920984	Uniflex® Skylight Coating provides a protective coating over fiberglass skylight panels restoring the panel to its original condition. Skylight Coating provides a durable, weather-resistant finish while increasing the panel's light translucent value.
63543	Uniflex® SPE Gray Acrylic Base Coat	Gray	TXMAS-5- 51V010	TXMAS	24.55	PL	5	5.00	KST Coatings	9921222	Uniflex® SPE Gray Acrylic Base Coat provides outstanding adhesion over weathered EPDM and CSPE-HYPALON ₂ and other approved single-ply membranes.
63543	Uniflex® SPE Gray Acrylic Base Coat	Gray	TXMAS-5- 51V010	TXMAS	23.57	DR	53	###	KST Coatings	9921230	Uniflex® SPE Gray Acrylic Base Coat provides outstanding adhesion over weathered EPDM and CSPE-HYPALON ₂ and other approved single-ply membranes.
63543	Uniflex® Superbrite Non- Fibered	Aluminum	TXMAS-5- 51V010	TXMAS	13.71	PL	5	5.00	KST Coatings	9921024	Premium grade, non-fibered aluminum roof coating. Provides a durable reflective coating. Use on metal, smooth BUR, modified bitumen and other approved surfaces.
63543	Utility Bucket	1Gal	TXMAS-5- 51V010	TXMAS	2.09	EA		1.00	Leaktite Corp	9663808	Utility Bucket - 1Gal
63082	Vapor Barrier Primer	White	TXMAS-5- 51V010	TXMAS	8.01	PL	5	5.00	American Chemical Tech Corp	1546407	Reduces loss of moisture through interior walls and ceilings. It is used on interior gypsum wallboard, composition board, plaster, an masonry. Vapor Barrier will provide consistent vapor control when applied over polyurethane foam adhesives.
63543	Vertical Concrete Stain	Deep Base	TXMAS-5- 51V010	TXMAS	23.34	PL	5	5.00	Sherwin- Williams	640359071	A water repellant that provides superior protection and beauty for exterior tilt-up concrete. Will not peel, crack or blister from a properly prepared concrete or masonry surface. Provides excellent water repellancy.
63543	Vertical Concrete Stain	Extra White	TXMAS-5- 51V010	TXMAS	23.34	PL	5	5.00	Sherwin- Williams	640359063	A water repellant that provides superior protection and beauty for exterior tilt-up concrete. Will not peel, crack or blister from a properly prepared concrete or masonry surface. Provides excellent water repellancy.
63543	Wallcovering Adhesive - Extra Strength Heavy Duty Clay Adhesive Pro 732		TXMAS-5- 51V010	TXMAS	5.10	PL	5	5.00	Roman Adhesive Co	1537307	Non bleeding, mildew resistant. For medium to heavyweight vinyl wallcoverings. Exceptional high wet tack, position ability and good working time. Covers approx. 200 sq. ft./gal.
63543	Wallcovering Adhesive - Extra Strength Heavy Duty Clay Pro 732		TXMAS-5- 51V010	TXMAS	4.38	PL	5	5.00	Roman Adhesive Co	1514488	Clay Strippable Heavy Duty Pro 774 Wallcovering Adhesive
63543	Wallcovering Adhesive - Heavy Duty Clear Adhesive		TXMAS-5- 51V010	TXMAS	5.01	PL	5	5.00	Gardner Gibson Co	1619485	Commercial grade for heavy duty non-strippable product. Great for pasting machines. Minimizes possibility of staining during installation.
63543	Wallcovering Adhesive - Heavy Duty Clear Adhesive Pro 838		TXMAS-5- 51V010	TXMAS	7.85	GL		4.00	Roman Adhesive Co	1533900	Economical commercial grade adhesive. For medium and heavyweight wallcoverings. Covers apporx. 180 sq. ft./gal.
63543	Wallcovering Adhesive - Heavy Duty Clear Adhesive Pro 838		TXMAS-5- 51V010	TXMAS	4.66	PL	5	5.00	Roman Adhesive Co	1533892	Economical commercial grade adhesive. For medium and heavyweight wallcoverings. Covers apporx. 180 sq. ft./gal.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Heavy Duty Clear Stripable Adhesive Pro 870		TXMAS-5-51V010	TXMAS	5.22	PL	5	5.00	Roman Adhesive Co	1541895	Clear drying adhesive for hanging heavy fabric backed vinyl over new, bare, unprimed drywall. No priming reduces installation time. Recommended for pasting machine use. Covers approximately 160 sq. ft./gal.
63543	Wallcovering Adhesive - Heavy Duty Clear Strippable Adhesive		TXMAS-5-51V010	TXMAS	5.01	PL	5	5.00	Gardner Gibson Co	1619444	Formulated for all types of wallcovering. Provides strong wet tack. Great for pasting machines. Offers exceptional slip for easy positioning.
63543	Wallcovering Adhesive - Ultra Premium Clear Strippable Pro 880		TXMAS-5-51V010	TXMAS	5.29	PL	5	5.00	Roman Adhesive Co	1545078	Hangs all weights of wallcovering; use full strength for heavy, dilute for medium and lightweight.
63543	Wallcovering Adhesive - VOV Vinyl Over Vinyl Pro 555		TXMAS-5-51V010	TXMAS	16.60	PL	5	5.00	Roman Adhesive Co	1537489	Eliminates need of removing old wallcovering or applying primer; ideal as a labor saving device when refurbishing commercial and residential properties, or for the installation of borders and murals.
63543	Wallcovering Adhesive - VOV Vinyl Over Vinyl Pro 555		TXMAS-5-51V010	TXMAS	17.52	GL		1.00	Roman Adhesive Co	1537380	Eliminates need of removing old wallcovering or applying primer; ideal as a labor saving device when refurbishing commercial and residential properties, or for the installation of borders and murals.
63082	Wallcovering Primer - R35® Heavy Duty Acrylic Primer Pro 935		TXMAS-5-51V010	TXMAS	21.22	GL		4.00	Roman Adhesive Co	1537422	Dries with a permanent tack. Excellent for prepasted wallcoverings. Dries clear.
63082	Wallcovering Primer - R35® Heavy Duty Acrylic Primer Pro 935		TXMAS-5-51V010	TXMAS	18.55	PL	5	5.00	Roman Adhesive Co	1535988	Dries with a permanent tack. Excellent for prepasted wallcoverings. Dries clear.
63082	Wallcovering Primer - Vinyl Prep® Pro 909		TXMAS-5-51V010	TXMAS	9.51	PL	5	5.00	Roman Adhesive Co	1539394	Eliminates sizing. Dries clear. Low odor and splatter. Economical acrylic primer for general purpose applications.
63543	Wallcovering Scoring Tool - Wallverine		TXMAS-5-51V010	TXMAS	8.10	EA		1.00	Hyde Tools	1620640	Four scoring wheels - fast perforation of wallcovering. Rubber handle - stops slippage. Will not damage drywall surfaces. Comfortable in hand.
63543	Wallcovering Seam Adhesive 3 Oz.		TXMAS-5-51V010	TXMAS	2.64	EA		###	Roman Adhesive Co	1602622	All purpose touch up adhesive.
63543	Wallcovering Shaver - Wall Wolf Shaver	4 Inch	TXMAS-5-51V010	TXMAS	7.66	EA		1.00	Hyde Tools	1626365	Lightweight polypropylene construction eliminates rust and corrosion. Double lock feature. One piece construction eliminates the need for screws and screwdriver.
63543	Wallcovering Shaver Blades - for the Wall Wolf	4 Inch	TXMAS-5-51V010	TXMAS	1.76	EA		1.00	Hyde Tools	4839171	Wallpaper Shaver Replacement Blades
63543	Wallcovering Smoothing Tool		TXMAS-5-51V010	TXMAS	1.27	EA		1.00	Hyde Tools	2824373	Ideal tool for smoothing vinyl wallpaper. Ideal for trimming at ceiling woodwork or baseboard when used with knife or razor; or for drawing a straight line.
63547	Wallcovering Tray - Prepasted Wallcovering Water Tray		TXMAS-5-51V010	TXMAS	1.76	EA		###	Lindar Corp	2862332	30 Inch heavy duty. Great for all prepasted wallcoverings. Recyclable high impact styrene.
63543	Waterbased Catalyzed Epoxy	Deep Base Part A	TXMAS-5-51V010	TXMAS	43.19	GL		1.00	Sherwin-Williams	640516514	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Waterbased Catalyzed Epoxy	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	130.58	KT		1.00	Sherwin-Williams	600799993	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Ultradeep/Clear Tint Base Part A	TXMAS-5-51V010	TXMAS	35.69	GL		1.00	Sherwin-Williams	392899993	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Semi-Gloss Hardener Part B	TXMAS-5-51V010	TXMAS	39.25	GL		1.00	Sherwin-Williams	6303986	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Gloss Hardener Part B	TXMAS-5-51V010	TXMAS	10.96	QT	1	1.00	Sherwin-Williams	6304430	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Gloss Hardener Part B	TXMAS-5-51V010	TXMAS	32.35	GL		1.00	Sherwin-Williams	6304448	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Semi-Gloss Hardener Part B	TXMAS-5-51V010	TXMAS	17.01	QT	1	1.00	Sherwin-Williams	6303994	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Extra White/Tint Base Part A	TXMAS-5-51V010	TXMAS	150.45	KT		1.00	Sherwin-Williams	640516829	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Catalyzed Epoxy	Extra White/Tint Base Part A	TXMAS-5-51V010	TXMAS	42.15	GL		1.00	Sherwin-Williams	640516811	A two-component water based, catalyzed, epoxy resin coating formulated for high performance use in industrial and commercial environments. Meets performance requirements of ASTM D3730.
63543	Waterbased Fade-A-Way Dye Additive	Green/Translucent	TXMAS-5-51V010	TXMAS	6.52	EA		1.00	Sherwin-Williams	640360517	A translucent colorant which is added to Diamond-Clad Clear Coat to ensure a uniform application of the clear coat.
63543	Waterbased Industrial Enamel	Safety Yellow	TXMAS-5-51V010	TXMAS	41.28	GL		1.00	Sherwin-Williams	640360285	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free. Low VOC. High gloss.
63543	Waterbased Industrial Enamel	Clear Tint Base	TXMAS-5-51V010	TXMAS	33.77	GL		1.00	Sherwin-Williams	640360293	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free. Low VOC. High gloss.
63543	Waterbased Industrial Enamel	Black	TXMAS-5-51V010	TXMAS	36.77	GL		1.00	Sherwin-Williams	640360277	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free. Low VOC. High gloss.
63543	Waterbased Industrial Enamel	Safety Red	TXMAS-5-51V010	TXMAS	41.28	GL		1.00	Sherwin-Williams	640360269	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free. Low VOC. High gloss.
63543	Waterbased Industrial Enamel	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	33.77	GL		1.00	Sherwin-Williams	640360244	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free.
63543	Waterbased Industrial Enamel	Clear Tint Base	TXMAS-5-51V010	TXMAS	33.03	PL	5	5.00	Sherwin-Williams	640360301	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free. Low VOC. High gloss.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Waterbased Industrial Enamel	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	33.03	PL	5	5.00	Sherwin-Williams	640360251	A proprietary technology, one-component, acrylic-modified alkyd with outstanding exterior performance properties. Outstanding exterior durability. Flash rust/early rust resistant. Early moisture resistant. HAPS free.
63057	Waterbased Tile-Clad® Epoxy	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	33.52	GL		1.00	Sherwin-Williams	640348769	A two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish coating. Developed for use in industrial environments.
63057	Waterbased Tile-Clad® Epoxy	Hardener	TXMAS-5-51V010	TXMAS	33.52	GL		1.00	Sherwin-Williams	640348694	A two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish coating. Developed for use in industrial environments.
63057	Waterbased Tile-Clad® Epoxy	Extra White/Tint Base	TXMAS-5-51V010	TXMAS	184.90	KT		1.00	Sherwin-Williams	640348777	A two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish coating. Developed for use in industrial environments.
63057	Waterbased Tile-Clad® Epoxy	Primer Hardener Part B	TXMAS-5-51V010	TXMAS	33.52	GL		1.00	Sherwin-Williams	640348710	Is a two-component VOC complying high performance water based phenalkamine corrosion resistant primer. Developed for use in conjunction with Waterbased Tile Clad Epoxy Finish.
63057	Waterbased Tile-Clad® Epoxy	Clear Tint Base	TXMAS-5-51V010	TXMAS	184.90	KT		1.00	Sherwin-Williams	640348751	A two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish coating. Developed for use in industrial environments.
63057	Waterbased Tile-Clad® Epoxy	Clear Tint Base	TXMAS-5-51V010	TXMAS	33.52	GL		1.00	Sherwin-Williams	640348744	A two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish coating. Developed for use in industrial environments.
63057	Waterbased Tile-Clad® Epoxy	Hardener	TXMAS-5-51V010	TXMAS	10.87	QT	1	1.00	Sherwin-Williams	640348686	A two component, VOC complying, high performance, water based, epoxy/cycloaliphatic amine finish coating. Developed for use in industrial environments.
63057	Waterbased Tile-Clad® Epoxy	Primer Hardener Part B	TXMAS-5-51V010	TXMAS	10.87	QT	1	1.00	Sherwin-Williams	640348702	A two-component VOC complying high performance water based phenalkamine corrosion resistant primer. Developed for use in conjunction with Waterbased Tile Clad Epoxy Finish.
63057	Waterbased Tile-Clad® Epoxy Primer	Gray Part A	TXMAS-5-51V010	TXMAS	33.52	GL		1.00	Sherwin-Williams	640348728	A two-component VOC complying high performance water based phenalkamine corrosion resistant primer. Developed for use in conjunction with Waterbased Tile Clad Epoxy Finish.
63057	Waterbased Tile-Clad® Epoxy Primer	Gray Part A	TXMAS-5-51V010	TXMAS	184.90	KT		1.00	Sherwin-Williams	640348736	A two-component VOC complying high performance water based phenalkamine corrosion resistant primer. Developed for use in conjunction with Waterbased Tile Clad Epoxy Finish.
63543	Waterborne Acrylic Dry Fall Eg-Shel	White	TXMAS-5-51V010	TXMAS	19.86	PL	5	1.00	Sherwin-Williams	640149001	A water based, high light reflective white coating that falls dry in ten feet. Fallout can be swept up for easy cleanup of work area.
63543	Waterborne Acrylic Dry Fall Eg-Shel	White	TXMAS-5-51V010	TXMAS	19.69	DR	53	1.00	Sherwin-Williams	640149019	A water based, high light reflective white coating that falls dry in ten feet. Fallout can be swept up for easy cleanup of work area.
63543	Waterborne Acrylic Dry Fall Flat	Clear Tint Base	TXMAS-5-51V010	TXMAS	23.80	PL	5	1.00	Sherwin-Williams	640334579	A water based, high light reflective white coating that falls dry in ten feet. Fallout can be swept up for easy cleanup of work area.
63543	Waterborne Acrylic Dry Fall Flat	White	TXMAS-5-51V010	TXMAS	18.42	DR	53	1.00	Sherwin-Williams	640108171	A water based, high light reflective white coating that falls dry in ten feet. Fallout can be swept up for easy cleanup of work area.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Waterborne Acrylic Dry Fall Flat	White	TXMAS-5-51V010	TXMAS	18.87	PL	5	1.00	Sherwin-Williams	640108163	A water based, high light reflective white coating that falls dry in ten feet. Fallout can be swept up for easy cleanup of work area.
63543	Wax Solution For Vinyl Ester And Polyester Systems		TXMAS-5-51V010	TXMAS	30.61	GL		1.00	General Polymers	1612183	For Tank Lining Applications
63082	White Pigmented Shellac Primer	White	TXMAS-5-51V010	TXMAS	25.88	GL		1.00	Sherwin-Williams	640383469	Hides stains from soot, smoke and water. Seals in odors. Adheres to most surfaces. Dries in 30 minutes or less. Greater profit opportunity.
63082	White Pigmented Shellac Primer	White	TXMAS-5-51V010	TXMAS	25.12	PL	5	5.00	Sherwin-Williams	640383477	Hides stains from soot, smoke and water. Seals in odors. Adheres to most surfaces. Dries in 30 minutes or less. Greater profit opportunity.
63543	Wire Brush - Long Plastic Handle		TXMAS-5-51V010	TXMAS	2.92	EA		1.00	Sherwin-Williams	1807015	1 Inch trim, mounted in 13-1/2 Inch block. Plastic handle with finger grips.
63543	Wire Brush - With Short Scraper Handle		TXMAS-5-51V010	TXMAS	3.34	EA		1.00	Sherwin-Williams	1807023	Plastic handle with fingertips. Scraper blade attached.
63543	Wood Classics® FastDry Sanding Sealer	Clear	TXMAS-5-51V010	TXMAS	18.97	PL	5	5.00	Sherwin-Williams	640318861	Provides a high build surface and sands fast, easy, and effectively in 1 hour, giving an extremely smooth surface for topcoating.
63543	Wood Classics® FastDry Sanding Sealer	Clear	TXMAS-5-51V010	TXMAS	19.12	GL		4.00	Sherwin-Williams	640315909	Provides a high build surface and sands fast, easy, and effectively in 1 hour, giving an extremely smooth surface for topcoating.
63543	Wood Classics® FastDry Sanding Sealer	Clear	TXMAS-5-51V010	TXMAS	6.01	QT	1	1.00	Sherwin-Williams	640315891	Provides a high build surface and sands fast, easy, and effectively in 1 hour, giving an extremely smooth surface for topcoating.
63543	Wood Classics® FastDry Varnish Hand Rubbed Satin	Clear	TXMAS-5-51V010	TXMAS	7.63	QT	1	6.00	Sherwin-Williams	640315933	Provides a rich, amber finish which seals and protects. The Varnish can be recoated in 3 hours.
63543	Wood Classics® FastDry Varnish Hand Rubbed Satin	Clear	TXMAS-5-51V010	TXMAS	23.51	GL		4.00	Sherwin-Williams	640315941	Provides a rich, amber finish which seals and protects. The Varnish can be recoated in 3 hours.
63543	Wood Classics® FastDry Varnish High Gloss	Clear	TXMAS-5-51V010	TXMAS	23.51	GL		4.00	Sherwin-Williams	640315925	Provides a rich, amber finish which seals and protects. The Varnish can be recoated in 3 hours.
63543	Wood Classics® FastDry Varnish High Gloss	Clear	TXMAS-5-51V010	TXMAS	7.63	QT	1	6.00	Sherwin-Williams	640315917	Provides a rich, amber finish which seals and protects. The Varnish can be recoated in 3 hours.
63543	Wood Classics® Interior Oil Stain	Classic Cherry	TXMAS-5-51V010	TXMAS	6.83	QT	1	1.00	Sherwin-Williams	640329223	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Fruitwood	TXMAS-5-51V010	TXMAS	20.06	GL		1.00	Sherwin-Williams	640329199	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Wood Classics® Interior Oil Stain	Fruitwood	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329181	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Wild Berry	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329280	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Pecan	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329215	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Pickled White	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329249	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Charcoal	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329272	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Wild Berry	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329298	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Charcoal	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329264	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Pecan	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329207	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Natural	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329140	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Pickled White	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329256	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Golden Oak	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329173	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Classic Cherry	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329231	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Golden Oak	TXMAS-5- 51V010	TXMAS	6.83	QT	1	1.00	Sherwin- Williams	640329165	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Interior Oil Stain	Natural	TXMAS-5- 51V010	TXMAS	20.06	GL		1.00	Sherwin- Williams	640329157	A fast production system-a coat of stain and two finish coats can be completed in 8 hours. The stain can be topcoated in 2 hours with most clear alkyd, polyurethane, and lacquer topcoats.
63543	Wood Classics® Polyurethane Varnish Hand Rubbed Satin	Clear	TXMAS-5- 51V010	TXMAS	24.94	GL		4.00	Sherwin- Williams	1021252	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	Wood Classics® Polyurethane Varnish Hand Rubbed Satin	Clear	TXMAS-5- 51V010	TXMAS	10.35	QT	1	6.00	Sherwin- Williams	1021245	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	Wood Classics® Polyurethane Varnish High Gloss	Clear	TXMAS-5- 51V010	TXMAS	10.35	QT	1	6.00	Sherwin- Williams	1021146	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	Wood Classics® Polyurethane Varnish High Gloss	Clear	TXMAS-5- 51V010	TXMAS	24.94	GL		4.00	Sherwin- Williams	1021153	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	Wood Classics® Waterborne Polyurethane Varnish Gloss	Clear	TXMAS-5- 51V010	TXMAS	11.64	QT	1	6.00	Sherwin- Williams	640323309	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	Wood Classics® Waterborne Polyurethane Varnish Gloss	Clear	TXMAS-5- 51V010	TXMAS	33.09	GL		4.00	Sherwin- Williams	640323317	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	Wood Classics® Waterborne Polyurethane Varnish Satin	Clear	TXMAS-5- 51V010	TXMAS	11.64	QT	1	6.00	Sherwin- Williams	640323283	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	Wood Classics® Waterborne Polyurethane Varnish Satin	Clear	TXMAS-5- 51V010	TXMAS	33.09	GL		4.00	Sherwin- Williams	640323291	Provides a rich, even finish with excellent durability, abrasion resistance, and resistance to many household spills.
63543	WoodScapes® Exterior Acrylic Solid Color Stain	Ultradeep	TXMAS-5- 51V010	TXMAS	20.06	PL	5	5.00	Sherwin- Williams	640333555	Provides a long lasting, mildew resistant coating with excellent penetration for protecting most vertical exterior wood surfaces.
63543	WoodScapes® Exterior Acrylic Solid Color Stain	Extra White	TXMAS-5- 51V010	TXMAS	20.21	GL		4.00	Sherwin- Williams	640514956	Provides a long lasting, mildew resistant coating with excellent penetration for protecting most vertical exterior wood surfaces.
63543	WoodScapes® Exterior Acrylic Solid Color Stain	Deep Base	TXMAS-5- 51V010	TXMAS	20.06	PL	5	5.00	Sherwin- Williams	640333530	Provides a long lasting, mildew resistant coating with excellent penetration for protecting most vertical exterior wood surfaces.
63543	WoodScapes® Exterior Acrylic Solid Color Stain	Ultradeep	TXMAS-5- 51V010	TXMAS	20.21	GL		1.00	Sherwin- Williams	640333548	Provides a long lasting, mildew resistant coating with excellent penetration for protecting most vertical exterior wood surfaces.
63543	WoodScapes® Exterior Acrylic Solid Color Stain	Extra White	TXMAS-5- 51V010	TXMAS	20.06	PL	5	5.00	Sherwin- Williams	640514964	Provides a long lasting, mildew resistant coating with excellent penetration for protecting most vertical exterior wood surfaces.
63543	WoodScapes® Exterior Acrylic Solid Color Stain	Deep Base	TXMAS-5- 51V010	TXMAS	20.21	GL		4.00	Sherwin- Williams	640333522	Provides a long lasting, mildew resistant coating with excellent penetration for protecting most vertical exterior wood surfaces.
63543	WoodScapes® Exterior Polyurethane Semi- Transparent Stain	Clear Base	TXMAS-5- 51V010	TXMAS	4.69	QT	1	1.00	Sherwin- Williams	640119103	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.
63543	WoodScapes® Exterior Polyurethane Semi- Transparent Stain	Clear Base	TXMAS-5- 51V010	TXMAS	18.53	PL	5	5.00	Sherwin- Williams	1040369	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.

**EXHIBIT C
CONTRACTOR'S PRICING**

NIGP_ Code	PRODNAME	PRODBASE	Contract_Nu mber	Contract _Type	Shopping_Car t_Price	UO M	QTY _Per _UO	Min_O rder_ Qty	Mfgr_Nam e	Supplier_Part _No	Long_Description
63543	WoodScapes® Exterior Polyurethane Semi-Transparent Stain	Clear Base	TXMAS-5-51V010	TXMAS	18.86	GL		1.00	Sherwin-Williams	1040351	Provides a long lasting, mildew resistant film with excellent penetration for protecting most exterior wood surfaces.
63543	Work Suspenders Blue		TXMAS-5-51V010	TXMAS	8.39	EA		1.00	Custom Leathercraft Mfg. Co.	1619832	Adjustable to fit all sizes. Heavy-duty front and rear clips.
63543	Worklight - Telescopic	1 Ft. x 3 Ft.	TXMAS-5-51V010	TXMAS	59.73	EA		1.00	Warner Mfg Company	1557800	500 watt UL-listed weatherproof fixture. Rubber leg tips protect surfaces. Light separates from base allows you to hang or mount in a variety of configurations.
63543	Worklight - Telescopic	3 Ft. x 5 Ft.	TXMAS-5-51V010	TXMAS	54.06	EA		1.00	Warner Mfg Company	9225244	Transportable and convenient design. Full size all weather fixture. Color correct bulb. Lifetime warranty. Telescopes from 3 Foot x 5 Foot.
63543	Zipper 3 Inch x 7 Ft.		TXMAS-5-51V010	TXMAS	10.88	EA		1.00	Surface Shields	9353194	3 Inch wide woven polypropylene backing. Creates instant doorway. Permanent adhesive system bonds in seconds. Great tool for dust control. Double sided zipper. Meets federal containment specs.

N/A

SOLICITATION NUMBER: _____



GOAL DETERMINATION FORM

Buyer Name/Phone	Claudia Rodriguez x43092	PM Name/Phone	Taylor Youngblood x43519
Sponsor/User Dept	Building Services	Sponsor Name/Phone	
Solicitation Number	N/A	Project Name	Sherwin Williams Cooperative
Contract Amount	\$715,000	Ad Date (if applicable)	N/A
Procurement Type			
Cooperative Agreement			
Project Description			
This is request to establish a cooperative agreement to provide paint and paint related supplies to all city departments.			
Project History: Was a solicitation previously issued? If so, were goals established? Were subcontractors/subconsultants utilized? Include prior Solicitation No.*			
The previous contract (GC090000008) was also based off the TXMAS Cooperative Contract #TXMAS-5-51V010			
List the scopes of work (commodity codes) for this project. (Attach commodity code breakdown by percentage; eCAPRIS printout acceptable.)*			
14545 -60%, 63547-15%, 63064-10%, 6309070-10%, 4451206-5%			
Buyer Confirmation		Date	

FOR SMBR USE ONLY			
Date Received		Date Assigned to BDC	
<i>In accordance with Chapter 2-9(A-D)-19 of the Austin City Code, SMBR makes the following determination:</i>			
<input type="radio"/> Goals	% MBE	% WBE	
<input type="radio"/> Subgoals	% African American	% Hispanic	
	% Asian/Native American	% WBE	
<input type="radio"/> Exempt from MBE/WBE Procurement Program	<input checked="" type="radio"/> No Goals		
This determination is based upon the following:			
Select from List:			
If Other was selected, provide reasoning:			
MBE/WBE/DBE Availability			
THEIR IS MBE/WBE AVAILABILITY			
Subcontracting Opportunities Identified			
NO SUBCONTRACTING OPPORTUNITIES			
Based on discussion with Purchasing & email, there are no subcontracting opportunities			
SMBR Staff		Signature/Date	
		[Signature] 3/3/14	
SMBR Director (or Designee)		Date	
[Signature]		3-10-14	