

City of Austin Residential New Construction and Addition Permit Application Residential Review, 2nd floor, One Texas Center 505 Barton Springs, Austin, TX 78704 (512) 978-4000

| Property Information | |
|--|--|
| Project Address: 1629 Palma Plaza | Tax Parcel ID: 110133 |
| Legal Description: W 3 Dft of Lot 14 9 E 45 E | + of Lot is Enfliche E Plus DOJ 126+ GWSA |
| Zoning District: Leaving C MF-3 | Lot Size (sq ft): 9308 |
| Neighborhood Plan Area (if applicable): | Historic District (if applicable): |
| Required Reviews | |
| Is project participating in S.M.A.R.T. Housing? Y | Does project have a Green Building requirement? Y |
| (If yes, contact Austin Energy for Green Building Rating requirements. Attach signed certification letter from NHCD.) | (If yes, contact Austin Energy for Green Building Rating requirements) |
| Is this site within an Airport Overlay Zone? Y | Does this site have a septic system? Y |
| (If yes, approval through Aviation is required) | (If yes, submit a copy of approved septic permit) |
| Does the structure exceed 3600 square feet total under roof? | Y (If yes, Fire review is required) |
| Is this property within 200 feet of a hazardous pipeline? | Y (If yes, Fire review is required) |
| Is this site located within an Erosion Hazard Zone? Y | Is this property within 150 feet of the 100 year floodplain? Y |
| | (Proximity to floodplain may require additional review time.) |
| Is there a protected sized tree on this lot or adjacent lot(s)? Note: Include tree location(s) on plot plan. | N (If yes, application for a tree permit with the <u>City_Athorist</u> is required) |
| Is this site within the Residential Design and Compatibility Standa | rds Ordinance Boundary Area? (LDC 25-2 Subchapter F) Y (N) |
| Does this site currently have: water availability? (wastewater availability? | N (If no, contact Austin Water Utility to apply for Y N water/wastewater taps and/or service extension request.) |
| Are there existing water/waste water infrastructure, appurtenances (If yes, contact Austin Water Utility Pipeline Engineering for review and approval) | |
| Does this site have or will it have an auxiliary water source? (Auxiliary water supplies are wells, rainwater harvesting, river water, lake water, re | Y (If yes, submit approved auxiliary and potable plumbing plans) eclaimed water, etc.) |
| Does this site require a cut or fill in excess of four (4) feet? Y | N(If yes, contact the Development Assistance Center for a Site Plan Exemption) |
| Is this site within the Waterfront Overlay? Y (N). (LDC 25-2 Subchapter C Article 3) | Is this site within the Lake Austin Overlay? Y |
| Does this site front a paved street? (Y) N (If no, contact Development Assistance Center for Site Plan requirements) | Is this site adjacent to a paved alley? Y |
| Does this site have a Board of Adjustment (BOA) variance? | Y N Case #(if applicable) |
| Does this site have a Residential Design and Compatibility Comm | ission (RDCC) waiver? Y N |
| (If yes, provide a copy of decision sheet. Note: A permit cannot be approved within | n 10 days of approval of a variance from BOA.) |
| Description of Work | |
| Existing Use: vacant single-family residential du | plex residential two-family residential other: |
| Proposed Use: vacant single-family residential du | plex residential two-family residential other: |
| Project Type: new construction addition | addition/remodel other: |
| Will all or part of an existing exterior wall, structure, or roof be re (Note: Removal of all or part of a structure requires a demolition permit application | |
| # of existing bedrooms: 3 # of bedrooms upon completion: 4 | # of baths existing: 3 # of baths upon completion: |
| Project Description: (Note: Please provide thorough description of project. At | |
| addition of conditioned sporce | to existing structure, roof to |
| be raised to accomplate new |) kedroona, Buthroom rewoodel |
| Trades Permits Required (Circle as applicable): electric | plumbing /mechanical (HVAC) concrete (R.O.W.) |

| Job Valuation | | |
|--|---|---|
| Total Job Valuation: | Amount of Total Job Valuation dedicated to al Addition and/or New Construction: § 256 | Amount of Total Job Valuation dedicated to all Remodel/Repair: |
| Note: The total job valuation should be the sum total of all valuations noted to the | Amount for Primary Structure: $\[\] IOK$ Elec: $\[\] Y \square N \]$ Plmbg: $\[\] Y \square N \]$ Mech: $\[\] Y \square N$ | S ∠3 K Bldg: S <u>6.25 k</u> Elec: S <u>6.25 k</u> |
| right. Labor and materials only, rounded to nearest dollar. Permit fees are based on adopted fee schedule. | Amount for Accessory Structure: \$ Elec: □Y □N Plmbg: □Y □N Mech: □Y □N | Plmbg: \$ 7 as k Mech: \$ 6 as k |

Please utilize the Calculation Aid on the last page of the Additional Information, page 7, as a guide to complete the following calculations and to provide supplemental information for thorough review.

| Site Development Information | | | | | | | |
|---|--|--|---|---|-------------------|-------------------|--|
| Area Description | | | New/Add | New/Added Sq Ft | | Total Sq Ft | |
| Note: Provide a separate calculation for each distinct area. Attach additional sheets as necessary. Measurements are to the outside surface of | Bldg 1 | Bldg 2 | Bldg 1 | Bldg 2 | Bidg 1 | Bldg 2 | |
| the exterior wall. | - | Didg 2 | 0 | Dia <u>6</u> - | 1985 | B = | |
| a) 1 st Floor conditioned area | 1985 | | | | 46 | | |
| b) 2 nd Floor conditioned area | 468 | | 0 | | 338 | | |
| c) 3 rd Floor conditioned area | | | 338 | | 220 | | |
| d) Basement | - / - | | 0 | | 760 | | |
| e) Covered parking garage or carport) | 760 | | 0 | | 221 | | |
| f) Covered patio, deck, norch and/or balcony area(s) g) Other covered or roofed area | 221 | | 0 | | | | |
| <u> </u> | | | | | | | |
| h) Uncovered wood decks Total Building Area (total a through h) | | | | | | | |
| i) Pool | - | | | | | | |
| j) Spa | | | | | | 1.1 | |
| Building Coverage Information | | | | | | - | |
| Impervious Cover Information Note: Impervious cover is the total horizontal area of covered spaces, paved gravel placed over pervious surfaces that are used only for landscaping or b boards and that is located over a pervious surface, 50 percent of the horizon | areas, walkway y pedestrians. F tal area of the d ot size: <u>4</u> 2 | 1.8 <u>%</u> vs. and driveway: or an uncovered eck is included in 1.02 | s. The term excl wood deck that l 1 the measureme | udes pools, po 1as drainage sp nt of impervio | nds, fountains, a | ie deck | |
| Does any structure (or an element of a structure) extend over or beyond a required yard? (LDC 25-2-513) Is front yard setback averaging being utilized on this property? (LDC 25-2, Subchapter F, Sec. 2.3 or 25-2-778) | | | | | | | |
| Height Information (LDC 25-1-21 or 25-2 Subchapter F, Section 3.4 | 4) | Parking (LD | C 25-6 Appendix | KA& 25-6-47 | 8) | | |
| Building Height: 25' ft Number of Floors: 2 | | # of spaces r | equired: 之 | # of spa | ces provided | <u>: 2</u> | |
| Right-of-Way Information Is a sidewalk required for the proposed construction? (LDC 2 *Sidewalks are to be installed on any new construction of a single family, increases the building's gross floor area by 50 % or more. | two-family or d | | | | C | ing that \frown | |
| Will a Type I driveway approach be installed, relocated, removed or repaired as part of this project? Y (N) | | | | | N | | |
| Width of approach (measured at property line): ft Distance from intersection (for corner lots only): ft | | | | | | | |
| Are storm sewer inlets located along the property or within (If yes, drainage review is required) | ten (10) feet | of the bound | aries of the p | roperty? | Y (| N) | |

20

Subchapter F

Gross Floor Area

This section is only required for projects located within the Residential Design and Compatibility Standards Ordinance Boundaries as defined and illustrated in Title 25-2 Subchapter F of the Land Development Code. The Gross Floor Area of each floor is measured as the area contained within the outside edge of the exterior walls.

| | | Existing Sq Ft | New/Added Sq Ft | Proposed Exemption (check article utilized) | Applied Exemption Sq Ft | Total Sq Ft |
|---|---|---|---|--|---|--|
| 1 st Floor | | 1985 | 0 | | | 1985 |
| 2 nd Floor | | 468 | 0 | | | 468 |
| 3 rd Floor | | - | | | | - |
| Area w/ ceilin | ngs > 15' | | | Must follow article 3.3.5 | | |
| Ground Floor (check article) | | 221 | 0 | ✓ Full Porch sq ft (3.3.3 A) □ 200 sq ft (3.3.3 A 2) | - 221 | 0 |
| Basement | | | | Must follow article 3.3.3B, see note below | | |
| Attic | | 338 | 0 | Must follow article 3.3.3C, see note below | - 338 | 0 |
| Garage**: (check article | Attached | | | □ 200 sq ft (3.3.2 B 2b) | | |
| utilized) | Detached | 760 | 0 | ✓ 450 sq ft (3.3.2 A 1 / 2a) □ 200 sq ft (3.3.2 B 2a) | -450 | 310 |
| Carport**: (check article | Attached | | | ☐ 450 sq ft (3.3.2 A 3) ☐ 200 sq ft (3.3.2 B 1)*** | | |
| utilized) | Detached | | | ☐ 450 sq ft (3.3.2 A 1) | | |
| Accessory B (detached) | uilding(s) | | | | | |
| Totals | | | | | | 2763 |
| TOTAL GROSS FLOOR AREA (add Total Sq Ft column) <u>2763</u> (Total Gross Floor Area ÷ lot area)x100 = <u>29.6%</u> Floor-To-Area Ratio (FAR) | | | | | | |
| Is a sidewall articulation required for this project? Y (N) (Yes, if: a wall, 15' tall or higher, within 9 feet of a side property line extends further than 36 feet in length per article 2.7.1) | | | | | | |
| Does any portion of the structure extend beyond a setback plane/exemption exhibit (aka "tent")? Y (If Yes, indicate applicable section of Subchapter F and length of protrusion on the drawings) *Ground Floor Porch exemption: A ground floor porch, including a screened porch, may be exempted, provided that the porch is not accessible by automobile and | | | | | | |
| *Ground Floor is not connected | Porch exempt to a driveway; | ion: A ground floor po and the exemption may | rch, including a screene not exceed 200 square | ed porch, may be exempted, provided th feet if a porch has habitable space or a b | at the porch is not accessibl alcony above it. | e by automobile and |
| ** Garage and listed (450 or 20 | carport exem p)0) is the maxim | tions (in relation to pr num exclusion allowed p | imary structure): Exer er the article designated | nptions must follow the code as outline J. Note: Article 3.3.2 C, "An applicant r | d in Title 25-2 Subchapter I nay receive only one 450-so | 3.3.2. Each amount quare foot exemption |

listed (450 or 200) is the maximum exclusion allowed per the article designated. Note: Article 3.3.2 C, "An applicant may receive only one 450-square foot exemption per site under paragraph A. An applicant who receives a 450-square foot exemption may receive an additional 200-foot exemption for the same site under paragraph B, but only for an attached parking area used to meet minimum parking requirements."

***Ordinance article 3.3.2 B 1 is the only 200 sq ft exemption that may be combined with a 450 sq ft exemption. Otherwise only one 450 exemption or one 200 sq ft exemption may be taken

Basement exemption: A habitable portion of a building that is below grade may be exempted if the habitable portion does not extend beyond the first-story footprint and is below natural or finished grade, whichever is lower; and it is surrounded by natural grade for at least 50% of its perimeter wall area and the finished floor of the first story is not more than three feet above the average elevation at the intersections of the minimum front yard setback line and the side property lines.

Habitable Attic exemption: A habitable portion of an attic may be exempted if: 1. The roof above it is not a flat or mansard roof and has a slope of 3 to 12 or greater; 2. It is fully contained within the roof structure; 3. It has only one floor; 4. It does not extend beyond the footprint of the floors below; 5. It is the highest habitable portion of the building, or a section of the building, and adds no additional mass to the structure; and 6. Fifty percent or more of the area has a ceiling height of seven feet or less.

| Additional Information, Continued | | | | |
|--|--|---|------------------------|--|
| Calculation Aid | | | | |
| Area Description Note: Provide a separate calculation for each distinct area. Attach additional sheets as necessary. Measurements are to the outside surface of the exterior wall. | Existing Sq Ft | New/Added Sq Ft | Total Sq Ft | |
| a) 1 st floor conditioned area | 1985 | 0 | 1985 | |
| b) 2 nd floor conditioned area | 468 | D | 469 | |
| c) 3 rd floor conditioned area | 0 | 338 | 338 | |
| d) Basement | | | | |
| e) Attached Covered Parking (garage or carport) | | | <u> </u> | |
| f) Detached Covered Parking (garage br carport) | 760 | 0 | 760 | |
| g) Covered Wood Decks (counted at 100%) | | | | |
| h) Covered Patio / Porch (separated values: /) | 221 | 0 | 221 | |
| i) Balcony | | | | |
| j) Other – Specify: | | | | |
| Total Building Area (TBA) (add: a. through j) | | | | |
| Total Building Coverage (TBC) | | | | |
| (from TBA subtract, if applicable: b, c, d, and i) | (<u>A</u>) | | (<u>B</u>) | |
| k) Driveway | 1203 | 0 | 1203 | |
| 1) Sidewalks | 200 | 0 | 200 | |
| m) Uncovered Patio | | <u></u> | | |
| n) Uncovered Wood Decks (counted at 50%) | | | N | |
| o) AC pads and other concrete flatwork | 8 | 0 | 8 | |
| p) Other (Pool Coping, Retaining Walls) | ~ | | 2.47.17.2 | |
| Total Site Impervious Coverage (add: TBC and k through p) | (<u>C</u>) | - | (D | |
| q) Pool | - | | | |
| r) Spa | - | | | |
| Building Coverage Information Note: Building Coverage means the area of a lot covered by buildings or roofed areas, incidental projecting eaves, balconies, and similar features. Pools, ponds, and fountain Lot Area (sq ft): 9306 | but excludes ground level is are not included in this n | paving. landscaping, open rec leasurement. (LDC 25-1-21) | creational facilities, | |

Existing Building Coverage (see above A, sq ft): 2966

Existing Coverage % of lot $(\underline{A} \div Lot area) \times 100 : 31.8 \%$

Final Building Coverage (see above <u>B</u>, sq ft): 296(

Final Coverage % of lot ($\underline{\mathbf{B}} \div \mathbf{Lot} \operatorname{area}$)x100 : $\underline{\mathbf{3}} / \underline{\mathbf{3}} \%$

Impervious Cover Information


Note: Impervious cover is the total horizontal area of covered spaces, paved areas, walkways, and driveways. The term excludes pools, ponds, fountains, and areas with gravel placed over pervious surfaces that are used only for landscaping or by pedestrians. (LDC 25-1-23)


Existing Impervious Coverage (see above C, sq ft): 4377

Existing coverage % of lot ($\underline{C} \div Lot area$)x100 : _____%

Final Impervious Coverage (see above D, sq ft): 4327


Final coverage % of lot ($\underline{\mathbf{D}} \div \mathbf{Lot}$ area)x100 : $\underline{47.02}$ %







DEMOLITION ROOF PLAN SCALE: 1/8" = 1'-0"

| ESA ALIANS ALIAN |
|--|
| GOTTFRIED & CLIFTON REMODEL & ATTIC ADDITION 1629 PALMA PLAZA, AUSTIN TX, 78703 |
| DATE: 12-21-17 1-8-18 1-18-18 2-4-18 2-4-18 3-23-18 4-17-18 |
| AI |











PROPOSED NORTH ELEVATION SCALE: 1/4" = 1'-0"



PROPOSED EAST ELEVATION







PROPOSED SOUTH ELEVATION

PROPOSED WEST ELEVATION SCALE: 1/4" = 1'-0"

4.11.18 E 5 A ELEMENTFIVEARCHITECTURE 2124 EAST 6th ST., suite 106 AUSTIN TX 78702 512.473.8228 www.elememt5architecture.com Z \sim DITIC 7870 Z X AUSTIN \bigcirc \propto FRIED < $\langle \langle \rangle$ ∞ Ц PALMA \square U U l 629 \leq REN DATE: 12-21-17 1-8-18 1-18-18 2-4-18 2-6-18 3-23-18 4-17-18 A5