# CITY OF AUSTIN Board of Adjustment Decision Sheet

DATE: Monday April 08, 2019		CASE NUMBER: C15-2019-0016	
Y Y	Ada Corral William Burkhardt Darryl Pruett		
	Eric Goff Melissa Hawthorne		
N	Yasmine Smith Don Leighton-Burwell		
	Rahm McDaniel OUT		
	<ul><li>Martha Gonzalez (Alternate) RM</li><li>Veronica Rivera</li><li>James Valdez</li></ul>		
	James value2 Michael Von Ohlen Kelly Blume (Alternate) OUT		
	Alternate (Vacant)		
APPLIC	CANT: Jim Witliff		
OWNER	R: Alvin Momin		

ADDRESS: 13414 HARRISGLENN DR

VARIANCE REQUESTED: The applicant has requested a variance(s) to Section 25-2-814 (Service Station Use) (3) to increase the queue lanes from 8 (required, permitted) to 12 (requested) in order to add a retail gas service station in a "GR" Community Commercial zoning district.

BOARD'S DECISION: The public hearing was closed on Board Member Michael Von Ohlen motion to Grant, Board Member Veronica Rivera second on an 8-3 vote (Board members Darryl Pruett, Eric Goff and Yasmine Smith nay); DENIED DUE TO LACK OF VOTES.

**EXPIRATION DATE: APRIL 8, 2020** 

#### FINDING:

- 1. The Zoning regulations applicable to the property do not allow for a reasonable use because: the queue lane example listed in Appendix H of the Transportation Criteria Manual is outdated fuel dispensing alignment with 16 pumps and 8 queue lanes.
- 2. (a) The hardship for which the variance is requested is unique to the property in that: the size and configuration of the lot does not allow adequate room to design the proposed service station with the City's outdated dispenser configuration which also creates health and safety concern egress and ingress in alignment of vehicles

(b) The hardship is not general to the area in which the property is located because: this fuel pump alignment design is now used on most new service stations, furthermore there are only a few service stations within any geographic area, design will have only 12 fuel dispensers, City Code allows up to 16 fuel dispensers on a site.

3. The variance will not alter the character of the area adjacent to the property, will not impair the use of adjacent conforming property, and will not impair the purpose of the regulations of the zoning district in which the property is located because: the variance will result in only 12 fuel dispensers on the site, which is only 75% of the fuel dispensers currently allowed by code.

Leane Heldenfels Executive Liaison William Burkhardt

Chairman

# Land ANSWERS, Inc.

**Development Planning Consultants** 

3606 Winfield Cove Austin, Texas 78704 (512)416-6611 • Fax (512)416-6610

April 18, 2019

William Burkhardt, Chair Austin Board of Adjustment City of Austin P.O. Box 1077 Austin, Texas 78767

Subject: Request for Reconsideration; Case #C15-2019-0016

Dear Chairman Burkhardt:

We are requesting a reconsideration of the decision the Board reached for this case on April 8, 2019. We feel a reconsideration is appropriate, because we are providing new hardhsip evidence.

Thank you for your consideration of this request. I have already paid the City's \$282.88 renotification fee.

Sincerely,

Jim Wittliff

#### **Development Services Department**

One Texas Center | Phone: 512.978.4000 505 Barton Springs Road, Austin, Texas 78704

# **Board of Adjustment General/Parking Variance Application**

WARNING: Filing of this appeal stops all affected construction activity.

This application is a fillable PDF that can be completed electronically. To ensure your information is saved, click here to Save the form to your computer, then open your copy and continue.

The Tab key may be used to navigate to each field; Shift + Tab moves to the previous field. The Enter key activates links, emails, and buttons. Use the Up & Down Arrow keys to scroll through drop-down lists and check boxes, and hit Enter to make a selection.

The application must be complete and accurate prior to submittal. If more space is required, please complete Section 6 as needed. All information is required (if applicable).

#### For Office Use Only Case # ROW # Tax#

Section 1: Applicant Statement	
Street Address: 13414 Harrisglenn Drive, Austin Te	xas 78753
Subdivision Legal Description:	
Lot 1, Block L less 1.175 ac Harris Ridge Phase	1 Section IV
Lot(s): 1	Block(s): B
Outlot:	
Zoning District: GR	
/We Jim Wittliff/Land Answers, Inc.	
authorized agent for Index Real Estate, LLC	
Month February , Day 14 , Year	
Board of Adjustment for consideration to (select a	ppropriate option below):
	del OMaintain Other:
Type of Structure: A total of 12 queue lanes for a	service station.

Section 2: Variance Findings  The Board must determine the existence of, sufficiency of, and weight of evidence supporting the findings described below. Therefore, you must complete each of the applicable Findings Statemen as part of your application. Failure to do so may result in your application being rejected as incomplete. Please attach any additional supporting documents.  NOTE: The Board cannot grant a variance that would provide the applicant with a special privilege not enjoyed by others similarly situated or potentially similarly situated.  I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes. Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additional for the street frontage of this site for required circulation around the fuel dispensers. Additional for the street frontage of this site for required circulation around the fuel dispensers. Additional for the street frontage of this site for required circulation around the fuel dispensers. Additional for the street frontage of this site for required circulation around the fuel dispensers. Additional forms and create poorer air quality, due to excessive idling for queueing vehicles.	Portion of the City of Austin Land Development Code applicant is se	eking a variance from:
The Board must determine the existence of, sufficiency of, and weight of evidence supporting the findings described below. Therefore, you must complete each of the applicable Findings Statemen as part of your application. Failure to do so may result in your application being rejected as incomplete. Please attach any additional supporting documents.  NOTE: The Board cannot grant a variance that would provide the applicant with a special privilege not enjoyed by others similarly situated or potentially similarly situated.  I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	25-2-814, which limits vehicle queue lanes to a maximum of eig	ght.
The Board must determine the existence of, sufficiency of, and weight of evidence supporting the findings described below. Therefore, you must complete each of the applicable Findings Statemen as part of your application. Failure to do so may result in your application being rejected as incomplete. Please attach any additional supporting documents.  NOTE: The Board cannot grant a variance that would provide the applicant with a special privilege not enjoyed by others similarly situated or potentially similarly situated.  I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
The Board must determine the existence of, sufficiency of, and weight of evidence supporting the findings described below. Therefore, you must complete each of the applicable Findings Statemen as part of your application. Failure to do so may result in your application being rejected as incomplete. Please attach any additional supporting documents.  NOTE: The Board cannot grant a variance that would provide the applicant with a special privilege not enjoyed by others similarly situated or potentially similarly situated.  I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
The Board must determine the existence of, sufficiency of, and weight of evidence supporting the findings described below. Therefore, you must complete each of the applicable Findings Statemen as part of your application. Failure to do so may result in your application being rejected as incomplete. Please attach any additional supporting documents.  NOTE: The Board cannot grant a variance that would provide the applicant with a special privilege not enjoyed by others similarly situated or potentially similarly situated.  I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
findings described below. Therefore, you must complete each of the applicable Findings Statemen as part of your application. Failure to do so may result in your application being rejected as incomplete. Please attach any additional supporting documents.  NOTE: The Board cannot grant a variance that would provide the applicant with a special privilege not enjoyed by others similarly situated or potentially similarly situated.  I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that: Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	Section 2: Variance Findings	
I contend that my entitlement to the requested variance is based on the following findings:  Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	findings described below. Therefore, you must complete each of the as part of your application. Failure to do so may result in your applic	applicable Findings Statements
Reasonable Use The zoning regulations applicable to the property do not allow for a reasonable use because: The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility.  We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
The zoning regulations applicable to the property do not allow for a reasonable use because:  The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	I contend that my entitlement to the requested variance is based on	the following findings:
The queue lane example listed in Appendix H if the Transportation Criteria Manual (attached) shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	Reasonable Use	
shows an outdated fuel dispensing alignment with up to 16 pumps and up to 8 queue lanes.  Modern service station design uses the "dive" concept for maximum safety and accessibility.  We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
Modern service station design uses the "dive" concept for maximum safety and accessibility. We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	The queue lane example listed in Appendix H if the Transportat	ion Criteria Manual (attached)
We are proposing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12 queue lanes.  Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	shows an outdated fuel dispensing alignment with up to 16 pum	nps and up to 8 queue lanes.
Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for requried circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	Modern service station design uses the "dive" concept for maxing	mum safety and accessibility.
Hardship  a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for requried circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	We are proposing 6 fuel pump islands, with one fuel dispenser	on each side, which will require
a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
a) The hardship for which the variance is requested is unique to the property in that:  Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
Due to the 50 foot driveway throat length requirement from Howard Lane, and the 40 foot driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for required circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	•	the amone out view the etc
driveway throat length for Harrisglenn Drive, we are unable to utilize a significant portion of the street frontage of this site for requried circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.	,	
street frontage of this site for requried circulation around the fuel dispensers. Additionally, The City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
City's outdated fuel dispensing alignment has proven to be less safe for customers and create poorer air quality, due to excessive idling for queueing vehicles.		
b) The hardship is not general to the area in which the property is located because:	·	
b) The hardship is not general to the area in which the property is located because:		
	poorer air quality, due to excessive idling for queueing vehicles.	(conta on pg.7)
, , , ,	b) The hardship is not general to the area in which the property	is located because:
THIS THE DUTTE AND THE RESIDENCE TO THE RESIDENCE OF THE PROPERTY OF THE PROPE	, , , , ,	
are only a few service stations within any geographic area. Our proposed design will have only		
12 fuel dispensers. City Code allows up to 16 fuel dispensers on a site, provided the old fuel		
pump alignment design is utilized.		
Famp angnone doorgin to damed.	partip angitition accign to antizon	

Q - 1/6

#### **Area Character**

The variance will not alter the character of the area adjacent to the property, will not impair the use of adjacent conforming property, and will not impair the purpose of the regulations of the zoning district in which the property is located because:


This variance will result in only twelve fuel dispensers on the site, which is only 75% of the fuel


	lispensers currently allowed by Code. The dive alignment has proven to be safer and more efficient, resulting in less necessary manouvering, and less idling time by vehicles in queue			
	lanes.			
_				
-				
Requ a vari Appe	ng (additional criteria for parking variances only) est for a parking variance requires the Board to make additional findings. The Board may grant ance to a regulation prescribed in the City of Austin Land Development Code Chapter 25-6, ndix A with respect to the number of off-street parking spaces or loading facilities required if it s findings of fact that the following additional circumstances also apply:			
1.	Neither present nor anticipated future traffic volumes generated by the use of the site or the uses of sites in the vicinity reasonably require strict or literal interpretation and enforcement of the specific regulation because:			
-				
2.	The granting of this variance will not result in the parking or loading of vehicles on public streets in such a manner as to interfere with the free flow of traffic of the streets because:			
3.	The granting of this variance will not create a safety hazard or any other condition inconsistent with the objectives of this Ordinance because:			
-				
4.	The variance will run with the use or uses to which it pertains and shall not run with the site because:			
-				
-				
_				

### **Section 3: Applicant Certificate**

Q-1/7

my knowledge and belief.	plication are true a	nd correct to the best of
Applicant Signature:		
Applicant Name (typed or printed)		
Applicant Mailing Address: 3606 Winfield cove		
City: Austin	State: <u>Texas</u>	Zip: 78794
Phone (will be public information): (512) 416-6611		
Email (optional – will be public information):		-
Section 4: Owner Certificate		
I affirm that my statements contained in the complete approximation my knowledge and belief.  Owner Signature:	olication are true a	nd correct to the best of
Owner Signature:		Date: <u>02/14/2019</u>
Owner Name (typed or printed): Inpex Real Estate, LLC		
Owner Mailing Address: 1610Ohlen Road		
City: Austin	State: Texas	Zip: 78758
Phone (will be public information):		
Email (optional – will be public information):		
Section 5: Agent Information		
Agent Name: Jim Wittliff/Land Answers, Inc.		
Agent Mailing Address: 3606 Winfield Cove		
City: Austin	State: Texas	Zip: 78704
Phone (will be public information):		
Email (optional – will be public information):		
Section 6: Additional Space (if applicable	)	
Please use the space below to provide additional informate referenced to the proper item, include the Section and Fig.		
a) Also, our proposed alignment will minimize the possib	oility that waiting ve	hicles will queue out
into the ROW. Our engineer attempted to reconfigure the fuel dispensing configuration, and the property's dimens alignment.		•





## **BOA CASE REVIEW SHEET**

<u>CASE:</u> C15-2019-0016 <u>BOA DATE:</u> April 8, 2019

ADDRESS: 13414 Harrisglenn Dr. COUNCIL DISTRICT: 7

**OWNER:** Index Real Estate, LLC **AGENT:** Jim Wittliff

**ZONING:** GR

**AREA:** Lot 1, Block L, less 1.175 ac Harris Ridge Phase 1, Section IV


**VARIANCE REQUEST:** 12 que lanes requested, 8 permitted

**SUMMARY:** new service station

**ISSUES:** updated fuel pump design


	ZONING	LAND USES
Site	GR	Vacant
North	SF-4A-CO and I-RR	Vacant
South	MF-2-CO	Vacant
East	GR-CO-2	Vacant
West	SF-4A-CO	Vacant

<u>NEIGHBORHOOD ORGANIZATIONS:</u> Bike Austin; Friends of Austin Neighborhoods; Harris Ridge Owner's Association; Harris Ridge Phase IV; Homeless Neighborhood Association; Neighborhood Empowerment Foundation; North Growth Corridor Alliance; Pflugerville Independent School District; SEL Texas; Sierra Club, Austin Regional Group; TechRidge Neighbors; Yager Planning Area










ZONING BOUNDARY

#### **NOTIFICATIONS**

CASE#: C15-2019-0016 LOCATION: 13414 Harrisglenn Drive









For Office Use Only

#### CITY OF AUSTIN

Q-1/12 COPY

Development Services Department
One Texas Center | Phone: 512.978.4000
505 Barton Springs Road, Austin, Texas 78704

# Board of Adjustment General/Parking Variance Application

WARNING: Filing of this appeal stops all affected construction activity.

This application is a fillable PDF that can be completed electronically. To ensure your information is saved, click here to Save the form to your computer, then open your copy and continue.

The Tab key may be used to navigate to each field; Shift + Tab moves to the previous field. The Enter key activates links, emails, and buttons. Use the Up & Down Arrow keys to scroll through drop-down lists and check boxes, and hit Enter to make a selection.

The application must be complete and accurate prior to submittal. If more space is required, please complete Section 6 as needed. All information is required (if applicable).

#### ROW # \_\_\_\_\_ Tax # \_\_\_\_ Case # Section 1: Applicant Statement Street Address: 13414 Harrisglenn Drive, Austin Texas 78753 Subdivision Legal Description: Lot 1, Block L less 1.175 ac Harris Ridge Phase 1 Section IV Lot(\$): 1 Block(s): L Outlot: Division: Zoning District: GR I/We Jim Wittliff/Land Answers, Inc. on behalf of myself/ourselves as authorized agent for INDEX REAL ESTATE, LLC affirm that on Month February , Day 14 , Year 2019 , hereby apply for a hearing before the Board of Adjustment for consideration to (select appropriate option below): Remodel ○ Maintain ○ Other: Erect ○ Attach ○ Complete

Type of Structure: A total of 12 queue lanes for a service station.

Q-1/13

	-814, which limits vehicle queue lanes to a rnaximum of eight.
ecti	on 2: Variance Findings
lings of	Indicated must determine the existence of, sufficiency of, and weight of evidence supporting the described below. Therefore, you must complete each of the applicable Findings Statemetry from the supplication. Failure to do so may result in your application being rejected as the state of the supporting documents.
	The Board cannot grant a variance that would provide the applicant with a speci rivilege not enjoyed by others similarly situated or potentially similarly situated.
ontend	that my entitlement to the requested variance is based on the following findings:
	ble Use ng regulations applicable to the property do not allow for a reasonable use because:
The	queue lane example listed in Appendix H if the Transpietarion Criteria Manual (attached
	vs an outdated fuel dispensing alignment with 16 pumps and 8 queue lanes. Modern
11111	ice station design uses the "dive" concept for maximum safety and accessibility. We are
1111	osing 6 fuel pump islands, with one fuel dispenser on each side, which will require 12
que	ue lanes.
rdshi <sub>l</sub> a) Th	e hardship for which the variance is requested is unique to the property in that:
	size and configuration of the lot does not allow adequate room to design the proposed ce station with the City's outdated in-line fuel dispenser configuration.
b) Th	ne hardship is not general to the area in which the property is located because:
11 [11]	fuel pump alignment design is now used on most new service stations. Further, ire, ther only a few service stations within any geographic area. Our proposed design will have o
6 fu	el dispensers. City Code allows up to 16 fuel dispensers on a site, provided the old fuel palignment design is utilized.

The va	Pharacter riance will not alter the character of the area adjacent to the property, will not impair the use of nt conforming property, and will not impair the purpose of the regulations of the zoning district h the property is located because:
dis	spensers currently allowed by Code. The dive alignment has proven to be safer and more ficient, resulting in less idling time by vehicles in queue lanes.
Reques a varia Append makes	g (additional criteria for parking variances only) strong for a parking variance requires the Board to make additional findings. The Board may grant not not to a regulation prescribed in the City of Austin Land Development Code Chapter 25-6, dx A with respect to the number of off-street parking spaces or loading facilities required if it findings of fact that the following additional circumstances also apply:
1.	Neither present nor anticipated future traffic volumes generated by the use of the site or the uses of sites in the vicinity reasonably require strict or literal interpretation and enforcement of the specific regulation because:
2.	The granting of this variance will not result in the parking or loading of vehicles on public streets in such a manner as to interfere with the free flow of traffic of the streets because:
3.	The granting of this variance will not create a safety hazard or any other condition inconsisten with the objectives of this Ordinance because:
4.	The variance will run with the use or uses to which it pertains and shall not run with the site because:

## Section 3: Applicant Certificate

I affirm that my statements contained in the complet my knowledge and belief.	e application are true and	d correct to the best of
Applicant Signature:	fAr	Date: 02/14/2019
Applicant Name (typed or printed): Jim Wittliff	( )	
Applicant Mailing Address: 3606 Winfield cove		
City: Austin	State: Texas	Zip: 78794
Phone (will be public information): (512) 416-6611		
Email (optional – will be public information):		
Section 4: Owner Certificate		
I affirm that my statements contained in the complete my knowledge and belief.	application are true and	correct to the best of
Owner Signature:	,,,,,,	Date: 02/14/2019
Owner Name (typed or printed): INDEX REAL ESTAT	ELLC	
Owner Mailing Address: 1610 OHLEN RD		
City: Austin	State: Texas	Zip: 78758
Phone (will be public information):		
Email (optional – will be public information):		
Section 5: Agent Information		
Agent Name: Jim Wittliff/Land Answers, Inc.		
Agent Mailing Address: 3606 Winfield Cove		
City: Austin	State: Texas	Zip: 78704
Phone (will be public information):		
Email (optional – will be public information):		
Section 6: Additional Space (if applica	able)	
Please use the space below to provide additional infreferenced to the proper item, include the Section are		

