



# Historic Design Standards

---

City of Austin  
September 2022

**HISTORIC LANDMARK  
COMMISSION  
BRIEFING**  
SEPTEMBER 7, 2022

Historic preservation is a **tool to steward change.**

Design standards provide a **clear, objective way** to evaluate proposed changes.








# DESIGN STANDARDS

## Historic districts

### Secretary of the Interior's Standards for Rehabilitation

1. A property will be used as it was historically or be given a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships.
2. The historic character of a property will be retained and preserved. The removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property will be avoided.
3. Each property will be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or elements from other historic properties, will not be undertaken.
4. Changes to a property that have acquired historic significance in their own right will be retained and preserved.
5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property will be preserved.
6. Deteriorated historic features will be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials. Replacement of missing features will be substantiated by documentary and physical evidence.
7. Chemical or physical treatments, if appropriate, will be used in order to prevent the gentlest means possible. Treatments that cause damage to historic materials will not be used.
8. Archeological resources will be protected and preserved in place. If such resources must be disturbed, mitigation measures will be undertaken.
9. New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property. The new work will be differentiated from the old and will be compatible with the historic materials, features, size, scale and proportion, and massing to protect the integrity of the property and its environment.
10. New additions and adjacent or related new construction will be undertaken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

## Historic landmarks + National Register districts



# DESIGN STANDARDS

## Historic districts

### Secretary of the Interior's Standards for Rehabilitation

1. A property will be used as it was historically or be given a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships.
2. The historic character of a property will be retained and preserved. The removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property will be avoided.
3. Each property will be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjunctural features or elements from other historic properties, will not be undertaken.
4. Changes to a property that have acquired historic significance in their own right will be retained and preserved.
5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property will be preserved.
6. Deteriorated historic features will be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials. Replacement of missing features will be substantiated by documentary and physical evidence.
7. Chemical or physical treatments, if appropriate, will be undertaken using the gentlest means possible. Treatments that cause damage to historic materials will not be used.
8. Archeological resources will be protected and preserved in place. If such resources must be disturbed, mitigation measures will be undertaken.
9. New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property. The new work will be differentiated from the old and will be compatible with the historic materials, features, size, scale and proportion, and massing to protect the integrity of the property and its environment.
10. New additions and adjacent or related new construction will be undertaken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

Lack of details

95% same

## Historic landmarks + National Register districts



## WHY HISTORIC DESIGN STANDARDS?

1. **Provide clearer standards** for historic landmark owners and National Register district property owners.
2. **Provide consistent standards** for project review by commissioners and staff.
3. **Increase equity** by reducing resources required for the historic district application.
4. **Increase predictability** for property owners in potential districts.

## WHY HISTORIC DESIGN STANDARDS?

5. Provide an educational tool for all historic property owners.
6. Follow good practices in preservation.



# PROCESS



# HISTORIC DESIGN STANDARDS



## Historic Design Standards

City of Austin  
September 2022

- 1 Introduction
- 2 When to use the design standards
- 3 Modern codes and energy efficiency
- 4 Repair and alterations
- 5 Residential additions
- 6 Residential new construction
- 7 Commercial additions
- 8 Commercial new construction
- 9 Institutional buildings
- 10 Sites and streetscapes
- 11 Demolition and relocation
- 12 Maintenance and preservation of historic materials
- 13 Glossary



# EASY TO USE

- Help people understand when the standards apply to projects


## When the standards apply to repair and alterations

Three types of historic properties are regulated through the City of Austin historic review process.

Do they need to follow these design standards?

Historic landmarks	✓
Historic districts	✓ Contributing properties ⚡ Noncontributing properties—recommended, not required
National Register districts	⚡ Recommended, not required

- Help people understand review process and levels of review



Proposed work	Applicable chapter in design standards	Administrative review	Commission review
<b>Additions</b>			
Construct a minimally visible one-story addition with an area less than 600 square feet	Residential Additions or Commercial Additions	x	
Construct a minimally visible two-story rear addition to a two-story building	Residential Additions or Commercial Additions	x	
Construct an addition that raises the height of the historic building (e.g., a third-story addition to a two-story building)	Residential Additions or Commercial Additions		x

- Accessible language, clear graphics, consistent symbols


1.2 Always attempt repair first. Replacement should only be undertaken when absolutely necessary, and for the smallest area possible.

★ Additional standards for historic landmarks

- Navigation hyperlinks in PDF and to resource websites


# MODERN CODES AND ENERGY EFFICIENCY

- Acknowledge long-term sustainability benefits
- Focus on high-impact energy efficiency measures
- Special subsection on windows and energy conservation



For historic homes:

- 1 Install draft stopper in chimney
- 2 Install solar panels on rear or side of roof
- 3 Insulate attic
- 4 Repair and weather-strip historic windows and doors
- 5 Install interior storm windows
- 6 Maintain and repair shutters and porches





For historic commercial buildings:

- 1 Install solar panels, minimizing visibility from the street
- 2 Insulate attic
- 3 Install interior storm windows
- 4 Maintain street trees
- 5 Repair and weather-strip transom windows
- 6 Install awnings and/or retain historic canopies
- 7 Repair and weather-strip historic doors
- 8 Repair and weather-strip historic windows

# REPAIR AND ALTERATIONS




- Familiarize people with building components and materials
- Support proactive maintenance
- Provide diverse examples of buildings







# RESIDENTIAL AND COMMERCIAL ADDITIONS

- Provide good examples in a variety of scales and styles
- Clearly illustrate standards



# RESIDENTIAL AND COMMERCIAL NEW CONSTRUCTION

- Provide good examples in a variety of scales and styles
- Clearly illustrate standards
- Acknowledge market realities






# GLOSSARY

- Illustrate key terms and concepts in the standards
- Encourage stewardship through greater understanding

**Windows**



**Header, Lintel**  
The top horizontal member over a door or window opening.

**Jamb**  
An upright piece or surface forming the side of an opening (as for a door, window, or fireplace).

**Lite**  
Window pane.


**Muntin**  
A thin strip of wood used to separate and hold lites.

**Mullion**  
A large vertical member separating two casements or coupled windows or doors.


**Sill**  
Horizontal member at the bottom of a window or door opening.

**Apron**  
A plain or decorated piece of trim found directly below the sill of a window.


**Sash**  
The framework into which panels are set.




**Double-hung window**  
A window with upper and lower sashes that operate independently.




**Single-hung window**  
A window with an operable lower sash.




**Casement window**  
A hinged window that opens outward like a door.




**Fixed sash**  
A window, or part of a window, that does not open.




**Sliding window**  
A window with sashes that open horizontally on a track.



**Jalousie window**  
A window composed of angled, overlapping slats of glass, arranged horizontally like a shutter to tilt open.



**Awning window**  
A window that is hinged at the top and swings outward.



**Hopper window**  
A window that is hinged on the bottom and swings inward.

**Bay window**  
A projecting window with an angular plan.

**Clerestory**  
Window in the upper portion of a wall toward the ceiling designed to admit light into the room.


**Fanlight**  
An arched window with muntins that radiate like a fan; typically used as a transom.

**Shutters**  
Solid blinds on either side of a window; may be plain or decorated, operative or purely ornamental.


**Side light**  
A vertical window flanking a door.

**Storm window**  
A secondary window installed to protect and/or reinforce the main window.


**Transom**  
A horizontal window over a door or window; see Storefronts section.




**Wood-sash window**  
Typically double-hung or fixed, with a deeper profile than other sash materials. Found in older buildings; can be repaired piece by piece.




**Aluminum-sash window**  
Typically single-hung, casement, or sliding. Found as original windows in mid-century buildings or as replacements in older buildings.




**Steel-sash window**  
Typically casement or fixed, with multiple lites.



**Vinyl-sash window**  
Typically single-hung, casement, or fixed, with a flat profile. Inexpensive replacement for wood-sash windows, though with a shorter lifespan; cannot be repaired.



**Clad-wood window**  
Wood frame clad in aluminum frame; mimics the appearance of wood-sash windows but with sharper manufactured edges.



**Leaded glass window**  
A window composed of pieces of glass that are held in place with lead strips; the glass can be clear, colored, or stained.



# DESIGN STANDARDS WORKING GROUP

Janet Beinke  
Historic district property owner

Cara Bertron  
Historic Preservation Office staff

David Carroll, AIA  
Urban Design Commission, preservation architect

Madeline Clites  
Preservation consultant

Angela Gaudette  
Historic Preservation Office staff

Laura Keating  
Urban Design staff

David Keene  
Representative from potential historic district, National  
Register district property owner

Kevin Koch, AIA  
Historic Landmark Commission, preservation architect

Richard Kooris  
Landmark owner, developer, Preservation Austin board

Crystal LaCount  
Public History graduate student at Texas State

Karen McGraw, AIA  
Planning Commissioner (prev.), preservation architect

Terri Myers  
Historic Landmark Commission, preservation consultant

Tere O'Connell, AIA  
National Register district property owner, preservation  
architect

Marie Oehlerking-Read  
Texas Historical Commission staff (prev.)

Misael Ramos  
Representative from potential historic district

Angela Reed  
Landmark owner, property owner in potential historic  
district, Texas Historical Commission staff

Emily Reed  
Historic Landmark Commission, preservation consultant

Paula Rhodes  
Historic district property owner, preservation architect

Kate Singleton  
Preservation Austin staff (prev.)

Blake Smith  
Builder, Preservation Austin board

Amy Thompson  
Landmark owner

Beth Valenzuela  
Historic Landmark Commission, preservation consultant

Lorre Weidlich  
Historic district and National Register district property  
owner

Caroline Wright  
Texas Historical Commission staff, Preservation Austin  
board

Thanks also to David Carroll, Jim Nix, John Rosato,  
Michele Van Hyfte, and Caroline Wright for participating  
in a commercial/downtown focus group.

# PROCESS

