



Pertussis Data Profile, Travis County^{1,2}

2015 Pertussis Case Counts			Age Distribution				
Total	65	100.0%	Under 1 Year	14	21.5%		
Confirmed	22	33.8%	1-4 Years	22	33.8%		
Probable	43	66.2%	5-9 Years	13	20.0%		
			10-19 Years	6	9.2%		
Gender Distribution			20-29 Years	2	3.1%		
			30-39 Years	2	3.1%		
Male	27	41.5%	40-49 Years	2	3.1%		
Female	38	58.5%	50-59 Years	3	4.6%		
			60 Years and Older	1	1.5%		
Median Age	4 Years						
Age Range	1 Month - 71 Years						

Data presented in this report includes both confirmed and probable cases of Pertussis reported in Travis County. This report includes completed case investigations only. All 2014 and 2015 data are preliminary. The data provided for 2014 was generated on March 11, 2015 and data provided for 2015 was generated on October 14, 2015.

Pertussis remains a public health concern. The majority of reported Pertussis cases correlate to the school year (Figure 3). Most reported cases of Pertussis occur in elementary age children and younger (Table 1). Approximately 74% of the cases reported for 2015 are eight years of age or less. Travis County had an infant death as a result of Pertussis in March of 2014 prior to that the last reported Pertussis death in Travis County was in 2003.





Figure 1. Travis County Number of Reported Cases of Pertussis by Year 2005 – 2015^{1, 2}








Figure 2. Travis County Rate of Reported Cases of Pertussis by Year 2005 – 2014^{3, 4, 5}









Figure 3. Travis County Number of Reported Cases of Pertussis by Month of Report 2013 - 2015^{1, 2, 6}





specific accuracy or completeness.

Austin/Travis County Health and Human Services Department Epidemiology and Health Statistics Unit



Map 1. Travis County Reported Cases of Pertussis 2015^{1,2}








Table 1. Travis County Reported Cases of Pertussis by Age Group 2013 – 2015^{1, 2, 3, 4, 5, 7}

Age Group	2013		2014		2015	
	Number	Rate	Number	Rate	Number	Rate
Under 1 Year Old	76	526.5	70	407.7	14	-
1 – 4 Years	74	127.4	91	136.6	22	-
5 – 9 Years	64	89.0	77	102.2	13	-
10 – 19 Years	60	44.5	58	42.2	6	-
20 – 29 Years	10	5.3	9	4.9	2	-
30 – 39 Years	10	5.3	12	6.1	2	-
40 – 49 Years	7	4.7	12	8.0	2	-
50 – 59 Years	7	5.6	2	1.6	3	-
60 Years and Older	3	2.2	3	2.1	1	-
Total	311	29.7	334	30.5	65	-

For additional information about Pertussis:

CDC - Pertussis (Whooping Cough)

Texas DSHS Pertussis

For additional information about Pertussis vaccination:

http://www.cdc.gov/pertussis/vaccines.html

http://www.austintexas.gov/department/immunizations

http://www.preventpertussis.org/

Other reports for Austin/Travis County are available on the **Epidemiology and Disease Surveillance webpage**.





¹ Data provided for 2014 and 2015 are preliminary data. The data provided for 2014 was generated on March 11, 2015 and data provided for 2015 was generated on October 14, 2015. Prior years of data are finalized.

² Yearly data provided is based on MMWR year and not on calendar year.

³ Rate per 100,000 population.

⁴ Travis County Population Estimates for 2003-2009 obtained from the Texas Department of State Health Services Center for Health Statistics and Travis County Population Projections for 2011-2014 obtained from the Texas State Data Center, Population Estimates and Projections Program using the 0.5 migration scenario. Travis County Population for 2010 obtained from Census 2010, from the U.S. Census Bureau.

⁵ Population Estimates and Population Projections are produced by different methods. If data are to be used in trend analysis, or other comparative treatments, unexpected results may be obtained if data from both estimated and projected series are used.

⁶ Data by month of report may not include all cases for that MMWR year. All data are pulled by MMWR year and not calendar year. As a result, there are some instances in which cases are reported with a MMWR year in one year but the actual report was received the following calendar year. Consequently, the annual totals may not equal the exact total number of cases when each month's totals are summed.

⁷ When the number of reported cases is less than 20, rates may not be considered reliable. Rate calculations for 2015 will be provided at the completion of the year.