



### Salmonellosis Data Profile, Travis County<sup>1, 2</sup>

#### 2014 Salmonellosis Case Counts

#### Age Distribution

Total	185	100.0%	Under 1 Year	15	8.1%
Confirmed	158	85.4%	1-4 Years	30	16.2%
Probable	27	14.6%	5-9 Years	16	8.6%
			10-19 Years	21	11.4%
Gender Distribution			20-29 Years	21	11.4%
			30-39 Years	25	13.5%
Male	91	49.2%	40-49 Years	16	8.6%
Female	94	50.8%	50-59 Years	15	8.1%
			60 Years and Older	26	14.1%
Median Age	25 Years				
Age Range	3 months – 87 Years				


Data presented in this report includes both confirmed and probable cases of Salmonellosis reported in Travis County. This report includes completed case investigations only. All 2013 and 2014 data are preliminary. The data provided for 2014 was generated on October 8, 2014.

The number of Salmonellosis cases varies over time in Travis County (Figure 1). In 2014 to date, approximately 31% of all Salmonellosis cases occur in individuals eight years old and younger (Figure 3). However, data is not complete and preliminary results should be interpreted with caution. The true impact of Salmonellosis on the community will be determined from finalized data.





Figure 1. Travis County Number of Reported Cases of Salmonellosis by Year 2004 – 2014<sup>1, 2</sup>



Data Source: Austin/Travis County Health and Human Services Department Epidemiology and Health Statistics Unit – National Electronic Disease Surveillance System (NEDSS)









Figure 2. Travis County Rate of Reported Cases of Salmonellosis by Year 2004 - 2013<sup>3, 4, 5</sup>

**MMWR Year** 





## Figure 3. Travis County Number of Reported Cases of Salmonellosis by Month of Report 2012 - 2014<sup>1, 2, 6</sup>




above.

Austin/Travis County Health and Human Services Department **Epidemiology and Health Statistics Unit** 



# Map 1. Travis County Reported Cases of Salmonellosis 2014<sup>1,2</sup>







#### 2014 Age Group 2012 2013 Number Number Rate Rate Number Rate **Under 1 Year Old** 38 215.3 29 163.9 15 1 – 4 Years 50 78.5 50 75.6 30 5 – 9 Years 28.2 23 31.3 21 16 10 – 19 Years 25 18.9 19 14.1 21 20 – 29 Years 23 11.9 18 9.6 21 30 – 39 Years 27 14.7 21 11.1 25 40 – 49 Years 17 11.7 31 20.9 16 50 – 59 Years 16 13.0 9.6 15 12 60 Years and Older 24.3 19.4 26 31 26 250 21.1 185 Total 23.6 227

## Table 1. Travis County Reported Cases of Salmonellosis by Age Group 2012 – 2014<sup>1, 2, 3, 4, 5, 7</sup>

For additional information about Salmonella and Salmonellosis Outbreaks: http://www.cdc.gov/salmonella/

nttp://www.cuc.gov/saimonella/

http://www.cdc.gov/salmonella/outbreaks.html

For additional information about Salmonellosis Prevention: <u>http://www.cdc.gov/handwashing/</u> <u>http://www.foodsafety.gov/</u>

Other reports for Austin/Travis County are available on the Epidemiology and Disease Surveillance webpage.

<sup>2</sup> Yearly data provided is based on MMWR year and not on calendar year.

<sup>&</sup>lt;sup>1</sup> Data provided for 2013 and 2014 are preliminary data. The data provided for 2013 was generated on February 12, 2014 and the data for 2014 was generated on October 8, 2014. Prior years of data are finalized.

<sup>&</sup>lt;sup>3</sup> Rate per 100,000 population.





<sup>4</sup> Travis County Population Estimates for 2003-2009 obtained from the Texas Department of State Health Services Center for Health Statistics and Travis County Population Projections for 2011-2013 obtained from the Texas State Data Center, Population Estimates and Projections Program using the 0.5 migration scenario. Travis County Population for 2010 obtained from Census 2010, from the U.S. Census Bureau.

<sup>5</sup> Population Estimates and Population Projections are produced by different methods. If data are to be used in trend analysis, or other comparative treatments, unexpected results may be obtained if data from both estimated and projected series are used.

<sup>6</sup> Data by month of report may not include all cases for that MMWR year. All data are pulled by MMWR year and not calendar year. As a result, there are some instances in which cases are reported with a MMWR year in one year but the actual report was received the following calendar year. Consequently, the annual totals may not equal the exact total number of cases when each month's totals are summed.

<sup>7</sup> When the number of reported cases is less than 20, rates may not be considered reliable. Rate calculations for 2014 will be provided at the completion of the year.