



**CITY OF AUSTIN  
STANDARD PRODUCTS LIST  
for  
VITRIFIED CLAY PIPE ASTM C 1208**

**USING DEPARTMENT:** Water Utility    **ISSUED:** 04/01/03    **REVIEWED:** 04/01/10    **REVISED:** 04/01/10

**PREPARED BY:** Robert Lamb, P.E.    **CITY STOCK NUMBER:**

**DESCRIPTION:** Vitrified Clay Pipe, gravity wastewater, used for pipe jacking, microtunneling and tunnels, meeting ASTM C 1208

<b>LISTING DATE</b>	<b>MANUFACTURER</b>	<b>PRODUCT IDENTIFICATION/COMMENT</b>	<b>APPROVAL</b>
04/01/03	CAN CLAY CORPORTATION P.O. Box 158 Cannelton, Indiana 47520	DENLOK jacking pipe 24" - 48" ISO-registration (see note 1)	R. Lamb
01/02/04	MISSION CLAY PRODUCTS P.O. Box 6 Pittsburg, KS 66762	No-Dig jacking pipe 24" - 48" Third-party testing and inspection by Anderson Engineering, Joplin, MO. AWU approval expires 04/01/09 (see note 1)	R. Lamb

**NOTE:**

- For pipe larger than 24" diameter, manufacturer must provide one of the following with PROJECT submittal: a) evidence of current ISO registration, b) evidence of current Austin Water Utility-approved quality control program, or c) evidence of Austin Water Utility-approved independent, third party firm that will test and inspect pipe produced for City of Austin, as per Standard Specification Item 510.
- Specifying or use of pipe outside the indicated size range requires approval of the Austin Water Utility on a project-by-project basis.