
## Dry Creek (East) Watershed =

#### **Summary Sheet**

C-4-1	T-4-1	v			41.0	:1		
Catchment	Total area				41.8	sq. miles		
	Area in red	charge			0			
	Creek leng	gth			24.8	miles		
	Receiving	water			Colo	rado River		
Demographics	2000 popu				unkn	own		
		cted popula	ation		unkn			
		ojected % i	ncrease		unkn	own		
Land Use	Imperviou	s cover (20	03 estimate)		4.0 %			
	Imperviou	s cover (20	13 estimate)		4.4 %	)		
Overall EII Scores	1999	2002	2005	2	800	2010	2012	2014
Overall Ell Scores	56	55	60		55	60	61	59



Flow Regime\* for Sample Sites on Dry Creek (East)

				200	2			2	005	0			2	2008	3			20	10		2011		20	12				2014		
Site	Site Name	Feb	Feb	May	Aug	Nov	Mar	Jun	Jun	Sep	Dec	Feb	May	Jun	Sep	Dec	Mar	Мау	May	Oct	Dec	Mar	Apr	Jul	Sep	Jan	Apr	May	Jul	Sep
		WQ	Bio	WQ	WQ	WQ	WQ	WQ	Bio	WQ	WQ	WQ	WQ	Bio	WQ	WQ	WQ	WQ	Bio	WQ	WQ	WQ	Bio	WQ	WQ	WQ	WQ	Bio	WQ	WQ
1208	FM 812	n		n	n	В																								
1209	Elroy	n		n	n	В																								
1211	Pearce	В		В		В	В	n	В	В	В	В	n	n	В	n	В	В	S	В	В	В	В	n	В	В	В	В	В	В
1210	Wolf	В	В	n	В	В	В	В	В	n	В	В	n	n	n	n	В	n	S	n	В	В	В	n	В	В	В	n	В	n
1212	River	В		n	В	В	В	В	n	n	n																			
* B =	baseflow	1	n = r	no fl	ow	st	orm =	storn	n flow	7	blu	e = 3	Sam	ples	wei	re ta	ken		ligh	t blu	e = Sa	mples	s were	e not t	aken	b	lank =	not v	visited	

\* B = baseflow n = no flowstorm = storm flowblue = Samples were taken light blue = Samples were not taken


Index scores\* for Dry Creek (East) Sites by Year

		Huex	scores.	IOI DI	y Creei	A (Last)	Sites by	i ear				
Reach	Site	Site Name	Year	Water Quality	Sediment**	Contact Rec.	Non- Contact Rec.	Physical Integrity	Aquatic Life	Benthic subindex	Diatom subindex	Total EII Score
DRE1	1210	Dry Creek @ Wolf Lane	1999	46	84	90	36	42				50
DRE1	1212	Dry Creek @ River Road	1999	42	84	87	39	68				53
DRE1	1213	Dry Creek @ Colorado Dr	1999	49	84	97	65	72				61
DRE2	1208	Dry Creek @ FM 812	1999	76	84	100	88	64				69
DRE2	1209	Dry Creek @ Elroy Road	1999	65	84	97	48	31				54
DRE2	1211	Dry Creek @ Pearce Road	1999	49	84	83	42	33				49
DRE1	1210	Dry Creek @ Wolf Lane	2002	47	86	76	63	32	27	34	20	55
DRE1	1212	Dry Creek @ River Road	2002	48	86	85	37	48				51
DRE2	1208	Dry Creek @ FM 812	2002	61	86	94	50	26				53
DRE2	1209	Dry Creek @ Elroy Road	2002	58	86	95	72	31				57
DRE2	1211	Dry Creek @ Pearce Road	2002	59	86	96	65	48				59
DRE1	1210	Dry Creek @ Wolf Lane	2005	42	83	64	57	39	56	64	48	57
DRE1	1212	Dry Creek @ River Road	2005	54	83	67	32	48	71		71	59
DRE2	1211	Dry Creek @ Pearce Road	2005	54	83	76	50	44	77	77		64
DRE1	1210	Dry Creek @ Wolf Lane	2008	60	80	87	22	49				50
DRE2	1211	Dry Creek @ Pearce Road	2008	48	80	61	62	49	59	59		60
DRE1	1210	Dry Creek @ Wolf Lane	2010	59	83	45	56	38	57	53	60	56
DRE2	1211	Dry Creek @ Pearce Road	2010	49	83	55	70	58	60	53	66	63
DRE1	1210	Dry Creek @ Wolf Lane	2012	48	82	28	51	59	80	77	83	58
DRE2	1211	Dry Creek @ Pearce Road	2012	58	82	56	62	69	49	55	42	63
DRE1	1210	Dry Creek @ Wolf Lane	2014	60	79	63	19	35	74	74		55
DRE2	1211	Dry Creek @ Pearce Road	2014	59	79	69	60	50	59	59		63

\* blank cells indicate parameter was not collected, blank row indicate site was dropped \*\*sediment samples only collected at the downstream site 25-12.5 Bad 12.5-0 V. Bad 100-87.5 Excellent 87.5-75 V. Good 75-62.5 Good 62.5-50 Fair 50-37.5 Marginal 37.5-25 Poor

# **Dry Creek Watershed** Land Use Map Large Lot Single-Family Open/Undeveloped/Ag Park/Golf Course Transportation Mining/Landfill Park/Preserve Single-Family Multi-Family FW 989 ndustrial SH 21 CALDWELL ESCORDIDO THE RANCH GOOWAON # ✓ Watershed & Reach-Subwatersheds LINCHER Current Sites (2011-2012) BOCK All Ell Sites (1999-2012) SANARSINA Recharge Zone 3-EBY SIT NOLTO

# Dry Creek (East) Watershed Aerial Map





#### Water Quality Data – <u>Temperature, Conductivity, pH, Dissolved Oxygen & E. coli</u> <u>for 2014 Sample Sites</u> (Downstream to Upstream)

Qualifiers to	^	greater than	Qualifiers to	(blank)	Useable
the left of	<b>'</b>	less than	the right of	S	Exceeds standard range
value:	< J	less than detection limit	value:	0	Deignated failed OC
	J	Estimated		R	Rejected, failed QC

				Temp.			Cond.			рН			D.O.			E.coli	
Site Name	Site # Reach	Date	<>	Value	flag	<>	Value	flag									
Dry Creek @ Wolf Ln	1210 DRE1	01/15/2014		10.2			692			8.38						60.5	
Dry Creek @ Wolf Ln	1210 DRE1	04/17/2014		17.5			1590			8.27			9.1			115.3	
Dry Creek @ Wolf Ln	1210 DRE1	07/02/2014		29.1			871			7.84			6.5			27.2	
Site 1210 Mean				18.9			1051			8.16			7.8			67.7	
Dry Creek @ Pearce Rd	1211 DRE2	01/15/2014		10.2			442			8.44						272.3	
Dry Creek @ Pearce Rd	1211 DRE2	04/17/2014		16.5			937			7.93			4.1			18.5	
Dry Creek @ Pearce Rd	1211 DRE2	05/07/2014		21.6			1783			7.45			2.8				
Dry Creek @ Pearce Rd	1211 DRE2	07/02/2014		28.3			684			7.50			3.0			52.0	
Dry Creek @ Pearce Rd	1211 DRE2	09/10/2014														30.5	
Site 1211 Mean				19.2			961			7.83			3.3			93.3	
Watershed Mean				19.1			1000			7.97			5.1			82.3	

Orange highlighting indicates that the value exceeds one standard deviation from the mean of all E.I.I. sites combined.

	Summary Statistics for all 2013 – 2014 E.I.I. Sites Combined.									
Parameter	2013-2014 Average	2013-2014 Minimum	2013-2014 Maximum	1 Standard Deviation Above	1 Standard Deviation Below					
Temperature (C°)	19.6	8.6	34.0	25.8						
Conductivity (uS/cm)	711	107	1783	942						
pH (Standard units)	7.86	6.96	8.97	8.19	7.52					
D.O. (mg/l)	8.1	1.2	30.5	11.4	4.8					
E.coli. (col/100ml)	435	1	4840	1127						

SR-15-08 222 July 2015



#### Water Quality Data – <u>Ammonia, Nitrate / Nitrite, Ortho-Phosphorus, Total Suspended Solids & Turbidity</u> <u>for 2014 Sample Sites</u> (Downstream to Upstream)

Qualifiers to	>	greater than	Qualifiers to	(blank)	Useable
the left of	<	less than	the right of	S	Exceeds standard range
value:	< J	less than detection limit	value:	0	Deinsted feiled OC
	J	Estimated		K	Rejected, failed QC


				NH3-N		- 1	NO3/NO2			Ortho-P			T.S.S.			Turb.	
Site Name	Site # Reach	Date	<>	Value	flag	<>	Value	flag	<>	Value	flag	<>	Value	flag	<>	Value	flag
Dry Creek @ Wolf Ln	1210 DRE1	01/15/2014	<b>&lt;</b> J	0.008		<b>&lt;</b> J	0.01		<b>&lt;</b> J	0.004			7.1			9.0	R
Dry Creek @ Wolf Ln	1210 DRE1	04/17/2014		0.063		<b>&lt;</b> J	0.01		<b>&lt;</b> J	0.004			37.4			35.5	R
Dry Creek @ Wolf Ln	1210 DRE1	07/02/2014		0.008		7	0.01		<b>&lt;</b> J	0.004			70.0			64.2	
Site 1210 Mean				0.026			0.01			0.004			38.2			36.2	
Dry Creek @ Pearce Rd	1211 DRE2	01/15/2014		0.020			0.06			0.015			9.5			12.8	R
Dry Creek @ Pearce Rd	1211 DRE2	04/17/2014		0.037		<b>&lt;</b> J	0.01		<b>&lt;</b> J	0.004			16.7			17.6	R
Dry Creek @ Pearce Rd	1211 DRE2	05/07/2014															
Dry Creek @ Pearce Rd	1211 DRE2	07/02/2014		0.060			3.33		<b>&lt;</b> J	0.004			17.1			16.2	
Dry Creek @ Pearce Rd	1211 DRE2	09/10/2014		0.042		<b>&lt;</b> J	0.01			0.029			14.9			16.6	R
Site 1211 Mean				0.040			0.85			0.013			14.6			15.8	
Watershed Mean		_		0.034			0.49			0.009			24.7			24.6	

Orange highlighting indicates that the value exceeds one standard deviation from the mean of all E.I.I. sites combined.


	Summary Statistics for all 2013 – 2014 E.I.I. Sites Combined.									
Parameter	2013-2014 Mean	2013-2014 Minimum	2013-2014 Maximum	1 Standard Deviation Above						
NH3-M (mg/l)	0.031	0.008	2.250	0.150						
NO3-N (mg/l)	1.16	0.01	16.30	4.02						
Ortho-P (mg/l)	0.041	0.004	1.360	0.164						
TSS (mg/l)	5.6	1.0	70.0	15.3						
Turbidity (NTU)	4.5	0.0	97.1	13.2						

Data Summary Graphs – <u>Total Suspended Solids</u> and <u>Turbidity</u> (Downstream to Upstream by Year)

Parameter = TOTAL SUSPENDED SOLIDS Unit = mg/L Watershed = Dry East




Parameter = TURBIDITY Unit = NTU Watershed = Dry East




Data Summary Graphs – <u>pH</u> and <u>Conductivity</u> (Downstream to Upstream by Year)

Parameter=PH Unit=Standard units Watershed=Dry East




Parameter = CONDUCTIVITY Unit = uS/cm Watershed = Dry East




Data Summary Graphs – <u>Ammonia</u> and <u>Nitrate/Nitrite</u> (Downstream to Upstream by Year)

Parameter= AMMONIA AS N Unit= mg/L Watershed= Dry East




Parameter = NITRATE AS N Unit = mg/L Watershed = Dry East




Data Summary Graphs – Orthophosphate and Dissolved Oxygen (Downstream to Upstream by Year)

Parameter=ORTHOPHOSPHORUS AS P Unit=mg/L Watershed=Dry East




Parameter = DISSOLVED OXYGEN Unit = mg/L Watershed = Dry East





Data Summary Graphs – <u>E.coli</u> (Downstream to Upstream by Year)

Parameter= E COLI BACTERIA Unit= MPN/100mL Watershed= Dry East



Score Summary – Reach scores for each sample year





Benthic Macroinvertebrates – <u>Taxa List, Pollution Tolerance Index & Functional Feeding Group</u>
<u>for 2014 Sample Sites (Downstream to Upstream)</u>

Benthic Macroinvertebrate ID	PTI	FFG	Dry Creek @ Wolf Ln (Site 1210)	Dry Creek @ Pearce Rd (Site 1211)
Callibaetis sp.	4	CG	1	3
Copepoda	4	SC	1	1
Hexagenia bilineata	4	CG	4	
Ostracoda	4	FC,CG	1	2
Trichocorixa sp.	5	P,CG	6	
Uvarus sp.	5	Р	1	
Argia sp.	6	Р	1	2
Chironomidae	6	P,FC	2	19
Hydracarina	6		22	40
Microvelia sp.	6	Р	6	1
Neoporus sp.	6	Р	4	
Probezzia sp.	6	Р	1	1
Tanypodinae	6	Р	3	1
Bezzia sp. / Palpomyia sp.	7	P,CG	2	8
Caenis sp.	7	SC,CG	3	14
Cladocera	8	FC	2	18
Hyalella sp.	8	SH,CG	10	85
Oligochaeta	8	CG	1	3
Physella sp.	9	SC		1
Cambaridae		CG		3
Unionidae		FC	1	

SR-15-08 230 July 2015

### — Dry Creek (East) Watershed

Benthic Macroinvertebrates - Metric Summary for 2014 Sample Sites (Downstream to Upstream)

Scoring Metric	Dry Creek @ Wolf Ln (Site 1210)	Dry Creek @ Pearce Rd (Site 1211)
Number of Taxa *	17	15
Hilsenhoff Biotic Index *	6.1	7.1
Number of Ephemeroptera Taxa *	3	2
Percent of Total as Chironomidae *	7	10
Number of EPT Taxa *	3	2
Percent of Total as EPT *	11	8
Percent of Total as Predator *	37	16
Number of Intolerant Taxa *	4	3
Percent Dominance (Top 3 Taxa) *	54	71
EPT / EPT + Chironomidae	1	0
Number of Diptera Taxa	3	3
Number of Non-Insect Taxa	6	8
Number of Organisms	71	202
Percent Dominance (Top 1 Taxa)	31	42
Percent of Total as Collector / Gatherer	39	58
Percent of Total as Dominant Guild (FFG)	39	58
Percent of Total as Elmidae	0	0
Percent of Total as Filterers	11	20
Percent of Total as Grazers (PI & SC)	6	8
Percent of Total as Tolerant Organisms	0	0
Percent of Trichoptera as Hydropsychidae	0	0
Ratio of Intolerant : Tolerant Organisms	0.24	0.03
TCEQ Qualitative Aquatic Life Use Score	24	20
TCEQ Quantitative Aquatic Life Use Score	23	21

- \* Ell scoring parameter: Nine metric parameters are used in the calculation of the Ell Benthic Subindex score. Other metrics are shown to supplement evaluation.
- # of Taxa: Higher diversity (number of taxa) correlates with greater biological integrity. The average number of taxa per site for 2013/2014 samples was 15; the lowest value was 5 and the highest value was 30.
- 2. Hilsenhoff Biotic Index (HBI): HBI values range from 0 to 10. Low HBI values reflect a higher abundance of taxa that are sensitive to organic (nutrient) pollution, thus a lower level of this type of pollution. The average HBI per site for 2013/2014 samples was 5.4; the lowest value was 3.7 and the highest value was 8.1.
- # of Ephemeroptera taxa: A higher number of Ephemeroptera (mayfly) taxa correlates with greater biological integrity. The average number of taxa per site for 2013/2014 samples was 2; the lowest value was 0 and the highest value was 7.
- 4. % of total as Chironomidae: The percentage of the sample represented by the Dipteran family Chironomidae will increase with a decrease in biological integrity. The average percent Chironomidae per site for 2013/2014 samples was 16%; the lowest value was 0% and the highest value was 77%.
- # of EPT Taxa: A higher number of Ephemeroptera (mayfly), Plecoptera (stonefly) and Trichoptera (caddisfly) taxa correlates with greater biological integrity. The average number of EPT taxa per site for 2013/2014 samples was 4; the lowest value was 0 and the highest value was 12.
- 6. % of total as EPT: The percentage of the sample represented by the insect orders Ephemeroptera (mayfly), Plecoptera (stonefly) and Trichoptera (caddisfly) will decrease with a decrease in biological integrity. The average percent EPT taxa per site for 2013/2014 samples was 46%; the lowest value was 0% and the highest value was 89%.
- 7. % of total as Predator: The percentage of the sample represented by predators is variable with regard to biological integrity. The average percent predator per site for 2013/2014 samples was 31%; the lowest value was 3% and the highest value was 82%.
- 8. # of Intolerant Taxa: A higher number of pollution intolerant taxa correlates with greater biological integrity. The average number of intolerant taxa per site for 2013/2014 samples was 5; the lowest value was 0 and the highest value was 15.
- 9. % Dominance (top 3 taxa): The percentage of the sample represented by the three most abundant taxa will increase with a decrease in biological integrity. The average percent of sample dominated by the top three taxa per site for 2013/2014 samples was 72%; the lowest value was 39% and the highest value was 96%.

SR-15-08 231 July 2015

#### **Site Photographs**



1211\_00-us-05\_18\_2010

1212\_t00-us-02\_27\_2002



1212\_t00-ds-06\_16\_2005

This page left intentionally blank