		SAFELY & SECURITY SYMBOLS	
BLOCK	SYMBOL	DESCRIPTION	LAYER
ALITE		ALARM, LAMP LIGHT SIGNAL LIGHT, STROBE	T-SERT-ALRM
ANNUPL	AP	SECURITY ACCESS, ANNUNICATOR PANEL	T-SERT-EQPM
* AUDIO	\bigoplus_{T}^{M}	AUDIO DEVICE	T-SERT-EQPM
CPFTR	FTR	ALARM, TRANSPONDER OR TRANSMITTER	T-SECT-ALRM
* BIACD	M T	BIOMETRICS ACCESS CONTROL DEVICE	T-SERT-EQPM
BUZZER		SECURITY ACCESS, BUZZER	T-SERT-EQPM
* CARDKEY	M	CARD READER WITH KEYPAD	T-SERT-EQPM
CPFCP	FACP	ALARM, FIRE, CONTROL PANEL	F-CTRL-PANL
* CRDRDR	\square_{T}^{M}	CARD ACCESS READER	T-SERT-EQPM
* CTRLPL	M *	CONTROL PANEL	T-SERT-EQPM
DTFLAM		DETECTOR, FLAME FLICKER	F-PROT-ALRM
EXITDV	$=$ \top	EXIT DEVICE	T-SERT-EQPM
FAAP	FAAP	FIRE ALARM, PANEL	F-CTRL-PANL
GONG	$\widehat{\mathcal{A}}$	ALARM, GONG	F-PROT-ALRM
HD	HD	DETECTOR, HEAT	F-PROT-ALRM
HDRR	(HD) R	DETECTOR, HEAT RATE OF RISE	F-PROT-ALRM

SEE PAGE SERT-04 FOR M (MOUNT) TYPE AND TECHNOLOGY/TYPE (SPECIFIC TO DEVICE) LEGEND.

[^] NOTE:

BLOCK	<u>SYMBOL</u>	DESCRIPTION	<u>LAYER</u>
HORN		SECURITY ACCESS, HORN OR SIREN	T-SERT-EQPM
HRN1A		ALARM, HORN / LIGHT ONE ASSEMBLY	T-SERT-EQPM
HRNSA		ALARM, HORN / LIGHT SEPARATE ASSEMBLY	T-SERT-EQPM
HRNCH	C	ALARM, HORN / LIGHT ONE ASSEMBLY WITH CHIME	T-SERT-EQPM
*INCOME	M	INTERCOM	T-SERT-EQPM
*KEYPAD	M	KEYPAD DEVICE	T-SERT-EQPM
MANSTA	P	ALARM, FIRE, MANUAL PULL STATION	F-PROT-ALRM
NAACP	MFACP	ALARM, MASTER CONTROL PANEL	T-SERT-EQPM
MICROW		SECURITY ACCESS, OUTDOOR MICROWAVE TRANSMISSION UNIT	T-SERT-EQPM
*MONITOR	M T	MONITOR	T-SERT-EQPM
* MOTION	\bigcap_{T}^{M}	MOTION DETECTOR	T-SERT-EQPM
PANICB	O X	SECURITY ACCESS, PANIC ALARM	T-SERT-EQPM
*PUSH	T M	PUSH BUTTON	T-SERT-EQPM

SEE PAGE SERT-04 FOR M (MOUNT) TYPE AND TECHNOLOGY/TYPE (SPECIFIC TO DEVICE) LEGEND.

^{*} NOTE:

BLOCK	SYMBOL	DESCRIPTION	<u>LAYER</u>
SDI		DETECTOR, IONIZATION SMOKE	F-PROT-ALRM
SDP	P	DETECTOR, PHOTOELECTRIC SMOKE	F-PROT-ALRM
SDUCT		DUCT SMOKE DETECTOR	F-PROT-ALRM
SECSA	T	SECURITY ACCESS, ANNUNICATOR PANEL	T-SERT-EQPM
SENGV	\Diamond	SECURITY ACCESS, VOLUMETRIC SENSOR	T-SERT-EQPM
SMD		DETECTOR, SMOKE	F-PROT-ALRM
SPRUCE	S	ELECTRICAL SPEAKER, CEILING MOUNTED	T-COMM-EQPM
SPRAWL	HS) _X	ELECTRICAL SPEAKER, WALL MOUNTED	T-COMM-EQPM
TMPRSWI	TS	ALARM, TAMPER SWITCH	F-PROP-ALRM
VDMDPZ	M >PZ	SECURITY ACCESS, VIDEO CAMERA WITH LENS, MOTION DETECTOR WITH PAN AND ZOOM	T-SERT-EQPM
VDMDPTZ	M >PTZ	SECURITY ACCESS, VIDEO CAMERA WITH LENS, MOTION DETECTOR WITH PAN, TILT AND ZOOM	T-SERT-EQPM
VIDCAM		SECURITY ACCESS, VIDEO CAMERA WITH LENS	T-SERT-EQPM
VIDMTN	\gg	VIDEO MOTION DETECTOR	T-SERT-EQPM

M= MOUNT C-CEILING D-DESK F-FLUSH H-HIDDEN M-MULLIONP-PEDISTAL R-RACK

S-SURFACE T-TURNSTILE

W-WALL

T= TECHNOLOGY TYPE (SPECIFIC TO DEVICE)

B-BARCODE B-BELL B-BUGLAR

C-CHIMED-DATA

D-DELAY EGRESS

D-DOOR

D-DUAL TECHNOLOGY

D-DURESS E-ELECTRIFIED F-FINGER PRINT

F-FIRE

F-ELEVATOR FLOOR CALL

G-GRAPHIC

H-HAND GEOMETRY

H-ELEVATOR HALL CALL H-HORN

I-EYE RETINA IR-INFRARED K-KLAXON L-LISTEN-IN

M-MAG STRIP M-MASTER

M-MECHANICAL M-MICROPHONE

M-MICROWAVE

M-MULTISCREEN

P-PANIC P-PERIMETER

P-PROXIMITY

R-DOOR RELEASE

S-SMART CARD

S-SOUND

S-SPEAKER

S-SUBSTATION

T-TOKEN

U-ULTRASONIC

V-VIDEO V-VOICE

W-WEIGAND

X-HIGH SECURITY

X-REQUEST FOR EXIT

Z-BUZZER