Exhibit 8_

Ex	h	ib	it	"	66

F&B 4404 Oltorf, LP to The City of Austin (Temporary Working Space Easement)

LEGAL DESCRIPTION FOR PARCEL 4961.04 TWSE

LEGAL DESCRIPTION FOR 0.518 ACRE (22,581 SQUARE FEET) TRACT OF LAND. BEING COMPRISED OF FOUR TRACTS OF LAND SITUATED IN TRAVIS COUNTY, TEXAS. THE TRACT OF LAND HEREINAFTER REFERRED TO AS "TRACT ONE", CONTAINING 0.058 ACRE OF LAND (2,543 SQUARE FEET), BEING OUT OF LOT 3, CHEVY CHASE SOUTH PHASE SIX, A SUBDIVISION OF RECORD IN BOOK 85, PAGE 127B OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, THE TRACT HEREINAFTER REFERRED TO AS "TRACT TWO", CONTAINING 0.182 ACRE OF LAND (7,907 SQUARE FEET), BEING OUT OF SAID LOT 3, CHEVY CHASE SOUTH PHASE SIX, THE TRACT OF LAND HEREINAFTER REFERRED TO AS "TRACT THREE", CONTAINING 0.172 ACRE OF LAND (7,495 SQUARE FEET), BEING OUT OF SAID LOT 3 AND A PORTION OF LOT 2. CHEVY CHASE SOUTH PHASE SIX AND THE TRACT OF LAND HEREINAFTER REFERRED TO AS "TRACT FOUR", CONTAINING 0.106 ACRE OF LAND (4,636 SQUARE FEET), BEING OUT SAID PORTION OF LOT 2, CHEVY CHASE SOUTH PHASE SIX. SAID LOT 3 AND SAID PORTION OF LOT 2 CONVEYED TO F&B 4404 OLTORF, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NO. 2013130889 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS. SAID TRACT ONE, TRACT TWO, TRACT THREE AND TRACT FOUR BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

TRACT ONE

BEGINNING at a calculated point on the northerly right-of-way line of East Oltorf Street (90' right-of-way), same being the southerly line of said Lot 3 for the southwest corner of the tract herein described having Texas State Plane Coordinate System of 1983 (Texas Central Zone, NAD83 (2011) Epoch 2010, U.S. Feet, Combined Scale Factor 0.999952039) grid coordinate values of **N=10,055,993.94**, **E=3,119,718.11**, from which an "X" on a concrete wall found at the southwest corner of said Lot 3, same being the southeast corner of Lot 1, Amended Plat of Tracts D and G, Willow Bend Addition, Section One, a subdivision of record in Book 86, Page 172D of the Plat Records of Travis County, Texas bears along the northerly right-of-way line of East Oltorf Street with the southerly line of said Lot 3, N62°30'15"W, a distance of 37.68 feet;

THENCE, departing the northerly right-of-way line of East Oltorf Street and crossing said Lot 3 with the following six (6) courses:

- 1.) N55°20'39"E, a distance of 10.93 feet to a calculated angle point;
- 2.) N42°00'14"E, a distance of 54.71 feet to a calculated angle point;
- 3.) N62°42'19"E, a distance of 21.49 feet to a calculated point for the north corner of the tract herein described;
- 4.) S02°25'47"W, a distance of 45.60 feet to a calculated angle point;

1 of 12

Exhibit 8_

- 5.) \$25°59'44"W, a distance of 22.01 feet to a calculated angle point:
- 6.) S38°51'42"W, a distance of 17.22 feet to a calculated point on the northerly right-of-way line of East Oltorf Street, same being the southerly line of said Lot 3 for the southeast corner of the tract herein described, from which a ½" rebar found at the Point of Curvature of a curve to the left at the southeasterly corner of Lot 1, Block A, Nexus Subdivision, a subdivision of record in Document No. 201300125 of the Official Public Records of Travis County, Texas at the intersection of the northerly right-of-way line of East Oltorf Street and the northwesterly right-of-way line of Wickersham Lane (90' right-of-way) bears along the northerly right-of-way line of East Oltorf Street with the southerly line of said Lot 3, S62°30'15"E, a distance of 335.04 feet to a calculated point at the Point of Curvature for a curve to the right, for the southeast corner of said Lot 3, same being the west corner of Monaco Condominiums, described in Condominium Declaration recorded in Volume 9517, Page 517 of the Real Property Records of Travis County, Texas (from which a ½ rebar found bears N15°24'48"W, a distance of 1.68 feet) and continuing along the curving northerly right-of-way line of East Oltorf Street with the southerly line of said Monaco Condominiums and said Lot 1, Block A, Nexus Subdivision along said curve to the right having a chord bearing S55°04'00"E, a distance of 527.27 feet;

THENCE, along the northerly right-of-way line of East Oltorf Street with the southerly line of said Lot 3, **N62°30'15"W**, a distance of **47.71** feet to the **POINT OF BEGINNING** containing **0.058** acre (2,543 Square Feet) of land, more or less.

TRACT TWO

BEGINNING at a calculated point in the interior of said Lot 3 for the southwest corner of the tract herein described having Texas State Plane Coordinate System of 1983 (Texas Central Zone, NAD83 (2011) Epoch 2010, U.S. Feet, Combined Scale Factor 0.999952039) grid coordinate values of **N=10,056,368.06**, **E=3,120,021.71**, from which an "X" on a concrete wall found on the northerly right-of-way line of East Oltorf Street, at the southwest corner of said Lot 3, same being the southeast corner of said Lot 1, Amended Plat of Tracts D and G, Willow Bend Addition, Section One bears S43°22'25"W, a distance of 490.78 feet;

THENCE, continuing through the interior of said Lot 3 with the following fourteen (14) courses:

- 1.) N31°36'53"E, a distance of 5.13 feet to a calculated angle point:
- 2.) N02°28'46"E, a distance of 38.94 feet to a calculated angle point;
- 3.) N23°40'49"E, a distance of 65.76 feet to a calculated angle point;
- 4.) N34°50'58"E, a distance of 133.26 feet to a calculated angle point;
- 5.) N42°26'26"E, a distance of 49.77 feet to a calculated angle point;
- 6.) N58°28'07"E, a distance of 37.57 feet to a calculated point for the northwest corner of the tract herein described;

Exhibit_B_


- 7.) S38°01'31"E, a distance of 14.83 feet to a calculated point for the northeast corner of the tract herein described, from which a ½" rebar found at the Point of Curvature of a curve to the left at the southeasterly corner of said Lot 1, Block A, Nexus Subdivision, at the intersection of the northerly right-of-way line of East Oltorf Street and the northwesterly right-of-way line of Wickersham Lane bears S14°28'06"E, a distance of 1146.70 feet;
- 8.) S44°36'33"W, a distance of 14.68 feet to a calculated angle point;
- 9.) S25°40'12"W, a distance of 9.32 feet to a calculated angle point;
- 10.) N58°39'08"W, a distance of 18.98 feet to a calculated angle point;
- 11.) S31°18'16"W, a distance of 199.11 feet to a calculated angle point;
- 12.) \$58°51'16"E, a distance of 18.60 feet to a calculated angle point;
- 13.) S31°10'46"W, a distance of 91.93 feet to a calculated point for the southeast corner of the tract herein described;
- 14.) N58°25'11"W, a distance of 18.77 feet to the POINT OF BEGINNING containing 0.182 acre (7,907 Square Feet) of land, more or less.

TRACT THREE

BEGINNING at a calculated point in the interior of said Lot 3 for the southwest corner of the tract herein described having Texas State Plane Coordinate System of 1983 (Texas Central Zone, NAD83 (2011) Epoch 2010, U.S. Feet, Combined Scale Factor 0.999952039) grid coordinate values of **N=10,056,647.48**, **E=3,120,205.32**, from which an "X" on a concrete wall found on the northerly right-of-way line of East Oltorf Street, at the southwest corner of said Lot 3, same being the southeast corner of said Lot 1, Amended Plat of Tracts D and G, Willow Bend Addition, Section One bears S39°17'52"W, a distance of 822.07 feet;

THENCE, continuing through the interior of said Lot 3 and said portion of Lot 2 with the following twelve (12) courses:

- 15.) N22°46'20"E, a distance of 65.54 feet to a calculated angle point:
- 16.) N40°17'05"E, a distance of 176.25 feet to a calculated angle point;
- 17.) N58°06'22"E, a distance of 81.83 feet to a calculated point for the northwest corner of the tract herein described;
- 18.) N87°17'13"E, a distance of 15.99 feet to a calculated point for the northeast corner of the tract herein described, from which a ½" rebar found at the Point of Curvature of a curve to the left at the southeasterly corner of said Lot 1, Block A, Nexus Subdivision, at the intersection of the northerly right-of-way line of East Oltorf Street and the northwesterly right-of-way line of Wickersham Lane bears S02°30'20"E, a distance of 1372.25 feet;



- 19.) \$56°30'28"W, a distance of 91.57 feet to a calculated angle point;
- 20.) S41°06'29"W, a distance of 32.84 feet to a calculated angle point;
- 21.) S27°34'41"W, a distance of 88.83 feet to a calculated angle point;
- 22.) S12°23'06"E, a distance of 28.42 feet to a calculated angle point;
- 23.) S27°47'03"W, a distance of 41.63 feet to a calculated angle point;
- 24.) **S50°57'46"W**, a distance of **12.34** feet to a calculated point for the southeast corner of the tract herein described;
- 25.) N28°43'53"W, a distance of 19.05 feet to a calculated angle point;
- 26.) **S61°25'57"W**, a distance of **61.08** feet to the **POINT OF BEGINNING** containing **0.172** acre (7,495 Square Feet) of land, more or less.

TRACT FOUR

BEGINNING at a calculated point on the southerly line of Lot 4, Lot 1, Chevy Chase South, Phase Six Resubdivision, a subdivision of record in Book 99, Page 40 of the Plat Records of Travis County, Texas, for the northwest corner of the tract herein described having Texas State Plane Coordinate System of 1983 (Texas Central Zone, NAD83 (2011) Epoch 2010, U.S. Feet, Combined Scale Factor 0.999952039) grid coordinate values of **N=10,057,141.56**, **E=3,120,784.80**, from which a ½" rebar found on the curving easterly right-of-way line of a cul-de-sac (60' radius) at the eastern terminus of a portion of Sheringham Drive (70' right-of-way) at the southwest corner of said Lot 4, same being a northerly corner of said portion of said Lot 2 and the east corner of a called 0.042 acre tract of land conveyed to the City of Austin and described as "Tract A" in Street Deed recorded in Volume 12560, Page 30 of the Real Property Records of Travis County, Texas bears along the common line of said remaining portion of Lot 2 and said Lot 4, N63°49'16"W, a distance of 375.82 feet;

THENCE, along the southerly line of said Lot 4 with the northerly line of said portion of Lot 2, \$63°49'16"E, a distance of 35.53 feet to a calculated point on the curving westerly right-of-way line of a cul-de-sac (60' radius) at the western terminus of a portion of Sheringham Drive (70' right-of-way), for the southeast corner of said Lot 4, same being a northerly corner of said portion of Lot 2 and the west corner of a called 0.039 acre tract of land conveyed to the City of Austin and described as "Tract C" in Street Deed recorded in Volume 12560, Page 30 of the Real Property Records of Travis County, Texas, for a northerly corner of the tract herein described, from which a rebar with cap stamped "Wallace Group" found bears N29°32'54"E, a distance of 1.72 feet and a ½" rebar found on the curving westerly right-of-way line of Sheringham Drive, at the northeast corner of said Lot 4 and the west corner of a called 0.039 acre tract of land conveyed to the City of Austin and described as "Tract D" in Street Deed recorded in Volume 12560, Page 30 of the Real Property Records of Travis County, Texas bears along the curving westerly right-of-way line of Sheringham Drive with the easterly line of said Lot 4 with a curve to the right having a chord bearing N26°18'58"E, a distance of 70.05 feet;

THENCE, along the curving southerly right-of-way line of Sheringham Drive with the northerly line of said

Exhibit_B_

portion of Lot 2 with a curve to the left having a radius of 60.00 feet, a central angle of 54°30'06", an arc distance of 57.07 feet and a chord bearing \$38°32'58"E, a distance of 54.95 feet to a calculated point for the northeast corner of the tract herein described, from which a ½" rebar found at the Point of Reverse Curvature on the southerly right-of-way line of Sheringham Drive, same being the southerly line of said 0.039 acre "Tract C" in Street Deed recorded in Volume 12560, Page 30 of the Real Property Records of Travis County, Texas and the northerly line of said portion of Lot 2 bears along the curving southerly right-of-way line of Sheringham Drive and said 0.39 acre Tract "C" with the northerly line of said portion of Lot 2 with a curve to the left having a chord bearing \$86°32'33"E, a distance of 42.50 feet;

THENCE, departing the southerly right-of-way line of Sheringham Drive and the southerly line of said 0.39 acre Tract "C" and crossing said portion of Lot 2 with the following three (3) courses:

- 1.) **S25°53'36"W**, a distance of **30.00** feet to a calculated point for the southeast corner of the tract herein described;
- 2.) N64°06'24"W, a distance of 118.39 feet to a calculated point for the southwest corner of the tract herein described;
- 3.) N57°36'22"E, a distance of 63.34 feet to the POINT OF BEGINNING containing 0.106 acre (4,636 Square Feet) of land, more or less.

This legal description was prepared by Mary P. Hawkins, R.P.L.S. No. 4433 from a survey made on the ground in July, August and December, 2018 and January and February, 2019. Bearings are based on the Texas State Plane Coordinate System NAD 83 (2011) Epoch 2010, Central Zone. The coordinates for this project were derived from utilizing base/RTK GPS observations from a steel rod found in concrete (NGS D1521) having grid coordinate, s of N=10,058,260.35, E=3,121,095.49. The distance shown are surface values. The combined scale factor is 0.999952039.

MARY P. HAWKINS

Mary P. Hawkins, R.P.L.S. No. 4433 Quality Management Division

Department of Public Works

City of Austin

REFERENCES

TCAD Parcel No. 03-1008-0504 Austin Grid K-19


FIELD NOTES REVIEWED


BY JULY JULDATE: 04 10 1019


CITY OF AUSTIN
PUBLIC WORKS DEPARTMENT


5 of 12

Exhibit_B










505 BARTON SPRINGS ROAD, SUITE 760 PHONE (512) 974-2661 FAX (512) 974-7291





FAX

(512) 974-7291

LINE TABLE

NO.	BEARING	DISTANCE
L1	N55'20'39"E	10.93'
L2	N42'00'14"E	54.71'
L3	N62'42'19"E	21.49'
L4	S02*25'47"W	45.60'
L5	S25'59'44"W	22.01
L6	S38'51'42"W	17.22'
L7	N62'30'15"W	47.71
L8	N62'30'15"W	37.68'
L9	S62°30'15"E	335.04'
L10	N31°36′53″E	5.13'
L11	N02°28'46"E	38.94'
L12	N23'40'49"E	65.76'
L13	N34'50'58"E	133.26'
L14	N42°26′26"E	49.77'
L15	N58'28'07"E	37.57'
L16	S38'01'31"E	14.83'
L17	S44'36'33"W	14.68'
L18	S25°40′12"W	9.32'
L19	N58'39'08"W	18.98'
L20	S31'18'16"W	199.11'

LINE TABLE


NO.	BEARING	DISTANCE
L21	S58'51'16"E	18.60'
L22	S31*10'46"W	91.93'
L23	N58'25'11"W	18.77'
L24	N22*46'20"E	65.54'
L25	N40°17'05"E	176.25
L26	N58'06'22"E	81.83'
L27	N87°17'13"E	15.99'
L28	S56'30'28"W	91.57'
L29	S41°06'29"W	32.84'
L30	S27'34'41"W	88.83'
L31	S12*23'06"E	28.42'
L32	S27°47'03"W	41.63'
L33	S50'57'46"W	12.34'
L34	N28'43'53"W	19.05'
L35	S61°25'57"W	61.08'
L36	S63'49'16"E	35.53'
L37	S25*53'36"W	30.00'
L38	N64°06'24"W	118.39'
L39	N57°36'22"E	63.34'


CURVE TABLE

NO.	CHORD BEARING	CHORD DISTANCE	CENTRAL ANGLE	ARC LENGTH	RADIUS
C1	S55'04'00"E	527.27'	14'52'41"	528.76'	2036.28'
(C1)	(S52'26'45"E)	(527.17')	(14'52'30")	(528.65')	(2036.28')
C2	N26'18'58"E	70.05	71'25'31"	74.80'	60.00'
(C2)	(N28'18'39"E)	(70.02')	(71.23,39")		(60.00')
C3	S59'17'30"E	89.17'	95*59'10"	100.52	60.00'
(C3)	(S55'37'08"E)	(89.33')	(96'13'05")	****	(60.00')
C4	S38*32'58"E	54.95	54'30'06"	57.07''	60.00'
C5	S86'32'33"E	42.50'	41'29'03"	43.44'	60.00'

Page 11 of 12







PARCEL 4961.04 TWSE TRACT FOUR TEMPORARY WORKING SPACE EASEMENT 0.106 ACRE (4,636 SQ. FT.)

NOTE:

EASEMENTS SHOWN ON THIS SKETCH ARE LISTED IN SCHEDULE B OF THE TITLE COMMITMENT ISSUED TO STEWART TITLE GUARANTY COMPANY ON FEBRUARY 21, 2019, EFFECTIVE DATE FEBRUARY 12, 2019, FILE NO. 20180123. THERE MAY BE RECORDED OR UNRECORDED EASEMENTS NOT SHOWN HEREON THAT MAY AFFECT THE PROPERTY.

BEARING BASIS NOTE:

BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM OF 1983 (2011) EPOCH 2010, CENTRAL ZONE. THE COORDINATES FOR THIS PROJECT WERE DERIVED FROM UTILIZING BASE/RTK GPS OBSERVATIONS FROM A STEEL ROD FOUND IN CONCRETE (NGS D1521) HAVING GRID COORDINATES OF N=10,058,260.35, E=3,121,095.49. THE DISTANCES SHOWN ARE SURFACE VALUES. THE COMBINED SCALE FACTOR IS 0.999952039.

THIS SKETCH WAS PREPARED FROM A SURVEY MADE ON THE GROUND IN JULY, AUGUST & DECEMBER, 2018 AND JANUARY & FEBRUARY, 2019.



MARY P. HAWKINS, R.P.L.S. NO. 4433 DRAWN BY: MARY P. HAWKINS

COUNTRY CLUB CREEK TRAIL - 4961.04 TWSE.DWG

FB. 4070, PG. 46 - 49

DEPARTMENT OF PUBLIC WORKS QUALITY MANAGEMENT DIVISION 505 BARTON SPRINGS ROAD, SUITE 760 PHONE (512) 974-2661 FAX (512) 974-7291

Page 12 of 12