	1	
	2	
	3	
	1	
	4	
	5	
	6	
	7	
	8	
	9	
1	0	
1	1	
1	2	
1	3	
1	1	
	4	
1	5	
1	6	
1	7	
1	8	
1	9	
2	0	
	0 1	
2 2 2		
2 2 2 2	1 2 3 4 5	
2 2 2	1 2 3 4 5	
2 2 2 2	1 2 3 4 5	
2 2 2 2 2 2	1 2 3 4 5 6 7 8	
2 2 2 2 2 2 2	1 2 3 4 5 6 7 8	
2 2 2 2 2 2 2	1 2 3 4 5 6 7 8	
2 2 2 2 2 2 2 2 3	1 2 3 4 5 6 7 8	
2 2 2 2 2 2 2 2 3	1 2 3 4 5 6 7 8 9 0 1	
2 2 2 2 2 2 2 3 3	1 2 3 4 5 6 7 8 9 0 1 2	
2 2 2 2 2 2 3 3 3 3	1 2 3 4 5 6 7 8 9 0 1 2	
2 2 2 2 2 2 3 3 3 3 3	1 2 3 4 5 6 7 8 9 0 1 2 3 4	
2 2 2 2 2 2 2 2 3 3 3 3 3 3 3	$1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 9 \\ 0 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5$	
2 2 2 2 2 2 2 2 3 3 3 3 3 3 3	1 2 3 4 5 6 7 8 9 0 1 2 3 4	

38

ORDINANCE NO.	
---------------	--

AN ORDINANCE GRANTING ADDITIONAL FLOOR-TO-AREA RATIO UNDER THE DOWNTOWN DENSITY BONUS PROGRAM FOR A PROJECT LOCATED AT 61 AND 69 RAINEY STREET AND 60 EAST AVENUE.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

PART 1. Findings.

- A. 61 Rainey Street LLC, a Texas limited liability company, 69 Rainey Street LLC, a Texas limited liability company, and River Street Partners, LLC, a Texas limited liability company (collectively "Applicant"), has applied to the City Council for additional floor-to-area ratio under Section 25-2-586(B)(6) of the Downtown Density Bonus Program for the development of Site Plan No. SP-2019-0465C (the "Project), located at 61 and 69 Rainey Street and 60 East Avenue, as further described in the legal description attached as **Exhibit "A"**.
- B. The Applicant has offered affordable housing community benefits under Section 25-2-586(E)(1) of the Downtown Density Bonus Program in order to earn the additional floor-to-area ratio, and the City Council approves the use of the affordable housing community benefits for the additional floor-to-area ratio.
- C. The Applicant has complied with all requirements of Section 25-2-586(B)(6) of the Downtown Density Bonus Program and the additional floor-to-area ratio should be granted because doing so will substantially further the goals of the Downtown Austin Plan and the Imagine Austin Comprehensive Plan.
- **PART 2.** Under the authority of Section 25-2-586(B)(6) of the Downtown Density Bonus Program, the City Council grants an additional floor-to-area ratio of 7:1 to the Project.
- **PART 3.** The granting of the additional floor-to-area ratio allows the Project to increase its floor-to-area ratio from 15:1 to a maximum of 22:1.
- **PART 4.** The City Council grants this additional floor-to-area ratio on the express condition that the Project be constructed in accordance with Site Plan No. SP-2019-0465C that is on file at the office of the director of the Development Services Department.

PART 5. This ordinance takes effect or	n, 2021.
PASSED AND APPROVED	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Steve Adler Mayor
APPROVED:	ATTEST:
Anne L. Morgan City Attorney	Jannette S. Goodall City Clerk

FIELDNOTES to that certain tract being comprised of land described in a General Warranty Deed Correction Affidavit to 61 Rainey Street, LLC (hereinafter referred to as 61 Rainey tract), as recorded in Document No. 2011169769, of the Official Public Records of Travis County, Texas (O.P.R.T.C.T.), a tract of land described in a General Warranty Deed with Vendor's Lien to 69 Rainey Street, LLC (hereinafter referred to as 69 Rainey tract), as recorded in Document No. 2010134909, said O.P.R.T.C.T., and a tract of land described in a Correction Contribution Deed to Knight Family Partnership, Ltd. (hereinafter referred to as Knight tract), as recorded in Document No. 2018130131, said O.P.R.T.C.T., being further described in a Warranty Deed to Robert E. Knight, as recorded in Volume 13279, Page 3121, of the Deed Records of Travis County, Texas (D.R.T.C.T.); subject tract also being portions of Lot 1 and Lot 18, Block 1, a portion of (original) River Street (River Street being cited as having been relocated by City Council Ordinance recorded in Volume 86, Page 52, said D.R.T.C.T. (document illegible), referenced by said Document No. 2011169769 and said Document No. 20100134909), a portion of an apparent alley (20 feet wide), and a portion of a shown 10 foot reserve, all according to DRISCOLL'S AND RAINEY'S SUBDIVISION OF PART OF OUTLOTS 72 & 73, DIVISION E, AUSTIN TEXAS, a map of which is recorded in Volume 1, Page 22, of the Plat Records of Travis County, Texas (P.R.T.C.T.); the subject tract being more particularly described as follows (Bearings are based on Grid North per the Texas Coordinate System of 1983, Central Zone.):

BEGINNING at a 1/2 inch iron pipe found at the west corner of said 61 Rainey tract, being at the intersection of the apparent northeast right of way (ROW) of River Street (evidenced by found monumentation, said Document No. 2011169769 and said Document No. 20100134909) and the southeast right of way of Rainey Street (60 foot wide ROW, evidenced by RAINEY RIVER ADDITION, a map of which is recorded in Vol. 68, Pg. 72, said P.R.T.C.T. and said Vol. 01, Pg. 22);

THENCE

NORTH 16 degrees 10 minutes 31 seconds EAST, along the northwest line of said 61 Rainey tract, at a distance of 49.85 feet pass a 1/2 inch rebar found at a common corner of said 61 Rainey tract and said 69 Rainey tract, and continue along the northwest line of said 69 Rainey tract a total distance of 85.04 feet to a point (no monumentation found or set), at the north corner of said 69 Rainey tract;

THENCE

SOUTH 73 degrees 49 minutes 22 seconds EAST, along the northeast line of said 69 Rainey tract, at distance of 128.26 feet, pass a 5/8 inch rebar found at the east corner of said 69 Rainey tract on the northwest line of said alley, from which a 1/2 inch rebar found at a common corner of said 61 Rainey tract and said 69 Rainey tract, bears SOUTH 16 degrees 10 minutes 31 seconds WEST a distance of 35.25 feet, and continue through the interior of said alley a total distance of 138.26 feet to a point;

THENCE

NORTH 16 degrees 10 minutes 31 seconds EAST, continuing through the interior of said alley, a distance of 5.97 feet to a point;

THENCE

SOUTH 73 degrees 49 minutes 29 seconds EAST, continuing through the interior of said alley, at a distance of 10.00 feet, pass a 1/2 rebar found at the north corner of said Knight tract on the southeast line of said alley, from which a 1/2 inch capped rebar stamped "BURRIS & ASSOC" found for the north corner of a tract described in a General Warranty Deed to KMDT Property, LLC, as recorded in Document No. 2013021482, said O.P.R.T.C.T., bears NORTH 16 degrees 10 minutes 31 seconds EAST a distance of 50.00 feet, and continue along the northeast line of said Knight tract a total distance of 129.01 feet to a 1/2 inch capped rebar stamped "JPH Land Surveying" set at the east corner of said Knight tract on the northwest right of way of East Avenue (ROW varies, evidenced by said Vol. 1, Pg. 22 and Texas Department of Transportation (TxDOT) ROW map - Project No. I 35-3(12)234);

THENCE SOUTH 16 degrees 27 minutes 09 seconds WEST, along the southeast line of said Knight tract, a distance of 91.77 feet to a 1/2 inch capped rebar stamped "4WARD SURVEYING" found at the south corner of said Knight tract, at the intersection of said northwest line of East Avenue and said apparent northeast line of River Street;

THENCE NORTH 73 degrees 39 minutes 44 seconds WEST, along the southwest line of said Knight tract, at a distance of 118.56 feet pass a 1/2 inch rebar found at the west corner of said Knight tract, and continue a distance of 138.56 feet to a Mag nail with a metal washer stamped "JPH Land Surveying" set at the South corner of said 61 Rainey tract, and continue along the southwest line of said 61 Rainey tract, a total distance of 266.82 feet to the *POINT OF BEGINNING* enclosing 0.541 of one acre (± 23,579 square feet) of land.

Drafter: RDG 2019-01-23 Revision: CDS - 2019-02-01 Revision: Revision:

LEGEND OF SYMBOLS

borehole _{CATV} o cable tv $_{\rm EM}$ \bigcirc electric meter ____ fence or handrail $_{\mathrm{FDC}}$ \gtrsim fire dept. connection

FH of fire hydrant $_{-\,{\mbox{\tiny FIRE}}\,{\mbox{\tiny LANE}}}$ fire lane guard rail © grease trap $_{\rm GP}$ \bigcirc bollard

 $_{\rm GI} \ \square$ grate inlet GM ogas meter - GAS — gas line GUY) utility pole anchor w ⊗ irrigation valve

∼ landscape or tree line

LEB ☐ landscape electric box LSL ⊗ landscape light LP 🖸 light pole MB mailbox MW @ monitoring well —_{OU}—overhead utility lines

PE ⊗ pool equipment __ road sign $_{RD} \square$ roof drain -v-silt fence • 356.7' spot elevation SSMH (S) sanitary sewer manhole — s — sanitary sewer pipe

− storm water pipe тмн 🗇 telephone manhole TFL () tank fill lid TR ☐ telephone riser • traffic signal pole имн M unknown manhole

SDMH (1) storm water manhole

co ⊙ utility clean out uc <u>utility</u> cabinet ∪v **utility vault** utility markings (line color = color of markings)

UP ○ utility pole UP/UG- utility pole with riser ♦ utility sign * water shutoff

 $wv \bowtie water valve$ (w) water manhole _{WM} ⊞ water meter ⊚ well

w — water line one-foot contour lines tree trunk (not canopy) caliper inches at breast

UTILITY WARNING

811 or other similar utility locate requests (DIG-TESS) may be ignored or result in an incomplete response, in which case utilities may not have been marked, or not completely marked, at the time the fieldwork was performed for this survey. Therefore, other utilities may exist which are not shown on this survey. With regard to Table A, item 11 *(if addressed), source information from plans and markings have been combined with observed evidence of utilities pursuant to Section 5.E.iv. to develop a view of the underground utilities. However, lacking excavation, the exact location of underground features cannot be accurately, completely, and reliably depicted. Where additional or more detailed information is required, excavation and/or a private utility locate request may be necessary.

FLOOD ZONE CLASSIFICATION

This property lies within ZONE X (SHADED) of the Flood Insurance Rate Map for Travis County, Texas and Incorporated Areas, map no. 48453C0465J, dated January 6, 2016, via scaled map location and graphic plotting and/or via the National Flood Hazard Layer (NFHL) Web Map Service (WMS) http://hazards.fema.gov


MONUMENTS / DATUMS / BEARING BASIS

Monuments are found if not marked MNS or CRS. CRS \(\int \) 1/2" rebar stamped "JPH Land Surveying" set MNS

Mag nail & washer stamped "JPH Land Surveying" set TBM • Site benchmark (see vicinity map for general location) O Vertex or common point (not a monument) Coordinate values, if shown, are US.SyFt./TxCS,'83,CZ Elevations, if shown, are NAVD'88

Bearings are based on grid north (TxCS,'83,CZ) TYPE I

TxDOT Right of Way tapered concrete monument. TYPE II O TxDOT Right of Way bronze cap in concrete. TYPE III © TxDOT Right of Way aluminum cap.



JPH Job/Drawing No. (see below) 2016.069.006 60 East Avenue, Austin, Travis County, TX - BOUNDARY & TOPO.dwg © 2019 JPH Land Surveying, Inc. - All Rights Reserved 1516 E Palm Valley Blvd, Suite A4, Round Rock, Texas 78664 Telephone (817) 431-4971 www.jphlandsurveying.com TBPLS Firm #10019500 #10194073 #10193867


DFW | Austin | Abilene

LEGEND OF ABBREVIATIONS

US.SyFt. United States Survey Feet TxCS,'83,CZ Texas Coordinate System of 1983, Central Zone NAVD'88 North American Vertical Datum of 1988 P.R.T.C.T. Plat Records of Travis County, Texas O.P.R.T.C.T. Official Public Records of Travis County, Texas D.R.T.C.T. Deed Records of Travis County, Texas

VOL/PG/INST# Volume/Page/Instrument Number POB/POC Point of Beginning/Point of Commencing ESMT/BL Easement/Building Line PVC Polyvinyl Chloride Pipe

RCP Reinforced Concrete Pipe S.F. Square Feet BLDG. Building



TREE TABLE LEGEND:

DBH = Diameter Breast Height

NP = Not protected

HT = Heritage Tree

P = Protected Tree

TRACT II (GF NO. 201802616) 0.147 ACRES 6,413 S.F. 61 RAINEY STREET, LLC INST.# 2011169769 O.P.R.T.C.T.

RIVER STREET

TRACT I

(GF NO. 201802616)

4,517 S.F. 69 RAINEY STREET, LLC

O.P.R.T.C.T.

GROSS AREA: 0.541 ACRES 23,5**7**9 S.F.

N16°10'31"E

0.250 ACRES 10,881 S.F. KNIGHT FAMILY PARTNERSHIP, LTD. INST.# 2018130131 O.P.R.T.C.T. DESCRIBED BY VOL. 13279, PG. 3121

D.R.T.C.T. (TRACT I)

(GF NO. 201801588)

Registered Professional

Land Surveyor No. 6731

Date: February 01, 2019

cole@jphls.com

THENCE SOUTH 16 degrees 27 minutes 09 seconds WEST, along the southeast line of said Knight tract, a distance of 91.77 feet to a 1/2 inch capped rebar stamped "4WARD SURVEYING" found at the south corner of said Knight tract, at the intersection of said northwest line of East Avenue and said apparent northeast line

and Texas Department of Transportation (TxDOT) ROW map - Project No. I 35-3(12)234);

CLICK • HERE FOR DESCRIPTION IN WORD FORMAT

Texas Coordinate System of 1983, Central Zone.):

of 5.97 feet to a point;

said Vol. 01, Pg. 22);

FIELDNOTES to that certain tract being comprised of land described in a General Warranty Deed Correction Affidavit

to 61 Rainey Street, LLC (hereinafter referred to as 61 Rainey tract), as recorded in Document No. 2011169769, of the

Official Public Records of Travis County, Texas (O.P.R.T.C.T.), a tract of land described in a General Warranty Deed

with Vendor's Lien to 69 Rainey Street, LLC (hereinafter referred to as 69 Rainey tract), as recorded in Document No.

2010134909, said O.P.R.T.C.T., and a tract of land described in a Correction Contribution Deed to Knight Family

Partnership, Ltd. (hereinafter referred to as Knight tract), as recorded in Document No. 2018130131, said O.P.R.T.C.T.,

being further described in a Warranty Deed to Robert E. Knight, as recorded in Volume 13279, Page 3121, of the Deed

Records of Travis County, Texas (D.R.T.C.T.); subject tract also being portions of Lot 1 and Lot 18, Block 1, a portion

of (original) River Street (River Street being cited as having been relocated by City Council Ordinance recorded in

Volume 86, Page 52, said D.R.T.C.T. (document illegible), referenced by said Document No. 2011169769 and said

Document No. 20100134909), a portion of an apparent alley (20 feet wide), and a portion of a shown 10 foot reserve,

all according to DRISCOLL'S AND RAINEY'S SUBDIVISION OF PART OF OUTLOTS 72 & 73, DIVISION E,

AUSTIN TEXAS, a map of which is recorded in Volume 1, Page 22, of the Plat Records of Travis County, Texas

(P.R.T.C.T.); the subject tract being more particularly described as follows (Bearings are based on Grid North per the

BEGINNING at a 1/2 inch iron pipe found at the west corner of said 61 Rainey tract, being at the intersection of

the apparent northeast right of way (ROW) of River Street (evidenced by found monumentation, said Document No.

2011169769 and said Document No. 20100134909) and the southeast right of way of Rainey Street (60 foot wide

ROW, evidenced by RAINEY RIVER ADDITION, a map of which is recorded in Vol. 68, Pg. 72, said P.R.T.C.T. and

THENCE NORTH 16 degrees 10 minutes 31 seconds EAST, along the northwest line of said 61 Rainey tract, at a

THENCE SOUTH 73 degrees 49 minutes 22 seconds EAST, along the northeast line of said 69 Rainey tract, at

THENCE NORTH 16 degrees 10 minutes 31 seconds EAST, continuing through the interior of said alley, a distance

THENCE SOUTH 73 degrees 49 minutes 29 seconds EAST, continuing through the interior of said alley, at a

a point (no monumentation found or set), at the north corner of said 69 Rainey tract;

and continue through the interior of said alley a total distance of 138.26 feet to a point;

distance of 49.85 feet pass a 1/2 inch rebar found at a common corner of said 61 Rainey tract and said 69

Rainey tract, and continue along the northwest line of said 69 Rainey tract a total distance of 85.04 feet to

distance of 128.26 feet, pass a 5/8 inch rebar found at the east corner of said 69 Rainey tract on the

northwest line of said alley, from which a 1/2 inch rebar found at a common corner of said 61 Rainey tract

and said 69 Rainey tract, bears SOUTH 16 degrees 10 minutes 31 seconds WEST a distance of 35.25 feet,

distance of 10.00 feet, pass a 1/2 rebar found at the north corner of said Knight tract on the southeast line

of said alley, from which a 1/2 inch capped rebar stamped "BURRIS & ASSOC" found for the north

corner of a tract described in a General Warranty Deed to KMDT Property, LLC, as recorded in

Document No. 2013021482, said O.P.R.T.C.T., bears NORTH 16 degrees 10 minutes 31 seconds EAST a

distance of 50.00 feet, and continue along the northeast line of said Knight tract a total distance

of 129.01 feet to a 1/2 inch capped rebar stamped "JPH Land Surveying" set at the east corner of said

Knight tract on the northwest right of way of East Avenue (ROW varies, evidenced by said Vol. 1, Pg. 22

THENCE NORTH 73 degrees 39 minutes 44 seconds WEST, along the southwest line of said Knight tract, at a distance of 118.56 feet pass a 1/2 inch rebar found at the west corner of said Knight tract, and continue a distance of 138.56 feet to a Mag nail with a metal washer stamped "JPH Land Surveying" set at the South corner of said 61 Rainey tract, and continue along the southwest line of said 61 Rainey tract, a total distance of 266.82 feet to the POINT OF BEGINNING enclosing 0.541 of one acre (± 23,579 square feet) of land.

- 1. Subject property's record description's error of closure, Knight Tract: 0.0048', Tract I: 0.000', Tract II: 0.0082'.
- 2. This survey was performed with the benefit of two title commitments provided by First American Title Insurance Company, GF# 201802616, effective November 8, 2018, and issued November 20, 2018 (TRACTS I & II), and GF# 201801588, effective July 3, 2018, and issued July 12, 2018 (KNIGHT TRACT). Complete copies of the record description of the property, any record easements benefiting the property, the record easements or servitudes and covenants affecting the property ("Record Documents"), documents of record referred to in the Record Documents, and any other documents containing desired appropriate information affecting the property being surveyed and to which the survey shall make reference were not provided to this surveyor for notation on the survey. Therefore, easements, agreements, or other documents, either recorded, or unrecorded may exist that affect the subject property that are not shown on this survey.
- 3. Vertical Relief: Elevations are based on NAVD 1988 per GPS observations using the Texas RTK Network. One-foot contour intervals are shown. The site benchmark (TBM-1) is a square cut set in a concrete curb, located approximately 12' easterly of the west line of East Avenue and approximately 115' northerly of the north line of River Street. Benchmark Elevation = 456.16' (NAVD'88). The site benchmark (TBM-2) is a mag nail with a metal washer stamped "JPH LAND SURVEYING" set in concrete, located approximately 60' southwest of the centerline intersection of Rainey Street and River Street. Benchmark Elevation = 451.40' (NAVD'88). See vicinity map for general location.
- 4. Field work for the Knight tract area was completed on October 26, 2016 and verified on January 25, 2019.

Field work for the remainder of the site was completed on January 25, 2019.

Utility locations are per observed and sources listed below: DIG-TESS - ticket number(s) 562388053, 590187385 and 590187328.

NOTE REGARDING <u>UTILITIES:</u>

SURVEYOR'S NOTES:



BOUNDARY & TOPOGRAPHIC SURVEY 0.541 ACRES

LOTS 1 & 18, BLOCK 1, (ORIGINAL) RED RIVER STREET, AN APPARENT ALLEY (20' WIDE) & A SHOWN 10' RESERVE DRISCOLL'S AND RAINEY'S SUBDIVISION

OF PART OF OUTLOTS 72 & 73

CITY OF AUSTIN

TRAVIS COUNTY, TEXAS ADDRESSES: 60 East Avenue, 61 Rainey Street, and 69 Rainey Street (Per Appraisal District)