

What we'll cover

- Introductions
- What is a tree?
- Site and selection
- Planting
- Pruning
- Pests
- Diseases
- Notes on specific trees



Who is Greg?

- Gardener Central Texas Food Bank
- ISA Certified Arborist
- MS Geography Motivations of Community Gardeners
- Lifelong gardener
- Eater of food







HOW DO WE DO IT?














FOOD DISTRIBUTION





45 million pounds = 38 million meals





The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.



330,00 Central Texans receive food from the Food Bank every year.



1 in 6 Central Texans is hungry or at risk of hunger.




1 in 5 Central Texas children is hungry or at risk of hunger.



IMPACT



Despite our best efforts, we are still falling short by 30%.





EFFECTS OF FOOD INSECURITY



83%

have to choose between food and utilities



80%

have to choose between food and medicine



66%

have to choose between food and housing



Central Texas Food Bank Garden

- 1.25 acre teaching and production garden
- 50 fruit trees
- Blackberries, grapes
- Lots of veggies
- Classes, field trips, workshops for kids and adults
- Volunteers!

Central Texas Food Bank Garden



The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.

What is a tree?

- Woody perennial
- Single or multiple trunk
- Primary and secondary growth







What is a tree?


- Woody means it makes wood, as opposed to just soft tissue (like lettuce)
- Perennial means it lives for many years
- Primary growth means it gets tall and long
- Secondary growth means it gets thicker over time



http://morningmail.org/wp-content/uploads/2016/07/splitting-hairs.png

Choosing a site – Light

- Light = Photosynthesis = Sugar = Growth = Fruit
- 8+ hours of full, direct sun
- Morning sun is best if you have to choose
- Balanced exposure = balanced growth







http://leavingbio.net/Plant%20Responses_files/image015.jpg

Choosing a site – Climate - Chilling Hours

Chilling Hours

- Required timebetween 32 45 Fwhile dormant
- Bud development
- 500 800 forAustin







Choosing a site – Climate - Hardiness

Cold Hardiness

- Avg. min temp
- Mature plant
- Survive ≠ Thrive



Peaches							
Peaches	Swollen	Calyx	Calyx	First	First	Full	Post
	Bud	Green	Red	Pink	Bloom	Bloom	Bloom
Old temp	23			25		27	30
10% kill	18	21	23	25	26	27	28
90% kill	1	5	9	15	21	24	25



Keeping trees healthy

- Pruning
 - Pests & Disease
 - Structure



http://www.apsnet.org/edcenter/intropp/lessons/fungi/ascomycetes/PublishingImages/BrownRotStoneFruitsO3sm.jpg



- Why prune?
 - Air circulation
 - Sunlight
 - Branch strength
 - Fruit production
 - Disease
 - Access
 - Space

Prunus = Prune Us



- Open Center
 - Light penetration
 - Fruit within reach
 - Low profile to wind
 - Min. dripping
 - Weak branches
 - Shorter lived

- Central Leader
 - Strong structure
 - Longer lived
 - Ladders, poles
 - Dripping
 - Shade on branches




- Open Center
 - Peach
 - Plum
 - Apple (dwarfed)
- Other...
 - Fig
 - Citrus
 - Pomegranate


- Central Leader
 - Pear
 - Persimmon
 - Apple (standard)
 - Nut
 - Mulberry
 - Jujube



Keeping trees healthy – Open Center Pruning











TreeFolks, Inc. Open Vase Tree

Keeping trees healthy – Central Leader Pruning



fight against hunger.

lile







The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.

Vegetative Bud



Flower Bud (Spur)



The Walden Effect, No image title. 2012. Last accessed 1/11/2016. http://www.waldeneffect.org/20120306applebuds.jpg

Brown Rot











http://www.apsnet.org/edcenter/intropp/lessons/fungi/ascomycetes/Article%20Images/BrownRotStoneFruits03.jpg https://www.staff.ncl.ac.uk/ethan.hack/disease-pictures-public/backus-060-plum-brown-rot.jpg http://www.clairehiggins.com/images/110.jpg https://mobileimages.lowes.com/product/converted/037321/037321008118.jpg



The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.

Fire Blight









https://www.groworganic.com/organic-gardening/images/posts/articles/fire blight lead.jpg

https://www.groworganic.com/serenade-garden-disease-control-biofungicide-32-oz-concentrate.html

http://static.wixstatic.com/media/52cd90 60cf1114a23acfc56a943f7dac051528.jpg

CENTRAL TEXAS FOOD BANK

http://www.bartlettman.com/assets/images/ProductImages/PNG/HP-6250 BP6250 CORONA HAND PRUNER.png

http://www.bartlettman.com/assets/images/ProductImages/PNG/HP-6250_BP6250_CORONA_HAND_PRUNER.png

The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.

- Apple and Pear
 - Central Leader
 - Soil pH and drainage
 - Usually not self fertile
 - Lots of pests and diseases
 - Pears are a little easier
 - Fruiting spurs on 2+ year old wood






http://chloesblog.bigmill.com/uploads/Image/Pear-Tree-blog.jpg








The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.








The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.

• Citrus

- Cold sensitive
- Highly productive
- Lots of N
- Lots of H2O
- Self pollinating
- Fruits on new growth
- Prune for size and structure





• Citrus







Fig

- Fruits on new growth
- Hardy to mid teens
- No pollination required
- Rust in wet years
- Prune to shape and size
- 2 harvests per year





Mulberry

- Native and exotic varieties
- Very early fruit production



- Fruits on new growth
- Fall webworm,'popcorn' fungus
- Birds



Stone Fruit

- Peach, Plum, Nectarine
- Should be aggressively pruned every year (50%)
- Open center
- 12-15 years
- Lots of pests and diseases
- Fruits on 2 year old wood
 - Plums also make spurs, prune less aggressively (25%)











Pecan

- Central leader
- 7-10 years until harvest
- Squirrels, scab
- Weak wood
- Messy



State Symbols USA, No image title. No date. Last accessed 1/11/2016. http://www.statesymbolsusa.org/symbol-official-item/texas/state-tree/pecan-tree

- Wind pollinated, not self pollinating
- Deep, rich soil and lots of water



- Asian persimmon
 - Astringent and Non-astringent varieties
 - Self pollinating
 - Central leader
 - Fruits on new growth
 - No major problems





Pomegranates

- Hardy to mid teens, some varieties lower
- Commercial production prunes to 4-12 trunks
- Prune to 4-6 trunks with modified open center
- Fruits on new growth coming off of old growth
- Black heart, cause unknown
- Self pollinating





Jujube

- Fruit is sweet but kind of dry
- Better fruit set with multiple varieties
- No pests or diseases
- Super drought hardy
- Has thorns
- Central leader





Additional Resources

California Rare Fruit Growers – http://www.crfg.org/

Grow Organic Apples - http://www.groworganicapples.com/

The Natural Gardener – http://www.naturalgardeneraustin.com/

Orchard Equipment and Supply - <u>www.oescoinc.com</u>

Peaceful Valley Farm Supply - http://www.groworganic.com/

Sustainable Food Center - http://sustainablefoodcenter.org/

Texas Organic Farmers and Gardeners Association - http://www.tofga.org/

Texas A&M University Extension - http://agrilifeextension.tamu.edu/

TreeFolks, Inc. – http://www.treefolks.org



Questions?



The mission of the Central Texas Food Bank is to nourish hungry people and lead the community in the fight against hunger.